

Page 1 of 11

Report No.: LCSA11223161R

Test Report

Applicant	:	DIGITAL MATTER EMBEDDED SOUTH AFRICA
Address	:	Oval, St Georges Block, Cnr Meadowbrook Lane and Sloane Street, Bryanston, Gauteng, South Africa

Report on the submitted samples said to be:

Sample Name(s) :	BOLT2-4G
Trade Mark :	Digital Matter
Part No. :	BOLT2-4G
Sample Received Date :	December 08, 2023
Testing Period :	December 08, 2023 ~ December 12, 2023
Date of Report :	December 12, 2023
Testing Location :	901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Results :	Please refer to next page(s).

TEST REQUEST		CONCLUSION
As specified by client, based on th	e performed tests on submitted sample, the result of	
Lead(Pb), Cadmium(Cd), Mercury	y(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs	·,
Dibutyl Phthalate(DBP), Butylber	zyl Phthalate(BBP), Di-2-ethylhexyl	PASS
Phthalate(DEHP) and Diisobutyl	ohthalate(DIBP) content comply with the limits set by	7
RoHS Directive 2011/65/EU with	amendment (EU) 2015/863.	2.31检测股份
LCS Testing La	LCS Testing La	ST LCS Testing

Signed for and on behalf of LCS

Torry lus

Terry Luo





A. EU RoHS Directive 2011/65/EU and its amendment directives

Test method: Refer to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF).

Test result(s):

Sample	Sample		Date of sample					
No.	Description	Cd	Pb	Hg	Cr▼		ßr▼	submission/ Resubmission
	^					PBBs	PBDEs	
1	Black plastic case	BL	BL	BL	BL	BL	BL	2023-12-08
2	White plastic sticker	BL	BL	BL	BL	BL	BL	2023-12-08
3	White fixing glue	BL	BL	BL	BL	BL	BL	2023-12-08
4	White plastic sticker	BL	BL	BL	BL	BL	BL	2023-12-08
5	White ceramic plates	BL	BL	BL	BL	BL	BL	2023-12-08
6	Pink ceramic tiles	BL	BL	BL	BL	BL	BL	2023-12-08
7	Solder	BL	BL	BL	BL	/	/	2023-12-08
8	PCB board	BL	BL	BL	BL	BL	BL	2023-12-08
9	White plastic blocks	BL	BL	BL	BL	BL	BL	2023-12-08
10	Silver metal needles	BL	BL	BL	BL	/	/	2023-12-08
11	Black IC	BL	BL	BL	BL	BL	BL	2023-12-08
12	Black IC	BL	BL	BL	BL	BL	BL	2023-12-08
LC13 ^{estin}	Brown chip capacitors	BL	BL	BL	BL	BL	BL	2023-12-08
14	White plastic blocks	BL	BL	BL	BL	BL	BL	2023-12-08
15	Black IC	BL	BL	BL	BL	BL	BL	2023-12-08
16	Black IC	BL	BL	BL	BL	BL	BL	2023-12-08
17	Black plastic blocks	BL	BL	BL	BL	BL	BL	2023-12-08
18	Silver metal flakes	BL	BL	BL	BL	/	/	2023-12-08
19	Silver metal shrapnel	BL	BL	BL	BL	/	/	2023-12-08
20	Black plastic blocks	BL	BL	BL	BL	BL	BL	2023-12-08
21	White plastic paper	BL	BL	BL	BL	BL	BL	2023-12-08
22	Black plastic blocks	BL	BL	BL	BL	BL	BLCS	2023-12-08
23	Silver metal pins	BL	BL	BL	BL	/	1	2023-12-08
24	Orange ceramic blocks	BL	BL	BL	BL	BL	BL	2023-12-08
25	Black plastic blocks	BL	BL	BL	BL	BL	BL	2023-12-08
26	Black IC	BL	BL	BL	BL	BL	BL	2023-12-08
27	Gold-toned metal needles	BL	BL	BL	BL	/	/	2023-12-08
28	Gray metal block	BL	BL	BL	BL	/	/	2023-12-08
29	Colorless transparent plastic film	BL	BL	BL	BL	BL	BL	2023-12-08





T Mastin	Samula VS		Date of sample					
Sample No.	Sample Description	Cd	Pb		Cr▼	Br▼		submission/
110.	Description	Cd	PD	Hg	Cr	PBBs	PBDEs	Resubmission
30	White plastic blocks	BL	BL	BL	BL	BL	BL	2023-12-08
31	Silver metal needles	BL	BL	BL	BL	/	/	2023-12-08
32	Black plastic thread	BL	BL	BL	BL	BL	BL	2023-12-08
33	Yellow plastic thread	BL	BL	BL	BL	BL	BL	2023-12-08
34	Silver tinsel	BL	BL	BL	BL	/	/	2023-12-08
35	Red plastic thread	BL	BL	BL	BL	BL	BL	2023-12-08
36	White plastic sticker	BL	BL	BL	BL	BL	BL	2023-12-08
37	Black plastic sheet	BL	BL	BL	BL	BL	BL	2023-12-08

 $D_{a} = 2 = f = 11$

Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

	Element	Polymers	Metals	Composite material	
	Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+30)≤ol< td=""></x<(150+30)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+30)≤ol< td=""></x<(150+30)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+30)≤ol< td=""></x<(150+30)≤ol<>	
E	Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td colspan="2">BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td colspan="2">BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>	
	Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>	
	Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>	
	Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>	

Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- 3σ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.



Depart No. J CSA11222161D



RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



R





B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

Test method:

Lead(Pb) & Cadmium(Cd) Content:

Refer to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES) or atomic absorption spectrometer (AAS).

Mercury(Hg) Content:

Refer to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

Refer to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

Refer to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatography-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP & DIBP) Content:

Refer to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatography-mass spectrometer (GC-MS).

Test result(s):

1) Phthalates(DBP, BBP, DEHP & DIBP)

Tested Item(s)	MDL	Test Result(s) (mg/kg)			Limit	
resteu rum(s)	(mg/kg)	32	33	35	(mg/kg)	
Dibutyl Phthalate(DBP) Content	50	N.D.	N.D.	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	50	N.D.	N.D.	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	N.D.	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	50	N.D.	N.D.	N.D.	1000	
+ HIL Dan Lab	- in the way	Lab	·	上田田	Lab	

Tested Item(s)	MDL	Test Result(s) (mg/kg)	Limit		
	(mg/kg)	1+2+3+4+5+6	(mg/kg)		
Dibutyl Phthalate(DBP) Content	50	N.D.	1000		
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000		
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000		
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000		





	Page 6 of 1	Report No.: LCS	Report No.: LCSA11223161R		
Tested Item(s)	MDL	Test Result(s) (mg/kg)	Limit		
	(mg/kg)	8+9+11+12+13+14	(mg/kg)		
Dibutyl Phthalate(DBP) Content	50	N.D.	1000		
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000		
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000		
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000		

Tested Item(s)	MDL (mg/kg)	Test Result(s) (mg/kg) 15+16+17+20+21+22	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

	Tested Item(s)	MDL	Test Result(s) (mg/kg)	Limit
2	Los Testing Los Testing Los Testing Los	(mg/kg)	24+25+26+29+30+36	(mg/kg)
	Dibutyl Phthalate(DBP) Content	50	N.D.	1000
	Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
	Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
	Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

Tested Item(s)	MDL (mg/kg)	Test Result(s) (mg/kg)	Limit
		37 TRI	(mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000





Page 7 of 11


Report No.: LCSA11223161R

Note:


- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg= milligram
- According to customer's requirement, only the appointed materials have been tested.




1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013



Shenzhen, Guangdong, China Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity



4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs) : IEC 62321-6:2015








Page 9 of 11

立讯检测股


The photo(s) of the sample











Statement:

- The test report is invalid without the signature of the approver and the special seal for the company's report; 1.
- The company name, address and sample information shown on the report were provided by the applicant 2. who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- Without written approval of LCS, this report can't be reproduced except in full; 4.
- In case of any discrepancy between the corresponding Chinese and English contents in the test report, the 5. Chinese version shall prevail.

*** End of Report ***



