



WebTrac Splash Page Links

09/21/2020

Copyright Information

© 2020 by Vermont Systems

This document is the property of Vermont Systems and is provided in conjunction with an agreement between the customer and Vermont Systems for Licensed Software or Software as a Service (SaaS). The document(s) and software referred to in this publication may not be copied, distributed, electronically transmitted, posted on the web or altered in any way without the express written consent of Vermont Systems. The information contained in this document is subject to change without notice.

Vermont Systems
12 Market Place
Essex Junction, VT 05452

www.vermontsystems.com

Quick Links

Sample:

```
<a href="<your base href>donation.html?SessionID=<?VSI-SessionID?>">Make A Donation</a>
```

Program	SessionInfo	Description
---------	-------------	-------------

Notes:

- Links highlighted in **yellow** require the patron to be logged in as a registered patron. These links are not appropriate for a Guest Splash Page.
- Links highlighted in **blue** show how to link to your own custom Splash Page(s) by creating a "WebTrac Reserved" type Comment Code, the comment text for which is HTML syntax.

<a >account="" (password)<="" a><="" href="<your base href>/account.html?SessionID=<?VSI-SessionID?>" settings="" td="">
<a >auto="" a><="" debit="" href="<your base href>/autodebit.html?SessionID=<?VSI-SessionID?>" settings<="" td="">
<a >shopping="" a><="" cart<="" href="<your base href>/cart.html?SessionID=<?VSI-SessionID?>" td="">
<a >contact="" a><="" href="<your base href>/contactus.html?SessionID=<?VSI-SessionID?>" td="" us<="">
<a >add="" a="" a><="" credit<="" href="<your base href>/credit.html?SessionID=<?VSI-SessionID?>&addoption=Credit" td="">
<a >add="" a><="" card<="" gift="" href="<your base href>/credit.html?SessionID=<?VSI-SessionID?>&addoption=Gift" td="" to="">
<a >make="" a="" a><="" donation<="" href="<your base href>/donation.html?SessionID=<?VSI-SessionID?>" td="">
<a >evaluations<="" a><="" href="<your base href>/evaluation.html?SessionID=<?VSI-SessionID?>" td="">
<a >forgot="" a><="" href="<your base href>/forgotten.html?SessionID=<?VSI-SessionID?>&option=Password" password<="" td="">
<a >forgot="" a><="" href="<your base href>/forgotten.html?SessionID=<?VSI-SessionID?>&option=Username" td="" username<="">
<a >view="" a><="" history<="" href="<your base href>/history.html?SessionID=<?VSI-SessionID?>&historyoption=inquiry" shopping="" td="">
<a >pay="" a><="" balances<="" href="<your base href>/history.html?SessionID=<?VSI-SessionID?>&historyoption=payold" old="" td="">
<a >cancellations<="" a><="" href="<your base href>/history.html?SessionID=<?VSI-SessionID?>&historyoption=cancellation" td="">
<a >changes<="" a><="" href="<your base href>/history.html?SessionID=<?VSI-SessionID?>&historyoption=change" td="">
<a >create="" a><="" account<="" an="" href="<your base href>/household.html?SessionID=<?VSI-SessionID?>&option=add" td="">
<a &="" >update="" a><="" household="" href="<your base href>/household.html?SessionID=<?VSI-SessionID?>&option=update" members<="" td="">
<a >login<="" a><="" href="<your base href>/login.html?SessionID=<?VSI-SessionID?>" td="">
<a >log="" a><="" href="<your base href>/logout.html?SessionID=<?VSI-SessionID?>" out<="" td="">

<a >activity="" a="" a><="" enrollment<="" href="<your base href>/manualentry.html?SessionID=<?VSI-SessionID?>&module=AR">
<a >membership="" a="" a><="" href="<your base href>/manualentry.html?SessionID=<?VSI-SessionID?>&module=PM" registration<="">
<a >league="" a="" a><="" href="<your base href>/manualentry.html?SessionID=<?VSI-SessionID?>&module=LS" registration<="">
<a >membership="" a="" a><="" href="<your base href>/renewal.html?SessionID=<?VSI-SessionID?>&module=PM" renewal<="">
<a >locker="" a="" a><="" href="<your base href>/renewal.html?SessionID=<?VSI-SessionID?>&module=LK" renewal<="">
<a >household="" a="" a><="" href="<your base href>/report.html?SessionID=<?VSI-SessionID?>&option=ARSADetailReport&output=stream" roster<="">
<a >household="" a="" a><="" calendar<="" href="<your base href>/report.html?option=householdcalendar&output=stream">
<a >household="" a="" a><="" calendar<="" href="<your base href>/report.html?SessionID=<?VSI-SessionID?>&option=householdcalendar&output=stream">
<a >member="" a="" a><="" href="<your base href>/report.html?SessionID=<?VSI-SessionID?>&option=PMVSDetailReport&output=stream" report<="" visit="">
<a >reprint="" a="" a><="" href="<your base href>/reprint.html?SessionID=<?VSI-SessionID?>&option=receipt" receipt<="">
<a >reprint="" a="" a><="" href="<your base href>/reprint.html?SessionID=<?VSI-SessionID?>&option=ticket" ticket<="">
<a >rss<="" a="" a><="" href="<your base href>/rss.html?SessionID=<?VSI-SessionID?>&name=rss.xml">
<a >activity="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR&display=detail" search<="">
<a >childcare="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR&ByDayOnly=yes&display=detail" search<="">
<a >court="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=CR&display=detail" search<="">
<a >event="" a="" a><="" calendar<="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=Event&display=Calendar">
<a >facility="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=FR&display=detail" search<="">
<a >facility="" a="" a><="" calendar<="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=FR&display=Calendar">
<a >tee="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=GR&display=detail" search<="" time="">
<a >locker="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=LK&display=detail" search<="">
<a >league="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=LS&display=detail" search<="">
<a >membership="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=PM&display=detail" search<="">
<a >trainer="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=PT&display=detail" search<="">
<a >merchandise="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=PSI&display=detail" search<="">
<a >service="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=PSS&display=detail" search<="">
<a >ticket="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=PST&display=detail" search<="">
<a >ticket="" a="" a><="" calendar<="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=PST&display=Calendar">
<a >venue="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=PST&display=Graphical" tickets<="">
<a >rental="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=RN&display=detail" search<="">
<a >rental="" a="" a><="" calendar<="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=RN&display=Calendar">
<a >rental="" a="" a><="" graphical<="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=RN&display=Graphical">
<a >trip="" a="" a><="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP&display=detail" search<="">
<a >trip="" a="" a><="" calendar<="" href="<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP&display=Calendar">
<a >home<="" a="" a><="" href="<your base href>/splash.html?SessionID=<?VSI-SessionID?>">
<a >your="" (written="" a="" a><="" code="" comment="" custom="" href="<your base href>/splash.html?SessionID=<?VSI-SessionID?>&ccode=XYZ" html)<="" in="" xyz="">

```
<a href="<your base href>/splash.html?SessionID=<?VSI-SessionID?>&amp;ccode=Privacy">Privacy Statement</a>
```

```
<a href="<your base href>/splash.html?SessionID=<?VSI-SessionID?>&amp;ccode=Refund">Refund Policy</a>
```

```
<a href="<your base href>/teams.html?SessionID=<?VSI-SessionID?>">Teams</a>
```

Deep Links into Search Results

Sample:

```
<a href="search.html?SessionID=VSI-SessionID?>&amp;module=PSI&amp;Type=Softgoods&amp;Subtype=Hats">Hats</a>
```

Program	SessionInfo	Module	Name-Value Pair(s)	Desc.
---------	-------------	--------	--------------------	-------

Notes:

1. PrimaryCode is the name for the primary code of the module to which you are linking
 - a. In AR, the value will be the Activity Code.
 - b. In FR, the value will be the Facility ComboKey.
 - c. In PM, the value will be the Pass Code.
 - d. etc...
2. The beginning of the link and the end of the link will be the same, but the Criteria Name-Value pairs and Descriptions will vary.
3. You may have more than one (1) set of name-value pairs. Each set must be delimited with **&**. For example, *name1-value1&name2-value2&name3=value3*

Mod	Beginning of Link	Delim	Criteria	Value	End of Link
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	Age	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	BeginMonth	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	ByDayOnly	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	Category	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	DaysOfWeek	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	Display	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	EndMonth	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	Gender	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	Grade	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	Instructors	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	Keywords	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	KeyWordOption	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	Locations	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	PrimaryCode	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	Sort	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	SpotsAvailable	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	SubTypes	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	TimeBlock	=	">Desc
AR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=AR	&	Type	=	">Desc
Event	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&display=Calendar&module=Event	&	Date	=	">Desc
Event	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&display=Calendar&module=Event	&	Location	=	">Desc
Event	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&display=Calendar&module=Event	&	Type	=	">Desc
FR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=FR	&	BeginTime	=	">Desc
FR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=FR	&	BlockstoDisplay	=	">Desc
FR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=FR	&	Category	=	">Desc
FR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=FR	&	Date	=	">Desc
FR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=FR	&	Display	=	">Desc
FR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=FR	&	Features	=	">Desc
FR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=FR	&	FRClass	=	">Desc
FR	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=FR	&	Headcount	=	">Desc

TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	Category	=		">Desc
TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	Display	=		">Desc
TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	EndDate	=		">Desc
TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	EndTime	=		">Desc
TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	Keywords	=		">Desc
TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	KeywordOption	=		">Desc
TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	SecondaryCode	=		">Desc
TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	Sort	=		">Desc
TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	SubType	=		">Desc
TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	TimeBlock	=		">Desc
TP	<a href=<your base href>/search.html?SessionID=<?VSI-SessionID?>&module=TP	&	Type	=		">Desc

Redirect Links

Some customers may need to create links to their WebTrac site that require a login first, followed by an immediate redirect to a particular page. Examples of this include, but are not limited to:

1. A RecConnect email reminding Members of their upcoming membership expiration with a link to Renew Your Pass By Clicking Here. You need the patron to login, but after login you want them to automatically be redirected to the Pass Renewal page.
2. A RecConnect email to all users with a balance due with a link to Pay your balance , which redirects them to the payment page.
3. A link on their Web site or in an email to Print a childcare statement. Patrons login first and then go straight to the reports, etc., etc.

Sample:

<href="<your base href>/login.html?LoginRedirect=history.html&LoginRedirectParam1=HistoryOption&LoginRedirectValue1=payold

Login Redirect Program 1st Parameter Redirect value

Link	Purpose
<href="<your base href>/login.html?LoginRedirect=history.html&LoginRedirectParam1=HistoryOption&LoginRedirectValue1=payold	Pay Old Balance
<href="<your base href>/login.html?LoginRedirect=renewal.html&LoginRedirectParam1=module&LoginRedirectValue1=PM	Pass Renewal
<href="<your base href>/login.html?LoginRedirect= report.html&LoginRedirectParam1=option&LoginRedirectValue1=webchildcarestatement&LoginRedirectParam2=output&LoginRedirectValue2=stream	Print Childcare Statement

This can be used to redirect to essentially any WebTrac page passing any parameters you wish to pass..

To break this down for any use, it is a normal URL to the Login.html page followed by:

?LoginRedirect=&LoginRedirectParam1=<1st Parameter you wish to pass>&LoginRedirectValue1=&LoginRedirectParam2=<2nd Parameter you wish to pass>&LoginRedirectValue2=

This could be extended for any number of parameters you want/need to pass with the redirect link, each needing to have a ParamName# and ParamValue#

For example, if you wanted to create a link that would send someone to the login page for our demo website, and after login have them redirected to Activity Search results for Basketball programs for 5 years old boys, you could use the link below:

<https://demo.vermontsystems.com/web/wbwsc/vsidemowt.wsc/login.html?LoginRedirect=search.html&LoginRedirectParam1=Module&LoginRedirectValue1=AR&LoginRedirectParam2=Type&LoginRedirectValue2=HOOP&LoginRedirectParam3=Age&LoginRedirectValue3=5&LoginRedirectParam4=Gender&LoginRedirectValue4=Male>

For each additional parameter you wish to pass the syntax is:

LoginRedirectParam#=&LoginRedirectValue#=#

You need to increase the # for each additional parameter and match the param name and value to each other with the corresponding #.