



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: ARActivity				
ActivityCode	Activity Code	character	x(100)	Fillin
BillingFrequency	CYMS Billing Frequency	integer	z9	Fillin
CampActivity	CYMS Camp Activity?	logical	Yes/No	CheckBox
Category	Category	character	X(5)	Picklist
ChargeForGUIWaitlist	ChargeForGUIWaitlist	character	X(20)	Fillin
ChargeForWaitlistOnWeb	ChargeForWaitlistOnWeb	character	X(20)	Fillin
ConvenienceFee	Convenience Fee	decimal	zz,zz9.99-	Fillin
ConvenienceOption	Convenience Option	character	X(20)	ComboBox
ConvenienceServiceItem	WebTrac Convenience Fee/Disc Serv	character	x(6)	Picklist
ConvenienceType	Convenience Type	character	X(20)	ComboBox
CYSActivityType	CYMS Program Type	character	X(8)	Picklist
CYSAgeGroups	CYMS Age Groups	character	x(100)	Picklist
CYSAnnualReport	Include Registrations In This Class O	logical	Yes/No	CheckBox
CYSMultiChildClassFeeCalc	Include In Multi Child/Class Fee Calc	logical	Yes/No	CheckBox
CYSRateCalculations	Use CYMS Rate Calculations?	logical	Yes/No	CheckBox
DayCareClass	Daycare Class?	logical	Yes/No	CheckBox
DODFeeGroup	DOD FeeGroup	character	x(100)	ComboBox
EnrollDatePrompt	Prompt for Enrollment Date	logical	Yes/No	CheckBox
EnrollmentMaxCountLinks	Enrollment Max Count Links	character	X(8)	Picklist
ID	ID	int64	->>>>>>>>>>9	Fillin
InstructorPayGLCode	Default Instructor GL	integer	zzzzz9	Picklist
LeagueLink	League Link	character	x(8)	Picklist
LongDescription	Long Description	character	x(30)	Fillin
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
PromptForTransOptionsOnWeb	Prompt For Transportation Drop-Off/P	logical	yes/no	CheckBox
ProviderActivity	Link To A Provider?	logical	Yes/No	CheckBox
RecordStatus	Status	character	X(20)	ComboBox
ReportTag	Report Tag	character	x(100)	Picklist
ReportTag2	Report Tag 2	character	x(100)	Picklist
ReportTag3	Report Tag 3	character	x(100)	Picklist
RequireDropOff	Require Transportation Drop-Off (Rec	logical	yes/no	CheckBox
RequirePickUp	Require Transportation Pick-Up (Rec	logical	yes/no	CheckBox
RewardAmount	RewardAmount	decimal	zzz9.99	Fillin
ShortDescription	Short Description	character	x(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubType	Subtype	character	X(5)	Picklist
TicketAccessGUI	Access Ticket RecTrac	character	x(100)	Picklist
TicketAccessWeb	Access Ticket Web	character	x(100)	Picklist
TicketTemplateGUI	Ticket Template RecTrac	character	x(100)	Picklist
TicketTemplateWeb	Ticket Template Web	character	x(100)	Picklist
TypeCode	Type	character	x(5)	Picklist
WaitlistCode	Waitlist Comment	character	x(5)	Picklist
WaiverCode	Waiver Code	character	x(8)	Picklist
WellnessCredits	Wellness Credits	decimal	z9.99	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: ARLOTTERY				
ActivityLinkID	ActivityLinkID	int64	->>>>>>>>>>9	Fillin
BuddyActivityLinkID	BuddyActivityLinkID	int64	->>>>>>>>>>9	Fillin
BuddyHousehold	BuddyHousehold	integer	zzzzzzz9	Fillin
BuddyMember	BuddyMember	int64	zzzzzzz9	Fillin
ChoiceNumber	ChoiceNumber	integer	zz9	Fillin
DetailID	DetailID	int64	->>>>>>>>>>9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: ARLOTTERY Continued...				
WordIndex	WordIndex	character	x(100)	Fillin
Table: ARSchedule				
ActivityLinkID	Activity Link ID	int64	->>>>>>>>>>9	Fillin
BeginTime	Begin Time	integer	99999	Fillin
EndTime	End Time	integer	99999	Fillin
FacilityComboKey	Facility Combo Key	character	x(100)	Picklist
Holiday	Holiday?	logical	Yes/No	CheckBox
ID	ID	int64	->>>>>>>>>>9	Fillin
MeetingDate	Meeting Date	date	99/99/9999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Section	Section	character	x(2)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: ARSECTION				
ActivityCode	Activity Code	character	x(100)	Picklist
AllowDropIns	Allow Drop In's?	logical	Yes/No	CheckBox
AllowMultipleEnrollments	Allow Enrollments By Day?	logical	Yes/No	CheckBox
Archived	Archived?	logical	Yes/No	CheckBox
BeginDate	Begin Date	date	99/99/9999	Fillin
BeginTime	Begin Time	integer	999999	Fillin
BreakEvenPoint	Break Even Point	decimal	zzz,zz9.99-	Fillin
BrochureCode	Brochure Code	character	X(20)	Picklist
BrochureText	Brochure Text	character	x(4000)	Editor
Category	Category	character	x(5)	Picklist
ChargeLateFeeMultipleTimes	Charge Late Fee Multiple Times?	logical	Yes/No	CheckBox
ChildCareActivity	Child Care Activity?	logical	Yes/No	CheckBox
CleanUpMinutes	CleanUp Minutes	integer	z,zz9	Fillin
ComboKey	Actv/Sec	character	x(100)	Fillin
CommentCode	Comment Code	character	x(5)	Picklist
Comments	Comment Text	character	x(4000)	Editor
CountOverride1	Enrollment Count Override 1	character	x(100)	ComboBox
CountOverride2	Enrollment Count Override 2	character	x(100)	ComboBox
CountOverride3	Enrollment Count Override 3	character	x(100)	ComboBox
CountOverridePerm1	Enrollment Count Override Perm1	character	x(100)	Picklist
CountOverridePerm2	Enrollment Count Override Perm2	character	x(100)	Picklist
CountOverridePerm3	Enrollment Count Override Perm3	character	x(100)	Picklist
CourtReservationNumber	Court Reservation Number	integer	zzzzz9	Fillin
DayCareClass	Day Care Class?	logical	Yes/No	CheckBox
DisplayOnWeb	Display Section On Web	character	X(1)	ComboBox
EndDate	End Date	date	99/99/9999	Fillin
EndTime	End Time	integer	999999	Fillin
EnrollCount1	Actual Enrollment Count 1	integer	z,zzz,zz9	Fillin
EnrollCount2	Actual Enrollment Count 2	integer	z,zzz,zz9	Fillin
EnrollCount3	Actual Enrollment Count 3	integer	z,zzz,zz9	Fillin
EnrollmentLinks	Enrollment Links	character	X(500)	Picklist
EvaluationEndDate	Evaluation End Date	date	99/99/9999	Fillin
ExpenseBudget	Expense Budget	decimal	zzz,zz9.99-	Fillin
ExpenseBudgetAdjustment	Expense Budget Adjustment	decimal	zzz,zz9.99-	Fillin
FacilityClass	Facility Class	character	x(5)	Picklist
FacilityCode	Facility Code	character	x(5)	Picklist
FacilityComboKey	Facility	character	x(100)	Picklist
FacilityLocation	Facility Location	character	x(5)	Picklist
FeeCode1	Enrollment Fee Code List 1	character	x(100)	Picklist
FeeCode2	Enrollment Fee Code List 2	character	x(100)	Picklist
FeeCode3	Enrollment Fee Code List 3	character	x(100)	Picklist
Friday	Friday?	logical	Yes/No	CheckBox
ID	ID	int64	->>>>>>>>>>9	Fillin
IncomeBudgetAdjustment	Income Budget Adjustment	decimal	zzz,zz9.99-	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: ARSECTION Continued...

IncomeBudgetAmount	Income Budget Amount	decimal	zzz,zz9.99-	Fillin
KeywordSearch	Keyword Search	character	X(500)	Fillin
LongDescription	Long Description	character	x(20)	Fillin
LotteryOption	Registration Option	character	X(20)	ComboBox
MaintenanceCode	Activity Reservations Maintenance Co	character	x(5)	Picklist
MaintenanceComment	Activity Reservations Maintenance Te	character	x(4000)	Editor
MainTracCostCenter	MainTrac Cost Center	character	x(6)	Picklist
MainTracGLCode	MainTrac G/L Code	integer	zzzzz9	Picklist
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MaxCount1	Maximum Enrollment Count 1	integer	z,zzz,zz9	Fillin
MaxCount2	Maximum Enrollment Count 2	integer	z,zzz,zz9	Fillin
MaxCount3	Maximum Enrollment Count 3	integer	z,zzz,zz9	Fillin
MinCount	Minimum Count	integer	zzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Monday	Monday?	logical	Yes/No	CheckBox
OverallEnrollCount	Overall Enroll Count	integer	z,zzz,zz9	Fillin
OverallMaxCount	Overall Max Count	integer	z,zzz,zz9	Fillin
OverallMaxCountOverride	Overall Max Count Override	character	x(100)	ComboBox
OverallMaxCountOverridePerm	Overall Max Count Override Codes	character	x(100)	Picklist
Permissions	Permissions	character	x(100)	ComboBox
ReceiptDocuments	Receipt Documents	character	X(500)	Picklist
RecordStatus	Status	character	X(20)	ComboBox
RecordVisitAttendance	Record Visit Attendance?	logical	yes/no	CheckBox
ReportTag	Report Tag	character	x(100)	Picklist
ReportTag2	Report Tag 2	character	x(100)	Picklist
ReportTag3	Report Tag 3	character	x(100)	Picklist
ReservationNumber	Reservation Number	integer	zzzzz9	Fillin
RosterComment	Roster Text	character	X(4000)	Editor
RosterCommentCode	Roster Code	character	x(8)	Picklist
Saturday	Saturday?	logical	Yes/No	CheckBox
Season	Season	character	x(8)	Picklist
Section	Section	character	x(2)	Fillin
SectionImage	Web Section Image	character	X(50)	Fillin
SectionLink	Section Link	character	x(5)	Picklist
SetupMinutes	Setup Minutes	integer	z,zz9	Fillin
ShortDescription	Short Description	character	x(200)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubType	Subtype	character	x(5)	Picklist
Sunday	Sunday?	logical	Yes/No	CheckBox
Thursday	Thursday?	logical	Yes/No	CheckBox
TicklerCode	Tickler Code	character	x(5)	Picklist
TicklerText	Tickler Text	character	x(4000)	Editor
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox
Tuesday	Tuesday?	logical	Yes/No	CheckBox
TypeCode	Type	character	x(5)	Picklist
WaitlistCount	Waitlist Count	integer	zzz9	Fillin
WaitlistMaxCount	Maximum Waitlist Count	integer	z,zzz,zz9	Fillin
WaitlistOverride	Waitlist Override	character	x(100)	ComboBox
WaitlistOverridePerm	Waitlist Override Codes	character	x(100)	Picklist
WebEvent	Web Event?	logical	yes/no	CheckBox
WebEventTitle	Web Event Title	character	x(50)	Fillin
WebMinPayment	WebMinPayment	decimal	->.,>>9.99	Fillin
WebMinPaymentOption	WebMinPaymentOption	character	x(100)	Fillin
WebUpSellSections	Web Up Sell Sections	character	x(1000)	Picklist
Wednesday	Wednesday?	logical	Yes/No	CheckBox
WildcardCostCenter	Wildcard Cost Center	character	x(100)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin
Year	Year	integer	zzz9	Fillin

Table: ARSectionEnrollCount

ActivitySectionLinkID	Activity Section LinkID	int64	->>>>>>>>>>9	Fillin
-----------------------	-------------------------	-------	--------------	--------



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type

Table: ARSectionEnrollCount Continued...

CountOverride1	Count Override 1	character	x(100)	ComboBox
CountOverride2	Count Override 2	character	x(100)	ComboBox
CountOverride3	Count Override 3	character	x(100)	ComboBox
CountOverridePerm1	Count Override Perm 1	character	x(100)	Picklist
CountOverridePerm2	Count Override Perm 2	character	x(100)	Picklist
CountOverridePerm3	Count Override Perm 3	character	x(100)	Picklist
Description	Description	character	x(1000)	Fillin
EnrollCount1	Enroll Count 1	integer	z,zzz,zz9	Fillin
EnrollCount2	Enroll Count 2	integer	z,zzz,zz9	Fillin
EnrollCount3	Enroll Count 3	integer	z,zzz,zz9	Fillin
FeeCode1	Fee Code 1	character	x(100)	Picklist
FeeCode2	Fee Code 2	character	x(100)	Picklist
FeeCode3	Fee Code 3	character	x(100)	Picklist
ID	ID	int64	->>>>>>>>>>9	Fillin
MaxCount1	Max Count 1	integer	z,zzz,zz9	Fillin
MaxCount2	Max Count 2	integer	z,zzz,zz9	Fillin
MaxCount3	Max Count 3	integer	z,zzz,zz9	Fillin
MeetDate	Meet Date	date	99/99/9999	Fillin
MeetTime	Meet Time	integer	zzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
OverallEnrollCount	Overall Enroll Count	integer	z,zzz,zz9	Fillin
OverallMaxCount	Overall Max Count	integer	z,zzz,zz9	Fillin
OverallMaxCountOverride	Overall Max Count Override	character	x(100)	ComboBox
OverallMaxCountOverridePerm	Overall Max Count Override Perm	character	x(100)	Picklist
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WaitlistCount	Waitlist Count	integer	z,zzz,zz9	Fillin
WaitlistMaxCount	Waitlist Max Count	integer	z,zzz,zz9	Fillin
WaitlistOverride	Waitlist Override	character	x(100)	ComboBox
WaitlistOverridePerm	Waitlist Override Perm	character	x(100)	Picklist
WordIndex	WordIndex	character	x(100)	Fillin

Table: CYIncomeCategory

AsOfDate	AsOfDate	date	99/99/9999	Fillin
Description	Description	character	x(20)	Fillin
DoDIncomeCode	DoDIncomeCode	character	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LowerIncomeLimit	LowerIncomeLimit	decimal	zzz,zz9.99-	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UpperLimit	UpperLimit	decimal	zzz,zz9.99-	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: CYMealRate

BeginTime	BeginTime	integer	zzzzzzz9	Fillin
EndTime	EndTime	integer	zzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LinkID	LinkID	int64	->>>>>>>>>>9	Fillin
MealRate	MealRate	decimal	->>, >>9.99999	Fillin
MealType	MealType	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordType	RecordType	character	x(100)	Fillin
ReimbursementType	ReimbursementType	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
USDARateType	USDARateType	character	x(50)	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type
Table: CYMealRate Continued...				
WordIndex	WordIndex	character	x(100)	Fillin
Table: CYMiscCode				
BeginDate	Begin Date	date	99/99/9999	Fillin
BeginNumber	Begin Number	decimal	zzz,zz9.99-	Fillin
BeginTime	Begin Time	integer	999999	Fillin
CharacterField1	Character Field 1	character	X(20)	Fillin
CharacterField2	Web Help Text	character	X(20)	Fillin
CharacterField3	Address 2	character	x(1000)	Fillin
CharacterField4	City	character	x(1000)	Fillin
CharacterField5	State	character	x(1000)	ComboBox
CharacterField6	Zip Code	character	x(1000)	Fillin
Comments	Comment Text	character	X(4000)	Editor
Description	Description	character	x(40)	Fillin
EndDate	End Date	date	99/99/9999	Fillin
EndNumber	End Number	decimal	zzz,zz9.99-	Fillin
EndTime	End Time	integer	999999	Fillin
FlagOption1	Military Status/Non Specific Age Grou	logical	Yes/No	CheckBox
FlagOption2	Flag Option 2?	logical	Yes/No	CheckBox
FlagOption3	Default Family Member Status?	logical	Yes/No	CheckBox
FlagOption4	Flag Option 4?	logical	Yes/No	CheckBox
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
RecordCode	Record Code	character	X(8)	Fillin
RecordType	Record Type	character	x(5)	ComboBox
RecurringItem	Recurring Item	logical	Yes/No	CheckBox
RecurringItemNextCode	Recurring Item's Next Code	character	x(100)	Picklist
RecurringOption	Recurring Option	character	x(50)	ComboBox
RecurringSpecificDate	Specific Due Date	date	99/99/9999	Fillin
RecurringValue	Recurring Value	decimal	->>, >>9.99	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StandardProviderCode	Standard Provider Code?	logical	Yes/No	CheckBox
StandardStaffCode	Standard Staff Code?	logical	Yes/No	CheckBox
WordIndex	WordIndex	character	x(80)	Fillin
Table: CYPParameterFile				
Address1	Address1	character	x(200)	Fillin
Address2	Address2	character	x(200)	Fillin
ChildCountFor2ndRate	ChildCountFor2ndRate	integer	z9	Fillin
City	City	character	X(20)	Fillin
ClassCountFor2ndRate	ClassCountFor2ndRate	integer	z9	Fillin
ContactName	ContactName	character	X(50)	Fillin
CountHolidaysInDaysLate	CountHolidaysInDaysLate	logical	Yes/No	Fillin
CountWeekEndsInDaysLate	CountWeekEndsInDaysLate	logical	Yes/No	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
ImagesPath	ImagesPath	character	X(100)	Fillin
KeepPriority	KeepPriority	logical	Yes/No	Fillin
LateFeeAmount	LateFeeAmount	decimal	zzz,zz9.99-	Fillin
LateFeeGraceDays	LateFeeGraceDays	integer	zz9	Fillin
MilitaryBranch	MilitaryBranch	character	X(20)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
OrganizationName	OrganizationName	character	X(50)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PrimaryEmailAddress	PrimaryEmailAddress	character	x(200)	Fillin
PrimaryPhoneExtension	PrimaryPhoneExtension	character	x(20)	Fillin
PrimaryPhoneNumber	PrimaryPhoneNumber	character	x(20)	Fillin
PrimaryPhoneType	PrimaryPhoneType	character	x(20)	Fillin
ProviderOfTheMonth	ProviderOfTheMonth	character	X(8)	Fillin
ProviderTextPath	ProviderTextPath	character	X(100)	Fillin
RecordNumber	RecordNumber	integer	9	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: CYParameterFile Continued...

SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
State	State	character	X(2)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
ZipCode	ZipCode	character	X(10)	Fillin

Table: CYProgramRate

FM1Child1stProgramMonthly	FM1Child1stProgramMonthly	decimal	zzz,zz9.99-	Fillin
FM1Child1stProgramSemiMonthly	FM1Child1stProgramSemiMonthly	decimal	zzz,zz9.99-	Fillin
FM1Child1stProgramWeekly	FM1Child1stProgramWeekly	decimal	zzz,zz9.99-	Fillin
FM1ChildXProgramMonthly	FM1ChildXProgramMonthly	decimal	zzz,zz9.99-	Fillin
FM1ChildXProgramSemiMonthly	FM1ChildXProgramSemiMonthly	decimal	zzz,zz9.99-	Fillin
FM1ChildXProgramWeekly	FM1ChildXProgramWeekly	decimal	zzz,zz9.99-	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
IncomeCategory	IncomeCategory	character	X(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ProgramType	ProgramType	character	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
XChild1stProgramMonthly	XChild1stProgramMonthly	decimal	zzz,zz9.99-	Fillin
XChild1stProgramSemiMonthly	XChild1stProgramSemiMonthly	decimal	zzz,zz9.99-	Fillin
XChild1stProgramWeekly	XChild1stProgramWeekly	decimal	zzz,zz9.99-	Fillin
XChildXProgramMontly	XChildXProgramMontly	decimal	zzz,zz9.99-	Fillin
XChildXProgramSemiMontly	XChildXProgramSemiMontly	decimal	zzz,zz9.99-	Fillin
XChildXProgramWeekly	XChildXProgramWeekly	decimal	zzz,zz9.99-	Fillin

Table: CYProviderEnrolleeSchedule

ActivityLinkID	ActivityLinkID	int64	->>>>>>>>>>9	Fillin
BeginTime	BeginTime	integer	999999	Fillin
EndTime	EndTime	integer	999999	Fillin
HouseholdNumber	HouseholdNumber	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	RecordStatus	character	x(1)	Fillin
Section	Section	character	x(2)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WeekDay	WeekDay	integer	9	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: CYProviderReferral

ID	ID	int64	->>>>>>>>>>9	Fillin
LinkID	LinkID	int64	->>>>>>>>>>9	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ProviderLink	ProviderLink	character	X(8)	Fillin
RecordStatus	RecordStatus	character	x(1)	Fillin
ReferralDate	ReferralDate	date	99/99/9999	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserName	UserName	character	x(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: CYStaffProvider					
Address1	Address 1	character	x(200)	Fillin	
Address2	Address 2	character	x(200)	Fillin	
ApplicationDate	Application Date	date	99/99/9999	Fillin	
Appointment	Appointment	character	X(20)	ComboBox	
BirthCity	Birth City	character	x(20)	Fillin	
BirthCountry	Birth Country	character	x(20)	ComboBox	
Birthday	Birthday	date	99/99/9999	Fillin	
BirthState	Birth State	character	x(2)	ComboBox	
City	City	character	x(30)	Fillin	
Classification	Classification	character	x(100)	ComboBox	
CollegeYears	College Years If No Degree	integer	z9	Fillin	
Comments	Comments	character	x(2000)	Editor	
Country	Country	character	x(20)	ComboBox	
Ethnicity	Ethnicity	character	x(8)	ComboBox	
FacilityLocation	Facility Location	character	x(5)	Fillin	
FirstName	First Name	character	x(12)	Fillin	
FullCertification	Full Certification	date	99/99/9999	Fillin	
HireDate	Hire Date	date	99/99/9999	Fillin	
HomeOfRecordCity	Home Of Record City	character	x(20)	Fillin	
HomeOfRecordCountry	Home Of Record Country	character	x(20)	ComboBox	
HomeOfRecordState	Home Of Record State	character	x(2)	ComboBox	
HomeType	Home Type	character	x(8)	ComboBox	
HouseholdLinkID	Household Link ID	int64	->>>>>>>>>>9	Fillin	
HousingArea	Housing Area	character	X(8)	ComboBox	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InstallationName	Installation Name	character	x(8)	ComboBox	
JobSeries	Job Series	character	X(8)	Fillin	
JobTitle	Job Title	character	x(20)	Fillin	
KnownAlias	Known Alias	character	x(20)	Fillin	
LastEvaluationDate	Last Evaluation Date	date	99/99/9999	Fillin	
LastHomeVisit	Last Home Visit	date	99/99/9999	Fillin	
LastName	Last Name	character	x(18)	Fillin	
LocatedOffPost	Located Off Installation?	logical	Yes/No	CheckBox	
MaidenName	Maiden Name	character	x(20)	Fillin	
MaxChildrenUnder2	Max Children Under 2	integer	zz9	Fillin	
MaxCountOverall	Max Count Overall	integer	zz9	Fillin	
MemberLinkID	Member Link ID	int64	->>>>>>>>>>9	Fillin	
MilitaryBranch	Military Branch	character	x(100)	Fillin	
MilitaryGrade	Military Grade	character	x(100)	Fillin	
MilitaryRank	Military Rank	character	x(100)	Fillin	
MilitaryStatus	Staff Person's Military Status	character	x(100)	ComboBox	
MiscInformation	MiscInformation	character	x(100)	Fillin	
NameTitle	Name Title	character	x(20)	ComboBox	
OffDutyMilitary	Staff Person Is Off Duty Military?	logical	Yes/No	CheckBox	
OffPostDistrict	Off Post District	character	X(8)	ComboBox	
PayGrade	Pay Grade	character	X(8)	Fillin	
PayLevel	Pay Level	character	X(8)	Fillin	
PayPlan	Pay Plan	character	X(8)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
PreviousMilitaryBranch	Previous Military Branch	character	x(8)	ComboBox	
PreviousMilitaryService	Previous Military Service?	logical	Yes/No	CheckBox	
PrimaryEmailAddress	Primary Email Address	character	x(100)	Fillin	
PrimaryPhoneExtension	Phone #1 Extension	character	x(20)	Fillin	
PrimaryPhoneNumber	Phone #1	character	x(20)	Fillin	
PrimaryPhoneType	Phone #1 Type	character	x(20)	ComboBox	
ProvisionalCertification	Provisional Certification	date	99/99/9999	Fillin	
RecordCode	Record Code	character	x(100)	Fillin	
RecordStatus	Record Status	character	X(20)	ComboBox	
RecordType	Record Type	character	X(20)	ComboBox	
ReservationMinutes	Reservation Minutes	integer	zz9	ComboBox	
SchoolDistrict	School District	character	x(8)	ComboBox	
SchoolingLevel	Schooling Level	character	x(1)	ComboBox	
ServiceComputationDate	Service Computation Date	date	99/99/9999	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: CYStaffProvider Continued...

SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SocialSecurityNumber	Social Security Number	character	xxx-xx-xxxx	Fillin
SpouseDeploymentBeginDate	Spouse Deployment Begin Date	date	99/99/9999	Fillin
SpouseDeploymentEndDate	Spouse Deployment End Date	date	99/99/9999	Fillin
SpouseIsDeployed	Spouse Is Deployed?	logical	Yes/No	CheckBox
SpouseOfActiveDuty	Spouse Is Active Duty?	logical	Yes/No	CheckBox
State	State	character	x(2)	ComboBox
TaxId	Tax ID	character	xx-xxxxxxx	Fillin
TerminationDate	TerminationDate	date	99/99/9999	Fillin
USDARateType	USDARateType	character	x(50)	Fillin
WebDisplay	Web Display	character	X(1)	ComboBox
WordIndex	WordIndex	character	x(80)	Fillin
ZipCode	Zip Code	character	x(10)	Fillin

Table: CYUSDAIncomeStatus

AsOfDate	As Of Date	date	99/99/9999	Fillin
Description	Description	character	x(20)	Fillin
FamilySize	Family Size	integer	zz9-	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReducedIncomeLimit	Reduced Income Limit	decimal	zzz,zz9.99-	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
USDACategory	USDA Region	character	x(50)	ComboBox
USDAFreeLimit	Free Income Limit	decimal	zzz,zz9.99-	Fillin
USDAIncomeCode	USDA Income Code	character	x(8)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: CYUSDAPosting

ActivityLinkID	ActivityLinkID	int64	->>>>>>>>>>9	Fillin
AdminCount	AdminCount	decimal	zzz,zz9.99-	Fillin
AdminRate	AdminRate	decimal	zzz,zz9.99-	Fillin
AMSnackCount	AMSnackCount	decimal	->>>,>>9.99	Fillin
AMSnackRate	AMSnackRate	decimal	->>>,>>9.99	Fillin
BeginDate	BeginDate	date	99/99/9999	Fillin
BreakfastCount	BreakfastCount	decimal	->>>,>>9.99	Fillin
BreakfastRate	BreakfastRate	decimal	->>>,>>9.99	Fillin
DinnerCount	DinnerCount	decimal	->>>,>>9.99	Fillin
DinnerRate	DinnerRate	decimal	->>>,>>9.99	Fillin
EndDate	EndDate	date	99/99/9999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LunchCount	LunchCount	decimal	->>>,>>9.99	Fillin
LunchRate	LunchRate	decimal	->>>,>>9.99	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NightTimeSnackCount	NightTimeSnackCount	integer	>>>>>>>9	Fillin
NightTimeSnackRate	NightTimeSnackRate	decimal	>>9.99	Fillin
Permissions	Permissions	character	x(100)	Fillin
PMSnackCount	PMSnackCount	decimal	->>>,>>9.99	Fillin
PMSnackRate	PMSnackRate	decimal	->>>,>>9.99	Fillin
PostDate	PostDate	date	99/99/9999	Fillin
RecordType	RecordType	character	x(100)	Fillin
Section	Section	character	x(2)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: CYWaitlist

AgeGroup	AgeGroup	character	x(75)	Fillin
----------	----------	-----------	-------	--------



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: CYWaitlist Continued...

CareType	CareType	character	x(50)	Fillin
Category	Category	character	x(5)	Fillin
Comments	Comments	character	x(1000)	Fillin
CYSProgramTypes	CYSProgramTypes	character	x(75)	Fillin
DeclineDate	DeclineDate	date	99/99/9999	Fillin
FacilityLocations	FacilityLocations	character	x(5)	Fillin
HouseholdNumber	HouseholdNumber	integer	zzzzzzzz9	Fillin
HousingAreaPreference	HousingAreaPreference	character	x(75)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InitialDate	InitialDate	date	99/99/9999	Fillin
InitialTime	InitialTime	integer	999999	Fillin
InstallationCode	InstallationCode	character	x(75)	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NeedDate	NeedDate	date	99/99/9999	Fillin
OffPostProvidersOK	OffPostProvidersOK	logical	Yes/No	Fillin
OnPostProvidersOK	OnPostProvidersOK	logical	Yes/No	Fillin
Permissions	Permissions	character	x(100)	Fillin
Placed	Placed	date	99/99/9999	Fillin
PreferenceDate	PreferenceDate	date	99/99/9999	Fillin
PreferenceTime	PreferenceTime	integer	999999	Fillin
Priority	Priority	integer	z9	Fillin
PriorityCode	PriorityCode	character	X(8)	Fillin
RecordStatus	RecordStatus	character	X(20)	Fillin
RenewalDate	RenewalDate	date	99/99/9999	Fillin
SchoolDistricts	SchoolDistricts	character	x(75)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpecialRequirements	SpecialRequirements	character	x(75)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: CYWoundedWarrior

BeginDate	BeginDate	date	99/99/9999	Fillin
EndDate	EndDate	date	99/99/9999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(50)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	RecordStatus	character	x(100)	Fillin
RecordType	RecordType	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin

Table: DPTICKET

Amount	Amount	decimal	zzz,zz9.99-	Fillin
HouseholdNumber	HouseholdNumber	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LogDate	LogDate	date	99/99/9999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ModuleLink	ModuleLink	character	x(35)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReceiptNumber	ReceiptNumber	integer	zzzzzzzz9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SocialSecurityNumber	SocialSecurityNumber	character	x(9)	Fillin
TicketNumber	TicketNumber	character	x(14)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: EPayInfo				
AccountDescription	Account Holder	character	x(35)	Fillin
AccountID	Account ID	character	x(20)	Fillin
AccountNumber	Account Number	character	x(8)	Fillin
AccountType	Account Type	character	x(15)	ComboBox
CreditCardBrand	Credit Card Brand	character	X(20)	Fillin
CreditCardHolder	Credit Card Holder	character	x(30)	Fillin
CreditCardNumber	Credit Card Number	character	X(40)	Fillin
EPayLink	EPay Link	integer	zzzzzzzz9	Fillin
ETSCheckCard	ETSCheckCard	logical	Yes/No	Fillin
ExpirationDate	Expiration Date (MM/YY)	character	X(4)	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
LastTokenDate	Last Token Date	date	99/99/9999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	Parent ID	int64	->>>>>>>>>9	Fillin
ParentTable	Parent Table	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	Status	character	x(100)	ComboBox
RoutingNumber	Routing Number	character	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Street	Billing Address	character	X(25)	Fillin
UniquelD	Unique ID	character	x(20)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Zipcode	Billing Zip Code	character	X(10)	Fillin
Table: FRClass				
FacilityClass	Facility Class	character	x(5)	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
LongDescription	Long Description	character	x(20)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ShortDescription	Short Description	character	x(200)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: FRFacility				
AllowWaitList	Allow Waitlist?	logical	Yes/No	CheckBox
BeginTimeDescription	Begin Time Description	character	X(8)	Fillin
BrochureCode	Brochure Code	character	x(20)	Picklist
BrochureText	Brochure Text	character	x(4000)	Editor
Category	Category	character	x(100)	Picklist
ChargeLateFeeMultipleTimes	ChargeLateFeeMultipleTimes	logical	Yes/No	Fillin
Children	Children	character	x(4000)	Picklist
CleanUpMinutes	Cleanup Minutes	integer	zz,zz9	Fillin
ComboKey	ComboKey	character	x(100)	Fillin
CommentCode	Comment Code	character	x(5)	Picklist
CommentText	CommentText	character	x(4000)	Editor
CompleteTree	Complete Tree	character	x(4000)	Editor
CourtFacility	Court Facility?	logical	Yes/No	CheckBox
CYMSAgeGroup	CYMS Reservation Age Group	character	x(100)	Picklist
CYSHourlyCare	CYS Hourly Care Facility?	logical	Yes/No	CheckBox
DailyPass	Court Daily Passes	character	x(100)	Picklist
DisplayOnWeb	Display Facility On Web	character	X(1)	ComboBox
EndTimeDescription	End Time Description	character	X(8)	Fillin
FacilityClass	Facility Class	character	x(5)	Picklist
FacilityCode	Facility Code	character	x(5)	Fillin
FacilityImage	Facility Image	character	X(50)	Fillin
FacilityLocation	Facility Location	character	x(5)	Picklist
FacilityVideo	Facility Video	character	X(50)	Fillin
Features	Features	character	x(1000)	Picklist



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: FRFacility Continued...					
FullDescription	Detail Description	character	x(200)	Editor	
ID	ID	int64	->>>>>>>>>>9	Fillin	
KeywordSearch	Keyword Search	character	x(100)	Fillin	
LiteCode1	Light Interface Code 1	character	x(100)	Fillin	
LiteCode2	Light Interface Code 2	character	x(100)	Fillin	
LiteFacility	Light Interface Facility?	logical	Yes/No	CheckBox	
LongDescription	Long Description	character	x(1000)	Fillin	
MainTracCostCenter	MainTrac Cost Center	character	x(6)	Picklist	
MainTracGLCode	MainTrac GL Code	integer	zzzzz9	Picklist	
ManagementGroup	ManagementGroup	character	x(8)	Fillin	
MaxPlayers	Max Court Players	integer	->,>>>,>>9	Fillin	
MemberPass	Court Member Passes	character	x(100)	Picklist	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Parents	Parents	character	x(4000)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
PrintSetUpCleanUpOnReceipt	Print Setup and Cleanup Times On R	logical	Yes/No	CheckBox	
ReceiptDocuments	Receipt Documents	character	X(500)	Picklist	
ReceiptImage	Receipt Image	character	x(100)	Fillin	
RecordStatus	Status	character	X(20)	ComboBox	
ReportTag	Report Tag	character	x(100)	Picklist	
ReportTag2	Report Tag 2	character	x(100)	Picklist	
ReportTag3	Report Tag 3	character	x(100)	Picklist	
RequireHeadCount	Require A Head Count?	logical	yes/no	CheckBox	
SetupMinutes	Setup Minutes	integer	zz,zz9	Fillin	
ShortDescription	Short Description	character	x(20)	Fillin	
Siblings	Siblings	character	x(4000)	Picklist	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
SubType	Subtype	character	x(100)	Picklist	
TicketAccessGUI	Ticket Access RecTrac	character	x(100)	Picklist	
TicketAccessWeb	Ticket Access Web	character	x(100)	Picklist	
TicketTemplateGUI	Ticket Template RecTrac	character	x(100)	Picklist	
TicketTemplateWeb	Ticket Template Web	character	x(100)	Picklist	
TicklerCode	Tickler Code	character	x(5)	Picklist	
TicklerText	Tickler Text	character	x(4000)	Editor	
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox	
TimeBlock	Time Block	integer	zz9	Fillin	
TimeBlocks	Time Blocks	character	x(100)	Picklist	
TypeCode	Type	character	x(100)	Picklist	
WaiverCode	Waiver Code	character	X(8)	Picklist	
WebMinPayment	WebMinPayment	decimal	->>,>>9.99	Fillin	
WebMinPaymentOption	WebMinPaymentOption	character	x(100)	Fillin	
WildCardCostCenter	WildCard Cost Center	character	x(100)	Picklist	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: FRLocation					
Address1	Address1	character	x(200)	Fillin	
Address2	Address2	character	x(200)	Fillin	
City	City	character	x(30)	Fillin	
ContactName	Contact Name	character	x(30)	Fillin	
Country	Country	character	x(50)	ComboBox	
DisplayOnWeb	Display On Web	character	X(1)	ComboBox	
FacilityLocation	Location Code	character	x(5)	Fillin	
FinTrac	FinTrac	logical	yes/no	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
LatitudeAndLongitude	Latitude And Longitude	character	x(30)	Fillin	
LongDescription	Long Description	character	x(30)	Fillin	
MainTrac	MainTrac	logical	yes/no	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
PrimaryEmailAddress	Email Address	character	x(100)	Fillin	
PrimaryPhoneExtension	Extension	character	x(20)	Fillin	



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: FRLocation Continued...					
PrimaryPhoneNumber	Primary Phone Number	character	x(20)	Fillin	
PrimaryPhoneType	Primary Phone Type	character	x(20)	ComboBox	
RecTrac	RecTrac	logical	yes/no	Fillin	
ReportTag	Report Tag	character	x(100)	Picklist	
ReportTag2	Report Tag 2	character	x(100)	Picklist	
ReportTag3	Report Tag 3	character	x(100)	Picklist	
ShortDescription	Name	character	x(20)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
State	State	character	x(2)	ComboBox	
URL	URL	character	x(200)	Fillin	
USDARateType	USDARateType	character	x(50)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
ZipCode	Zip Code	character	x(10)	Fillin	
Table: GRBUDDY					
BuddyHouseholdNumber	BuddyHouseholdNumber	integer	zzzzzzz9	Fillin	
BuddyMemberLinkID	BuddyMemberLinkID	int64	z9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PrimaryFamilyMember	PrimaryFamilyMember	integer	z9	Fillin	
PrimaryHouseholdNumber	PrimaryHouseholdNumber	integer	zzzzzzz9	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: GRCOURSE					
AllowTeeTimesViaTeleTrac	Allow Tee Times Via TeleTrac?	logical	yes/no	CheckBox	
BagTagTemplate	Bag Tag Template	character	x(5)	Picklist	
BrochureCode	Brochure Code	character	x(20)	Picklist	
BrochureText	Brochure Text	character	x(4000)	Editor	
CourseImage	Course Image	character	X(50)	Fillin	
CourseLength1	Course Length 1	integer	zzz9	Fillin	
CourseLength2	Course Length 2	integer	zzz9	Fillin	
CourseLength3	Course Length 3	integer	zzz9	Fillin	
CourseLength4	Course Length 4	integer	zzz9	Fillin	
CourseLength5	Course Length 5	integer	zzz9	Fillin	
CourseLength6	Course Length 6	integer	zzz9	Fillin	
CourseLength7	Course Length 7	integer	zzz9	Fillin	
CourseLength8	Course Length 8	integer	zzz9	Fillin	
CourseLength9	Course Length 9	integer	zzz9	Fillin	
CourseRating1	Course Rating 1	decimal	>>9.99	Fillin	
CourseRating2	Course Rating 2	decimal	>>9.99	Fillin	
CourseRating3	Course Rating 3	decimal	>>9.99	Fillin	
CourseRating4	Course Rating 4	decimal	>>9.99	Fillin	
CourseRating5	Course Rating 5	decimal	>>9.99	Fillin	
CourseRating6	Course Rating 6	decimal	>>9.99	Fillin	
CourseRating7	Course Rating 7	decimal	>>9.99	Fillin	
CourseRating8	Course Rating 8	decimal	>>9.99	Fillin	
CourseRating9	Course Rating 9	decimal	>>9.99	Fillin	
DailyPass	Daily Pass	character	x(8)	Picklist	
DisplayOnWeb	Display Golf Course On Web	character	X(1)	ComboBox	
FacilityLocation	Facility Location	character	x(5)	Picklist	
GolfCourse	Golf Course	integer	z9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
KeywordSearch	Keyword Search	character	x(100)	Fillin	
LinkedServiceItems	Linked Service Items	character	x(200)	Picklist	
MaxPlayers	Maximum Players	integer	9	Fillin	
MemberPass	Member Pass	character	x(100)	Picklist	
MiscInformation	MiscInformation	character	x(100)	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: GRCOURSE Continued...

Name	Name	character	x(30)	Fillin
NineHoleCourse	Nine Hole Course?	logical	Yes/No	CheckBox
Permissions	Permissions	character	x(100)	ComboBox
PrintZeroFeeReceipts	Print Zero Fee Receipts?	logical	Yes/No	CheckBox
ReceiptCode	Receipt Code	character	x(5)	Picklist
ReceiptText	Receipt Text	character	x(400)	Editor
RecordStatus	Status	character	X(20)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SlopeRating1	Slope Rating 1	decimal	>>9.99	Fillin
SlopeRating2	Slope Rating 2	decimal	>>9.99	Fillin
SlopeRating3	Slope Rating 3	decimal	>>9.99	Fillin
SlopeRating4	Slope Rating 4	decimal	>>9.99	Fillin
SlopeRating5	Slope Rating 5	decimal	>>9.99	Fillin
SlopeRating6	Slope Rating 6	decimal	>>9.99	Fillin
SlopeRating7	Slope Rating 7	decimal	>>9.99	Fillin
SlopeRating8	Slope Rating 8	decimal	>>9.99	Fillin
SlopeRating9	Slope Rating 9	decimal	>>9.99	Fillin
TeeDescription1	Tee Description 1	character	x(100)	Fillin
TeeDescription2	Tee Description 2	character	x(100)	Fillin
TeeDescription3	Tee Description 3	character	x(100)	Fillin
TeeDescription4	Tee Description 4	character	x(100)	Fillin
TeeDescription5	Tee Description 5	character	x(100)	Fillin
TeeDescription6	Tee Description 6	character	x(100)	Fillin
TeeDescription7	Tee Description 7	character	x(100)	Fillin
TeeDescription8	Tee Description 8	character	x(100)	Fillin
TeeDescription9	Tee Description 9	character	x(100)	Fillin
TeeTimeDelay	Tee Time Delay	integer	->,>>>,>>9	Fillin
TeleTracOK	TeleTrac OK	character	X(1)	Fillin
TeleTracParameter	TeleTrac Parameter	character	X(8)	Fillin
TurnTime	Turn Time	integer	zz9	Fillin
WaiverCode	Tee Time Waiver Code	character	x(200)	Picklist
WebCommentText	Web Comment Text	character	X(4000)	Editor
WildCardCostCenter	WildCard Cost Center	character	x(100)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin

Table: GRHandicapHoleScore

BackNine	BackNine	integer	zz9	Fillin
HandicapHole1	HandicapHole1	integer	z9	Fillin
HandicapHole10	HandicapHole10	integer	z9	Fillin
HandicapHole11	HandicapHole11	integer	z9	Fillin
HandicapHole12	HandicapHole12	integer	z9	Fillin
HandicapHole13	HandicapHole13	integer	z9	Fillin
HandicapHole14	HandicapHole14	integer	z9	Fillin
HandicapHole15	HandicapHole15	integer	z9	Fillin
HandicapHole16	HandicapHole16	integer	z9	Fillin
HandicapHole17	HandicapHole17	integer	z9	Fillin
HandicapHole18	HandicapHole18	integer	z9	Fillin
HandicapHole2	HandicapHole2	integer	z9	Fillin
HandicapHole3	HandicapHole3	integer	z9	Fillin
HandicapHole4	HandicapHole4	integer	z9	Fillin
HandicapHole5	HandicapHole5	integer	z9	Fillin
HandicapHole6	HandicapHole6	integer	z9	Fillin
HandicapHole7	HandicapHole7	integer	z9	Fillin
HandicapHole8	HandicapHole8	integer	z9	Fillin
HandicapHole9	HandicapHole9	integer	z9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PassNumber	PassNumber	integer	zzzzzzzz9	Fillin
PassTransactionNumber	PassTransactionNumber	integer	zzzzzzzz9	Fillin
Permissions	Permissions	character	x(100)	Fillin
Round	Round	integer	9	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type
Table: GRHandicapHoleScore Continued...				
ScoreHole1	ScoreHole1	integer	z9	Fillin
ScoreHole10	ScoreHole10	integer	z9	Fillin
ScoreHole11	ScoreHole11	integer	z9	Fillin
ScoreHole12	ScoreHole12	integer	z9	Fillin
ScoreHole13	ScoreHole13	integer	z9	Fillin
ScoreHole14	ScoreHole14	integer	z9	Fillin
ScoreHole15	ScoreHole15	integer	z9	Fillin
ScoreHole16	ScoreHole16	integer	z9	Fillin
ScoreHole17	ScoreHole17	integer	z9	Fillin
ScoreHole18	ScoreHole18	integer	z9	Fillin
ScoreHole2	ScoreHole2	integer	z9	Fillin
ScoreHole3	ScoreHole3	integer	z9	Fillin
ScoreHole4	ScoreHole4	integer	z9	Fillin
ScoreHole5	ScoreHole5	integer	z9	Fillin
ScoreHole6	ScoreHole6	integer	z9	Fillin
ScoreHole7	ScoreHole7	integer	z9	Fillin
ScoreHole8	ScoreHole8	integer	z9	Fillin
ScoreHole9	ScoreHole9	integer	z9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TeamNumber1	TeamNumber1	integer	->, >>>, >>9	Fillin
TeamNumber2	TeamNumber2	integer	->, >>>, >>9	Fillin
TournamentID	TournamentID	character	X(8)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: GRHandicapIndex				
BeginHandicapIndex	BeginHandicapIndex	decimal	zz9.9-	Fillin
EndHandicapIndex	EndHandicapIndex	decimal	zz9.9-	Fillin
GolfCourse	GolfCourse	integer	z9	Fillin
Handicap	Handicap	integer	zz9-	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TeeNumber	TeeNumber	integer	9	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: GRHandicapScore				
CourseRating	CourseRating	decimal	zz9.99	Fillin
GolfCourse	GolfCourse	integer	z9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PassNumber	PassNumber	integer	zzzzzzzz9	Fillin
PassTransactionNumber	PassTransactionNumber	integer	zzzzzzzz9	Fillin
Permissions	Permissions	character	x(100)	Fillin
PlayDate	PlayDate	date	99/99/9999	Fillin
Score	Score	integer	zz9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SlopeRating	SlopeRating	decimal	zz9.99	Fillin
TournamentFlag	TournamentFlag	character	x(1)	Fillin
UsedForIndex	UsedForIndex	logical	Yes/No	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: GRHOLE				
GolfCourse	GolfCourse	integer	z9	Fillin
GroupsForShotgunStart	GroupsForShotgunStart	integer	9	Fillin
Handicap1	Handicap1	integer	z9	Fillin
Handicap2	Handicap2	integer	z9	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: GRHOLE Continued...					
Handicap3	Handicap3	integer	z9	Fillin	
Handicap4	Handicap4	integer	z9	Fillin	
Handicap5	Handicap5	integer	z9	Fillin	
Handicap6	Handicap6	integer	z9	Fillin	
Handicap7	Handicap7	integer	z9	Fillin	
Handicap8	Handicap8	integer	z9	Fillin	
Handicap9	Handicap9	integer	z9	Fillin	
HoleLength1	HoleLength1	integer	zz9	Fillin	
HoleLength2	HoleLength2	integer	zz9	Fillin	
HoleLength3	HoleLength3	integer	zz9	Fillin	
HoleLength4	HoleLength4	integer	zz9	Fillin	
HoleLength5	HoleLength5	integer	zz9	Fillin	
HoleLength6	HoleLength6	integer	zz9	Fillin	
HoleLength7	HoleLength7	integer	zz9	Fillin	
HoleLength8	HoleLength8	integer	zz9	Fillin	
HoleLength9	HoleLength9	integer	zz9	Fillin	
HoleNumber	HoleNumber	integer	z9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Par1	Par1	integer	9	Fillin	
Par2	Par2	integer	9	Fillin	
Par3	Par3	integer	9	Fillin	
Par4	Par4	integer	9	Fillin	
Par5	Par5	integer	9	Fillin	
Par6	Par6	integer	9	Fillin	
Par7	Par7	integer	9	Fillin	
Par8	Par8	integer	9	Fillin	
Par9	Par9	integer	9	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: GRLotteryGolfer					
Assigned	Assigned	logical	Yes/No	Fillin	
BeginTime	BeginTime	integer	999999	Fillin	
DailyName	DailyName	character	x(50)	Fillin	
EndTime	EndTime	integer	999999	Fillin	
GolfCourse	GolfCourse	integer	z9	Fillin	
HouseholdNumber	HouseholdNumber	integer	zzzzzzz9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
LotteryNumber	LotteryNumber	integer	z,zzz,zz9	Fillin	
LottoDate	LottoDate	date	99/99/9999	Fillin	
MemberLinkID	MemberLinkID	int64	zz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
PassNumber	PassNumber	integer	zzzzz9	Fillin	
PassTransactionNumber	PassTransactionNumber	integer	zzzzzzz9	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Slots	Slots	integer	9	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: GRLotteryMain					
BeginDate	BeginDate	date	99/99/9999	Fillin	
BeginTime	BeginTime	integer	->, >>>, >>>9	Fillin	
Description	Description	character	x(30)	Fillin	
EndDate	EndDate	date	99/99/9999	Fillin	
EndTime	EndTime	integer	->, >>>, >>>9	Fillin	
Friday	Friday	logical	Yes/No	Fillin	
GolfCourse	GolfCourse	integer	z9	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: GRLotteryMain Continued...

Holiday	Holiday	logical	Yes/No	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Monday	Monday	logical	Yes/No	Fillin
PercentAllowed	PercentAllowed	decimal	->>, >>9.99	Fillin
Permissions	Permissions	character	x(100)	Fillin
Saturday	Saturday	logical	Yes/No	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Sunday	Sunday	logical	Yes/No	Fillin
Thursday	Thursday	logical	Yes/No	Fillin
Tuesday	Tuesday	logical	Yes/No	Fillin
ValidPassList	ValidPassList	character	x(100)	Fillin
Wednesday	Wednesday	logical	Yes/No	Fillin
WordIndex	WordIndex	character	x(100)	Fillin

Table: GRTeeTime

ActualStartTime	ActualStartTime	integer	999999	Fillin
DisplayTeeTime	DisplayTeeTime	logical	Yes/No	Fillin
GolfCourse	Golf Course	integer	z9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InUse	InUse	logical	yes/no	Fillin
InUseComputerName	InUseComputerName	character	x(30)	Fillin
LinkCourse	LinkCourse	integer	z9	Fillin
LinkedTime	LinkedTime	integer	999999	Fillin
LogDate	LogDate	date	99/99/9999	Fillin
LogTime	LogTime	integer	99999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	X(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Protected	Protected	logical	Yes/No	Fillin
RecordStatus	Status	character	X(1)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SlotsOpen	SlotsOpen	integer	9	Fillin
StartingTee	Starting Tee	character	X(1)	ComboBox
TeeTime	Tee Time	integer	999999	Fillin
TeeTimeDate	TeeTime Date	date	99/99/9999	Fillin
TeeTimeType	TeeTime Type	character	X(8)	ComboBox
TeleTracOK	TeleTracOK	logical	Yes/No	Fillin
TournamentID	TournamentID	character	X(8)	Fillin
UserName	UserName	character	X(10)	Fillin
WebOK	WebOK	logical	Yes/No	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: GRTournament

BeginHandicap1	BeginHandicap1	decimal	->9.99	Fillin
BeginHandicap2	BeginHandicap2	decimal	->9.99	Fillin
BeginHandicap3	BeginHandicap3	decimal	->9.99	Fillin
BeginHandicap4	BeginHandicap4	decimal	->9.99	Fillin
BeginHandicap5	BeginHandicap5	decimal	->9.99	Fillin
BeginTime1	BeginTime1	integer	zzzzz9	Fillin
BeginTime2	BeginTime2	integer	zzzzz9	Fillin
BeginTime3	BeginTime3	integer	zzzzz9	Fillin
CurrentPlayers	CurrentPlayers	integer	->, >>>, >>9	Fillin
Description	Description	character	X(1000)	Fillin
EndHandicap1	EndHandicap1	decimal	->9.99	Fillin
EndHandicap2	EndHandicap2	decimal	->9.99	Fillin
EndHandicap3	EndHandicap3	decimal	->9.99	Fillin
EndHandicap4	EndHandicap4	decimal	->9.99	Fillin
EndHandicap5	EndHandicap5	decimal	->9.99	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: GRTournament Continued...				
EndTime1	EndTime1	integer	zzzzz9	Fillin
EndTime2	EndTime2	integer	zzzzz9	Fillin
EndTime3	EndTime3	integer	zzzzz9	Fillin
FlightDescription1	FlightDescription1	character	x(100)	Fillin
FlightDescription2	FlightDescription2	character	x(100)	Fillin
FlightDescription3	FlightDescription3	character	x(100)	Fillin
FlightDescription4	FlightDescription4	character	x(100)	Fillin
FlightDescription5	FlightDescription5	character	x(100)	Fillin
Flights	Flights	integer	9	Fillin
FlightTee1	FlightTee1	integer	9	Fillin
FlightTee2	FlightTee2	integer	9	Fillin
FlightTee3	FlightTee3	integer	9	Fillin
FlightTee4	FlightTee4	integer	9	Fillin
FlightTee5	FlightTee5	integer	9	Fillin
GolfCourse1	GolfCourse1	integer	zzzzzzz9	Fillin
GolfCourse2	GolfCourse2	integer	zzzzzzz9	Fillin
GolfCourse3	GolfCourse3	integer	zzzzzzz9	Fillin
HandicapPercentPairings	HandicapPercentPairings	integer	zz9	Fillin
HandicapPercentScore	HandicapPercentScore	integer	zz9	Fillin
HoleCount	HoleCount	integer	z9	Fillin
HouseholdNumber	HouseholdNumber	integer	zzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MaxCount1	MaxCount1	integer	zz9	Fillin
MaxCount2	MaxCount2	integer	zz9	Fillin
MaxCount3	MaxCount3	integer	zz9	Fillin
MaxCount4	MaxCount4	integer	zz9	Fillin
MaxCount5	MaxCount5	integer	zz9	Fillin
MaxTourneyPlayers	MaxTourneyPlayers	integer	zz9	Fillin
MembersOnly	MembersOnly	character	X(20)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Name	Name	character	x(30)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PlayDate1	PlayDate1	date	99/99/9999	Fillin
PlayDate2	PlayDate2	date	99/99/9999	Fillin
PlayDate3	PlayDate3	date	99/99/9999	Fillin
RecordStatus	RecordStatus	character	X(1)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StartType	StartType	character	X(20)	Fillin
TeamSize1	TeamSize1	integer	9	Fillin
TeamSize2	TeamSize2	integer	9	Fillin
TeamSize3	TeamSize3	integer	9	Fillin
TeeTimeMinutes1	TeeTimeMinutes1	integer	zz9	Fillin
TeeTimeMinutes2	TeeTimeMinutes2	integer	zz9	Fillin
TournamentID	TournamentID	character	X(8)	Fillin
TournamentType	TournamentType	character	x(2)	Fillin
TourneyIncome	TourneyIncome	decimal	->>,>>9.99	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: GRTournamentPlayer				
FlightNumber	FlightNumber	integer	9	Fillin
Handicap	Handicap	decimal	z9.9-	Fillin
HouseholdNumber	HouseholdNumber	integer	zzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MemberLinkID	MemberLinkID	int64	z9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PassNumber	PassNumber	integer	zzzzzzz9	Fillin
PassTransactionNumber	PassTransactionNumber	integer	zzzzzzz9	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: GRTournamentPlayer Continued...					
StartingGroup	StartingGroup	character	X(1)	Fillin	
StartingHole	StartingHole	integer	99	Fillin	
TeamNumber	TeamNumber	integer	zz9	Fillin	
TournamentID	TournamentID	character	X(8)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: GRTournamentPrize					
Amount	Amount	decimal	zzz,zz9.99-	Fillin	
Description	Description	character	x(20)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InventoryCode	InventoryCode	character	x(15)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
PassNumber	PassNumber	integer	zzzzzzzz9	Fillin	
PassTransactionNumber	PassTransactionNumber	integer	zzzzzzzz9	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TournamentID	TournamentID	character	X(8)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: IRIncident					
AltTreatmentAddress1	AltTreatmentAddress1	character	x(500)	Fillin	
AltTreatmentAddress2	AltTreatmentAddress2	character	x(500)	Fillin	
AltTreatmentCity	AltTreatmentCity	character	x(500)	Fillin	
AltTreatmentState	AltTreatmentState	character	x(500)	Fillin	
AltTreatmentZipCode	AltTreatmentZipCode	character	x(500)	Fillin	
AnswerNumber	Answer Number	integer	zzzz9	Fillin	
AwayFromWorkDays	AwayFromWorkDays	decimal	->>, >>9.99	Fillin	
CaseClassification	CaseClassification	character	x(500)	Fillin	
CaseNumber	CaseNumber	int64	->, >>>, >>9	Fillin	
CreatedDate	CreatedDate	date	99/99/9999	Fillin	
DeathDate	DeathDate	date	99/99/9999	Fillin	
Description	Description	character	X(40)	Fillin	
Doctor	Doctor	character	x(500)	Fillin	
EmergencyRoom	EmergencyRoom	logical	Yes/No	Fillin	
EventTime	EventTime	integer	->>>>>>9	Fillin	
FacilityLocation	FacilityLocation	character	x(500)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
IncidentDate	Incident Date	date	99/99/9999	Fillin	
IncidentType	Incident Type	character	X(5)	Picklist	
InjuryType	InjuryType	character	x(500)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
NoEventTimeDetermined	NoEventTimeDetermined	logical	Yes/No	Fillin	
Number	Incident Number	integer	zzzzz9	Fillin	
OvernightHospitalStay	OvernightHospitalStay	logical	Yes/No	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PostingTime	Posting Time	integer	999999	Fillin	
RecordStatus	Status	character	X(20)	ComboBox	
RestrictDays	RestrictDays	decimal	->>, >>9.99	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TimeWorkBegan	TimeWorkBegan	integer	->>>>>>9	Fillin	
UserName	User Name	character	X(10)	Picklist	
UserNamePhone	UserNamePhone	character	x(500)	Fillin	
UserNameTitle	UserNameTitle	character	x(500)	Fillin	
VictimJobTitle	VictimJobTitle	character	x(500)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: LKLOCK					
Combination	Combination	character	x(30)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: LKLOCK Continued...					
KeyNumber	Key Number	character	x(30)	Fillin	
LockCode	Lock Number	character	x(10)	Fillin	
Make	Lock Make	character	x(30)	Fillin	
MisInformation	MisInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
RecordStatus	Status	character	X(20)	ComboBox	
SerialNumber	Serial Number	character	x(30)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: LKLOCKER					
BrochureCode	Brochure Code	character	x(20)	Picklist	
BrochureText	Brochure Text	character	x(4000)	Editor	
Category	Category	character	x(100)	Picklist	
ComboKey	Combo Key	character	x(100)	Fillin	
CommentCode	Comment Code	character	x(5)	Picklist	
Comments	Comment Text	character	x(4000)	Editor	
Condition	Condition	character	X(20)	ComboBox	
Features	Features	character	x(1000)	Picklist	
ID	ID	int64	->>>>>>>>>>9	Fillin	
KeywordSearch	Keyword Search	character	x(500)	Fillin	
LockCode	Lock Number	character	x(10)	Picklist	
LockerCode	Locker Code	character	x(5)	Fillin	
LockerRoom	Locker Room	character	X(8)	Picklist	
ManagementGroup	ManagementGroup	character	x(8)	Fillin	
MisInformation	MisInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
RecordStatus	Status	character	X(20)	ComboBox	
ReportTag	Report Tag	character	x(100)	Picklist	
ReportTag2	Report Tag 2	character	x(100)	Picklist	
ReportTag3	Report Tag 3	character	x(100)	Picklist	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
SubType	Subtype	character	x(100)	Picklist	
TypeCode	Type	character	x(100)	Picklist	
WebMinPayment	WebMinPayment	decimal	->>,>>9.99	Fillin	
WebMinPaymentOption	WebMinPaymentOption	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: LKLockerRoom					
AllowWaitList	Allow Waitlist	logical	Yes/No	CheckBox	
AutoDepositRefund	Auto Deposit Refund?	logical	Yes/No	CheckBox	
BeginDate	Begin Date	date	99/99/9999	Fillin	
BrochureCode	Brochure Code	character	x(20)	Picklist	
BrochureText	Brochure Text	character	x(4000)	Editor	
Category	Category	character	x(10)	Picklist	
ChargeLateFeeMultipleTimes	ChargeLateFeeMultipleTimes	logical	Yes/No	Fillin	
CommentCode	Comment Code	character	x(5)	Picklist	
Comments	Comment Text	character	x(4000)	Editor	
DefaultMonths	Default Months	integer	zz9	Fillin	
DisplayOnWeb	Display On Web	character	X(1)	ComboBox	
EndDate	End Date	date	99/99/9999	Fillin	
EndDateList	End Date List	character	x(100)	Fillin	
FacilityLocation	Facility Location	character	x(5)	Picklist	
ID	ID	int64	->>>>>>>>>>9	Fillin	
ImpoundDays	Impound Days	integer	zz9-	Fillin	
ImpoundGraceDays	Impound Grace Days	integer	zz9-	Fillin	
InactivateLocker	Inactivate Locker on Return/Transfer/	logical	Yes/No	CheckBox	
LastLocker	Last Locker	character	x(5)	Fillin	
LastLockerFeatures	Last Locker Features	character	x(100)	Picklist	



Dictionary Listing

Field Name	Field Label	Data Type	Field Format	Field Type
------------	-------------	-----------	--------------	------------

RecTrac Database Field Details

Table: LKLockerRoom Continued...

LockerNumberRentalInterval	Locker Number Rental Interval	integer	zz9	Fillin
LockerRoom	Locker Room	character	X(8)	Fillin
LongDescription	Long Description	character	x(20)	Fillin
MainTracCostCenter	MainTrac Cost Center	character	x(6)	Picklist
MainTracGLCode	MainTrac GL Code	integer	zzzzz9	Picklist
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(10)	ComboBox
PromptForLock	Prompt for Lock with Locker Rental	logical	Yes/No	CheckBox
ReceiptDocuments	Receipt Documents	character	X(500)	Picklist
RecordStatus	Status	character	x(100)	ComboBox
RemoveLock	Remove Lock on Return/Transfer/Ca	logical	Yes/No	CheckBox
ReportTag	Report Tag	character	x(10)	Picklist
ReportTag2	Report Tag 2	character	x(100)	Picklist
ReportTag3	Report Tag 3	character	x(100)	Picklist
RoomImage	Room Image	character	X(50)	Fillin
ShortDescription	Short Description	character	x(200)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubType	Subtype	character	x(10)	Picklist
TicketAccessGUI	Ticket Access GUI	character	x(100)	Picklist
TicketAccessWeb	Ticket Access Web	character	x(100)	Picklist
TicketTemplateGUI	Ticket Template GUI	character	x(100)	Picklist
TicketTemplateWeb	Ticket Template Web	character	x(100)	Picklist
TicklerCode	Tickler Code	character	x(5)	Picklist
TicklerText	Tickler Text	character	x(4000)	Editor
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox
TypeCode	Type	character	x(10)	Picklist
UseImpoundProcedure	Use Impound Procedure?	logical	Yes/No	CheckBox
WaiverCode	Waiver Code	character	X(8)	Picklist
WildCardCostCenter	WildCard Cost Center	character	x(100)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin
YearToDateRevenue	Year To Date Revenue	decimal	zzz,zz9.99-	Fillin

Table: LSExemption

BeginTime	Begin Time	integer	999999	Fillin
EndTime	End Time	integer	999999	Fillin
ExemptionDate	Exemption Date	date	99/99/9999	Fillin
ExemptionType	Exemption Type	character	X(20)	ComboBox
FacilityComboKey	Facility Combo Key	character	x(100)	Picklist
HouseholdNumber	Household Number	integer	zzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LeagueLinkID	League Link ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TeamLinkID	Team Link ID	int64	->>>>>>>>>>9	Fillin
TeamNumber	Team	integer	zz9	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: LSFacilityLink

BeginDate	Begin Date	date	99/99/9999	Fillin
EndDate	End Date	date	99/99/9999	Fillin
FacilityComboKey	Facility Combo Key	character	x(100)	Picklist
FridayBeginTime1	Friday Begin Time 1	integer	zzzzzzz9	Fillin
FridayBeginTime2	Friday Begin Time 2	integer	zzzzzzz9	Fillin
FridayEndTime1	Friday End Time 1	integer	zzzzzzz9	Fillin
FridayEndTime2	Friday End Time 2	integer	zzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LeagueLinkID	League Link ID	int64	->>>>>>>>>>9	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: LSFacilityLink Continued...				
MisInformation	MisInformation	character	x(100)	Fillin
MondayBeginTime1	Monday Begin Time 1	integer	zzzzzzzz9	Fillin
MondayBeginTime2	Monday Begin Time 2	integer	zzzzzzzz9	Fillin
MondayEndTime1	Monday End Time 1	integer	zzzzzzzz9	Fillin
MondayEndTime2	Monday End Time 2	integer	zzzzzzzz9	Fillin
Permissions	Permissions	character	x(100)	Fillin
SaturdayBeginTime1	Saturday Begin Time 1	integer	zzzzzzzz9	Fillin
SaturdayBeginTime2	Saturday Begin Time 2	integer	zzzzzzzz9	Fillin
SaturdayEndTime1	Saturday End Time 1	integer	zzzzzzzz9	Fillin
SaturdayEndTime2	Saturday End Time 2	integer	zzzzzzzz9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SundayBeginTime1	Sunday Begin Time 1	integer	zzzzzzzz9	Fillin
SundayBeginTime2	Sunday Begin Time 2	integer	zzzzzzzz9	Fillin
SundayEndTime1	Sunday End Time 1	integer	zzzzzzzz9	Fillin
SundayEndTime2	Sunday End Time 2	integer	zzzzzzzz9	Fillin
ThursdayBeginTime1	Thursday Begin Time 1	integer	zzzzzzzz9	Fillin
ThursdayBeginTime2	Thursday Begin Time 2	integer	zzzzzzzz9	Fillin
ThursdayEndTime1	Thursday End Time 1	integer	zzzzzzzz9	Fillin
ThursdayEndTime2	Thursday End Time 2	integer	zzzzzzzz9	Fillin
TuesdayBeginTime1	Tuesday Begin Time 1	integer	zzzzzzzz9	Fillin
TuesdayBeginTime2	Tuesday Begin Time 2	integer	zzzzzzzz9	Fillin
TuesdayEndTime1	Tuesday End Time 1	integer	zzzzzzzz9	Fillin
TuesdayEndTime2	Tuesday End Time 2	integer	zzzzzzzz9	Fillin
WednesdayBeginTime1	Wednesday Begin Time 1	integer	zzzzzzzz9	Fillin
WednesdayBeginTime2	Wednesday Begin Time 2	integer	zzzzzzzz9	Fillin
WednesdayEndTime1	Wednesday End Time 1	integer	zzzzzzzz9	Fillin
WednesdayEndTime2	Wednesday End Time 2	integer	zzzzzzzz9	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: LSLEAGUE				
Archived	Archived?	logical	Yes/No	CheckBox
BeginDate	Begin Date	date	99/99/9999	Fillin
BeginTime	Begin Time	integer	zzzzz9	Fillin
BrochureCode	Brochure Code	character	x(20)	Picklist
BrochureText	Brochure Text	character	x(4000)	Editor
Category	Category	character	X(5)	Picklist
ChargeLateFeeMultipleTimes	ChargeLateFeeMultipleTimes	logical	Yes/No	Fillin
CleanupMinutes	Cleanup Minutes	integer	->, >>>, >>>9	Fillin
CommentCode	Comment Code	character	X(5)	Picklist
Comments	Comment Text	character	x(4000)	Editor
ContactName	Contact Name	character	X(30)	Fillin
CountScoresSeparately	Count Scores Separately?	logical	yes/no	CheckBox
CourtReservationNumber	Court Reservation Number	integer	zz9	Fillin
DisplayOnWeb	Display On Web	character	X(1)	ComboBox
EndDate	End Date	date	99/99/9999	Fillin
EndTime	End Time	integer	zzzzz9	Fillin
GameMinutes	Game Minutes	integer	zz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
KeywordSearch	Keyword Search	character	X(100)	Fillin
LastTransferDate	Last Transfer Date	date	99/99/9999	Fillin
LeagueCode	League Code	character	x(10)	Fillin
LeagueCreationInfo	League Creation Info	character	X(2)	Fillin
LeagueGames	League Games	integer	zz9	Fillin
LeagueImage	League Image	character	x(50)	Fillin
LongDescription	Name	character	x(45)	Fillin
MaintenanceCode	League Reservations Maintenance C	character	x(5)	Picklist
MainTracCostCenter	MainTrac Cost Center	character	x(6)	Picklist
MainTracCostGLCode	MainTrac GL Code	integer	zzzzz9	Picklist
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MasterSchedule	Master Schedule	character	x(5)	Picklist
MaxPlayers	Max Players	integer	z9	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: LSLEAGUE Continued...				
Misclnformation	Misclnformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
PracticeGames	Practice Games	integer	zz9	Fillin
PreviousSeasonBeginDate	Previous Season Begin Date	date	99/99/9999	Fillin
PreviousSeasonendDate	Previous Season End Date	date	99/99/9999	Fillin
PrimaryEmailAddress	Primary Email Address	character	x(200)	Fillin
PrimaryPhoneExtension	Primary Phone Extension	character	x(20)	Fillin
PrimaryPhoneNumber	Primary Phone Number	character	x(20)	Fillin
PrimaryPhoneType	Primary Phone Type	character	x(20)	ComboBox
ReceiptDocuments	Receipt Documents	character	X(500)	Picklist
RecordLeagueAttendance	Record League Attendance?	logical	yes/no	CheckBox
RecordStatus	Status	character	X(20)	ComboBox
RefereeCode	Referee Qualifications	character	x(1000)	Picklist
RefereeCount	Referee Count	integer	zz9	Fillin
RegisteredTeams	Registered Teams	integer	zzz9	Fillin
ReportTag	Report Tag	character	x(100)	Picklist
ReportTag2	Report Tag 2	character	x(100)	Picklist
ReportTag3	Report Tag 3	character	x(100)	Picklist
ReservationCategory1	Reservation Category 1	character	x(5)	Picklist
ReservationCategory2	Reservation Category 2	character	x(5)	Picklist
ReservationCategory3	Reservation Category 3	character	x(5)	Picklist
ReservationNumber	Reservation Number	integer	zzzzz9	Fillin
ScheduleComment	Schedule Comment	character	x(5)	Picklist
ScheduleRefereesThrough	Schedule Referees Through	date	99/99/9999	Fillin
ScheduleType	Schedule Type	character	X(20)	ComboBox
ScoresToUpdate	Scores To Update	integer	zzzzz9	Fillin
SearchFriday	Search Friday	logical	Yes/No	ComboBox
SearchMonday	Search Monday	logical	Yes/No	ComboBox
SearchSaturday	Search Saturday	logical	Yes/No	ComboBox
SearchSunday	Search Sunday	logical	Yes/No	ComboBox
SearchThursday	Search Thursday	logical	Yes/No	ComboBox
SearchTuesday	Search Tuesday	logical	Yes/No	ComboBox
SearchWednesday	Search Wednesday	logical	Yes/No	ComboBox
Season	Season	character	X(2)	Picklist
SetupMinutes	Setup Minutes	integer	zz9	Fillin
ShortDescription	Short Description	character	x(200)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StatisticsAttemptDescription1	Statistics Attempt Description 1	character	x(100)	Fillin
StatisticsAttemptDescription2	Statistics Attempt Description 2	character	x(100)	Fillin
StatisticsAttemptDescription3	Statistics Attempt Description 3	character	x(100)	Fillin
StatisticsAttemptDescription4	Statistics Attempt Description 4	character	x(100)	Fillin
StatisticsAttemptDescription5	Statistics Attempt Description 5	character	x(100)	Fillin
StatisticsAttemptDescription6	Statistics Attempt Description 6	character	x(100)	Fillin
StatisticsAttemptDescription7	Statistics Attempt Description 7	character	x(100)	Fillin
StatisticsAttemptDescription8	Statistics Attempt Description 8	character	x(100)	Fillin
StatisticsAttemptDescription9	Statistics Attempt Description 9	character	x(100)	Fillin
StatisticsDescription1	Statistics Description 1	character	x(100)	Fillin
StatisticsDescription2	Statistics Description 2	character	x(100)	Fillin
StatisticsDescription3	Statistics Description 3	character	x(100)	Fillin
StatisticsDescription4	Statistics Description 4	character	x(100)	Fillin
StatisticsDescription5	Statistics Description 5	character	x(100)	Fillin
StatisticsDescription6	Statistics Description 6	character	x(100)	Fillin
StatisticsDescription7	Statistics Description 7	character	x(100)	Fillin
StatisticsDescription8	Statistics Description 8	character	x(100)	Fillin
StatisticsDescription9	Statistics Description 9	character	x(100)	Fillin
StatisticsEquationType1	Statistics Equation Type1	character	x(10)	ComboBox
StatisticsEquationType2	Statistics Equation Type 2	character	x(10)	ComboBox
StatisticsEquationType3	Statistics Equation Type 3	character	x(10)	ComboBox
StatisticsEquationType4	Statistics Equation Type 4	character	x(10)	ComboBox
StatisticsEquationType5	Statistics Equation Type 5	character	x(10)	ComboBox
StatisticsEquationType6	Statistics Equation Type 6	character	x(10)	ComboBox



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: LSLEAGUE Continued...				
StatisticsEquationType7	Statistics Equation Type 7	character	x(10)	ComboBox
StatisticsEquationType8	Statistics Equation Type 8	character	x(10)	ComboBox
StatisticsEquationType9	Statistics Equation Type 9	character	x(10)	ComboBox
StatisticsSuccessDescription1	Statistics Success Description 1	character	x(100)	Fillin
StatisticsSuccessDescription2	Statistics Success Description 2	character	x(100)	Fillin
StatisticsSuccessDescription3	Statistics Success Description 3	character	x(100)	Fillin
StatisticsSuccessDescription4	Statistics Success Description 4	character	x(100)	Fillin
StatisticsSuccessDescription5	Statistics Success Description 5	character	x(100)	Fillin
StatisticsSuccessDescription6	Statistics Success Description 6	character	x(100)	Fillin
StatisticsSuccessDescription7	Statistics Success Description 7	character	x(100)	Fillin
StatisticsSuccessDescription8	Statistics Success Description 8	character	x(100)	Fillin
StatisticsSuccessDescription9	Statistics Success Description 9	character	x(100)	Fillin
SubType	Subtype	character	x(100)	Picklist
TicketAccessGUI	Ticket Access RecTrac	character	x(100)	Picklist
TicketAccessWeb	Ticket Access Web	character	x(100)	Picklist
TicketTemplateGUI	Ticket Template RecTrac	character	x(100)	Picklist
TicketTemplateWeb	Ticket Template Web	character	x(100)	Picklist
TicklerCode	Tickler Code	character	X(5)	Picklist
TicklerText	Tickler Text	character	x(4000)	Editor
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox
TieBreak	Tie Break	character	x(1000)	ComboBox
TotalTeams	Total Teams	integer	zzz9	Fillin
TypeCode	Type	character	x(100)	Picklist
WaitlistCount	Waitlist Count	integer	z,zzz,zz9	Fillin
WaitlistMaxCount	Waitlist Max Count	integer	z,zzz,zz9	Fillin
WaiverCode	Waiver Code	character	x(8)	Picklist
WaiverOption	Waiver Option	character	X(20)	ComboBox
WebEvent	WebTrac Event?	logical	yes/no	CheckBox
WebEventTitle	WebTrac Event Title	character	x(50)	Fillin
WebMinPayment	WebMinPayment	decimal	->>, >>9.99	Fillin
WebMinPaymentOption	WebMinPaymentOption	character	x(100)	Fillin
WebScheduleBeginDate	WebTrac Schedule Begin Date	date	99/99/9999	Fillin
WildcardCostCenter	Wildcard Cost Center	character	x(100)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin
Year	Year	integer	zzzz9	Fillin
Table: LSManualTemplate				
AwayTeam	Away Team	integer	z9	Fillin
Description	Description	character	x(100)	Fillin
GameNumber	Game Number	integer	zz9	Fillin
HomeTeam	Home Team	integer	z9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PracticeGames	Practice/Game	character	X(20)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TemplateID	Template ID	character	x(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: LSSchedule				
AwayForfeit	Away Forfeit?	logical	Yes/No	CheckBox
AwayHouseholdNumber	Away Household Number	integer	zzzzzzz9	Fillin
AwayScore1	Away Score 1	integer	zz9	Fillin
AwayScore2	Away Score 2	integer	zz9	Fillin
AwayScore3	Away Score 3	integer	zz9	Fillin
AwayScore4	Away Score 4	integer	zz9	Fillin
AwayScore5	Away Score 5	integer	zz9	Fillin
AwaySportsmanship1	Away Sportsmanship 1	decimal	zz9.99	Fillin
AwaySportsmanship2	Away Sportsmanship 2	decimal	zz9.99	Fillin
AwaySportsmanship3	Away Sportsmanship 3	decimal	zz9.99	Fillin
AwaySportsmanship4	Away Sportsmanship 4	decimal	zz9.99	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: LSSchedule Continued...

AwaySportsmanship5	Away Sportsmanship 5	decimal	zz9.99	Fillin
AwayTeam	Away Team	integer	zzz9	Fillin
AwayTeamLinkID	Away Team	int64	->>>>>>>>>>9	ComboBox
BeginTime	Begin Time	integer	999999	Fillin
EndTime	End Time	integer	999999	Fillin
FacilityComboKey	Facility Combo Key	character	x(100)	Picklist
GameOrPractice	Game Or Practice	character	X(20)	ComboBox
GamesScoredSeparately	Games Scored Separately?	logical	Yes/No	CheckBox
GameType	Game Type	character	X(20)	Fillin
HomeFacilityCode	Home Facility Code	character	X(8)	Picklist
HomeForfeit	Home Forfeit?	logical	Yes/No	CheckBox
HomeHouseholdNumber	Home Household Number	integer	zzzzzzzz9	Fillin
HomeScore1	Home Score 1	integer	zz9	Fillin
HomeScore2	Home Score 2	integer	zz9	Fillin
HomeScore3	Home Score 3	integer	zz9	Fillin
HomeScore4	Home Score 4	integer	zz9	Fillin
HomeScore5	Home Score 5	integer	zz9	Fillin
HomeSportsmanship1	Home Sportsmanship 1	decimal	zz9.99	Fillin
HomeSportsmanship2	Home Sportsmanship 2	decimal	zz9.99	Fillin
HomeSportsmanship3	Home Sportsmanship 3	decimal	zz9.99	Fillin
HomeSportsmanship4	Home Sportsmanship 4	decimal	zz9.99	Fillin
HomeSportsmanship5	Home Sportsmanship 5	decimal	zz9.99	Fillin
HomeTeam	Home Team	integer	zzz9	Fillin
HomeTeamLinkID	Home Team	int64	->>>>>>>>>>9	ComboBox
ID	ID	int64	->>>>>>>>>>9	Fillin
LeagueLinkID	League Link ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	Status	character	X(20)	ComboBox
RefereeLinkID1	Referee Link ID 1	int64	->>>>>>>>>>9	Picklist
RefereeLinkID2	Referee Link ID 2	int64	->>>>>>>>>>9	Picklist
RefereeLinkID3	Referee Link ID 3	int64	->>>>>>>>>>9	Picklist
RefereeRate1	Referee Rate 1	decimal	->>, >>9.99	Fillin
RefereeRate2	Referee Rate 2	decimal	->>, >>9.99	Fillin
RefereeRate3	Referee Rate 3	decimal	->>, >>9.99	Fillin
Round	Round	integer	zzz9	Fillin
ScheduleDate	Schedule Date	date	99/99/9999	Fillin
SingleEliminationGameNumber	Single Elimination Game Number	integer	zzz9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
ValidScore1	Valid Score 1?	logical	Yes/No	CheckBox
ValidScore2	Valid Score 2?	logical	Yes/No	CheckBox
ValidScore3	Valid Score 3?	logical	Yes/No	CheckBox
ValidScore4	Valid Score 4?	logical	Yes/No	CheckBox
ValidScore5	Valid Score 5?	logical	Yes/No	CheckBox
WordIndex	WordIndex	character	x(80)	Fillin

Table: LSStatistics

HouseholdNumber	HouseholdNumber	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LeagueLinkID	LeagueLinkID	int64	->>>>>>>>>>9	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PlayerNumber	PlayerNumber	integer	zz9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StatisticsAttemptCount1	StatisticsAttemptCount1	integer	zzz9-	Fillin
StatisticsAttemptCount2	StatisticsAttemptCount2	integer	zzz9-	Fillin
StatisticsAttemptCount3	StatisticsAttemptCount3	integer	zzz9-	Fillin
StatisticsAttemptCount4	StatisticsAttemptCount4	integer	zzz9-	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: LSStatistics Continued...				
StatisticsAttemptCount5	StatisticsAttemptCount5	integer	zzz9-	Fillin
StatisticsAttemptCount6	StatisticsAttemptCount6	integer	zzz9-	Fillin
StatisticsAttemptCount7	StatisticsAttemptCount7	integer	zzz9-	Fillin
StatisticsAttemptCount8	StatisticsAttemptCount8	integer	zzz9-	Fillin
StatisticsAttemptCount9	StatisticsAttemptCount9	integer	zzz9-	Fillin
StatisticsNetValue1	StatisticsNetValue1	decimal	zzz9.999-	Fillin
StatisticsNetValue2	StatisticsNetValue2	decimal	zzz9.999-	Fillin
StatisticsNetValue3	StatisticsNetValue3	decimal	zzz9.999-	Fillin
StatisticsNetValue4	StatisticsNetValue4	decimal	zzz9.999-	Fillin
StatisticsNetValue5	StatisticsNetValue5	decimal	zzz9.999-	Fillin
StatisticsNetValue6	StatisticsNetValue6	decimal	zzz9.999-	Fillin
StatisticsNetValue7	StatisticsNetValue7	decimal	zzz9.999-	Fillin
StatisticsNetValue8	StatisticsNetValue8	decimal	zzz9.999-	Fillin
StatisticsNetValue9	StatisticsNetValue9	decimal	zzz9.999-	Fillin
StatisticsSuccessCount1	StatisticsSuccessCount1	integer	zzz9-	Fillin
StatisticsSuccessCount2	StatisticsSuccessCount2	integer	zzz9-	Fillin
StatisticsSuccessCount3	StatisticsSuccessCount3	integer	zzz9-	Fillin
StatisticsSuccessCount4	StatisticsSuccessCount4	integer	zzz9-	Fillin
StatisticsSuccessCount5	StatisticsSuccessCount5	integer	zzz9-	Fillin
StatisticsSuccessCount6	StatisticsSuccessCount6	integer	zzz9-	Fillin
StatisticsSuccessCount7	StatisticsSuccessCount7	integer	zzz9-	Fillin
StatisticsSuccessCount8	StatisticsSuccessCount8	integer	zzz9-	Fillin
StatisticsSuccessCount9	StatisticsSuccessCount9	integer	zzz9-	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: LSTeam				
Address1	Address 1	character	x(30)	Fillin
Address2	Address 2	character	x(30)	Fillin
AllowChangesOnWeb	Allow Changes On Web?	logical	Yes/No	CheckBox
Category	Category	character	x(100)	ComboBox
City	City	character	x(20)	Fillin
Comments	Comment Text	character	x(4000)	Editor
EmailScheduleChanges	Email Schedule Changes?	logical	Yes/No	CheckBox
FeeCode	Fee Code	character	X(100)	ComboBox
HomeFacilityComboKey	Home Facility	character	x(5)	Picklist
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PrimaryEMail	Email Address #1	character	x(100)	Fillin
PrimaryExtension	Phone #1 Extension	character	x(5)	Fillin
PrimaryPhone	Phone #1	character	x(15)	Fillin
RecordStatus	Status	character	x(10)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
State	State	character	x(3)	ComboBox
TeamColors	Team Colors	character	x(17)	Fillin
TeamID	Team ID	character	X(8)	Fillin
TeamName	Team Name	character	x(30)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
ZipCode	Zip Code	character	x(10)	Fillin
Table: LSTeamStanding				
ID	ID	int64	->>>>>>>>>>9	Fillin
LiveGames	Live Games	integer	->, >>>, >>>9	Fillin
Losses	Losses	integer	->, >>>, >>>9	Fillin
LSTeamLinkID	LSTeamLinkID	integer	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
MissedGames	Missed Games	integer	->, >>>, >>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
PracticeGames	Practice Games	integer	->, >>>, >>>9	Fillin
SADetailLinkID	SADetailLinkID	integer	zzzzzzzz9	Fillin
Seed	Seed	integer	->, >>>, >>>9	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: LSTeamStanding Continued...					
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TeamNumber	TeamNumber	integer	->,>>>,>>9	Fillin	
TieBreaker	Tie Breaker	integer	->,>>>,>>9	Fillin	
Ties	Ties	integer	->,>>>,>>9	Fillin	
WinPercent	Win Percent	decimal	zz9.9999	Fillin	
Wins	Wins	integer	->,>>>,>>9	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: LSTemplate					
AwayTeam	Away Team	integer	z9	Fillin	
CycleGame	Game	integer	zz9	Fillin	
HomeTeam	Home Team	integer	z9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
LeagueType	LeagueType	character	X(20)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
Round	Round	integer	z9	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Teams	Teams	integer	z9	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: MTAssetCategory					
AssetCategoryCode	Asset Category Code	character	x(100)	Fillin	
Description	Description	character	x(100)	Fillin	
FEMACostCode	FEMA Cost Code	character	x(100)	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Type	Asset Type	character	x(100)	ComboBox	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTAssetCatTasks					
EstTime	Estimated Time	decimal	zzz,zzz,zz9.99	Fillin	
HoursPerMonth	Hours Per Month	decimal	zzz,zzz,zz9.99	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
InspectionFormCode	Inspection Form	character	x(100)	Picklist	
MiscInformation	MiscInformation	character	x(100)	Fillin	
MonthlyEstTime	Monthly Estimated Time	decimal	zzz,zzz,zz9.99	Fillin	
Notes	Notes	character	x(100)	Editor	
ParentID	Parent ID	int64	->,>>>,>>9	Fillin	
ParentTable	Parent Table	character	x(8)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TaskCategoryCode	Task Category	character	x(100)	Picklist	
TaskClassCode	Task Class	character	x(100)	Picklist	
TaskCode	Task Code	character	x(100)	Picklist	
TaskDescription	Task Description	character	x(100)	Fillin	
Type	Type	character	x(100)	ComboBox	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTAssetTasks					
EstTime	Estimated Time in Hours	decimal	zzz,zzz,zz9.99	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
InspectionFormCode	Inspection Form	character	x(100)	Picklist	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTAssetTasks Continued...				
MiscInformation	MiscInformation	character	x(100)	Fillin
MonthlyEstTime	Monthly Estimated Time in Hours	decimal	zzz,zzz,zz9.99	Fillin
Notes	Notes	character	x(100)	Editor
ParentID	ParentID	int64	->, >>>, >>9	Fillin
ParentTable	Parent Table	character	x(8)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TaskCode	Task Code	character	x(100)	Picklist
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTCNLog				
Amount	Amount	decimal	zzz,zzz,zz9.99	Fillin
AssetCode	AssetCode	character	x(100)	Fillin
AssetID	AssetID	int64	->, >>>, >>9	Fillin
AssetType	AssetType	character	x(100)	Fillin
ComboLogID	ComboLogID	int64	->, >>>, >>9	Fillin
ContractCode	ContractCode	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
InvoiceNumber	InvoiceNumber	character	x(100)	Fillin
ItemCode	ItemCode	character	x(100)	Fillin
LogDate	LogDate	date	99/99/9999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Quantity	Quantity	decimal	zzz,zzz,zz9.99	Fillin
Reference	Reference	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TaskCode	TaskCode	character	x(100)	Fillin
Unit	Unit	character	x(100)	Fillin
UserName	UserName	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTComboLog				
Amount	Amount	decimal	zzz,zzz,zz9.99	Fillin
Amount2	Amount2	decimal	zzz,zzz,zz9.99	Fillin
AssetCode	Asset Code	character	x(100)	Fillin
AssetID	AssetID	int64	->, >>>, >>9	Fillin
AssetType	Asset Type	character	x(100)	ComboBox
BeginDate	Date	date	99/99/9999	Fillin
BenefitAmount	Benefit Amount	decimal	zzz,zzz,zz9.99	Fillin
Complete	Complete	logical	Yes/No	CheckBox
ExpenseInvoiceNumber	Expense Invoice Number	integer	zzzzzzzz9	Fillin
GLCode	GL Code	character	x(100)	Picklist
GLCode2	GL Code2	character	x(100)	Picklist
History	History	logical	yes/no	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
Invoiced	Invoiced	logical	Yes/No	CheckBox
InvoiceNumber	Invoice Number	character	x(100)	Fillin
LogDate	LogDate	date	99/99/99	Fillin
MiscExpense	MiscExpense	logical	yes/no	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	x(100)	Fillin
OverheadAmount	Overhead Amount	decimal	zzz,zzz,zz9.99	Fillin
PayrollCode	Payroll Code	character	x(100)	ComboBox
Permissions	Permissions	character	x(100)	ComboBox
POCode	PO Code	character	x(100)	Fillin
ProjectCode	Project Code	character	x(100)	Picklist
Quantity	Quantity	decimal	zzz,zzz,zz9.99	Fillin
RecordStatus	Status	character	x(100)	ComboBox
ResourceCode	Resource Code	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTComboLog Continued...				
ResourceID	ResourceID	int64	->, >>>, >>9	Fillin
ResourceType	Resource Type	character	x(100)	ComboBox
SessionID	SessionID	character	x(8)	Fillin
ShiftCode	Shift Code	character	x(100)	Picklist
ShiftGLCode	Shift GL Code	character	x(100)	Picklist
ShiftPay	Shift Pay	decimal	zzz,zzz,zz9.99	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StaffCode	Staff Code	character	x(100)	Picklist
StockRoomCode	StockRoom Code	character	x(100)	ComboBox
TaskCategory	Task Category	character	x(100)	Picklist
TaskClass	Task Class	character	x(100)	Picklist
TaskCode	Task Code	character	x(100)	Picklist
TaskID	TaskID	int64	->, >>>, >>9	Fillin
Unit	Unit	character	x(100)	ComboBox
Usage	Usage	decimal	zzz,zzz,zz9.99	Fillin
UseageUnit	Usage Unit	character	x(100)	ComboBox
UserName	UserName	character	x(8)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
WorkCode	Work Code	character	x(100)	Picklist
WorkOrderNumber	Work Order	integer	zzzzzzzz9	Picklist
Table: MTComboLogHistory				
AssetCode	Asset	character	x(100)	Fillin
AssetID	AssetID	int64	->, >>>, >>9	Fillin
AssetType	Asset Type	character	x(100)	Fillin
BeginDate	Begin Date	date	99/99/9999	Fillin
ComboLogID	ComboLogID	int64	->, >>>, >>9	Fillin
DateInterval	DateInterval	date	99/99/9999	Fillin
Description	Description	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
LogDate	Transaction Date	date	99/99/99	Fillin
Misclnformation	Misclnformation	character	x(100)	Fillin
PayrollCode	Payroll Code	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Quantity	Quantity	decimal	zzz,zzz,zz9.99	Fillin
ResourceCode	Resource	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StockRoomCode	StockRoomCode	character	x(8)	Fillin
TaskCategory	Task Category	character	x(100)	Fillin
TaskClassCode	TaskClassCode	character	x(100)	Fillin
TaskCode	Task	character	x(100)	Fillin
Unit	Unit	character	x(100)	Fillin
UnitPrice	UnitPrice	decimal	->>, >>9.99	Fillin
Usage	Usage	decimal	->>, >>9.99	Fillin
UserName	User Name	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTComboLogLeave				
AccumulatedTime	AccumulatedTime	decimal	zzz,zzz,zz9.99	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
Misclnformation	Misclnformation	character	x(100)	Fillin
ParentID	ParentID	int64	zzzzzzzz9	Fillin
PayrollCode	PayrollCode	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type
Table: MTContract				
AssetCode	AssetCode	character	x(100)	Fillin
AssetType	AssetType	character	x(100)	Fillin
CategoryCode	CategoryCode	character	x(100)	Fillin
ChangeOrderAmount	ChangeOrderAmount	decimal	zzz,zzz,zz9.99	Fillin
ContractCode	ContractCode	character	x(100)	Fillin
Department	Department	character	x(8)	Fillin
Description	Description	character	x(100)	Fillin
GLCode	GLCode	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	x(100)	Fillin
OriginalAmount	OriginalAmount	decimal	zzz,zzz,zz9.99	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	RecordStatus	character	x(100)	Fillin
ReportTag	ReportTag	character	x(100)	Fillin
ReportTag2	ReportTag2	character	x(100)	Fillin
ReportTag3	ReportTag3	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TaskCode	TaskCode	character	x(100)	Fillin
VendorCode	VendorCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTContractItem				
ActualCost	ActualCost	decimal	zzz,zzz,zz9.99	Fillin
ActualQuantity	ActualQuantity	decimal	zzz,zzz,zz9.99	Fillin
AssetCode	AssetCode	character	x(100)	Fillin
AssetType	AssetType	character	x(100)	Fillin
ChangeOrder	ChangeOrder	logical	Yes/No	Fillin
Description	Description	character	x(100)	Fillin
GLCode	GLCode	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
ItemCode	ItemCode	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	x(100)	Fillin
ParentID	ParentID	int64	->, >>>, >>>9	Fillin
ParentTable	ParentTable	character	x(8)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Quantity	Quantity	decimal	zzz,zzz,zz9.99	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TaskCode	TaskCode	character	x(100)	Fillin
Unit	Unit	character	x(100)	Fillin
UnitPrice	UnitPrice	decimal	zzz,zzz,zz9.99	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTCrew				
CategoryCode	CategoryCode	character	x(100)	Fillin
CrewCode	CrewCode	character	x(100)	Fillin
Description	Description	character	x(100)	Fillin
EquipmentCode	EquipmentCode	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	RecordStatus	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StaffCode	StaffCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTCusLog				
CallDate	Date	date	99/99/9999	Fillin
CallInformation	Information	character	x(100)	Editor
CallNumber	Service Request Number	integer	zzzzzzzz9	Fillin
CallTime	Time	integer	zzzzzzzz9	Fillin
CategoryCode	Category Code	character	x(100)	Picklist
CommentCode	Comment Code	character	x(100)	Picklist
CustomerNumber	Household Number	integer	zzzzzzzz9	Picklist
EmailAddress	Additional Email 1	character	x(100)	Fillin
ID	ID #	int64	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
SecondaryEmail	Additional Email 2	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
WorkOrderNumber	Work Order Number	integer	zzzzzzzz9	Picklist
Table: MTCustomer				
CellPhone	Cell Phone	character	x(100)	Fillin
City	City	character	x(100)	Fillin
CustomerNumber	CustomerNumber	integer	zzzzzzzz9	Fillin
EmailAddress	EmailAddress	character	x(100)	Fillin
FirstName	First Name	character	x(100)	Fillin
GISMapID	GIS MapID	character	x(100)	Fillin
GISUpdateStatus	GIS Update Status	character	x(100)	Fillin
GISXCoordinate	GIS XCoordinate	decimal	zzz,zzz,zz9.99	Fillin
GISYCoordinate	GIS YCoordinate	decimal	zzz,zzz,zz9.99	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
LastName	Last Name	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NumberOfCalls	Number of Calls	integer	zzzzzzzz9	Fillin
Permissions	Permissions	character	x(100)	Fillin
PrimaryPhone	Primary Phone	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
State	State	character	x(100)	ComboBox
Street	Street	character	x(100)	Fillin
StreetExt	Street Ext	character	x(100)	Fillin
StreetNumber	Street Number	character	x(100)	Fillin
UserName	Record Created By	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
WorkExt	Work Phone Ext	character	x(100)	Fillin
WorkPhone	Work Phone	character	x(100)	Fillin
ZipCode	ZipCode	character	x(100)	Fillin
Table: MtDepreciation				
Amount	Amount	decimal	zzz,zzz,zz9.99	Fillin
Applied	Applied	logical	Yes/No	CheckBox
AssetCode	Asset Code	character	x(100)	Fillin
AssetType	Asset Type	character	x(100)	ComboBox
ID	ID	int64	zzzzzzzz9	Fillin
MiscInformation	Misc Information	character	x(100)	Fillin
Month	Month	integer	zzzzzzzz9	ComboBox
ParentID	Parent ID	character	x(8)	Fillin
ParentTable	ParentTable	character	x(8)	ComboBox
Permissions	Permissions	character	x(100)	ComboBox
PostDate	Post Date	date	99/99/9999	Fillin
Reference	Reference	character	x(100)	Editor
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MtDepreciation Continued...				
WordIndex	Word Index	character	x(100)	Fillin
Year	Year	integer	zzzzzzzz9	Fillin
Table: MTEquipment				
Addedvalue	Added Value	decimal	zzz,zzz,zz9.99	Fillin
Adjustments	Adjustments	character	x(100)	Picklist
AlternateLookup	Alternate Lookup	character	x(100)	Fillin
CategoryCode	Category	character	x(100)	Picklist
ChargeBasis	Charge Basis	character	x(100)	ComboBox
ChargeUnit	Charge Unit	character	x(100)	ComboBox
ConditionCode	Condition	character	x(100)	Picklist
ContractGLCode	Contract GL Code	character	x(100)	Picklist
Description	Description	character	x(100)	Fillin
East	East Coordinate	integer	zzzzzzzz9	Fillin
EngineSize	Engine Size	decimal	zzz,zzz,zz9.99	Fillin
EngineUnit	Engine Unit	character	x(100)	ComboBox
EquipmentClass	Equipment Class	character	x(100)	Picklist
EquipmentCode	Equipment Code	character	x(100)	Fillin
EquipmentColor	Color	character	x(100)	Fillin
EquipmentGLCode	Equipment GL Code	character	x(100)	Picklist
ExpirationDate	Inspection Expiration Date	date	99/99/9999	Fillin
Features	Features	character	x(100)	Picklist
FixedAsset	Fixed Asset	logical	Yes/No	CheckBox
GISMapID	GIS Map ID	character	x(100)	Fillin
GISXCoordinate	GIS X Coordinate	decimal	zzz,zzz,zz9.999999	Fillin
GISYCoordinate	GIS Y Coordinate	decimal	zzz,zzz,zz9.999999	Fillin
GrossWeight	Gross Weight	decimal	zzz,zzz,zz9.99	Fillin
ID	Id	int64	zzzzzzzz9	Fillin
InspectionCost	Inspection Cost	decimal	zzz,zzz,zz9.99	Fillin
KeysCode	Key Code	character	x(100)	Picklist
LaborGLCode1	Labor GL Code1	character	x(100)	Picklist
LaborGLCode2	Labor GL Code2	character	x(100)	Picklist
LaborGLCode3	Labor GL Code3	character	x(100)	Picklist
LaborGLCode4	Labor GL Code4	character	x(100)	Picklist
LaborGLCode5	Labor GL Code5	character	x(100)	Picklist
LaborPayrollcode1	Labor Payroll Code1	character	x(100)	Fillin
LaborPayrollcode2	Labor Payroll Code2	character	x(100)	Picklist
LaborPayrollcode3	Labor Payroll Code3	character	x(100)	Picklist
LaborPayrollcode4	Labor Payroll Code4	character	x(100)	Picklist
LaborPayrollcode5	Labor Payroll Code5	character	x(100)	Picklist
LastYearUsage	Last Year Usage	integer	zzzzzzzz9	Fillin
LicenseNumber	License Number	character	x(100)	Fillin
LifeContractCosts	Life Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeEquipmentCosts	Life Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeLaborCosts	Life Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeMaterialCosts	Life Material Costs	decimal	zzz,zzz,zz9.99	Fillin
LocationCode	Location	character	x(100)	Picklist
LYRContractCosts	LYR Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
LYREquipmentCosts	LYR Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
LYRLaborCosts	LYR Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
LYRMaterialCosts	LYR Material Costs	decimal	zzz,zzz,zz9.99	Fillin
Make	Make	character	x(100)	Fillin
MaterialGLCode	Material GL Code	character	x(100)	Picklist
MiscInformation	MiscInformation	character	x(100)	Fillin
Model	Model	character	x(100)	Fillin
ModelNumber	Model Number	character	x(100)	Fillin
NorthCoordinate	North Coordinate	integer	zzzzzzzz9	Fillin
Notes	Notes	character	x(100)	Editor
ParentAssetCode	Parent Asset Code	character	x(100)	Picklist
ParentAssetType	Parent Asset Type	character	x(100)	ComboBox
Permissions	Permissions	character	x(100)	ComboBox
PurchaseDate	Purchase Date	date	99/99/9999	Fillin
PurchasePrice	Purchase Price	decimal	zzz,zzz,zz9.99	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: MTEquipment Continued...					
PurchaseUsage	Purchase Usage	integer	zzzzzzzz9	Fillin	
Rate	Rate	decimal	zzz,zzz,zz9.99	Fillin	
RecordStatus	Status	character	x(100)	ComboBox	
RegistrationCost	Registration Cost	decimal	zzz,zzz,zz9.99	Fillin	
RegistrationExpireDate	Registration Expiration Date	date	99/99/9999	Fillin	
RegistrationNumber	Registration Number	character	x(100)	Fillin	
RentalItemCode	Rental Item Link	character	x(100)	Picklist	
ReplacementCost	Replacement Cost	decimal	zzz,zzz,zz9.99	Fillin	
ReportTag	ReportTag	character	x(100)	Fillin	
ReportTag2	ReportTag2	character	x(100)	Fillin	
ReportTag3	ReportTag3	character	x(100)	Fillin	
Resource	Resource	logical	Yes/No	CheckBox	
ResourceGLCode	Resource GL Code	character	x(100)	Picklist	
SaleDate	Sale Date	date	99/99/9999	Fillin	
SalvageValue	Salvage Value	decimal	zzz,zzz,zz9.99	Fillin	
SerialNumber	Serial Number	character	x(100)	Fillin	
Settings	Settings	character	x(100)	Picklist	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
SpecialUseNotes	Special Instructions	character	x(100)	Editor	
TotalCost	Total Charged	decimal	zzz,zzz,zz9.99	Fillin	
TotalUsage	Total Usage	integer	zzzzzzzz9	Fillin	
UsageUnit	Usage Unit	character	x(100)	ComboBox	
UseBasis	Use Basis	character	x(100)	ComboBox	
UsefulLife	Useful Life	integer	zzzzzzzz9	Fillin	
UsefulLifeUnit	Useful Life Unit	character	x(100)	ComboBox	
VendorCode	Vendor	character	x(100)	Picklist	
VendorPO	Vendor PO	character	x(100)	Fillin	
WarantyDate	Warranty Date	date	99/99/9999	Fillin	
WeightUnit	Weight Unit	character	x(100)	ComboBox	
WordIndex	WordIndex	character	x(100)	Fillin	
Year	Year	integer	zzzzzzzz9	Fillin	
YTDContractCosts	YTD Contract Costs	decimal	zzz,zzz,zz9.99	Fillin	
YTDEquipmentCosts	YTD Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin	
YTDLaborCosts	YTD Labor Costs	decimal	zzz,zzz,zz9.99	Fillin	
YTDMaterialCosts	YTD Material Costs	decimal	zzz,zzz,zz9.99	Fillin	
YTDUsage	YTD Usage	integer	zzzzzzzz9	Fillin	
Table: MTEquipmentGroup					
CategoryCode	Category Code	character	x(100)	Picklist	
Description	Description	character	x(100)	Fillin	
EquipmentGroupCode	Equipment Group Code	character	x(100)	Fillin	
EquipmentList	EquipmentList	character	x(100)	Picklist	
ID	ID	int64	zzzzzzzz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
RecordStatus	RecordStatus	character	x(100)	ComboBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTEquipmentHistory					
Date	Date	date	99/99/9999	Fillin	
EquipmentCode	EquipmentCode	character	x(100)	Fillin	
FuelType	FuelType	character	x(100)	Fillin	
FuelUse	FuelUse	decimal	zzz,zzz,zz9.99	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
ParentID	ParentID	int64	->, >>>, >>>9	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
RecordType	RecordType	character	x(100)	Fillin	



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: MTEquipmentHistory Continued...					
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Usage	Usage	decimal	zzz,zzz,zz9.99	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTFacility					
Addedvalue	Added Value	decimal	zzz,zzz,zz9.99	Fillin	
AlternateLookup	Alternate Lookup	character	x(100)	Fillin	
CategoryCode	Category	character	x(100)	Picklist	
ConditionCode	Condition	character	x(100)	Picklist	
ConstructionDate	Construction Date	date	99/99/9999	Fillin	
ContractGLCode	Contract GL Code	character	x(100)	Picklist	
Contractor	Contractor	character	x(100)	Fillin	
Description	Description	character	x(100)	Fillin	
East	East	integer	zzzzzzzz9	Fillin	
EquipmentGLCode	Equipment GL Code	character	x(100)	Picklist	
FacilityClass	FacilityClass	character	x(100)	Fillin	
FacilityCode	Facility Code	character	x(100)	Fillin	
Features	Features	character	x(100)	Picklist	
GISMapID	GIS MapID	character	x(100)	Fillin	
GISUpdateStatus	GIS Update Status	character	x(100)	Fillin	
GISXCoordinate	GIS X Coordinate	decimal	zzz,zzz,zz9.999999	Fillin	
GISYCoordinate	GIS Y Coordinate	decimal	zzz,zzz,zz9.999999	Fillin	
ID	Id	int64	zzzzzzzz9	Fillin	
KeysCode	Keys Code	character	x(100)	Picklist	
LaborGLCode1	Labor GL Code 1	character	x(100)	Picklist	
LaborGLCode2	Labor GL Code 2	character	x(100)	Picklist	
LaborGLCode3	Labor GL Code 3	character	x(100)	Picklist	
LaborGLCode4	Labor GL Code 4	character	x(100)	Picklist	
LaborGLCode5	Labor GL Code 5	character	x(100)	Picklist	
LaborPayrollCode1	Labor Payroll Code 1	character	x(100)	Fillin	
LaborPayrollCode2	Labor Payroll Code 2	character	x(100)	Picklist	
LaborPayrollCode3	Labor Payroll Code 3	character	x(100)	Picklist	
LaborPayrollCode4	Labor Payroll Code 4	character	x(100)	Picklist	
LaborPayrollCode5	Labor Payroll Code 5	character	x(100)	Picklist	
LifeContractCosts	Life Contract Costs	decimal	zzz,zzz,zz9.99	Fillin	
LifeEquipmentCosts	Life Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin	
LifeLaborCosts	Life Labor Costs	decimal	zzz,zzz,zz9.99	Fillin	
LifeMaterialCosts	Life Material Costs	decimal	zzz,zzz,zz9.99	Fillin	
LocationCode	Location	character	x(100)	Picklist	
LockerRoom	Locker Room	character	x(100)	Picklist	
LYRContractCosts	LYR Contract Costs	decimal	zzz,zzz,zz9.99	Fillin	
LYREquipmentCosts	LYR Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin	
LYRLaborCosts	LYR Labor Costs	decimal	zzz,zzz,zz9.99	Fillin	
LYRMaterialCosts	LYR Material Costs	decimal	zzz,zzz,zz9.99	Fillin	
MaterialGLCode	Material GL Code	character	x(100)	Picklist	
MiscInformation	MiscInformation	character	x(100)	Fillin	
NorthCoordinate	North	integer	zzzzzzzz9	Fillin	
ParentAssetCode	Parent Asset Code	character	x(100)	Picklist	
ParentAssetType	Parent Asset Type	character	x(100)	ComboBox	
Permissions	Permissions	character	x(100)	ComboBox	
PurchaseDate	Purchase Date	date	99/99/9999	Fillin	
PurchasePrice	Purchase Price	decimal	zzz,zzz,zz9.99	Fillin	
RecordStatus	Status	character	x(100)	ComboBox	
RecTracFacilityComboKey	RecTrac Facility ComboKey	character	x(100)	Picklist	
ReplacementCost	Replacement Cost	decimal	zzz,zzz,zz9.99	Fillin	
ReportTag	ReportTag	character	x(100)	Fillin	
ReportTag2	ReportTag2	character	x(100)	Fillin	
ReportTag3	ReportTag3	character	x(100)	Fillin	
SaleDate	Sale Date	date	99/99/9999	Fillin	
SalvageValue	Salvage Value	decimal	zzz,zzz,zz9.99	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTFacility Continued...				
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Size	Size	decimal	zzz,zzz,zz9.99	Fillin
SizeUnit	Size Unit	character	x(100)	ComboBox
SpecialUseNotes	Notes	character	x(100)	Editor
UsefulLife	Useful Life	integer	zzzzzzzz9	Fillin
UsefulLifeUnit	Useful Life Unit	character	x(100)	ComboBox
WarantyDate	Warranty Date	date	99/99/9999	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
YTDContractCosts	YTD Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
YTDEquipmentCosts	YTD Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
YTDLaborCosts	YTD Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
YTDMaterialCosts	YTD Material Costs	decimal	zzz,zzz,zz9.99	Fillin
Table: MTFamily				
AssetCode	AssetCode	character	x(100)	Fillin
AssetType	AssetType	character	x(100)	Fillin
Bottom	Bottom	logical	Yes/No	Fillin
Description	Description	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
Level	Level	integer	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentAssetCode	ParentAssetCode	character	x(100)	Fillin
ParentAssetType	ParentAssetType	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTFamilyLog				
AssetCode	AssetCode	character	x(100)	Fillin
AssetType	AssetType	character	x(100)	Fillin
ComboLogID	ComboLogID	int64	->, >>>, >>9	Fillin
Date	Date	date	99/99/9999	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentAssetCode	ParentAssetCode	character	x(100)	Fillin
ParentAssetType	ParentAssetType	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTInspectionForm				
ApproveWorkOrders	Approve Work Orders	logical	Yes/No	CheckBox
AssetType	Asset Type	character	x(100)	ComboBox
AutoGenerateWO	Auto Generate Work Orders	logical	Yes/No	CheckBox
CategoryCode	Inspection Category	character	x(100)	Picklist
DefaultWOPriority	Default Work Order Priority	character	x(100)	Picklist
DefaultWorkOrderCategory	Default Work Order Category	character	x(100)	Picklist
Description	Description	character	x(100)	Fillin
FixedAssetCategory	Asset Category	character	x(100)	Picklist
ID	ID	int64	zzzzzzzz9	Fillin
InspectionFormCode	Inspection Form Code	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(8)	Fillin
SeparateWorkOrders	Separate Work Orders	logical	Yes/No	CheckBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpecialInstructions	Special Instructions	character	x(100)	Editor



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: MTInspectionForm Continued...					
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTInspectionItem					
AnswerList	Valid Inspection Results	character	x(100)	Fillin	
AutoGenerateWO	Auto Generate Work Order On Item F	logical	Yes/No	CheckBox	
DefaultAnswer	Default Inspection Results	character	x(100)	Fillin	
Description	Description	character	x(100)	Fillin	
FailureList	Failed Inspection Results	character	x(100)	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
Misclnformation	Misclnformation	character	x(100)	Fillin	
Notes	Notes	character	x(100)	Editor	
Order	Order	integer	-,>,>>,>>9	Fillin	
ParentID	Parent ID	int64	-,>,>>,>>9	Fillin	
ParentTable	Parent Table	character	x(8)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TaskCode	Linked Task Code	character	x(100)	Picklist	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTInspectionResults					
AssetCode	Asset Code	character	x(100)	Picklist	
AssetType	Asset Type	character	x(100)	ComboBox	
ID	ID	int64	zzzzzzzz9	Fillin	
InspectionDate	Inspection Date	date	99/99/9999	Fillin	
InspectionFormCode	Inspection Form Code	character	x(100)	Picklist	
InspectionNumber	Inspection Number	integer	zzzzzzzz9	Fillin	
InspectionTime	Inspection Time	integer	zzzzzzzz9	Fillin	
Misclnformation	Misclnformation	character	x(100)	Fillin	
Notes	Notes	character	x(100)	Editor	
Permissions	Permissions	character	x(100)	Fillin	
RecordStatus	Record Status	character	x(100)	ComboBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
UserName	Inspector	character	x(100)	Picklist	
WordIndex	WordIndex	character	x(100)	Fillin	
WorkOrderList	Work Order List	character	x(100)	Fillin	
Table: MTInspectionResultsDetails					
ID	Item ID	int64	zzzzzzzz9	Fillin	
ItemID	ID	int64	zzzzzzzz9	Fillin	
Misclnformation	Misclnformation	character	x(100)	Fillin	
Notes	Item Notes	character	x(8)	Editor	
ParentID	ParentID	int64	zzzzzzzz9	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
Result	Results	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
WorkOrder	WorkOrder	int64	-,>,>>,>>9	Fillin	
Table: MTInvoice					
Amount	Amount	decimal	zzz,zzz,zz9.99	Fillin	
CustomerNumber	CustomerNumber	integer	zzzzzzzz9	Fillin	
DueDate	DueDate	date	99/99/9999	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
InvoiceDate	InvoiceDate	date	99/99/9999	Fillin	
InvoiceNumber	InvoiceNumber	integer	zzzzzzzz9	Fillin	
Misclnformation	Misclnformation	character	x(100)	Fillin	
PaidDate	PaidDate	date	99/99/9999	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTInvoice Continued...				
Permissions	Permissions	character	x(100)	Fillin
PrintDate	PrintDate	date	99/99/9999	Fillin
ReprintDates	ReprintDates	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserName	UserName	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTInvoiceDetail				
ID	ID	int64	zzzzzzzz9	Fillin
InvoiceNumber	InvoiceNumber	integer	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TransactionNumber	TransactionNumber	integer	zzzzzzzz9	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTKeys				
AssetCode	Asset Code	character	x(100)	Picklist
AssetType	Asset Type	character	x(100)	ComboBox
Description	Description	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
KeysCode	Keys Code	character	x(100)	Fillin
LockCoreCode	Lock Core Code	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	Record Status	character	x(100)	ComboBox
SerialNumber	Serial Number	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpareLocation	Spare Location	character	x(100)	Fillin
StaffCode	Staff Code	character	x(100)	Picklist
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTLocation				
City	City	character	x(100)	Fillin
Description	Description	character	x(100)	Fillin
GISMapID	GIS Map ID	character	x(100)	Fillin
GISUpdateStatus	GIS Update Status	character	x(100)	Fillin
GISXCoordinate	Longitude	decimal	zzz,zzz,zz9.99	Fillin
GISYCoordinate	Latitude	decimal	zzz,zzz,zz9.99	Fillin
ID	Id	int64	zzzzzzzz9	Fillin
LocationCode	Location Code	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
Phone	Phone #1	character	x(100)	Fillin
PhoneExt	Phone #1 Extension	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
State	State	character	x(100)	ComboBox
Street	Street	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
ZipCode	Zip Code	character	x(100)	Fillin
Table: MTMaterial				
ApplicationRate	Application Rate	character	x(100)	Fillin
AverageCost	Average Cost	decimal	zzz,zzz,zz9.99	Fillin
BinCode	Bin Code	character	x(100)	Picklist



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTMaterial Continued...				
CategoryCode	Category	character	x(100)	Picklist
Chemical	Chemical	character	x(100)	Fillin
ComboKey	ComboKey	character	x(8)	Fillin
CostOption	Cost Option	character	x(100)	ComboBox
Description	Description	character	x(100)	Fillin
EPANumber	EPA Number	character	x(100)	Fillin
Fertilizer	Fertilizer	logical	Yes/No	CheckBox
FixedCost	Fixed Cost	decimal	zzz,zzz,zz9.99	Fillin
Fungicide	Fungicide	logical	Yes/No	CheckBox
GLCode	GL Code	character	x(100)	Picklist
HazardNotes	Hazard Notes	character	x(100)	Editor
Hazardous	Hazardous	logical	Yes/No	CheckBox
Herbicide	Herbicide	logical	Yes/No	CheckBox
ID	ID	int64	zzzzzzzz9	Fillin
Insecticide	Insecticide	logical	Yes/No	CheckBox
InventoryCount	Inventory Count	integer	zzzzzzzz9	Fillin
LastCost	Last Cost	decimal	zzz,zzz,zz9.99	Fillin
MarkupAmount	Markup Amount	decimal	zzz,zzz,zz9.99	Fillin
MarkupType	Markup Type	character	x(100)	ComboBox
MaterialCode	Material Code	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NonStockItem	NonStock Item	logical	Yes/No	CheckBox
OrderedQuantity	Ordered Quantity	decimal	zzz,zzz,zz9.99	Fillin
Permissions	Permissions	character	x(8)	Fillin
Pesticide	Pesticide	logical	Yes/No	CheckBox
PestList	Pesticide List	character	x(100)	Picklist
PurchaseUnit	Purchase Unit	character	x(100)	ComboBox
RecordStatus	Status	character	x(100)	ComboBox
ReorderPoint	Reorder Point	decimal	zzz,zzz,zz9.99	Fillin
ReorderQuantity	Reorder Quantity	decimal	zzz,zzz,zz9.99	Fillin
ReportTag	ReportTag	character	x(100)	Fillin
ReportTag2	ReportTag2	character	x(100)	Fillin
ReportTag3	ReportTag3	character	x(100)	Fillin
ReserveQuantity	Reserve Quantity	decimal	zzz,zzz,zz9.99	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpecialUseNotes	Special Use Notes	character	x(100)	Editor
Specifications	Specifications	character	x(100)	Editor
StockQuantity	Stock Quantity	decimal	zzz,zzz,zz9.99	Fillin
StockRoomCode	Stock Room	character	x(100)	ComboBox
StorageUnit	Stock Unit	character	x(100)	ComboBox
UnitType	UnitType	character	x(100)	Fillin
UsageUnit	Usage Unit	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
YTDQuantity	YTD Quantity	decimal	zzz,zzz,zz9.99	Fillin
Table: MTMaterialLink				
AssetCode	AssetCode	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
MaterialCode	Material Code	character	x(100)	Picklist
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->, >>, >>9	Fillin
ParentTable	ParentTable	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Quantity	Quantity	decimal	zzz,zzz,zz9.99	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StockRoomCode	Stock Room Code	character	x(100)	ComboBox
TaskCodeList	Linked Task	character	x(100)	Picklist
Unit	Unit	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: MTMaterialPost					
AssetCode	AssetCode	character	x(100)	Fillin	
AssetType	AssetType	character	x(100)	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
MaterialCode	MaterialCode	character	x(100)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
Price	Price	decimal	zzz,zzz,zz9.99	Fillin	
ProjectCode	ProjectCode	character	x(100)	Fillin	
Quantity	Quantity	decimal	zzz,zzz,zz9.99	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Source	Source	character	x(100)	Fillin	
StaffCode	StaffCode	character	x(100)	Fillin	
StockRoomCode	StockRoomCode	character	x(100)	Fillin	
TaskCategory	TaskCategory	character	x(100)	Fillin	
TaskClass	TaskClass	character	x(100)	Fillin	
TaskCode	TaskCode	character	x(100)	Fillin	
Unit	Unit	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
WorkOrderNumber	WorkOrderNumber	integer	zzzzzzzz9	Fillin	
Table: MTPPhoto					
AssetCode	Asset Code	character	x(8)	Fillin	
Description	Description	character	x(8)	Fillin	
FileName	Filename	character	x(8)	Fillin	
ID	ID	int64	->, >>>, >>9	Fillin	
MiscInformation	MiscInformation	character	x(8)	Fillin	
ParentID	Parent ID	int64	->, >>>, >>9	Fillin	
ParentTable	Parent Table	character	x(8)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PhotoDate	Photo Date	date	99/99/9999	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(8)	Fillin	
Table: MTPMCode					
AssetType	AssetType	character	x(100)	Fillin	
DateInterval	Date Interval	decimal	zzz,zzz,zz9.99	Fillin	
DayofMonth	Day Of The Month	integer	zzzzzzzz9	Fillin	
Description	Description	character	x(100)	Fillin	
FixedDate	Fixed Date	logical	Yes/No	CheckBox	
ID	ID	int64	zzzzzzzz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Months	Months	character	x(100)	ComboBox	
Notes	Notes	character	x(100)	Editor	
Permissions	Permissions	character	x(100)	Fillin	
PMCode	PM Code	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TimeUnit	Time Unit	character	x(100)	ComboBox	
UpdateInspection	Update Equipment Inspection Expirati	logical	Yes/No	CheckBox	
UpdateRegistration	Update Equipment Registration Expir	logical	Yes/No	CheckBox	
UsageInterval	Usage Interval	decimal	zzz,zzz,zz9.99	Fillin	
UsageUnit	Usege Unit	character	x(100)	ComboBox	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTPMPlan					
AssetCode	Asset Code	character	x(8)	Picklist	
AssetType	Asset Type	character	x(8)	ComboBox	
AutoWorkOrder	Automatically Create Work Orders	logical	Yes/No	CheckBox	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTPMPlan Continued...				
Checkdays	Warning Days In Advance	integer	zzzzzzzz9	Fillin
DefaultWorkOrderCategory	Default Work Order Category	character	x(100)	Picklist
DueDate	Due Date	date	99/99/9999	Fillin
DueUsage	Due Usage	integer	zzzzzzzz9	Fillin
DueUse	Usage Due	logical	Yes/No	CheckBox
ID	ID	int64	zzzzzzzz9	Fillin
LastDate	Date of Last PM	date	99/99/9999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	x(100)	Fillin
ParentID	Parent ID	int64	->, >>>, >>9	Fillin
ParentTable	Parent Table	character	x(8)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
PMCode	PM Code	character	x(100)	Picklist
Scheduled	Scheduled	logical	Yes/No	CheckBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StaffCode	Assigned To Personnel	character	x(100)	Picklist
TaskCode	Task Code	character	x(100)	Picklist
Usage	Usage at Last PM	integer	zzzzzzzz9	Fillin
UsageUnit	Usage Unit	character	x(100)	Fillin
WarningUsage	Warning Usage	integer	zzzzzzzz9	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTPrefVendor				
ID	ID	int64	zzzzzzzz9	Fillin
LastUnitPrice	Last Unit Price	decimal	zzz,zzz,zz9.99	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	Parent ID	int64	->, >>>, >>9	Fillin
ParentTable	Parent Table	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
POCode	PO Code	character	x(100)	Fillin
PreferenceNumber	Preference Number	integer	zzzzzzzz9	Fillin
PriceUnit	Price Unit	character	x(100)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
VendorCode	Vendor Code	character	x(100)	Picklist
VendorMaterialCode	Vendor Material Code	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTPREquip				
AutoLog	Automatically Log Equipment	logical	yes/no	CheckBox
EquipmentCode	Equipment Code	character	x(100)	Picklist
ID	ID	int64	zzzzzzzz9	Fillin
IssueDate	Issue Date	date	99/99/9999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	x(100)	Fillin
ParentID	Parent ID	int64	->, >>>, >>9	Fillin
Permissions	Permissions	character	x(100)	ComboBox
ReturnDate	Return Date	date	99/99/9999	Fillin
Returned	Returned	logical	Yes/No	CheckBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StaffCode	Staff Code	character	x(100)	Fillin
Type	Type	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTPurchaseOrder				
ActualAmount	Actual Amount	decimal	zzz,zzz,zz9.99	Fillin
AdditionalAmount	Additional Amount	decimal	zzz,zzz,zz9.99	Fillin
AuthorizedAmount	Authorized Amount	decimal	zzz,zzz,zz9.99	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: MTPurchaseOrder Continued...					
BeginDate	Begin Date	date	99/99/9999	Fillin	
CategoryCode	Category Code	character	x(100)	Picklist	
Description	Description	character	x(100)	Fillin	
EndDate	End Date	date	99/99/9999	Fillin	
GLCode	GL Code	character	x(100)	Picklist	
ID	ID	int64	zzzzzzzz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Notes	Notes	character	x(100)	Editor	
Permissions	Permissions	character	x(100)	ComboBox	
PurchaseOrderCode	Purchase Order Code	character	x(100)	Fillin	
RecordStatus	Record Status	character	x(100)	ComboBox	
SingleUseAmount	SingleUse Amount	decimal	zzz,zzz,zz9.99	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Type	Type	character	x(100)	Fillin	
VendorCode	Vendor Code	character	x(100)	Picklist	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTSpecies					
CategoryCode	Category Code	character	x(100)	Picklist	
CommonName	Common Name	character	x(100)	Fillin	
Cultivar	Cultivar	character	x(100)	Fillin	
Description	Description	character	x(100)	Fillin	
Genus	Genus	character	x(100)	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
ISARating	ISA Rating	integer	zzzzzzzz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Species	Species	character	x(100)	Fillin	
SpeciesCode	Species Code	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTStockRoom					
Description	Description	character	x(100)	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
LocationCode	Location	character	x(100)	Picklist	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
StockRoomCode	Stock Room Code	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTStreet					
AlternateLookup	Alternate Lookup	character	x(100)	Fillin	
Block	Block	character	x(100)	Fillin	
CategoryCode	Category	character	x(100)	Picklist	
ConditionCode	Condition	character	x(100)	Picklist	
ConstructionDate	Construction Date	date	99/99/9999	Fillin	
ContractGLCode	Contract GL Code	character	x(100)	Picklist	
ContractorName	Contractor Name	character	x(100)	Fillin	
Description	Description	character	x(100)	Fillin	
EquipmentGLCode	Equipment GL Code	character	x(100)	Picklist	
Features	Features	character	x(100)	Picklist	
GISMapID	GIS Map ID	character	x(100)	Fillin	
GISUpdateStatus	GIS Update Status	character	x(100)	Fillin	
GISXCoordinate	GIS X Coordinate	decimal	zzz,zzz,zz9.999999	Fillin	
GISYCoordinate	GIS Y Coordinate	decimal	zzz,zzz,zz9.999999	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTStreet Continued...				
ID	ID	int64	zzzzzzzz9	Fillin
LaborGLCode1	Labor GL Code 1	character	x(100)	Picklist
LaborGLCode2	Labor GL Code 2	character	x(100)	Picklist
LaborGLCode3	Labor GL Code 3	character	x(100)	Picklist
LaborGLCode4	Labor GL Code 4	character	x(100)	Picklist
LaborGLCode5	Labor GL Code 5	character	x(100)	Picklist
LaborPayrollcode1	Labor Payroll Code 1	character	x(100)	Fillin
LaborPayrollcode2	Labor Payroll Code 2	character	x(100)	Picklist
LaborPayrollcode3	Labor Payroll Code 3	character	x(100)	Picklist
LaborPayrollcode4	Labor Payroll Code 4	character	x(100)	Picklist
LaborPayrollcode5	Labor Payroll Code 5	character	x(100)	Picklist
Length	Length	decimal	zzz,zzz,zz9.99	Fillin
LengthUnit	Length Unit	character	x(100)	ComboBox
LifeContractCosts	Life Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeEquipmentCosts	Life Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeLaborCosts	Life Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeMaterialCosts	Life Material Costs	decimal	zzz,zzz,zz9.99	Fillin
LocationCode	Location	character	x(100)	Picklist
LYRContractCosts	LYR Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
LYREquipmentCosts	LYR Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
LYRLaborCosts	LYR Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
LYRMaterialCosts	LYR Material Costs	decimal	zzz,zzz,zz9.99	Fillin
MarkingCode	Marking Code	character	x(100)	Picklist
MaterialGLCode	Material GL Code	character	x(100)	Picklist
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	x(100)	Editor
ParentAssetCode	Parent Asset Code	character	x(100)	Picklist
ParentAssetType	Parent Asset Type	character	x(100)	ComboBox
Permissions	Permissions	character	x(100)	ComboBox
RecordStatus	Status	character	x(100)	ComboBox
ReportTag	ReportTag	character	x(100)	Fillin
ReportTag2	ReportTag2	character	x(100)	Fillin
ReportTag3	ReportTag3	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Street	Street	character	x(100)	Fillin
StreetCode	Code	character	x(100)	Fillin
StreetDirection	Street Direction	character	x(100)	Fillin
StreetExt	Street Ext	character	x(100)	Fillin
SufaceType	Surface Type	character	x(100)	Picklist
WarantyDate	Acceptance Date	date	99/99/9999	Fillin
Width	Width	decimal	zzz,zzz,zz9.99	Fillin
WidthUnit	Width Unit	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
YTDContractCosts	YTD Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
YTDEquipmentCosts	YTD Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
YTDLaborCosts	YTD Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
YTDMaterialCosts	YTD Material Costs	decimal	zzz,zzz,zz9.99	Fillin
Table: MTStreetXSection				
ID	ID	int64	zzzzzzzz9	Fillin
LayerMaterialCode	Layer Material Code	character	x(100)	Picklist
LayerNumber	Layer Number	integer	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	Parent ID	int64	->, >>>, >>9	Fillin
ParentTable	Parent Table	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Thickness	Thickness	decimal	zzz,zzz,zz9.99	Fillin
ThicknessUnit	Thickness Unit	character	x(100)	ComboBox



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: MTStreetXSection Continued...					
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTTaskCategory					
CategoryCode	Category Code	character	x(100)	Fillin	
ContractGLCode	Contract GL Code	character	x(100)	Picklist	
Description	Description	character	x(100)	Fillin	
EquipmentGLCode	Equipment GL Code	character	x(100)	Picklist	
ID	ID	int64	zzzzzzzz9	Fillin	
LaborGLCode1	Labor GL Code 1	character	x(100)	Picklist	
LaborGLCode2	Labor GL Code 2	character	x(8)	Picklist	
LaborGLCode3	Labor GL Code 3	character	x(8)	Picklist	
LaborGLCode4	Labor GL Code 4	character	x(8)	Picklist	
LaborGLCode5	Labor GL Code 5	character	x(8)	Picklist	
LaborPayrollCode1	Labor Payroll Code 1	character	x(100)	Fillin	
LaborPayrollCode2	Labor Payroll Code 2	character	x(100)	Picklist	
LaborPayrollCode3	Labor Payroll Code 3	character	x(100)	Picklist	
LaborPayrollCode4	Labor Payroll Code 4	character	x(100)	Picklist	
LaborPayrollCode5	Labor Payroll Code 5	character	x(100)	Picklist	
MaterialGLCode	Material GL Code	character	x(100)	Picklist	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Notes	Notes	character	x(100)	Editor	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTTaskClass					
ContractGLCode	Contract GL Code	character	x(100)	Picklist	
Description	Description	character	x(100)	Fillin	
EquipmentGLCode	Equipment GL Code	character	x(100)	Picklist	
ID	ID	int64	zzzzzzzz9	Fillin	
LaborGLCode1	Labor GL Code 1	character	x(100)	Picklist	
LaborGLCode2	Labor GL Code 2	character	x(100)	Picklist	
LaborGLCode3	Labor GL Code 3	character	x(100)	Picklist	
LaborGLCode4	Labor GL Code 4	character	x(100)	Picklist	
LaborGLCode5	Labor GL Code 5	character	x(100)	Picklist	
LaborPayrollCode1	Labor Payroll Code 1	character	x(100)	Fillin	
LaborPayrollCode2	Labor Payroll Code 2	character	x(100)	Picklist	
LaborPayrollCode3	Labor Payroll Code 3	character	x(100)	Picklist	
LaborPayrollCode4	Labor Payroll Code 4	character	x(100)	Picklist	
LaborPayrollCode5	Labor Payroll Code 5	character	x(100)	Picklist	
MaterialGLCode	Material GL Code	character	x(100)	Picklist	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Notes	Notes	character	x(100)	Editor	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TaskClass	Task Class	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTTaskCode					
CommentCode	RecTrac Maintenance Codes	character	x(100)	Picklist	
ContractGLCode	Contract GL Code	character	x(100)	Picklist	
Description	Description	character	x(100)	Fillin	
EquipmentGLCode	Equipment GL Code	character	x(100)	Picklist	
ID	ID	int64	zzzzzzzz9	Fillin	
LaborGLCode1	Labor GL Code 1	character	x(100)	Picklist	
LaborGLCode2	Labor GL Code 2	character	x(100)	Picklist	
LaborGLCode3	Labor GL Code 3	character	x(100)	Picklist	
LaborGLCode4	Labor GL Code 4	character	x(100)	Picklist	
LaborGLCode5	Labor GL Code 5	character	x(100)	Picklist	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTTaskCode Continued...				
LaborPayrollCode1	Labor Payroll Code 1	character	x(100)	Fillin
LaborPayrollCode2	Labor Payroll Code 2	character	x(100)	Picklist
LaborPayrollCode3	Labor Payroll Code 3	character	x(100)	Picklist
LaborPayrollCode4	Labor Payroll Code 4	character	x(100)	Picklist
LaborPayrollCode5	Labor Payroll Code 5	character	x(100)	Picklist
MaterialGLCode	Material GL Code	character	x(100)	Picklist
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	x(100)	Editor
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	Record Status	character	x(100)	ComboBox
ShowUCR	Show on Unit Cost Report	logical	Yes/No	CheckBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StockRoomCode	Stock Room Code	character	x(100)	ComboBox
TaskCode	Task Code	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTTree				
AlternateLookup	Alternate Lookup	character	x(100)	Fillin
CategoryCode	Category	character	x(100)	Picklist
Circumference	Circumference	decimal	zzz,zzz,zz9.99	Fillin
ConditionCode	Condition	character	x(100)	Picklist
ContractGLCode	Contract GL Code	character	x(100)	Picklist
CTLA	CTLA	decimal	zzz,zzz,zz9.99	Fillin
Description	Description	character	x(100)	Fillin
Diameter	Diameter	decimal	zzz,zzz,zz9.99	Fillin
DiameterUnit	Diameter/Circumference Unit	character	x(100)	ComboBox
EastCoordinate	East Coordinate	integer	zzzzzzz9	Fillin
EquipmentGLCode	Equipment GL Code	character	x(100)	Picklist
GISMapID	GIS Map ID	character	x(100)	Fillin
GISUpdateStatus	GIS Update Status	character	x(100)	Fillin
GISXCoordinate	GIS X Coordinate	decimal	zzz,zzz,zz9.999999	Fillin
GISYCoordinate	GIS Y Coordinate	decimal	zzz,zzz,zz9.999999	Fillin
HazardLevel	Hazard Level	character	x(100)	Picklist
Height	Height	decimal	zzz,zzz,zz9.99	Fillin
HeightUnit	Height Unit	character	x(100)	ComboBox
ID	ID	int64	zzzzzzz9	Fillin
InventoryDate	Inventory Date	date	99/99/9999	Fillin
LaborGLCode1	Labor GL Code 1	character	x(100)	Picklist
LaborGLCode2	Labor GL Code 2	character	x(100)	Picklist
LaborGLCode3	Labor GL Code 3	character	x(100)	Picklist
LaborGLCode4	Labor GL Code 4	character	x(100)	Picklist
LaborGLCode5	Labor GL Code 5	character	x(100)	Picklist
LaborPayrollCode1	Labor Payroll Code 1	character	x(100)	Fillin
LaborPayrollCode2	Labor Payroll Code 2	character	x(100)	Picklist
LaborPayrollCode3	Labor Payroll Code 3	character	x(100)	Picklist
LaborPayrollCode4	Labor Payroll Code 4	character	x(100)	Picklist
LaborPayrollCode5	Labor Payroll Code 5	character	x(100)	Picklist
LifeContractCosts	Life Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeEquipmentCosts	Life Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeLaborCosts	Life Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeMaterialCosts	Life Material Costs	decimal	zzz,zzz,zz9.99	Fillin
LimitationCode	Restrictions	character	x(100)	Picklist
LYRContractCosts	LYR Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
LYREquipmentCosts	LYR Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
LYRLaborCosts	LYR Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
LYRMaterialCosts	LYR Material Costs	decimal	zzz,zzz,zz9.99	Fillin
MaterialGLCode	Material GL Code	character	x(100)	Picklist
MiscInformation	MiscInformation	character	x(100)	Fillin
NorthCoordinate	North Coordinate	integer	zzzzzzz9	Fillin
Notes	Notes	character	x(100)	Editor
ParcelNumber	Parcel Number	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTTree Continued...				
ParentAssetCode	Parent Asset Code	character	x(100)	Picklist
ParentAssetType	Parent Asset Type	character	x(100)	ComboBox
Permissions	Permissions	character	x(100)	ComboBox
PlantDate	Plant Date	date	99/99/9999	Fillin
RecordStatus	Status	character	x(100)	ComboBox
ReportTag	ReportTag	character	x(100)	Fillin
ReportTag2	ReportTag2	character	x(100)	Fillin
ReportTag3	ReportTag3	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpeciesCode	Species	character	x(100)	Picklist
Spread	Spread	integer	zzzzzzzz9	Fillin
SpreadUnit	Spread Unit	character	x(100)	ComboBox
Street	Street	character	x(100)	Fillin
StreetNumber	Street Number	integer	zzzzzzzz9	Fillin
SubStreet	SubStreet	character	x(100)	Fillin
TaskCode	Needed Maintenance Task Codes	character	x(100)	Picklist
TreeCode	Tree Code	character	x(100)	Fillin
TreeValue	Tree Value	decimal	zzz,zzz,zz9.99	Fillin
UserName	Inventory User	character	x(100)	Picklist
VendorCode	Vendor	character	x(100)	Picklist
WordIndex	WordIndex	character	x(100)	Fillin
YTDContractCosts	YTD Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
YTDEquipmentCosts	YTD Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
YTDLaborCosts	YTD Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
YTDMaterialCosts	YTD Material Costs	decimal	zzz,zzz,zz9.99	Fillin
Table: MTTreeRestrict				
Description	Description	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
LimitationCode	Restriction	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PrintMessage	Print Message	character	x(100)	Editor
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTUnit				
Conversion	Conversion to Feet/Square Feet/Cubi	decimal	zzz,zzz,zz9.99	Fillin
ID	Id	int64	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
System	System	logical	Yes/No	Fillin
type	Type	character	x(100)	ComboBox
UnitCode	Unit Code	character	x(100)	Fillin
UnitName	Unit Name	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: MTUtility				
AlternateLookup	Alternate Lookup	character	x(100)	Fillin
CategoryCode	Category	character	x(100)	Picklist
ConditionCode	Condition	character	x(100)	Picklist
ContractGLCode	Contract GL Code	character	x(100)	Picklist
ContractorName	Contractor Name	character	x(100)	Fillin
ConstructionDate	Construction Date	date	99/99/9999	Fillin
Depth	Depth	decimal	zzz,zzz,zz9.99	Fillin
DepthUnit	Depth Unit	character	x(100)	ComboBox



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: MTUtility Continued...				
Description	Description	character	x(100)	Fillin
Diameter	Diameter	decimal	zzz,zzz,zz9.99	Fillin
DiameterUnit	Diameter Unit	character	x(100)	ComboBox
EastCoordinate	East Coordinate	integer	zzzzzzzz9	Fillin
EquipmentGLCode	Equipment GL Code	character	x(100)	Picklist
Features	Features	character	x(100)	Picklist
GISMapID	GIS Map ID	character	x(100)	Fillin
GISUpdateStatus	GIS Update Status	character	x(100)	Fillin
GISXCoordinate	GIS X Coordinate	decimal	zzz,zzz,zz9.999999	Fillin
GISYCoordinate	GIS Y Coordinate	decimal	zzz,zzz,zz9.999999	Fillin
Height	Height	decimal	zzz,zzz,zz9.99	Fillin
HeightUnit	Height Unit	character	x(100)	ComboBox
ID	ID	int64	zzzzzzzz9	Fillin
LaborGLCode1	Labor GL Code 1	character	x(100)	Picklist
LaborGLCode2	Labor GL Code 2	character	x(100)	Picklist
LaborGLCode3	Labor GL Code 3	character	x(100)	Picklist
LaborGLCode4	Labor GL Code 4	character	x(100)	Picklist
LaborGLCode5	Labor GL Code 5	character	x(100)	Picklist
LaborPayrollCode1	Labor Payroll Code 1	character	x(100)	Fillin
LaborPayrollCode2	Labor Payroll Code 2	character	x(100)	Picklist
LaborPayrollCode3	Labor Payroll Code 3	character	x(100)	Picklist
LaborPayrollCode4	Labor Payroll Code 4	character	x(100)	Picklist
LaborPayrollCode5	Labor Payroll Code 5	character	x(100)	Picklist
Length	Length	decimal	zzz,zzz,zz9.99	Fillin
LengthUnit	Length Unit	character	x(100)	ComboBox
LifeContractCosts	Life Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeEquipmentCosts	Life Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeLaborCosts	Life Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
LifeMaterialCosts	Life Material Costs	decimal	zzz,zzz,zz9.99	Fillin
LocationCode	Location	character	x(100)	Picklist
LYRContractCosts	LYR Contract Costs	decimal	zzz,zzz,zz9.99	Fillin
LYREquipmentCosts	LYR Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin
LYRLaborCosts	LYR Labor Costs	decimal	zzz,zzz,zz9.99	Fillin
LYRMaterialCosts	LYR Material Costs	decimal	zzz,zzz,zz9.99	Fillin
MapGrid	Map Grid	character	x(100)	Fillin
MapID	Map ID	character	x(100)	Fillin
MapLink	Map Link	character	x(100)	Fillin
MaterialGLCode	Material GL Code	character	x(100)	Picklist
MaterialType	Material Type	character	x(100)	Picklist
MiscInformation	MiscInformation	character	x(100)	Fillin
NorthCoordinate	North Coordinate	integer	zzzzzzzz9	Fillin
Notes	Notes	character	x(100)	Editor
ParentAssetCode	Parent Asset Code	character	x(100)	Picklist
ParentAssetType	Parent Asset Type	character	x(100)	ComboBox
Permissions	Permissions	character	x(100)	ComboBox
PressureRating	Pressure Rating	character	x(100)	Fillin
RecordStatus	Status	character	x(100)	ComboBox
ReportTag	ReportTag	character	x(100)	Fillin
ReportTag2	ReportTag2	character	x(100)	Fillin
ReportTag3	ReportTag3	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Street	Street	character	x(100)	Fillin
StreetBlock	Street Block	character	x(100)	Fillin
StreetDirection	Street Direction	character	x(100)	Fillin
StreetExt	Street Ext	character	x(100)	Fillin
UtilityCode	Utility Code	character	x(100)	Fillin
WarantyDate	Acceptance Date	date	99/99/9999	Fillin
Width	Width	decimal	zzz,zzz,zz9.99	Fillin
WidthUnit	Width Unit	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
YTDContractCosts	YTD Contract Costs	decimal	zzz,zzz,zz9.99	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: MTUtility Continued...					
YTDEquipmentCosts	YTD Equipment Costs	decimal	zzz,zzz,zz9.99	Fillin	
YTDLaborCosts	YTD Labor Costs	decimal	zzz,zzz,zz9.99	Fillin	
YTDMaterialCosts	YTD Material Costs	decimal	zzz,zzz,zz9.99	Fillin	
Table: MTWorkOrder					
Address	Address	character	x(100)	Fillin	
ApprovalCode	Approval Code	character	x(100)	Picklist	
AssetCode	Asset Code	character	x(100)	Fillin	
AssetType	Asset Type	character	x(100)	ComboBox	
CategoryCode	Category Code	character	x(100)	Picklist	
City	City	character	x(100)	Fillin	
CloseDate	Close Date	date	99/99/9999	Fillin	
CommentCode	Comment Code	character	x(100)	Picklist	
CompletionDate	Completion Date	date	99/99/9999	Fillin	
Description	Description	character	x(100)	Fillin	
DrawingIncluded	Drawing Included	logical	Yes/No	CheckBox	
DueDate	Due Date	date	99/99/9999	Fillin	
DueTime	Due Time	integer	zzzzzzzz9	Fillin	
EmailAddress	Email Address	character	x(100)	Fillin	
FileLinkID	FileLinkID	int64	zzzzzzzz9	Fillin	
FirstName	First Name	character	x(100)	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
InspectionNumber	Inspection Number	integer	zzzzzzzz9	Fillin	
Lastname	Last Name	character	x(100)	Fillin	
LinkID	LinkID	int64	zzzzzzzz9	Picklist	
Location	Location	character	x(100)	Fillin	
LocationCode	Location Code	character	x(100)	Picklist	
MaterialGLCode	Material GL Code	character	x(100)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Notes	Notes	character	x(100)	Editor	
OpenDate	Open Date	date	99/99/9999	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
PhoneExt	Phone Ext	character	x(100)	Fillin	
PostCardMessage	Post Card Message	character	x(100)	Editor	
PostCardSent	Post Card Sent	logical	Yes/No	CheckBox	
PrimaryPhoneExtension	Phone Extension	character	x(20)	Fillin	
PrimaryPhoneNumber	Phone Number	character	x(8)	Fillin	
PrimaryPhoneProvider	Phone Provider	character	x(20)	ComboBox	
PrimaryPhoneType	Phone Type	character	x(20)	ComboBox	
PriorityCode	Priority Code	character	x(100)	Picklist	
ProjectCode	Project Code	character	x(100)	Picklist	
RecordStatus	Record Status	character	x(100)	ComboBox	
RecordType	Record Type	character	x(100)	ComboBox	
RecTracModule	RecTrac Module	character	x(100)	ComboBox	
RejectionCode	Rejection Code	character	x(100)	Picklist	
RejectionDate	Rejection Date	date	99/99/9999	Fillin	
RejectionNotes	Rejection Notes	character	x(100)	Editor	
RequestTime	Open Time	integer	zzzzzzzz9	Fillin	
ReturnCallDate	Return Call Date	date	99/99/9999	Fillin	
ReturnCallTime	Return Call Time	character	x(100)	Fillin	
ReturnMessage	Return Message	character	x(100)	Editor	
ReviewList	Review List	character	x(100)	Picklist	
SendEmailonStatusChange	Send Email on Status Change	logical	Yes/No	CheckBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
SourceCode	Source Code	character	x(100)	Picklist	
StaffCode	Assigned Staff	character	x(100)	Picklist	
State	State	character	x(100)	ComboBox	
TaskCode	Task Code	character	x(100)	Picklist	
UserName	User Name	character	x(100)	Picklist	
WordIndex	WordIndex	character	x(100)	Fillin	
WorkOrderNumber	Work Order Number	integer	zzzzzzzz9	Fillin	



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: MTWorkOrder Continued...					
ZipCode	Zip Code	character	x(100)	Fillin	
Table: MTWorkOrderCategory					
CategoryCode	Category Code	character	x(100)	Fillin	
Description	Description	character	x(100)	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PriorityCode	Priority Code	character	x(100)	Picklist	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
UpdateAnswers	Update Answers During Combo Log	logical	Yes/No	CheckBox	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTWorkOrderDetails					
AssetCode	Asset Code	character	x(100)	Picklist	
AssetDescription	AssetDescription	character	x(100)	Fillin	
AssetType	Asset Type	character	x(100)	ComboBox	
ID	ID	int64	zzzzzzzz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
ParentID	Parent ID	int64	->, >>>, >>>9	Fillin	
ParentTable	Parent Table	character	x(8)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
RecordStatus	RecordStatus	character	x(100)	ComboBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TaskCode	Task Code	character	x(100)	Picklist	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: MTWorkOrderHistory					
AssetCode	AssetCode	character	x(100)	Fillin	
AssetType	AssetType	character	x(100)	Fillin	
CategoryCode	CategoryCode	character	x(100)	Fillin	
CompelitionDate	CompelitionDate	date	99/99/9999	Fillin	
ContractTotal	ContractTotal	decimal	zzz,zzz,zz9.99	Fillin	
EquipmentTotal	EquipmentTotal	decimal	zzz,zzz,zz9.99	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
LaborHours	LaborHours	decimal	zzz,zzz,zz9.99	Fillin	
LaborTotal	LaborTotal	decimal	zzz,zzz,zz9.99	Fillin	
MaterialTotal	MaterialTotal	decimal	zzz,zzz,zz9.99	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
OpenDate	OpenDate	date	99/99/9999	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
ProjectCode	ProjectCode	character	x(100)	Fillin	
RecordStatus	RecordStatus	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TaskCode	TaskCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
WorkOrderNumber	WorkOrderNumber	integer	zzzzzzzz9	Fillin	
Table: PaymentServiceHistory					
AddressCountry	AddressCountry	character	x(100)	Fillin	
AddressCountryCode	AddressCountryCode	character	x(100)	Fillin	
AddressName	AddressName	character	x(100)	Fillin	
AddressState	AddressState	character	x(100)	Fillin	
AddressStatus	AddressStatus	character	x(100)	Fillin	
AddressStreet	AddressStreet	character	x(100)	Fillin	
AddressZip	AddressZip	character	x(100)	Fillin	
CharacterSet	CharacterSet	character	x(100)	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: PaymentServiceHistory Continued...				
Currency	Currency	character	x(100)	Fillin
Custom	Custom	character	x(100)	Fillin
Fee	Fee	decimal	>>, >>9.99	Fillin
FeeRefundAmount	FeeRefundAmount	decimal	>>, >>9.99	Fillin
FirstName	FirstName	character	x(100)	Fillin
Gross	Gross	decimal	>>, >>9.99	Fillin
Gross1	Gross1	decimal	>>, >>9.99	Fillin
GrossRefundAmount	GrossRefundAmount	decimal	>>, >>9.99	Fillin
Handling	Handling	decimal	>>, >>9.99	Fillin
Handling1	Handling1	decimal	>>, >>9.99	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
Invoice	Invoice	character	x(100)	Fillin
IPNMsgStatus	IPNMsgStatus	character	x(100)	Fillin
IPNTrackID	IPNTrackID	character	x(100)	Fillin
ItemName	ItemName	character	x(100)	Fillin
ItemNumber	ItemNumber	character	x(100)	Fillin
LastIPNDate	LastIPNDate	date	99/99/9999	Fillin
LastIPNTime	LastIPNTime	integer	->, >>>, >>9	Fillin
LastName	LastName	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NetRefundAmount	NetRefundAmount	decimal	>>, >>9.99	Fillin
NotifyVersion	NotifyVersion	character	x(100)	Fillin
OPSDevice	OPSDevice	character	x(100)	Fillin
PayerEmail	PayerEmail	character	x(200)	Fillin
PayerID	PayerID	character	x(200)	Fillin
PayerStatus	PayerStatus	character	x(100)	Fillin
PaymentDate	PaymentDate	date	99/99/9999	Fillin
PaymentServiceName	PaymentServiceName	character	x(100)	Fillin
PaymentStatus	PaymentStatus	character	x(100)	Fillin
PaymentTime	PaymentTime	integer	->, >>>, >>9	Fillin
PaymentType	PaymentType	character	x(100)	Fillin
PendingReason	PendingReason	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Quantity	Quantity	decimal	>>, >>9.99	Fillin
ReceiptID	ReceiptID	character	x(100)	Fillin
ReceiverEmail	ReceiverEmail	character	x(100)	Fillin
ReceiverID	ReceiverID	character	x(100)	Fillin
RecTracDate	RecTracDate	date	99/99/9999	Fillin
RecTracReceipt	RecTracReceipt	integer	>>>, >>>, >>9	Fillin
RecTracTime	RecTracTime	integer	->, >>>, >>9	Fillin
RefACK	RefACK	character	x(100)	Fillin
RefCorID	RefCorID	character	x(100)	Fillin
RefundInfo	RefundInfo	character	x(100)	Fillin
RefundPendingReason	RefundPendingReason	character	x(100)	Fillin
RefundStatus	RefundStatus	character	x(100)	Fillin
RefundTransactionID	RefundTransactionID	character	x(100)	Fillin
ResidenceCountry	ResidenceCountry	character	x(100)	Fillin
Shipping	Shipping	decimal	>>, >>9.99	Fillin
Shipping1	Shipping1	decimal	>>, >>9.99	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Tax	Tax	decimal	>, >>9.99	Fillin
TotalRefundAmount	TotalRefundAmount	decimal	>>, >>9.99	Fillin
TransactionID	TransactionID	character	x(100)	Fillin
TransactionType	TransactionType	character	x(100)	Fillin
TxType	TxType	character	x(100)	Fillin
VerifySign	VerifySign	character	x(100)	Fillin
Table: PMPass				
AdditionalFamilyMemberOption	Additional Family Member Option	character	X(20)	ComboBox
AdditionalFamilyMemberPassCodes	Additional Family Member Passes	character	x(400)	Picklist
AllowVisitCountUpdate	Allow Update Of Visit Counts?	logical	yes/no	CheckBox



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: PMPass Continued...				
AllowVisitPurposeUpdate	Allow Update Of Visit Purpose?	logical	Yes/No	CheckBox
AllowWebPunchVisitUpdate	Allow Punch Visit Update in WebTrac	logical	Yes/No	CheckBox
AskForCrossReferenceDuringPrint	Ask For Cross Ref During Purchase?	logical	yes/no	CheckBox
AskXrefDuringRenewals	Ask For Cross Ref During Renewals?	logical	Yes/No	CheckBox
AskXrefDuringTransfers	Ask For Cross Ref During Transfers?	logical	Yes/No	CheckBox
BadVisitWave	Bad Visit .Wav File	character	x(100)	Fillin
BrochureCode	Brochure Code	character	x(20)	Picklist
BrochureText	Brochure Text	character	x(4000)	Editor
Category	Category	character	X(5)	Picklist
CommentCode	Comment Code	character	x(5)	Picklist
Comments	Comment Text	character	x(4000)	Editor
CYSAnnualReport	Include On CYMS Annual Report?	logical	Yes/NO	CheckBox
DailyPass	Daily Pass Code?	logical	Yes/No	CheckBox
DefaultExpirationDate	Default Expiration Date	date	99/99/9999	Fillin
DefaultMemberBeginDate	Default Member Begin Date	date	99/99/9999	Fillin
DefaultPeriod	Default Period	integer	zz9-	Fillin
DefaultPunchVisits	Default Punch Visits	integer	zzz9-	Fillin
DisplayOnWeb	Display Pass On Web	character	X(1)	ComboBox
DisplayPhotoDuringVisit	Display Photo During Visit?	logical	Yes/No	CheckBox
ExpirationWarningDays	Expiration Warning Days	integer	zz9-	Fillin
ExpirationWarningVisits	Expiration Warning Visits	integer	zzz9-	Fillin
ExpiredLockerWarningDays	Expired Locker Warning Days	integer	zz9-	Fillin
FullLateBeginTime	FullLateBeginTime	character	x(100)	Fillin
GoodVisitWaveFile	Good Visit .Wav File	character	x(100)	Fillin
HourlyLateFee	Hourly Late Fee?	logical	yes/no	CheckBox
HourlyMaxFee	Hourly Max Fee	decimal	zzz,zz9.99-	Fillin
HourlyRoundUp	Hourly Round Up?	logical	Yes/No	CheckBox
HourlyTimeBlock	Hourly Time Block	integer	zz9-	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
KeywordSearch	Keyword Search	character	x(100)	Fillin
LateFeeAmount	Late Fee Amount	decimal	zzz,zz9.99-	Fillin
LateFeeMax	Maximum Late Fee To Charge	decimal	zzz,zz9.99-	Fillin
LateFeeRoundUp	Round Late Fees Up Base On Time B	logical	Yes/No	CheckBox
LateFeeTimeBlock	Late Fee Time Block In Minutes	integer	zz9-	Fillin
LongDescription	Long Description	character	x(200)	Fillin
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MaxGuestVisits	Max Guest Visits	integer	zzz,zz9-	Fillin
MaxMemberLimit	Max Member Limit	integer	->, >>>, >>9	Fillin
MaxMemberLimitOverride	Max Member Limit Override	character	x(100)	ComboBox
MaxMemberLimitOverridePerm	Max Member Limit Override Codes	character	x(100)	Picklist
MaxPunchVisits	Max Punch Visits	integer	>>>, >>>, >>9	Fillin
MaxTotalVisits	Max Total Visits	integer	zzzz9	Fillin
MembershipPeriodOption	Membership Period Option	character	X(20)	ComboBox
MinPunchVisits	Minimum Punch Visits	integer	>>>, >>>, >>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PassCode	Pass Code	character	x(8)	Fillin
PassImage	Pass Image	character	x(50)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
PrintDuringNewMembership	Print Pass During Registration?	logical	Yes/No	CheckBox
PrintDuringRenewals	Print Pass During Renewals?	logical	yes/no	CheckBox
PrintDuringTransfer	Print Pass During Transfer?	logical	yes/no	CheckBox
PrintReceiptDuringVisit	Print Receipt During No Fee Visit?	logical	Yes/No	CheckBox
PunchesAsDollars	Treat Punches The Same As Dollars	logical	Yes/No	CheckBox
PunchPassOption	Punch Pass Option	character	X(20)	ComboBox
PunchVisitOverride	Punch Visit Amount Override	character	x(100)	ComboBox
PunchVisitOverridePerm	Punch Visit Amount Override Codes	character	x(100)	Picklist
ReceiptDocuments	Receipt Documents	character	X(500)	Picklist
RecordStatus	Status	character	X(20)	ComboBox
ReportTag	Report Tag	character	x(100)	Picklist
ReportTag2	Report Tag 2	character	x(100)	Picklist
ReportTag3	Report Tag 3	character	x(100)	Picklist
RewardsAmount	RewardsAmount	decimal	zz,zz9.99	Fillin
RewardsOption	RewardsOption	character	X	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: PMPass Continued...				
RewardsVisitFrequency	Rewards Visit Frequency	integer	zz9	Fillin
RoundingFactor	Rounding Factor	integer	z9	ComboBox
ShortDescription	Short Description	character	x(15)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpecialOption	Pass Classification	character	x(1)	ComboBox
SubType	SubType	character	x(100)	Picklist
SwipeoutWavFile	Swipeout .Wav File	character	x(100)	Fillin
TakePhotoDuringNewMembership	Take Photo During Registration?	logical	Yes/No	CheckBox
TakePhotoDuringRenewals	Take Photo During Renewals?	logical	Yes/No	CheckBox
TakePhotoDuringTransfer	Take Photo During Transfer?	logical	Yes/No	CheckBox
Template	Template	character	x(8)	Picklist
TicketAccessGUI	Ticket Access RecTrac	character	x(100)	Picklist
TicketAccessWeb	Ticket Access Web	character	x(100)	Picklist
TicketPrintOption	Create/Print Ticket During Pass	character	X(20)	ComboBox
TicketTemplateGUI	Ticket Template RecTrac	character	x(100)	Picklist
TicketTemplateWeb	Ticket Template Web	character	x(100)	Picklist
TicklerCode	Tickler Code	character	x(5)	Picklist
TicklerText	Tickler Text	character	x(4000)	Editor
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox
TrackClassAttendance	Track Class Attendance / Fees?	logical	yes/no	CheckBox
TrackGolferHandicaps	Track Golfer Handicaps?	logical	Yes/No	CheckBox
TrackLeagueAttendance	Track League Attendance?	logical	yes/no	CheckBox
TrackRejectedVisits	Track Rejected Visits?	logical	Yes/No	CheckBox
TrackVisitSignOuts	Track Visit Sign-Outs?	logical	Yes/No	CheckBox
TypeCode	Type	character	x(100)	Picklist
UseQuickVisitOption	Use Quick Visit Option?	logical	Yes/No	CheckBox
VisitOption	Visit Option	character	X(20)	ComboBox
VisitPurposeList	Visit Purpose List	character	x(100)	Picklist
VisitTicklerText	Visit Tickler Text	character	X(4000)	Editor
WaiverCode	Waiver Code	character	X(8)	Picklist
WebMinPayment	WebMinPayment	decimal	->,>9.99	Fillin
WebMinPaymentOption	WebMinPaymentOption	character	x(100)	Fillin
WebRenewalDays	Do Not Display Passes That Expired	integer	zzz9	Fillin
WildCardCostCenter	WildCard Cost Center	character	x(100)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin
WristBandTemplate	Wrist Band Template	character	X(8)	Picklist
Table: PMSnapShot				
CountDate	CountDate	date	99/99/9999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MemberCount	MemberCount	integer	zzz,zzz,zz9-	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PassCode	PassCode	character	X(8)	Fillin
PassMemberStatus	PassMemberStatus	character	x(2)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: PRACCRUAL				
AccrualCode	Accrual Code	character	x(100)	Fillin
AccrualRate	Accrual Rate	decimal	zzz,zzz,zz9.99	Fillin
AccrualUnit	Accrual Unit	character	x(100)	ComboBox
Automatic	Automatic Accrual	logical	Yes/No	CheckBox
CalendarAccrual	Calendar Accrual	logical	Yes/No	CheckBox
CalendarUnit	Work/Calendar Unit	character	x(100)	ComboBox
Description	Description	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
Maximum	Maximum	decimal	zzz,zzz,zz9.99	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type
Table: PRACCRUAL Continued...				
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: PRLeave				
AccrualCode	Accrual Code	character	x(100)	Picklist
AccruedTime	Time Accrued	decimal	zzz,zzz,zz9.99	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
LastAccrualDate	Last Accrual Date	date	99/99/9999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PayrollCode	Payroll Code	character	x(100)	ComboBox
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StaffCode	Staff Code	character	x(100)	Picklist
TimeScheduled	Time Scheduled	decimal	zzz,zzz,zz9.99	Fillin
TimeTaken	Time Taken	decimal	zzz,zzz,zz9.99	Fillin
Unit	Unit	character	x(8)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
Table: PRPayrollCode				
Abbreviation	Abbreviation	character	x(100)	Fillin
AccrueType	Accrue Options	character	x(8)	ComboBox
Description	Description	character	x(100)	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
InterfaceEquivalent	InterfaceEquivalent	character	x(100)	Fillin
MarkupAmount	Pay Amount	decimal	zzz,zzz,zz9.99	Fillin
MarkupType	Pay Type	character	x(100)	ComboBox
MiscInformation	MiscInformation	character	x(100)	Fillin
PayrollCode	Payroll Code	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	RecordStatus	character	x(8)	Fillin
RecordType	RecordType	character	x(100)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: PRShift				
BeginTime	Begin Time	integer	zzzzzzzz9	Fillin
Description	Description	character	x(100)	Fillin
EndTime	End Time	integer	zzzzzzzz9	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
MarkupAmount	Pay Premium Amount	decimal	zzz,zzz,zz9.99	Fillin
MarkupType	Pay Premium Type	character	x(100)	ComboBox
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ShiftCode	Shift Code	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: PRWorkCode				
AskHowManyUnitsAtSwipeln	AskHowManyUnitsAtSwipeln	logical	Yes/No	Fillin
AssociatedOTWorkCode	AssociatedOTWorkCode	character	x(500)	Fillin
AutoLunchBreak	AutoLunchBreak	logical	Yes/No	Fillin
DefaultBaseRate	DefaultBaseRate	decimal	->>, >>9.99	Fillin
Description	Description	character	x(8)	Fillin
GLCode	GLCode	integer	->, >>>, >>9	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: PRWorkCode Continued...				
ID	ID	int64	->, >>>, >>9	Fillin
InterfaceEquivalent	InterfaceEquivalent	character	x(500)	Fillin
MaxUnitsPerSwipe	MaxUnitsPerSwipe	decimal	->>, >>9.99	Fillin
MinimumHours	MinimumHours	decimal	->>, >>9.99	Fillin
MiscInformation	MiscInformation	character	x(8)	Fillin
NoOvertime	NoOvertime	logical	Yes/No	Fillin
OverrideRoundingCode	OverrideRoundingCode	character	x(500)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PrepTime	PrepTime	decimal	->>, >>9.99	Fillin
PrepTimeWorkCode	PrepTimeWorkCode	character	x(500)	Fillin
RecordStatus	RecordStatus	character	x(500)	Fillin
RecordTypeValue	RecordTypeValue	character	x(500)	Fillin
RequireSwipeReason	RequireSwipeReason	logical	Yes/No	Fillin
RoundSwipes	RoundSwipes	logical	Yes/No	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UnitHourlyEquivalent	UnitHourlyEquivalent	decimal	->>, >>9.99	Fillin
UnitQuestionText	UnitQuestionText	character	x(500)	Fillin
ValidShiftCodes	ValidShiftCodes	character	x(500)	Fillin
ViewUnitAs	ViewUnitAs	character	x(500)	Fillin
WorkCode	Work Code	character	x(8)	Fillin
WorkCodeGroup	WorkCodeGroup	character	x(500)	Fillin
WorkCodeType	WorkCodeType	character	x(500)	Fillin
WorkIndex	WorkIndex	character	x(8)	Fillin
Table: PRWorkCodeLink				
AllowWebPickup	AllowWebPickup	logical	Yes/No	Fillin
AskNumberOfUnits	AskNumberOfUnits	logical	Yes/No	Fillin
AutoCalcLunchBreak	AutoCalcLunchBreak	logical	Yes/No	Fillin
BasePayUnit	Base Pay Unit	character	x(100)	ComboBox
CheckWordayProfileScheduledOnSwi	CheckWordayProfileScheduledOnSwi	logical	Yes/No	Fillin
CurrentBaseRate	Current Base Rate	decimal	zzz,zzz,zz9.99999-	Fillin
DateAdded	DateAdded	date	99/99/9999	Fillin
Department	Department	character	x(500)	Fillin
Description	Description	character	x(100)	Fillin
DisplayOnSwipeScreen	DisplayOnSwipeScreen	logical	Yes/No	Fillin
DisplayOrder	DisplayOrder	integer	->, >>>, >>9	Fillin
Friday	Friday	logical	Yes/No	Fillin
GLCode	GL Code	character	x(8)	Picklist
GLCode2	Differential GL Code	character	x(8)	Picklist
ID	ID	int64	zzzzzzzz9	Fillin
InterfaceEquivalent	InterfaceEquivalent	character	x(500)	Fillin
LastRaise	LastRaise	date	99/99/9999	Fillin
MaxScheduledHoursPerWeek	MaxScheduledHoursPerWeek	decimal	->>, >>9.99	Fillin
MaxUnits	MaxUnits	decimal	->>, >>9.99	Fillin
MinimumHours	MinimumHours	decimal	->>, >>9.99	Fillin
MinScheduleHoursPerWeek	MinScheduleHoursPerWeek	decimal	->>, >>9.99	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Monday	Monday	logical	Yes/No	Fillin
MustBeScheduledTOSwipeIn	MustBeScheduledTOSwipeIn	logical	Yes/No	Fillin
NewBaseRate	New Base Rate	decimal	zzz,zzz,zz9.99999-	Fillin
NewBaseStartDate	New Base Start Date	date	99/99/9999	Fillin
NoOvertime	NoOvertime	logical	Yes/No	Fillin
OverrideLunchCode	OverrideLunchCode	character	x(500)	Fillin
OvertimeWorkCode	OvertimeWorkCode	logical	Yes/No	Fillin
ParentID	Parent ID	int64	zzzzzzzz9	Fillin
ParentTable	Parent Table	character	x(100)	Fillin
PayrollCode	Payroll Code	character	x(100)	ComboBox
Permissions	Permissions	character	x(100)	Fillin
PrepTime	PrepTime	decimal	->>, >>9.99	Fillin
PrepTimeWorkCode	PrepTimeWorkCode	character	x(500)	Fillin
PrimaryWorkCode	PrimaryWorkCode	logical	Yes/No	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: PRWorkCodeLink Continued...

ReasonRequired	ReasonRequired	logical	Yes/No	Fillin
RecordStatus	RecordStatus	character	x(500)	Fillin
RecordType	RecordType	character	x(500)	Fillin
RecordTypeValue	RecordTypeValue	decimal	->>, >>9.99999	Fillin
RoundSwipes	RoundSwipes	logical	Yes/No	Fillin
Saturday	Saturday	logical	Yes/No	Fillin
SchedulingPriority	SchedulingPriority	integer	->, >>>, >>9	Fillin
ShiftLinks	ShiftLinks	character	x(500)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Sunday	Sunday	logical	Yes/No	Fillin
Thursday	Thursday	logical	Yes/No	Fillin
Tuesday	Tuesday	logical	Yes/No	Fillin
ValidLocations	ValidLocations	character	x(500)	Fillin
WebPickupStatus	WebPickupStatus	character	x(500)	Fillin
Wednesday	Wednesday	logical	Yes/No	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
WorkCode	Work Code	character	x(100)	Picklist

Table: PSInventory

AverageCost	Average Cost	decimal	zzz,zz9.999999-	Fillin
BestQuantityOrder	Best Quantity Order	decimal	zzz,zz9.99-	Fillin
BinLocation	Bin Location	character	x(11)	Fillin
BrochureCode	Brochure Code	character	x(20)	Picklist
BrochureText	Brochure Text	character	x(4000)	Editor
Category	Category	character	x(100)	Picklist
ChargeLateFeeMultipleTimes	ChargeLateFeeMultipleTimes	logical	Yes/No	Fillin
CommentCode	Comment Code	character	x(500)	Picklist
Comments	Comment Text	character	x(500)	Editor
DisplayOnWeb	Display On Web?	character	x(10)	ComboBox
ID	ID	int64	->>>>>>>>>>9	Fillin
IncludeInDemographics	Include In Demographics	logical	Yes/No	CheckBox
InventoryCode	Inventory Code	character	x(15)	Fillin
InventoryImage	Inventory Image	character	x(50)	Fillin
InventoryUnitofMeasure	Inventory Unit Of Measure	character	x(10)	Fillin
KeywordSearch	Keyword Search	character	x(500)	Fillin
LabelDescription	Label Description	character	x(20)	Fillin
LastActiveDate	Last Active Date	date	99/99/9999	Fillin
LastCost	Last Cost	decimal	zzz,zz9.999999-	Fillin
LastPurchaseDate	Last Purchase Date	date	99/99/9999	Fillin
LastVendor	Last Vendor	character	x(10)	Picklist
LinkToRecipe	Has A Recipe	logical	Yes/No	CheckBox
LongDescription	Long Description	character	x(200)	Fillin
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MaxOrder	Maximum Order	decimal	zzz,zz9.99-	Fillin
MinOrder	Minimum Order	decimal	zzz,zz9.99-	Fillin
MinumumAlertQuantity	Minumum Alert Quantity	decimal	zzz,zz9.99-	Fillin
Misclnformation	Misclnformation	character	x(100)	Fillin
NormalQuantityOnHand	Normal Quantity On Hand	decimal	zzz,zz9.99-	Fillin
Permissions	Permissions	character	x(100)	ComboBox
PrimaryVendor	Primary Vendor	character	x(10)	Picklist
PrintItemNumberOnReceipt	Print Item Number On Receipt?	logical	Yes/No	CheckBox
PrintOption	Dupe Printer Codes	character	x(100)	Picklist
PSShippingCode	Shipping Code	character	x(8)	Picklist
PurchaseUnitOfMeasurement	Purchase Unit Of Measure	character	x(3)	Fillin
QuantityOnHand	Quantity On Hand	decimal	zzz,zz9.99-	Fillin
QuantityOnOrder	Quantity On Order	decimal	zzz,zz9.99-	Fillin
ReceipeUnitofMeasure	ReceipeUnitofMeasure	character	x(10)	Fillin
ReceiptDocuments	Receipt Documents	character	x(500)	Picklist
Recipeltem	Recipe Item?	logical	Yes/No	CheckBox
RecipePhoto	Recipe Photo	character	X(100)	Fillin
RecipePreparation	Recipe Preparation	character	X(4000)	Editor



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	

Table: PSInventory Continued...

RecordStatus	Status	character	X(20)	ComboBox	
ReorderPoint	Reorder Point	decimal	zzz,zz9.99-	Fillin	
ReportTag	Report Tag	character	x(100)	Picklist	
ReportTag2	Report Tag 2	character	x(100)	Picklist	
ReportTag3	Report Tag 3	character	x(100)	Picklist	
SellUnitOfMeasure	Sell Unit Of Measure	character	x(3)	Fillin	
ShortDescription	Short Description	character	x(20)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
SubType	Subtype	character	x(100)	Picklist	
TicketAccessGUI	Ticket Access RecTrac	character	x(100)	Picklist	
TicketAccessWeb	Ticket Access Web	character	x(100)	Picklist	
TicketTemplateGUI	Ticket Template RecTrac	character	x(100)	Picklist	
TicketTemplateWeb	Ticket Template Web	character	x(100)	Picklist	
TicklerCode	Tickler Code	character	x(5)	Picklist	
TicklerText	Tickler Text	character	x(4000)	Editor	
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox	
TypeCode	Type	character	x(100)	Picklist	
UnitofMeasureFactorInventory	Inventory Units per Purchase Unit	decimal	>>9.99	Fillin	
UnitofMeasureFactorPurchase	Sell Units per Purchase Unit	decimal	>>9.99	Fillin	
UnitofMeasureFactorReceipe	UnitOfMeasureFactorReceipe	decimal	>>9.99	Fillin	
UnitOfMeasureFactorSale	Sell Units per Inventory Unit	decimal	zz9.99-	Fillin	
WaiverCode	Waiver Code	character	x(200)	Picklist	
WebMinPayment	WebMinPayment	decimal	->>, >>9.99	Fillin	
WebMinPaymentOption	WebMinPaymentOption	character	x(100)	Fillin	
WildCardCostCenter	WildCard Cost Center	character	x(100)	Picklist	
WordIndex	WordIndex	character	x(80)	Fillin	

Table: PSInventoryPosting

AdditionalSellOnOrder	AdditionalSellOnOrder	integer	zzz,zz9.999999-	Fillin	
BeginTicket	BeginTicket	character	x(20)	Fillin	
Comments	Comments	character	x(4000)	Fillin	
EndTicketNumber	EndTicketNumber	character	x(20)	Fillin	
FacilityLocation	Warehouse Location	character	x(5)	Picklist	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InventoryCode	Inventory Code	character	x(15)	Fillin	
InvoiceNumber	InvoiceNumber	character	x(15)	Fillin	
ItemType	ItemType	character	X(20)	Fillin	
LabelStatus	LabelStatus	character	X(20)	Fillin	
LastCost	Old Last Cost	integer	zzz,zz9.999999-	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
NewItemSellCount	NewItemSellCount	decimal	zzz,zz9.999999-	Fillin	
NewLastCost	New Last Cost	integer	zzz,zz9.999999-	Fillin	
NewLastItemCost	NewLastItemCost	decimal	zzz,zz9.999999-	Fillin	
NewReceivedCount	Qty Received	integer	zzz,zz9.999999-	Fillin	
NewReceivedItemCount	NewReceivedItemCount	decimal	zzz,zz9.999999-	Fillin	
NewSellCount	NewSellCount	integer	zzz,zz9.999999-	Fillin	
NewSellItemOnOrder	NewSellItemOnOrder	decimal	zzz,zz9.999999-	Fillin	
OriginalItemOnOrder	OriginalItemOnOrder	decimal	zzz,zz9.999999-	Fillin	
OriginalItemSellCount	OriginalItemSellCount	decimal	zzz,zz9.999999-	Fillin	
OriginalLastItemCost	OriginalLastItemCost	decimal	zzz,zz9.999999-	Fillin	
OriginalOnOrder	Original Order Qty	integer	zzz,zz9.999999-	Fillin	
OriginalQTYonHand	OriginalQTYonHand	integer	zzz,zz9.999999-	Fillin	
OriginalQuantityonHand	OriginalQuantityonHand	decimal	zzz,zz9.999999-	Fillin	
OriginalSellCount	OriginalSellCount	integer	zzz,zz9.999999-	Fillin	
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin	
ParentTable	ParentTable	character	x(25)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PostingDate	PostingDate	date	99/99/9999	Fillin	
PostingTime	PostingTime	integer	999999	Fillin	
PostingType	PostingType	character	X(20)	Fillin	
PurchaseOrderNumber	PurchaseOrderNumber	character	x(15)	Fillin	



Dictionary Listing

Field Name	Field Label	Data Type	Field Format	Field Type
------------	-------------	-----------	--------------	------------

RecTrac Database Field Details

Table: PSInventoryPosting Continued...

ReasonCode	ReasonCode	character	x(100)	Fillin
RecordStatus	RecordStatus	character	X(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TicketBlock	TicketBlock	integer	zzz9	Fillin
TransferFacilityLocation	TransferFacilityLocation	character	x(100)	Fillin
TransferFromQTYonHand	TransferFromQTYonHand	integer	zzz,zz9.999999-	Fillin
TransferFromQuantityonHand	TransferFromQuantityonHand	decimal	zzz,zz9.999999-	Fillin
TransferItemLinkID	TransferItemLinkID	int64	->>>>>>>>>>9	Fillin
TransferQTY	TransferQTY	integer	zzz,zz9.999999-	Fillin
TransferQuantity	TransferQuantity	decimal	zzz,zz9.999999-	Fillin
TransferToQTYonHand	TransferToQTYonHand	integer	zzz,zz9.999999-	Fillin
TransferToQuantityonHand	TransferToQuantityonHand	decimal	zzz,zz9.999999-	Fillin
UserName	UserName	character	x(10)	Fillin
VendorIDCode	Vendor Code	character	x(8)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin

Table: PSInventoryValuation

AverageCost	AverageCost	decimal	->>, >>9.99999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InventoryCode	InventoryCode	character	X(20)	Fillin
ItemPrice	ItemPrice	decimal	->>, >>9.99999	Fillin
LastCost	LastCost	decimal	->>, >>9.99999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NetSales	NetSales	decimal	->>, >>9.99999	Fillin
Permissions	Permissions	character	x(100)	Fillin
QuantityOnHand	QuantityOnHand	decimal	->>, >>9.99999	Fillin
QuantitySold	QuantitySold	decimal	->>, >>9.99999	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
YearMonth	YearMonth	character	X(100)	Fillin

Table: PSOpenTicket

Discount	Discount	decimal	zzz,zz9.99	Fillin
EndTime	EndTime	integer	999999	Fillin
EPayLink	EPayLink	integer	zzzzzzzz9	Fillin
FacilityLocation	Location	character	x(5)	Fillin
HeadCount	Covers	integer	zzzzzz9	Fillin
HouseholdNumber	HouseholdNumber	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InUse	InUse	logical	yes/no	Fillin
InUseComputerName	InUseComputerName	character	x(30)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NumberOfItems	Items	integer	zz9	Fillin
PayUserName	PayUserName	character	X(10)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Printed	Printed	logical	Yes/No	CheckBox
ReceiptNumber	Receipt Number	integer	zzzzzzzz9	Fillin
RecordStatus	RecordStatus	character	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StartTime	Start Time	integer	999999	Fillin
TableCode	Table	character	X(8)	Fillin
TaxAmount	TaxAmount	decimal	zzz,zz9.99	Fillin
TicketDate	TicketDate	date	99/99/9999	Fillin
TicketNumber	Ticket Number	integer	zzzzzz9	Fillin
TicketOpen	TicketOpen	logical	Yes/No	Fillin
TicketTime	TicketTime	integer	zzzz9	Fillin
TotalFees	Total Fees	decimal	zzz,zz9.99	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: PSOpenTicket Continued...					
UserName	User Name	character	x(10)	Fillin	
VoidReason	VoidReason	character	x(50)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: PSRecipeItem					
ChildID	Child ID	int64	->>>>>>>>>>9	Fillin	
ChildItemLink	Recipe Item	character	x(15)	Picklist	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PrintOrder	Print Order	integer	z9	Fillin	
Quantity	Quantity	decimal	zz9.99-	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: PSSerialTicket					
Area	Area	character	X(8)	Fillin	
BlockID	Block ID	int64	->>>>>>>>>>9	Fillin	
HouseholdNumber	Household Number	integer	zzzzzzzz9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
KeywordSearch	KeywordSearch	character	x(500)	Fillin	
LostDate	Date Lost	date	99/99/9999	Fillin	
MemberLinkID	Member Link ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
ReceiptNumber	Receipt Number	integer	zzzzzzzz9	Fillin	
RecordStatus	Status	character	X(20)	ComboBox	
SaleDate	Sale Date	date	99/99/9999	Fillin	
SaleTime	Sale Time	integer	999999	Fillin	
Seat	Seat	character	X(8)	Fillin	
SeatRow	Row	character	X(8)	Fillin	
Section	Section	character	X(8)	Fillin	
SerialNumber	Serial Number	character	x(20)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TicketCode	Ticket ID	character	x(10)	Fillin	
UserName	Assigned To	character	x(10)	Picklist	
WebAvailableCoordinates	WebAvailableCoordinates	character	x(50)	Fillin	
WebAvailableImage	WebAvailableImage	character	x(30)	Fillin	
WebUnavailableCoordinates	WebUnavailableCoordinates	character	x(50)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: PSServiceItem					
AdditionalPrintLine	Additional Print Line	character	x(20)	Fillin	
AllowAlternativeHouseholdLink	Allow Alternate Household Link	logical	Yes/No	CheckBox	
AllowEarningRewards	Allow Earning Rewards	logical	Yes/No	CheckBox	
BrochureCode	Brochure Code	character	x(20)	Picklist	
BrochureText	Brochure Text	character	x(4000)	Editor	
Category	Category	character	x(100)	Picklist	
ChargeLateFeeMultipleTimes	ChargeLateFeeMultipleTimes	logical	Yes/No	Fillin	
CommentCode	Comment Code	character	x(100)	Picklist	
Comments	Comment Text	character	x(400)	Editor	
DisplayOnWeb	Display On Web	character	x(1)	ComboBox	
DupePrinterList	Dupe Printer Codes	character	x(200)	Picklist	
ExpirationDate	Expiration Date	date	99/99/9999	Fillin	
FullUseRequired	Full Use Required	logical	Yes/No	CheckBox	
GolfCoursesAllowed	Golf Courses Allowed	character	x(200)	Picklist	
HoleCount	Hole Count	integer	z9	ComboBox	
ID	ID	int64	->>>>>>>>>>9	Fillin	



Dictionary Listing

Field Name	Field Label	Data Type	Field Format	Field Type
------------	-------------	-----------	--------------	------------

RecTrac Database Field Details

Table: PSServiceItem Continued...

IncludeInDemographics	Include In Demographics?	logical	yes/no	CheckBox
InterfacePostOption	Interface Post Option	character	X(20)	ComboBox
JournalOption	Journal Option	character	X(20)	ComboBox
KeywordSearch	Keyword Search	character	x(500)	Fillin
LongDescription	Long Description	character	x(35)	Fillin
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Months	Months	integer	zzz,zz9	Fillin
NameRequired	Name Required	logical	Yes/No	CheckBox
Permissions	Permissions	character	x(100)	ComboBox
PreNumbered	Pre-Numbered Gift Certificates	logical	Yes/No	CheckBox
PrintItemNumberOnReceipt	Print Service Item Code On Receipt	logical	Yes/No	CheckBox
PrintOnReceipt	Print On Receipt?	logical	Yes/No	CheckBox
PrintPinOnReceipt	Print PIN On Receipt	logical	Yes/No	CheckBox
PSShippingCode	Shipping Code	character	x(8)	Picklist
PunchPassList	Valid Punch Pass List	character	x(500)	Picklist
PunchPlays	Punch Plays	decimal	zzz,zz9.99-	Fillin
ReceiptDocuments	Receipt Documents	character	x(100)	Picklist
RecordStatus	Status	character	X(20)	ComboBox
RecordType	Record Type	character	X(20)	ComboBox
ReportTag	Report Tag	character	x(100)	Picklist
ReportTag2	Report Tag 2	character	x(100)	Picklist
ReportTag3	Report Tag 3	character	x(100)	Picklist
RewardsPoints	Rewards Points	decimal	zzzzz9.99	Fillin
ScholarshipToUpdate	Scholarship To Update	character	x(35)	Picklist
ServiceItem	Service Item Code	character	x(6)	Fillin
ServiceItemImage	Service Item Image	character	x(50)	Fillin
ServiceItemsAllowed	Service Items Allowed	character	x(100)	Picklist
ServiceItemTypeSpecificSettings	Bucket Size	character	X(8)	ComboBox
ShortDescription	Short Description	character	x(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SkipNavyITTExpensePost	Skip Navy ITT Expense Post	character	x(5)	ComboBox
SubType	SubType	character	x(100)	Picklist
Template	Gift Certificate Template	character	x(300)	Picklist
TicketAccessGUI	Ticket Access RecTrac	character	x(100)	Picklist
TicketAccessWeb	Ticket Access Web	character	x(100)	Picklist
TicketTemplateGUI	Ticket Template RecTrac	character	x(100)	Picklist
TicketTemplateWeb	Ticket Template Web	character	x(100)	Picklist
TicklerCode	Tickler Code	character	x(5)	Picklist
TicklerText	Tickler Text	character	x(4000)	Editor
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox
TimerBuffer	Timer Buffer (Minutes)	integer	z9	Fillin
TypeCode	Type	character	x(100)	Picklist
WaiverCode	Waiver Code	character	X(8)	Picklist
WebMinPayment	WebMinPayment	decimal	->>, >>9.99	Fillin
WebMinPaymentOption	WebMinPaymentOption	character	x(100)	Fillin
WildCardCostCenter	WildCard Cost Center	character	x(100)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin

Table: PSShipping

Amount1	Amount 1	decimal	->>, >>9.99	Fillin
Amount2	Amount 2	decimal	->>, >>9.99	Fillin
Amount3	Amount 3	decimal	->>, >>9.99	Fillin
Amount4	Amount 4	decimal	->>, >>9.99	Fillin
Amount5	Amount 5	decimal	->>, >>9.99	Fillin
Amount6	Amount 6	decimal	->>, >>9.99	Fillin
Amount7	Amount 7	decimal	->>, >>9.99	Fillin
Amount8	Amount 8	decimal	->>, >>9.99	Fillin
Amount9	Amount 9	decimal	->>, >>9.99	Fillin
Description	Description	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: PSShipping Continued...				
MaxCount1	Maximum Count 1	integer	zzzzzzzz9	Fillin
MaxCount2	Maximum Count 2	integer	zzzzzzzz9	Fillin
MaxCount3	Maximum Count 3	integer	zzzzzzzz9	Fillin
MaxCount4	Maximum Count 4	integer	zzzzzzzz9	Fillin
MaxCount5	Maximum Count 5	integer	zzzzzzzz9	Fillin
MaxCount6	Maximum Count 6	integer	zzzzzzzz9	Fillin
MaxCount7	Maximum Count 7	integer	zzzzzzzz9	Fillin
MaxCount8	Maximum Count 8	integer	zzzzzzzz9	Fillin
MaxCount9	Maximum Count 9	integer	zzzzzzzz9	Fillin
MinCount1	Minimum Count 1	integer	zzzzzzzz9	Fillin
MinCount2	Minimum Count 2	integer	zzzzzzzz9	Fillin
MinCount3	Minimum Count 3	integer	zzzzzzzz9	Fillin
MinCount4	Min Count 4	integer	zzzzzzzz9	Fillin
MinCount5	Minimum Count 5	integer	zzzzzzzz9	Fillin
MinCount6	Minimum Count 6	integer	zzzzzzzz9	Fillin
MinCount7	Minimum Count 7	integer	zzzzzzzz9	Fillin
MinCount8	Minimum Count 8	integer	zzzzzzzz9	Fillin
MinCount9	Minimum Count 9	integer	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PSShippingCode	Shipping Code	character	x(8)	Fillin
PSShippingType	Shipping Type	character	X(20)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: PSTABLE				
Covers	Covers	integer	zz9	Fillin
DateTime	Date and Time	datetime	99/99/9999 HH:MM	Fillin
DefaultCovers	Default Covers	integer	zz9	Fillin
Description	Description	character	x(25)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
RecordStatus	Status	character	x(8)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TableCode	Table Code	character	x(10)	Fillin
TicketList	Ticket List	character	x(100)	Fillin
UserName	User Name	character	x(10)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: PSTicketBlock				
BeginTicket	Begin Ticket Number	character	x(20)	Fillin
BlockImage	BlockImage	character	x(50)	Fillin
Description	Description	character	x(40)	Fillin
EndTicketNumber	End Ticket Number	character	x(20)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
OriginalCount	Original Count	integer	zzz,zz9-	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	Status	character	X(20)	ComboBox
SeatView	Seat View	character	x(50)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SkipSerialRules	SkipSerialRules	logical	Yes/No	Fillin
TicketCode	Ticket Code	character	x(10)	Fillin
TicketLinkID	Ticket Link ID	int64	->>>>>>>>>>9	Fillin
VoidAfterDate	Void After Date	date	99/99/9999	Fillin
WordIndex	WordIndex	character	x(80)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: PSTicketBlockHistory				
BeginNumber	BeginNumber	character	x(20)	Fillin
BlockID	BlockID	int64	->>>>>>>>>>9	Fillin
Count	Count	integer	zzz,zz9-	Fillin
EndNumber	EndNumber	character	x(20)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Month	Month	integer	9	Fillin
NetRevenue	NetRevenue	decimal	zzz,zz9.99-	Fillin
Permissions	Permissions	character	x(100)	Fillin
Price	Price	decimal	zzz,zz9.99-	Fillin
RemittalBasis	RemittalBasis	decimal	zzz,zz9.99-	Fillin
RemittalType	RemittalType	character	x(1)	Fillin
Revenue	Revenue	decimal	zzz,zz9.99-	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SoldCount	SoldCount	integer	zzz,zz9-	Fillin
TicketCode	TicketCode	character	x(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Year	Year	integer	9999	Fillin
Table: PSTicketMain				
AllowIndividualTicketSelection	AllowIndividualTicketSelection	logical	Yes/No	CheckBox
AssignTicketsToClerk	Assign Tickets To Clerk?	logical	Yes/No	CheckBox
BeginEventDate	Begin Event Date	date	99/99/9999	Fillin
BeginEventTime	Begin Event Time	integer	999999	Fillin
BlockOption	Block Option	character	X(20)	ComboBox
BrochureCode	Brochure Code	character	x(20)	Picklist
BrochureImage	Ticket Image	character	x(50)	Fillin
BrochureText	Brochure Text	character	x(4000)	Editor
Category	Category	character	x(100)	Picklist
ChargeLateFeeMultipleTimes	ChargeLateFeeMultipleTimes	logical	Yes/No	Fillin
CombinedFeePrompt	Use Combined Fee Prompt ?	logical	Yes/No	CheckBox
CommentCode	Comment Code	character	x(5)	Picklist
DisplayOnWeb	Display On Web	character	x(1)	ComboBox
EndEventDate	End Event Date	date	99/99/9999	Fillin
EndEventTime	End Event Time	integer	zzzzzzzz9	Fillin
FacilityLocation	Facility Location	character	x(100)	Picklist
HideAvailableQuantity	Hide Available Quantity on Web?	logical	yes/no	CheckBox
HideTicketOnWebListing	Hide Ticket On WebTrac Listing?	logical	Yes/No	CheckBox
ID	ID	int64	->>>>>>>>>>9	Fillin
KeywordSearch	Keyword Search	character	x(500)	Fillin
LongDescription	Long Description	character	x(20)	Fillin
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MaxQuantityPerHousehold	Max Quantity Per Household (Serializ	integer	>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
PrintTicketCodeOnReceipt	Print Ticket Code On Receipt?	logical	Yes/No	CheckBox
PSShippingCode	Shipping Code	character	x(8)	Picklist
ReceiptDocuments	Receipt Documents	character	x(500)	Picklist
RecordStatus	Status	character	x(100)	ComboBox
ReorderPoint	Reorder Point	integer	zzz,zz9-	Fillin
ReportTag	Report Tag	character	x(100)	Picklist
ReportTag2	Report Tag 2	character	x(100)	Picklist
ReportTag3	Report Tag 3	character	x(100)	Picklist
ShortDescription	Short Description	character	x(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpecialComments	Special Comments	character	x(4000)	Editor
SpecialSavingsText	Special Savings Text	character	x(100)	Editor
SubType	Subtype	character	X(8)	Picklist
TicketAccessGUI	Ticket Access RecTrac	character	x(100)	Picklist



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: PSTicketMain Continued...					
TicketAccessWeb	Ticket Access Web	character	x(100)	Picklist	
TicketCode	Ticket Code	character	x(10)	Fillin	
TicketTemplateGUI	Ticket Template RecTrac	character	x(100)	Picklist	
TicketTemplateWeb	Ticket Template Web	character	x(100)	Picklist	
TicklerCode	Tickler Code	character	x(5)	Picklist	
TicklerText	TicklerText	character	x(4000)	Editor	
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox	
TouchLayerLink	Touch POS Layer Link	character	x(100)	ComboBox	
TypeCode	Type	character	x(8)	Picklist	
UPCCode	UPC Code	character	x(20)	Fillin	
VendorIDCode	Vendor ID Code	character	x(8)	Picklist	
VenueImage	VenueImage	character	x(100)	Fillin	
VenueTicket	Venue Ticket?	logical	Yes/No	CheckBox	
WaiverCode	Waiver Code	character	x(200)	Picklist	
WebEvent	WebTrac Event?	logical	yes/no	CheckBox	
WebEventTitle	WebTrac Event Title	character	x(50)	Fillin	
WebGraphicalLayerLink	Web Graphical Layer Link	int64	->, >>>, >>9	ComboBox	
WebMinPayment	WebMinPayment	decimal	->>, >>9.99	Fillin	
WebMinPaymentOption	WebMinPaymentOption	character	x(100)	Fillin	
WebPrintOption	WebTrac Print Option	character	X(20)	ComboBox	
WildcardCostCenter	Wildcard Cost Center	character	x(100)	Picklist	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: PSVendor					
Address1	Address 1	character	x(200)	Fillin	
Address2	Address 2	character	x(200)	Fillin	
City	City	character	x(20)	Fillin	
Comments	Comment Text	character	x(4000)	Editor	
ContactName	Contact Name	character	x(35)	Fillin	
Country	Country	character	x(20)	ComboBox	
Features	Features	character	x(1000)	Picklist	
ID	ID	int64	->>>>>>>>>>9	Fillin	
LastPurchaseDate	Last Purchase Date	date	99/99/9999	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Name	Vendor Name	character	x(35)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
PrimaryEmailAddress	Primary Email Address	character	x(200)	Fillin	
PrimaryPhoneExtension	Primary Phone Extension	character	x(20)	Fillin	
PrimaryPhoneNumber	Primary Phone Number	character	x(20)	Fillin	
PrimaryPhoneType	Primary Phone Type	character	x(20)	ComboBox	
RecordStatus	Status	character	X(20)	ComboBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
State	State	character	x(2)	ComboBox	
VendorIDCode	Vendor ID Code	character	x(10)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
ZipCode	Zip Code	character	x(10)	Fillin	
Table: PTFacility					
ComboKey	Combokey	character	x(100)	Fillin	
CommentCode	Comment Code	character	X(5)	Picklist	
Comments	Comment Text	character	X(4000)	Editor	
CostCenter	Cost Center	character	X(6)	Picklist	
FacilityClass	Facility Class	character	X(5)	Fillin	
FacilityCode	Facility Code	character	X(5)	Fillin	
FacilityComboKey	Facility	character	x(100)	Picklist	
FacilityLocation	Facility Location	character	X(5)	Fillin	
GLCode	GL Code	integer	zzzzz9	Picklist	
ID	ID	int64	->>>>>>>>>>9	Fillin	
LinkID	Staff Link ID	int64	->>>>>>>>>>9	Fillin	
MaxCount	Max Headcount	integer	z9	Fillin	
Permissions	Permissions	character	x(100)	Fillin	



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details	Data Type	Field Format	Field Type
------------	-------------	--------------------------------	-----------	--------------	------------

Table: PTFacility Continued...

PurposeCode	Trainer Purpose Code	character	X(5)	Picklist
RateTable	Rate Table	character	X(10)	Picklist
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WaiverCode	Waiver Code	character	x(8)	Picklist
WebMinPayment	WebMinPayment	decimal	->>, >>9.99	Fillin
WebMinPaymentOption	Time Blocks	character	x(100)	Picklist
WildCardCostCenter	WildCard Cost Center	character	x(100)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin

Table: PTPaymentHistory

ID	ID	int64	->>>>>>>>>>9	Fillin
LinkID	LinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
OtherPay	OtherPay	decimal	zzz,zz9.99-	Fillin
OvertimeFactor	OvertimeFactor	decimal	z9.99-	Fillin
OvertimeHours	OvertimeHours	decimal	zz9.99-	Fillin
OvertimePay	OvertimePay	decimal	zzz,zz9.99-	Fillin
PaymentDate	PaymentDate	date	99/99/9999	Fillin
PayType	Pay Type	character	x(1)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Purpose	Purpose	character	x(5)	Fillin
RateOfPay	RateOfPay	decimal	zzz,zz9.99-	Fillin
RateTable	RateTable	character	x(10)	Fillin
RecordType	RecordType	character	X(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StandardCount	StandardCount	decimal	zz9.99-	Fillin
StandardPay	StandardPay	decimal	zzz,zz9.99-	Fillin
VolunteerFlag	VolunteerFlag	logical	Yes/No	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: Raw1ac

ClobA	ClobA	clob	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Key1A	Key1A	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RawA	RawA	raw	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TableA	TableA	character	x(8)	Fillin

Table: Raw1ai

ClobI	ClobI	clob	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
KeyI	KeyI	integer	->, >>>, >>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RawI	RawI	raw	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TableI	TableI	character	x(8)	Fillin

Table: Raw1uc

ClobU	ClobU	clob	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Key1U	Key1U	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type
Table: Raw1uc Continued...				
Permissions	Permissions	character	x(100)	Fillin
RawU	RawU	raw	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TableU	TableU	character	x(8)	Fillin
Table: Raw1ui				
ClobI	ClobI	clob	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Key1I	Key1I	integer	->, >>>, >>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RawI	RawI	raw	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TableI	TableI	character	x(8)	Fillin
Table: Raw2ac				
ClobA	ClobA	clob	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Key1A	Key1A	character	x(8)	Fillin
Key2A	Key2A	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RawA	RawA	raw	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TableA	TableA	character	x(8)	Fillin
Table: Raw2uc				
ClobU	ClobU	clob	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Key1U	Key1U	character	x(8)	Fillin
Key2U	Key2U	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RawU	RawU	raw	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TableU	TableU	character	x(8)	Fillin
Table: Raw3ac				
ClobA	ClobA	clob	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Key1A	Key1A	character	x(8)	Fillin
Key2A	Key2A	character	x(8)	Fillin
Key3A	Key3A	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RawA	RawA	raw	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TableA	TableA	character	x(8)	Fillin
Table: Raw3uc				
ClobU	ClobU	clob	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Key1U	Key1U	character	x(8)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: Raw3uc Continued...				
Key2U	Key2U	character	x(8)	Fillin
Key3U	Key3U	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RawU	RawU	raw	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TableU	TableU	character	x(8)	Fillin
Table: RNRentalClass				
AllowTimeChangesOnWeb	Allow Time Changes On Web?	logical	Yes/No	CheckBox
AutomaticReturns	Automatic Returns?	logical	Yes/No	CheckBox
AutoRefundDeposit	Auto Refund Deposit?	logical	Yes/No	CheckBox
BackgroundImage	Background Image	character	X(100)	Fillin
CompletedDescriptor	Completed Descriptor	character	x(3)	Fillin
DefaultBeginDate	Default Begin Date	date	99/99/9999	Fillin
DefaultBeginTimeFriday	Default Begin Time Friday	integer	zzzzz9	Fillin
DefaultBeginTimeMonday	Default Begin Time Monday	integer	zzzzz9	Fillin
DefaultBeginTimeSaturday	Default Begin Time Saturday	integer	zzzzz9	Fillin
DefaultBeginTimeSunday	Default Begin Time Sunday	integer	zzzzz9	Fillin
DefaultBeginTimeThursday	Default Begin Time Thursday	integer	zzzzz9	Fillin
DefaultBeginTimeTuesday	Default Begin Time Tuesday	integer	zzzzz9	Fillin
DefaultBeginTimeWednesday	Default Begin Time Wednesday	integer	zzzzz9	Fillin
DefaultEndDate	Default End Date	date	99/99/9999	Fillin
DefaultEndTimeFriday	Default End Time Friday	integer	zzzzz9	Fillin
DefaultEndTimeMonday	Default End Time Monday	integer	zzzzz9	Fillin
DefaultEndTimeSaturday	Default End Time Saturday	integer	zzzzz9	Fillin
DefaultEndTimeSunday	Default End Time Sunday	integer	zzzzz9	Fillin
DefaultEndTimeThursday	Default End Time Thursday	integer	zzzzz9	Fillin
DefaultEndTimeTuesday	Default End Time Tuesday	integer	zzzzz9	Fillin
DefaultEndTimeWednesday	Default End Time Wednesday	integer	zzzzz9	Fillin
DefaultRentalDays	Default Rental Days	integer	zz9-	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LateBufferMinutes	Late Buffer Minutes	integer	zz9	Fillin
LongDescription	Long Description	character	x(20)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
RecalcEarlyReturns	Recalculate Early Returns?	logical	Yes/No	CheckBox
RecalcLateReturn	Recalculate Late Return?	logical	Yes/No	CheckBox
RentalClass	Rental Class	character	x(5)	Fillin
ShortDescription	Short Description	character	x(200)	Fillin
ShowRentalsAsFullDay	Show Rentals As Full Day?	logical	Yes/No	CheckBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StartDescriptor	Start Descriptor	character	x(3)	Fillin
TicketAccessGUI	Ticket Access GUI	character	x(100)	Picklist
TicketAccessWeb	Ticket Access Web	character	x(100)	Picklist
TicketPrintOption	Ticket Print Option	character	x(100)	ComboBox
TicketTemplateGUI	Ticket Template GUI	character	x(100)	Picklist
TicketTemplateWeb	Ticket Template Web	character	x(100)	Picklist
TimeBlock	Time Block	integer	zz9	Fillin
TimeBlocks	Time Blocks	character	x(100)	Picklist
UseLowestPricingOption	Use Lowest Pricing Option?	logical	Yes/No	CheckBox
UseReadyForCheckin	Use Ready For Checkin?	logical	Yes/No	CheckBox
WaiverCode	Waiver Code	character	X(8)	Picklist
WebCampImage	WebCampImage	character	x(100)	Fillin
WebImage	WebImage	character	x(100)	Fillin
WebTimeBlockSearch	Use Time Blocks on WebTrac?	character	x(100)	ComboBox
WebWaiver	WebWaiver	logical	yes/no	Fillin
WordIndex	WordIndex	character	x(80)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: RNRentalItem				
AllowWaitList	Allow Waitlist	logical	Yes/No	CheckBox
BrochureCode	Brochure Code	character	x(20)	Picklist
BrochureText	Brochure Text	character	x(4000)	Editor
Category	Category	character	x(100)	Picklist
ChargeLateFeeMultipleTimes	ChargeLateFeeMultipleTimes	logical	Yes/No	Fillin
CommentCode	Comment Code	character	x(5)	Picklist
CompletedCommentText	Completed Comment Text	character	x(4000)	Editor
Condition	Condition	character	X(20)	ComboBox
DisplayOnWeb	Display On Web	character	X(1)	ComboBox
Expenses	Expenses	decimal	zzz,zz9.99-	Fillin
FacilityLocation	Facility Location	character	x(100)	Picklist
Features	Features	character	x(1000)	Picklist
GrossRevenue	Gross Revenue	decimal	zzz,zz9.99-	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
KeywordSearch	Keyword Search	character	x(100)	Fillin
LastRentalDate	Last Rental Date	date	99/99/9999	Fillin
LongDescription	Long Description	character	x(20)	Fillin
MainTracCostCenter	MainTrac Cost Center	character	x(6)	Picklist
MainTracGLCode	MainTrac GL Code	integer	zzzzz9	Picklist
Make	Make	character	x(25)	Fillin
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MaxAdvanceDays	Max Advance Days	integer	zzz,zz9-	Fillin
MaxOccupancy	Max Occupancy	integer	->, >>>, >>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Model	Model	character	x(25)	Fillin
Parent	Parent?	logical	Yes/No	CheckBox
Permissions	Permissions	character	x(100)	ComboBox
PurchaseAmount	Purchase Amount	decimal	zzz,zz9.99-	Fillin
PurchaseDate	Purchase Date	date	99/99/9999	Fillin
Quantity	Quantity	integer	zzz,zz9-	Fillin
ReadyForCheckIn	Ready For CheckIn?	logical	Yes/No	CheckBox
ReceiptDocuments	Receipt Documents	character	X(500)	Picklist
ReceiptImage	Receipt Image	character	X(100)	Fillin
RecordStatus	Status	character	X(20)	ComboBox
RecordType	Record Type	character	X(20)	ComboBox
RentalClass	Rental Class	character	x(5)	Picklist
RentalImage	Rental Image	character	X(50)	Fillin
RentalItemCode	Rental Item Code	character	x(10)	Fillin
ReplacementValue	Replacement Value	decimal	z,zzz,zz9.99	Fillin
ReportTag	Report Tag	character	x(100)	Picklist
ReportTag2	Report Tag 2	character	x(100)	Picklist
ReportTag3	Report Tag 3	character	x(100)	Picklist
RewardAmount	Rewards Per Rental	decimal	zzz9.99	Fillin
SerialNumber	Serial Number	character	x(20)	Fillin
ShortDescription	Short Description	character	x(200)	Fillin
ShowLastDayAsBooked	Show Last Day As Booked?	logical	Yes/No	CheckBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StartCommentText	Start Comment Text	character	x(4000)	Editor
SubType	Subtype	character	x(100)	Picklist
TeleTracOK	TeleTrac OK	character	X(1)	Fillin
TeleTracParameter	TeleTrac Parameter	character	X(8)	Fillin
TicklerCode	Tickler Code	character	x(5)	Picklist
TicklerText	Tickler Text	character	x(4000)	Editor
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox
TypeCode	Type	character	x(100)	Picklist
UnitOfIssue	Unit Of Issue	character	x(3)	Fillin
Validate	Validate	logical	Yes/No	Fillin
WebAvailableCoordinates	WebAvailableCoordinates	character	x(50)	Fillin
WebAvailableImage	WebAvailableImage	character	x(30)	Fillin
WebCampBackgroundImage	WebCampBackgroundImage	character	x(50)	Fillin
WebMinPayment	WebMinPayment	decimal	->>, >>9.99	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: RNRentalItem Continued...				
WebMinPaymentOption	WebMinPaymentOption	character	x(100)	Fillin
WebUnavailableCoordinates	WebUnavailableCoordinates	character	x(50)	Fillin
WebUnavailableImage	WebUnavailableImage	character	x(30)	Fillin
WildCardCostCenter	WildCard Cost Center	character	x(100)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin
Table: RNRentalLink				
CommentCode	Comment Code	character	x(5)	Picklist
Comments	Comment Text	character	x(4000)	Editor
Description	Description	character	x(20)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LinkCode	Link Code	character	x(10)	Fillin
Make	Make	character	x(15)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Model	Model	character	x(15)	Fillin
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
PrintOrder	Print Order	integer	zz9	Fillin
RecordStatus	Status	character	X(20)	ComboBox
SerialNumber	Serial Number	character	x(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UnitOfIssue	Unit-Of-Issue	character	x(3)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAAccessTicket				
AccessCode	Access Code	integer	zzzzzzzz9	Fillin
BeginDate	Begin Date	date	99/99/9999	Fillin
BeginTime	Begin Time	integer	999999	Fillin
CreationDate	Creation Date	date	99/99/9999	Fillin
DateUsed	Date Used	date	99/99/9999	Fillin
EndDate	End Date	date	99/99/9999	Fillin
EndTime	End Time	integer	999999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
ItemCode	Item Code	character	x(20)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(2)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PIN	PIN	character	x(6)	Fillin
ReceiptNumber	Receipt Number	integer	zzzzzzzz9	Fillin
RecordCode	RecordCode	character	x(15)	Fillin
RecordStatus	Record Status	character	X(20)	ComboBox
ServiceItem	Service Item	character	x(6)	Picklist
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TimeMade	Time Made	integer	999999	Fillin
TimeUsed	Time Used	integer	999999	Fillin
UserName	User Name	character	X(10)	Fillin
ValidLocations	Valid Locations	character	x(100)	Fillin
VisitsAllowed	Visits Allowed	decimal	zzz,zz9.99-	Fillin
VisitsUsed	Visits Used	decimal	zzz,zz9.99-	Fillin
Voided	Voided?	logical	yes/no	CheckBox
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAAccessTicketHistory				
AccessCode	Access Code	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LogDate	Log Date	date	99/99/9999	Fillin
LogTime	Log Time	integer	999999	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAAccessTicketHistory Continued...				
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
VisitsUsed	Visits Used	decimal	zzz,zz9.99-	Fillin
WordIndex	WordIndex	character	X(80)	Fillin
Table: SAAccessTicketInfo				
AllowCountUpdate	Allow Count Update?	logical	Yes/No	CheckBox
CreateOption	Create Option	character	x(100)	ComboBox
DateTimeOption	Date/Time Option	character	x(25)	ComboBox
DefaultBeginTime	Default Begin Date	date	99/99/9999	Fillin
DefaultEndTime	Default End Time	integer	999999	Fillin
DefaultValidDays	Default Valid Days	date	99/99/9999	Fillin
DefaultValidLocations	Default Valid Locations	integer	999999	Fillin
DefaultVisitCount	Default Valid Days	integer	zzz,zz9	Fillin
Description	Default Valid Locations	character	x(100)	Picklist
ID	Default Visit Count	integer	zzz9	Fillin
MinBuffer	Description	character	x(35)	Fillin
MiscInformation	ID	int64	->>>>>>>>>>9	Fillin
Permissions	Minute Buffer	integer	zzz9	Fillin
RecordCode	MiscInformation	character	x(100)	Fillin
SiteArea	Permissions	character	x(100)	Fillin
SiteCategory	Record Code	character	x(8)	Fillin
SiteCode	SiteArea	character	x(100)	Fillin
UseAllRemainingVisits	SiteCategory	character	x(100)	Fillin
UseOption	SiteCode	character	x(100)	Fillin
VisitPassCode	Use All Remaining Visits?	logical	Yes/No	CheckBox
WordIndex	Use Option	character	X(20)	ComboBox
	Access Ticket Daily Pass	character	x(100)	Picklist
	WordIndex	character	x(2000)	Fillin
Table: SAACHBatch				
ACHEffectiveDate	ACH Effective Date	date	99/99/9999	Fillin
ACHFileDate	ACH File Date	date	99/99/99	Fillin
BatchNumber	Batch Number	integer	999,999,999	Fillin
Description	Description	character	x(30)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PostingTime	Posting Time	integer	->, >>>, >>9	Fillin
RecordStatus	Status	character	x(8)	ComboBox
SAPProfileLinkID	SAPProfile LinkID	int64	->>>>>>>>>>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SourceProgram	Source Program	character	x(8)	Fillin
UserName	User Name	character	x(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAACHBatchDetail				
AccountNumber	AccountNumber	character	x(100)	Fillin
ACHRecord	ACH Record Details	character	x(200)	Fillin
BatchNumber	Batch Number	integer	999,999,999	Fillin
DebitCredit	DebitCredit	character	x(100)	Fillin
EPayLink	EPayLink	int64	->, >>>, >>9	Fillin
FeeAmount	Fee Amount	decimal	->>, >>9.99	Fillin
HouseholdNumber	HouseholdNumber	integer	->, >>>, >>9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LineNumber	Line Number	integer	->, >>>, >>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PatronLinkID	PatronLinkID	int64	->, >>>, >>9	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAACHBatchDetail Continued...				
PatronName	PatronName	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Prenote	Prenote	logical	Yes/No	Fillin
RoutingNumber	Routing Number	character	x(50)	Fillin
SavingsAccount	SavingsAccount	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAACHLayout				
EndPosition	End Position	integer	>>>>9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordLayout	Content	character	X(200)	Fillin
RecordTypeCode	Type Code	character	X(1)	ComboBox
SAProfileLinkID	SAProfileLinkID	int64	->>>>>>>>>>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StartPosition	Start Position	integer	>>>>9	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAAddress				
Apartment	Apartment	character	X(4)	Fillin
Category	Category	character	x(100)	Picklist
City	City	character	X(20)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Number	Number	character	X(8)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordCode	Record Code	character	X(12)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
State	State	character	X(3)	ComboBox
Street	Street	character	X(35)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
ZipCode	Zip Code	character	X(10)	Fillin
Table: SAAnswer				
Answer	Answer	character	X(1000)	Fillin
DetailLinkID	DetailLinkID	int64	->>>>>>>>>>9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LogDate	LogDate	date	99/99/9999	Fillin
LogTime	LogTime	integer	->,>>>,>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
QuestionFieldType	QuestionFieldType	character	x(200)	Fillin
QuestionLinkID	QuestionLinkID	int64	->>>>>>>>>>9	Fillin
QuestionText	QuestionText	character	x(200)	Fillin
QuestionTransactionType	QuestionTransactionType	character	x(100)	Fillin
ReceiptNumber	ReceiptNumber	integer	->,>>>,>>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAAuditLog				
Detail1	Detail	character	x(200)	Fillin
Detail2	Detail	character	x(200)	Fillin
Detail3	Detail	character	x(200)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: SAAuditLog Continued...

Detail4	Detail	character	x(200)	Fillin
Detail5	Detail	character	x(200)	Fillin
Detail6	Detail 6	character	x(200)	Fillin
Detail7	Detail 7	character	x(200)	Fillin
Detail8	Detail 8	character	x(200)	Fillin
Detail9	Detail 9	character	x(200)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LogDate	Log Date	date	99/99/9999	Fillin
LogTime	Log Time	integer	99999999	Fillin
LongValue	LongValue	clob	x(10)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SourceProgram	Source	character	x(8)	Fillin
UserName	User Name	character	x(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: SABadPayment

Amount	Amount	decimal	zzz,zz9.99-	Fillin
Comments	Comments	character	x(4000)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ModuleLink	ModuleLink	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: SABillingDetail

AutoDebitAccountType	AutoDebitAccountType	character	X(8)	Fillin
BillingTemplateID	BillingTemplateID	int64	->, >>>, >>9	Fillin
BillType	Bill Type	character	X(20)	Fillin
DetailLinkID	DetailLinkID	int64	->>>>>>>>>>9	Fillin
EPayLink	EPayLink	integer	zzzzzzzz9	Fillin
FileLinkID	FileLinkID	int64	->>>>>>>>>>9	Fillin
HouseholdNumber	HouseholdNumber	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(2)	Fillin
PayrollDeduction	PayrollDeduction	logical	yes/no	Fillin
Permissions	Permissions	character	x(100)	Fillin
Prenoted	Prenoted	logical	Yes/No	CheckBox
PreviousStatus	PreviousStatus	character	x(100)	Fillin
ReceiptNumber	ReceiptNumber	integer	999999999	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: SABillingTemplate

AutoDebitACH	Auto-Debit ACH?	logical	Yes/No	CheckBox
AutoDebitCreditCard	Auto-Debit Credit Card?	logical	Yes/No	CheckBox
BillingFrequency	Billing Frequency	character	x(8)	ComboBox
BillingStartDateRules	Billing Start Date Rules	character	x(8)	ComboBox
BillingStartDay1	Day	integer	9	ComboBox
BillingStartDay2	Day 2	integer	9	ComboBox
BillingStartDayOfWeek	Day of the Week Option	integer	9	ComboBox
BillingStartMonth1	Month	integer	9	ComboBox



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: SABillingTemplate Continued...

BillingStartMonth2	Month 2	integer	9	ComboBox
BillingStartQuarter	Quarterly Option	integer	9	ComboBox
BiWeeklyQualifier	Bi-Weekly Qualifier	character	x(8)	ComboBox
ChargeInitFeesOnRenewal	ChargeInitFeesOnRenewal	logical	Yes/No	Fillin
CustomDateList	CustomDateList	character	x(100)	Fillin
DefaultPayOption	Default Pay Option	character	x(8)	ComboBox
Description	Description	character	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InstallmentBill	Installment Bill?	logical	Yes/No	CheckBox
InstallmentBillingCode	Installment Billing Code	character	x(8)	Fillin
InterfaceMode	Interface Mode	character	x(8)	ComboBox
MiscInformation	MiscInformation	character	x(100)	Fillin
NumberOfBills	Number of Bills	integer	zzz,zz9	Fillin
PayrollDeduction	Payroll Deduction?	logical	Yes/No	CheckBox
PayrollDeductionPayCode	Payroll Deduction Paycode	character	x(100)	Picklist
Permissions	Permissions	character	x(100)	Fillin
PreNoteNotRequired	Prenote Not Required?	logical	yes/no	CheckBox
RenewalDate	Specific Renewal Start Date	date	99/99/9999	Fillin
RenewalNumberOfBills	Renewal Number of Bills	integer	zz9	Fillin
RenewalRules	Renewal Rules	character	x(100)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SkipXBillsBeforeFirstCycle	Skip 'X' Bills Before First Cycle	integer	->, >>>, >>9	Fillin
SkipXBillsBeforeFirstCycleRenew	Skip 'X' Bills Before First Cycle on Re	integer	zz9	Fillin
SpecificStartingDate	Specific Start Date	date	99/99/9999	Fillin
WebUsageOption	Web Usage Option	character	x(8)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin

Table: SABlobFile

Attributes	Attributes	character	X(8)	Fillin
BlobFile	BlobFile	blob	x(8)	Fillin
Checked	Checked	logical	Yes/No	Fillin
ClobFile	ClobFile	clob	x(8)	Fillin
FileDate	File Date	date	99/99/9999	Fillin
FileLocation	FileLocation	character	x(100)	Fillin
FileName	File Name	character	X(55)	Fillin
FileTime	File Time	integer	->, >>>, >>9	Fillin
FolderName	Folder Name	character	x(300)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	Misc Information	character	x(100)	Fillin
OwnerUserName	Owner	character	X(3)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RAWSegmentData	RAWSegmentData	raw	X(8)	Fillin
RecordType	RecordType	character	x(20)	Fillin
RunOnce	RunOnce	logical	Yes/No	Fillin
SegmentSequence	SegmentSequence	integer	->, >>>, >>9	Fillin
SharedUsers	SharedUsers	character	x(300)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: SABlobFolder

FolderName	FolderName	character	X(55)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SABrochure				
AMPMDisplayOption	AM/PM Display Option	character	x(100)	ComboBox
DateDisplayOptions	Date Display Option	character	x(100)	ComboBox
DefaultFont	Default Font	character	x(100)	ComboBox
DefaultFontSize	Default Font Size	character	x(100)	ComboBox
Description	Description	character	x(100)	Fillin
FeeDisplayOptions	Fee Display Options	character	x(100)	ComboBox
ID	ID	int64	->, >>>, >>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(100)	Fillin
OutputType	Output Type	character	x(100)	ComboBox
Permissions	Permissions	character	x(100)	ComboBox
PrimarySort	Primary Sort	character	x(100)	ComboBox
TemplateCode	Template Code	character	x(100)	Fillin
TimeRangeDisplayOptions	Time Range Display Options	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
Table: SABrochureDetail				
Alignment	Alignment	character	x(100)	ComboBox
BorderStyle	Border Style	character	x(100)	ComboBox
BorderThickness	Border Thickness	character	x(100)	ComboBox
ColumnHeader	Section Detail Column Header	character	x(100)	Fillin
ColumnWidth	Column Width	integer	->, >>>, >>>9	Fillin
Description	Description	character	x(100)	Fillin
FontBackgroundColor	Font Background Color	character	x(100)	Fillin
FontCharacteristics	Font Characteristics	character	x(100)	ComboBox
FontColor	Font Color	character	x(100)	Fillin
FontFamily	Font	character	x(100)	ComboBox
FontSize	Font Size	character	x(100)	ComboBox
HeaderBorderStyle	Section Detail Column Header Border	character	x(100)	ComboBox
HeaderBorderThickness	Section Detail Column Header Border	character	x(100)	ComboBox
HeaderFontBackgroundColor	Header Font Background Color	character	x(100)	Fillin
HeaderFontCharacteristics	Section Detail Column Header Font C	character	x(100)	ComboBox
HeaderFontColor	Section Detail Column Header Font C	character	x(100)	Fillin
HeaderFontFamily	Section Detail Column Header Font	character	x(100)	ComboBox
HeaderFontSize	Section Detail Column Header Font S	character	x(100)	ComboBox
ID	ID	int64	->, >>>, >>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NewLine	Start New Line	logical	Yes/No	CheckBox
OutputValue	Output Value	character	x(100)	Editor
ParentID	ParentID	int64	->, >>>, >>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
SkipIfBlank	Skip Printing Entire Line if Calculated	logical	Yes/No	CheckBox
SortOrder	Sort Order	integer	->, >>>, >>>9	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SABrochureRow				
BreakOption	Break Option	character	x(100)	ComboBox
Description	Description	character	x(100)	Fillin
ID	ID	int64	->, >>>, >>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	Brochure Link ID	int64	->, >>>, >>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordType	Record Type	character	x(100)	ComboBox
RowOffset	Row Indent (RTF Only)	integer	->, >>>, >>>9	Fillin
SortOrder	Sort Order	integer	->, >>>, >>>9	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SABudget				
BeginDate	BeginDate	date	99/99/9999	Fillin
BudgetAmount	BudgetAmount	decimal	->>>, >>>, >>>9.99	Fillin
EndDate	EndDate	date	99/99/9999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SABudget Continued...				
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	RecordStatus	character	x(10)	Fillin
RecordType	RecordType	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Table: SACache				
Design	Design	character	x(100)	Fillin
FieldName	FieldName	character	x(200)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InterfaceType	InterfaceType	character	x(100)	Fillin
LongValue	LongValue	clob	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordType	RecordType	character	x(100)	Fillin
ScreenName	ScreenName	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SACheck				
CheckAmount	CheckAmount	decimal	zzz,zzz,zz9.99-	Fillin
CheckDate	CheckDate	date	99/99/9999	Fillin
CheckNumber	CheckNumber	integer	zzzzzzzz9	Fillin
HouseholdNumber	HouseholdNumber	character	x(10)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ModuleLink	ModuleLink	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReceiptList	ReceiptList	character	x(50)	Fillin
Reconciled	Reconciled	logical	Yes/No	Fillin
RefundDate	RefundDate	date	99/99/9999	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Voided	Voided	logical	Yes/No	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SACodeBuilder				
BaseTable	BaseTable	character	x(100)	Fillin
Category	Category	character	x(100)	Fillin
CodeValue	CodeValue	character	x(100)	Fillin
Description	Description	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReportTag	ReportTag	character	x(100)	Fillin
ReportTag2	ReportTag2	character	x(100)	Fillin
ReportTag3	ReportTag3	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubType	SubType	character	x(100)	Fillin
Type	Type	character	x(100)	Fillin
Table: SAComment				
CommentDate	Comment Date	date	99/99/9999	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAComment Continued...				
CommentHeader	CommentHeader	character	x(500)	Fillin
Comments	Comment Text	character	x(4000)	Editor
CommentTime	Comment Time	integer	zzzzz9	Fillin
CommentType	CommentType	character	x(500)	Fillin
Description	Description	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	Parent ID	int64	->>>>>>>>>9	Fillin
ParentTable	Parent Table	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserName	User Name	character	x(10)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin
Table: SACommentCode				
CleanUpMinutes	Cleanup Minutes	integer	zz,zz9	Fillin
CommentBody	CommentBody	clob	x(8)	Fillin
CommentCode	Comment Code	character	x(5)	Fillin
Comments	Comment Text	character	x(4000)	Editor
Description	Description	character	x(30)	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
InterfaceType	Interface Type	character	x(10)	ComboBox
LayoutDisplay	LayoutDisplay	character	x(50)	ComboBox
LayoutInformation	Layout Information	character	X(20)	ComboBox
LayoutParameter	Layout Parameters	character	x(50)	Fillin
LayoutProgram	Layout Program	character	x(15)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PhotoInformation	Photo Information	character	X(500)	Fillin
RecordType	Record Type	character	x(2)	ComboBox
SetupMinutes	Setup Minutes	integer	zz,zz9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TransactionType	Transaction Type	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(80)	Fillin
Table: SACONFLICT				
ID	ID	int64	->>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReceiptNumber	ReceiptNumber	integer	zzzzzzzz9	Fillin
ReturnMessage	ReturnMessage	character	x(100)	Fillin
SaDetailID	SaDetailID	integer	zzzzzzzz9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAContext				
ClientType	ClientType	character	x(20)	Fillin
FieldName	FieldName	character	x(100)	Fillin
FieldValue	FieldValue	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
Internal	Internal	logical	Yes/No	Fillin
LongValue	LongValue	clob	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Routine	Routine	logical	Yes/No	Fillin
SessionID	SessionID	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAContext Continued...				
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubSessionID	SubSessionID	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAControlAccountHistory				
Amount	Amount	decimal	zzzz,zz9.99-	Fillin
CashDrawer	Cash Drawer	integer	zzz9	Fillin
Category	Category	character	x(100)	Fillin
ComboKey	Specific Item Code	character	x(100)	Fillin
CostCenter	Cost Center	character	x(6)	Fillin
DebitCredit	Debit Credit	character	X(20)	Fillin
FeeID	FeeID	int64	->,>>>,>>9	Fillin
FeeType	FeeType	character	x(100)	Fillin
FileLinkID	FileLinkID	int64	->>>>>>>>>>9	Fillin
FullyUsed	Fully Used	logical	Yes/No	CheckBox
GLCode	GL Code	integer	zzzzz9	Fillin
HouseholdNumber	Household Number	integer	zzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(2)	Fillin
OriginalModule	OriginalModule	character	x(30)	Fillin
ParentID	ParentID	int64	->>>>>>>>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
PostingDate	Posting Date	date	99/99/9999	Fillin
PostingTime	Posting Time	integer	999999	Fillin
ReceiptNumber	Receipt Number	integer	zzzzzzz9	Fillin
RecordStatus	RecordStatus	character	x(100)	Fillin
SiblingID	SiblingID	int64	->>>>>>>>>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubType	Subtype	character	x(100)	Fillin
TransactionReference1	Transaction Reference 1	character	x(35)	Fillin
TransactionReference2	Transaction Reference 2	character	x(35)	Fillin
TypeCode	Type	character	x(100)	Fillin
UsedAmount	Used Amount	decimal	zzzz,zz9.99-	Fillin
UserName	User Name	character	x(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SACostCenter				
AccountNumber	Account Number	character	x(20)	Fillin
CashBackPayCode	Cash Back Pay Code	character	x(100)	Picklist
CostCenter	Cost Center	character	x(6)	Fillin
Description	Description	character	x(35)	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
RecordStatus	Status	character	X(20)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SACOUPON				
AllowSerialReuse	Allow Serial Reuse	logical	Yes/No	CheckBox
Amount	Amount	decimal	zzz,zz9.99	Fillin
CouponCode	Coupon Code	character	x(8)	Fillin
CouponType	Coupon Type	character	X(20)	ComboBox
Description	Description	character	x(30)	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SACOUPON Continued...				
ReceiptOption	ReceiptOption	character	x(100)	Fillin
RecordStatus	Status	character	x(100)	ComboBox
SAPCostCenter	SAPCostCenter	character	x(8)	Fillin
SAPGLCode	SAPGLCode	integer	>>>>9	Fillin
SerializeCoupons	Serialize Coupons	logical	Yes/No	CheckBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Template	Template	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SACouponHistory				
Amount	Amount	decimal	zzz,zz9.99	Fillin
CashDrawer	CashDrawer	integer	zzz9	Fillin
CouponCode	CouponCode	character	x(8)	Fillin
CouponID	CouponID	int64	->>>>>>>>>9	Fillin
CouponUseDate	CouponUseDate	date	99/99/9999	Fillin
HouseHoldID	HouseHoldID	int64	->>>>>>>>>9	Fillin
HouseholdNumber	HouseholdNumber	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PostingTime	PostingTime	integer	zzzz9	Fillin
ReceiptNumber	ReceiptNumber	integer	zzzzzzzz9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserName	UserName	character	x(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SACreditCardHistory				
ACHDetailID	ACHDetailID	int64	->, >>>, >>9	Fillin
ACHRecordID	ACHRecordID	int64	->, >>>, >>9	Fillin
Amount	Amount	decimal	zzz,zz9.99-	Fillin
AmountRefunded	Amount Refunded	decimal	->, >>9.99	Fillin
AuthorizationCode	Authorization Code	character	x(20)	Fillin
BatchNumber	Batch Number	character	X(3)	Fillin
CashBackAmount	Cash Back Amount	decimal	->, >>9.99	Fillin
CashDrawer	Cash Drawer	integer	>>>9	Fillin
CheckNumber	CheckNumber	integer	->, >>>, >>9	Fillin
ConvenienceFeeAmount	Convenience Fee Amount	decimal	->, >>9.99	Fillin
CreditCardBrand	Credit Card Brand	character	X(20)	Fillin
CreditCardholder	Credit Card Holder	character	x(30)	Fillin
CreditCardMask	Credit Card Mask	character	x(4)	Fillin
DetailedInfo	DetailedInfo	character	x(100)	Editor
DeviceCodeLink	Device Code Link	character	X(8)	Fillin
EPayLink	EpayLink	integer	zzzzzzzz9	Fillin
GiftCardBalanceAmount	Gift Card Balance Amount	decimal	->, >>9.99	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
OrderID	Order ID	character	X(10)	Fillin
ParentID	ParentID	int64	->>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
PayCode	Payment Code	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PostingTime	PostingTime	integer	999999	Fillin
ProcessDate	Posting Date	date	99/99/9999	Fillin
ReceiptNumber	Receipt Number	integer	>, >>>, >>9	Fillin
RecordStatus	Record Status	character	X(10)	Fillin
ReferenceNumber	ReferenceNumber	character	x(100)	Fillin
RefundToken	RefundToken	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: SACreditCardHistory Continued...

RequestInformation	RequestInformation	character	x(300)	Fillin
SignatureData	SignatureData	character	x(80)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TipAmount	Tip Amount	decimal	->,>>9.99	Fillin
TipGLRecordID	TipGLRecordID	int64	->,>>>,>>9	Fillin
TipSale	Tip Sale	logical	yes/no	CheckBox
TipTenderXGLRecordID	TipTenderXGLRecordID	int64	->,>>>,>>9	Fillin
TipUserName	Tip User Name	character	X(10)	Fillin
TransactionNumber	Transaction Number	integer	zzzzzzzz9	Fillin
TransactionSequenceNumber	TransactionSequenceNumber	character	X(3)	Fillin
TransactionType	Transaction Type	character	x(8)	Fillin
Uploaded	Uploaded	logical	Yes/No	Fillin
UserName	User Name	character	x(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: SACriteria

CriteriaDescription	Criteria Values	character	x(100)	Fillin
Description	Description	character	x(100)	Fillin
Fixed	Fixed?	logical	Yes/No	CheckBox
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NotMode	Not Mode	logical	Yes/No	CheckBox
Order	Order	integer	zzzz9	Fillin
ParentID	ParentID	int64	zzzzzzzz9	Fillin
ParentTable	ParentTable	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordType	Other Criteria	character	x(100)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Value1	Value1	character	x(100)	Fillin
Value10	Value10	character	x(100)	Fillin
Value11	Value11	character	x(100)	Fillin
Value12	Value12	character	x(100)	Fillin
Value13	Value13	character	x(100)	Fillin
Value14	Value14	character	x(100)	Fillin
Value15	Value15	character	x(100)	Fillin
Value2	Value2	character	x(100)	Fillin
Value3	Value3	character	x(100)	Fillin
Value4	Value4	character	x(100)	Fillin
Value5	Value5	character	x(100)	Fillin
Value6	Value6	character	x(100)	Fillin
Value7	Value7	character	x(100)	Fillin
Value8	Value8	character	x(100)	Fillin
Value9	Value9	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin

Table: SACrossReference

ExternalID	Cross Reference	character	X(20)	Fillin
HouseholdNumber	Household Number	integer	-999999999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MemberLinkID	Member ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RAWExternalID	RAWExternalID	raw	X(8)	Fillin
RecordType	RecordType	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SACurrencyRateHistory					
ChangeDate	ChangeDate	date	99/99/9999	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
NewRate	NewRate	decimal	zzz,zz9.99999	Fillin	
OldRate	OldRate	decimal	zzz,zz9.99999	Fillin	
PayCode	PayCode	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PostingTime	PostingTime	integer	999999	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
UserName	UserName	character	x(10)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SACustodyCard					
CardCost	CardCost	decimal	zzz,zz9.99-	Fillin	
Comments	Comments	character	x(4000)	Fillin	
DateReceived	DateReceived	date	99/99/9999	Fillin	
DateReturned	DateReturned	date	99/99/9999	Fillin	
Description1	Description1	character	x(35)	Fillin	
Description2	Description2	character	x(35)	Fillin	
FacilityLocation	FacilityLocation	character	x(5)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InventoryCode	InventoryCode	character	x(15)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PrintDescription	PrintDescription	character	x(20)	Fillin	
PurchaseOrderNumber	PurchaseOrderNumber	character	x(30)	Fillin	
Quantity	Quantity	decimal	zzz,zz9.99-	Fillin	
RecordStatus	RecordStatus	character	X(20)	Fillin	
ReturnTransferTo	ReturnTransferTo	character	x(35)	Fillin	
SerialNumber	SerialNumber	character	x(20)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
UsageLocation	UsageLocation	character	x(5)	Fillin	
UserName	UserName	character	x(10)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SADefaultRecords					
ChildTable	ChildTable	character	x(100)	Fillin	
Design	Design	character	x(8)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
IDList	IDList	character	x(100)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
ParentTable	ParentTable	character	x(25)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: SADemographic					
Amount	Amount	decimal	zzz,zz9.99-	Fillin	
DemographicsCode	DemographicsCode	character	x(10)	Fillin	
FacilityLocation	FacilityLocation	character	x(5)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PostingCount	PostingCount	decimal	zzz,zz9.99-	Fillin	
PostingDate	PostingDate	date	99/99/9999	Fillin	
ReceiptNumber	ReceiptNumber	integer	zzzzzzzz9	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SADemographic Continued...					
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
UserName	UserName	character	X(10)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SADETAIL					
AccessControlCode	Access Control Code	character	x(100)	Fillin	
AccessControlNumberList	Access Control Number List	character	x(100)	Fillin	
AccessTicketInfo	AccessTicketInfo	character	x(100)	Fillin	
ActualHeadCount	Actual Head Count	integer	zzzzzzzz9	Fillin	
Address1	Address 1	character	x(200)	Fillin	
Address2	Address 2	character	x(200)	Fillin	
AFCFreeAmount	AFC Free Amount	decimal	zzz,zzz,zz9.99	Fillin	
AFCFreehours	AFC Free Hours	decimal	zzz,zzz,zz9.99	Fillin	
AFCMilitaryAmount	AFC Military Amount	decimal	zzz,zzz,zz9.99	Fillin	
AFCMilitaryType	AFC Military Type	character	x(100)	Fillin	
AFCMilitaryType2	AFC Military Type 2	character	x(100)	Fillin	
AllowItemChange	Allow Item Change	character	x(100)	Fillin	
AllowOverride	Allow Override	character	x(100)	Fillin	
AnswerLink1	Answer Link 1	int64	->>>>>>>>>>9	Fillin	
AnswerLink2	Answer Link 2	int64	->>>>>>>>>>9	Fillin	
AnswerLink3	Answer Link 3	int64	->>>>>>>>>>9	Fillin	
Archived	Archived Record?	logical	Yes/No	CheckBox	
BeginDate	Begin Date	date	99/99/9999	Fillin	
BeginDateTime	Begin Date Time	datetime	99/99/9999 HH:MM	Fillin	
BeginSuspension	Begin Suspension	date	99/99/9999	Fillin	
BeginTime	Begin Time	integer	zzzzzzzz9	Fillin	
BookingInformation	BookingInformation	character	x(8)	Fillin	
CancelAnswerLinkID	Cancel Answer Link ID	int64	->>>>>>>>>>9	Fillin	
CancelDateTime	Cancel Date and Time	datetime	99/99/9999 HH:MM	Fillin	
CancelUser	Cancel User	character	x(100)	Fillin	
CartCode	Cart Code	character	x(100)	Fillin	
CartStatus	Cart Status	character	x(100)	ComboBox	
ChargedLateFee	ChargedLateFee	logical	Yes/No	Fillin	
ChargedTeeTimeNoShow	ChargedTeeTimeNoShow	logical	Yes/No	Fillin	
City	City	character	x(200)	Fillin	
Complete	Complete?	logical	Yes/No	CheckBox	
Condition	Condition	character	x(100)	Fillin	
ConflictRecord	Conflict Record?	logical	Yes/No	CheckBox	
Country	Country	character	x(200)	ComboBox	
CreditCardLink	Credit Card Link	integer	zzzzzzzz9	Fillin	
CurrentReceipt	Current Receipt	integer	zzzzzzzz9	Fillin	
CYSAFCReducedAmount	CYMS AFC Reduced Amount	decimal	zzz,zzz,zz9.99	Fillin	
CYSAFCReducedHours	CYMS AFC Reduced Hours	decimal	zzz,zzz,zz9.99	Fillin	
CYSPCSDate	Withdrawal Date	date	99/99/9999	Fillin	
CYSPCSReason	Withdrawal Reason	character	x(100)	Fillin	
CYSProgramType	CYMS Program Type	character	x(100)	Fillin	
CYSVisitType	CYMS Visit Type	character	x(100)	Fillin	
DependentIDs	DependentIDs	character	x(400)	Fillin	
Description	Description	character	x(100)	Fillin	
EffectiveCancelDate	Effective Cancel Date	date	99/99/9999	Fillin	
EmailAddress	Email Address	character	x(200)	Fillin	
EndDate	End Date	date	99/99/9999	Fillin	
EndDateTime	End Date Time	datetime	99/99/9999 HH:MM	Fillin	
EndSuspension	End Suspension	date	99/99/9999	Fillin	
EndTime	End Time	integer	zzzzzzzz9	Fillin	
EnrollmentDate	Enrollment Date	date	99/99/9999	Fillin	
FamilyMemberFeatures	Family Member Features	character	x(100)	Fillin	
FileLinkCode1	File Link Code 1	character	x(100)	Fillin	
FileLinkCode2	File Link Code 2	character	x(100)	Fillin	
FileLinkCode3	File Link Code 3	character	x(100)	Fillin	
FileLinkCode4	File Link Code 4	character	x(100)	Fillin	
FileLinkCode5	File Link Code 5	character	x(100)	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SADETAIL Continued...				
FileLinkCode6	File Link Code 6	character	x(100)	Fillin
FileLinkID	File Link ID	int64	->>>>>>>>>>9	Fillin
FirstName	First Name	character	x(100)	Fillin
FullBeginDate	Full Begin Date	date	99/99/9999	Fillin
FullBeginDateTime	Full Begin Date Time	datetime	99/99/9999 HH:MM	Fillin
FullBeginTime	Full Begin Time	integer	zzzzzzzz9	Fillin
FullEndDate	Full End Date	date	99/99/9999	Fillin
FullEndDateTime	Full End Date Time	datetime	99/99/9999 HH:MM	Fillin
FullEndTime	Full End Time	integer	zzzzzzzz9	Fillin
FullyAccrued	Fully Accrued	logical	Yes/No	Fillin
FullyPaid	Fully Paid	logical	yes/no	ComboBox
FullyPaidDate	FullyPaidDate	date	99/99/99	Fillin
GiftCertificateDailyName	GiftCertificateDailyName	character	x(100)	Fillin
GiftCertificateHouseholdNumber	GiftCertificateHouseholdNumber	integer	->, >>>, >>9	Fillin
GiftCertificateNumber	GiftCertificateNumber	int64	->, >>>, >>9	Fillin
GuestCount	Guest Count	decimal	zzz,zzz,zz9.99	Fillin
GuestCountAllowed	Guest Count Allowed	decimal	zzz,zzz,zz9.99	Fillin
GWOTStatus	GWOT Status	character	x(100)	Fillin
HeadCount	Head Count	integer	zzzzzzzz9	Fillin
HouseholdNumber	Household Number	integer	zzzzzzzz9	Picklist
IBPaymentOption	IB Payment Option	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
IncludeInBalance	Include In Balance?	logical	Yes/No	CheckBox
InstructorLinkID	Instructor Link ID	int64	->>>>>>>>>>9	Fillin
InvoiceDate	Invoice Date	date	99/99/9999	Fillin
ItemLocationCode	Item Location Code	character	x(100)	Fillin
LastChangeDate	LastChangeDate	date	99/99/9999	Fillin
LastName	Last Name	character	x(100)	Fillin
Lead	Lead?	logical	Yes/No	CheckBox
LeagueDescription	LeagueDescription	character	x(8)	Fillin
LostCardCount	Lost Card Count	integer	zzzzzzzz9	Fillin
LotteryNumber	Lottery Number	integer	zzzzzzzz9	Fillin
LotterySource	Lottery Source	character	x(100)	Fillin
MainTracImport	MainTrac Import	character	x(100)	Fillin
MainTracSourceNumber	MainTrac Source Number	integer	zzzzzzzz9	Fillin
MainTracStatus	MainTrac Status	character	x(100)	Fillin
MasterLinkID	Master Link ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	Misc Information	character	x(100)	Fillin
Module	Module	character	x(100)	ComboBox
NewDepositPaid	New Deposit Paid	decimal	zzz,zzz,zz9.99-	Fillin
NewFeePaid	New Fee Paid	decimal	zzz,zzz,zz9.99-	Fillin
Notes	Notes	character	x(1000)	Fillin
OrderPrintInstructions	OrderPrintInstructions	character	x(100)	Fillin
OriginalIDList	OriginalIDList	character	x(100)	Fillin
OriginalMemberDate	Original Member Date	date	99/99/9999	Fillin
Override	Override?	logical	Yes/No	CheckBox
OverrideUser	Override User	character	x(100)	Fillin
Package	Package	logical	Yes/No	Fillin
PackageNumber	PackageNumber	integer	->, >>>, >>9	Fillin
PassFail	Pass Fail	character	x(100)	Fillin
PassLinkID	Pass Link ID	int64	->>>>>>>>>>9	Fillin
PassNumber	Pass Number	integer	zzzzzzzz9	Fillin
PatronLinkID	Patron Link ID	int64	->>>>>>>>>>9	Fillin
PatronTypeLinkTable	PatronTypeLinkTable	character	x(50)	Fillin
PCSReason	Withdrawal Reason	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PhoneNumber	Phone Number	character	x(20)	Fillin
PickedUpBy	Picked Up By	character	x(100)	Fillin
PreviousIDNumber	Previous ID Number	int64	->>>>>>>>>>9	Fillin
PreviousTransactionType	PreviousTransactionType	character	x(100)	Fillin
Printed	Printed	character	x(100)	Fillin
PTFRPreviousStatus	PTFR Previous Status	character	x(100)	Fillin
PTFRReservationID	PTFR Reservation ID	int64	->>>>>>>>>>9	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SADETAIL Continued...					
PunchesLeft	Punches Left	decimal	zzz,zzz,zz9.99	Fillin	
PunchesSold	Punches Sold	decimal	zzz,zzz,zz9.99	Fillin	
Quantity	Qty	decimal	zzz,zzz,zz9.99-	Fillin	
ReceiptList	Receipt List	character	x(100)	Fillin	
ReceiptOrder	Receipt Order	integer	zzzzzzz9	Fillin	
ReceiptRecalc	Receipt Recalc	logical	Yes/No	Fillin	
RecordStatus	Status	character	x(100)	ComboBox	
RecordType	Record Type	character	x(100)	ComboBox	
RejectReason	Reject Reason	character	x(100)	Fillin	
RentalCondition	Rental Condition	character	X(100)	Fillin	
ReportTag	ReportTag	character	x(100)	Fillin	
ReportTag2	ReportTag2	character	x(100)	Fillin	
ReportTag3	ReportTag3	character	x(100)	Fillin	
ReservationNumber	Reservation Number	integer	zzzzzzz9	Fillin	
ReservationType	Reservation Type	character	x(100)	Fillin	
ScheduleID	Schedule ID	character	x(100)	Fillin	
Season	Season	character	x(100)	Fillin	
SecondaryStatus	Secondary Status	character	x(100)	Fillin	
Seed	Seed	integer	zzzzzzz9	Fillin	
SerialNumber	Serial Number	character	x(100)	Fillin	
SessionID	Session ID	character	x(100)	Fillin	
SetUpCleanUp	Set Up Clean Up?	logical	Yes/No	CheckBox	
ShippingID	Shipping ID	integer	zzzzzzz9	Fillin	
ShippingStatus	Shipping Status	character	x(20)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
SlotNumber	Slot Number	integer	zzzzzzz9	Fillin	
StartingHole	Starting Hole	character	x(100)	Fillin	
State	State	character	x(200)	ComboBox	
Step	Step	integer	zzzzzzz9	Fillin	
TeamLinkID	Team Link ID	int64	->>>>>>>>>>9	Fillin	
TeamNumber	Team Number	integer	->, >>>, >>9	Fillin	
TempInTime	Temp In Time	integer	zzzzzzz9	Fillin	
TempOutTime	Temp Out Time	integer	zzzzzzz9	Fillin	
TempPurpose	Temp Purpose	character	x(100)	Fillin	
TieBreaker	Tie Breaker	integer	zzzzzzz9	Fillin	
TrainerPaid	Trainer Paid	decimal	zzz,zzz,zz9.99	Fillin	
TransactionDate	Transaction Date	date	99/99/9999	Fillin	
TransactionInterface	Interface	character	x(100)	Fillin	
TransactionLocationCode	Transaction Location Code	character	x(100)	Fillin	
TransactionTime	Transaction Time	integer	zzzzzzz9	Fillin	
TransactionType	TransactionType	character	x(200)	ComboBox	
TransactionWeekDay	Transaction Week Day	character	x(100)	Fillin	
TransferDate	Transfer Date	date	99/99/9999	Fillin	
UpLoaded	UpLoaded?	logical	Yes/No	CheckBox	
UserName	User Name	character	x(100)	Fillin	
VisitCount	Visit Count	integer	zzzzzzz9	Fillin	
VisitGuestCount	VisitGuestCount	integer	zzz,zzz,zz9	Fillin	
VoucherNumber	Voucher Number	character	x(100)	Fillin	
WaitlistOption	Waitlist Option	character	x(10)	Fillin	
WaitlistSlideOption	WaitlistSlideOption	character	x(100)	Fillin	
WebEvent	WebEvent	logical	Yes/No	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Year	Year	integer	zzzz9	Fillin	
ZipCode	Zip Code	character	x(200)	Fillin	
Table: SADiscountDetail					
Amount	Amount	decimal	->>>, >>>, >>9.99	Fillin	
CouponCode	Coupon Code	character	x(100)	Fillin	
Description	Description	character	x(100)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SADiscountDetail Continued...				
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordType	Record Type	character	x(100)	Fillin
SerialNumber	Serial Number	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SADocument				
Category	Category	character	x(8)	Picklist
Description	Description	character	x(100)	Fillin
DocumentAsOfDate	As Of Date	date	99/99/9999	Fillin
ExpirationDate	Expiration Date	date	99/99/9999	Fillin
FileName	Filename	character	x(200)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LinkDate	Link Date	date	99/99/9999	Fillin
LinkUserName	Link UserName	character	x(100)	Picklist
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin
ParentTable	Parent Table	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	RecordStatus	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SADocumentHeader				
Description	Description	character	x(30)	Fillin
DocumentCode	Document Code	character	x(8)	Fillin
FileName	File Name	character	x(200)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InterfaceType	Interface Type	character	x(100)	ComboBox
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TransactionType	Transaction Type	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAEmailAddress				
EmailAddress	EmailAddress	character	x(15)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	LinkID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PrimaryEmailAddress	PrimaryEmailAddress?	logical	Yes/No	CheckBox
SAPersonLinkID	SAPersonLinkID	int64	->>>>>>>>>>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubType	Subtype	character	x(25)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAEmailFeatures				
CCCoordinators	CC Program Coordinators in all email	logical	Yes/No	CheckBox
FeatureList	Feature List	character	x(500)	Picklist
FeatureType	Feature Type	character	x(50)	ComboBox
FreeFormContactList	Free Form Contact List	character	x(1000)	Editor
ID	ID	int64	->>>>>>>>>>9	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type

Table: SAEmailFeatures Continued...

MiscInformation	MiscInformation	character	x(100)	Fillin
OverrideSubject	Override Subject	character	x(100)	Fillin
OverrideText	Override Text	character	x(500)	Editor
ParentCode	ParentCode	character	x(100)	Fillin
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	Status	character	x(20)	ComboBox
SAStaffContactList	Staff Contact List	character	x(1000)	Picklist
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TransactionTypes	Transaction Types	character	x(200)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin

Table: SAEmailQ

Attachments	Attachment	character	X(8)	Fillin
Attempts	Attempts	integer	>>>,>>>,>>9	Fillin
DateSent	DateSent	date	99/99/9999	Fillin
EmailBCC	EmailBCC	character	x(200)	Fillin
EmailBody	EmailBody	character	X(8)	Editor
EmailCC	Cc	character	x(200)	Fillin
EmailFrom	From	character	X(8)	Fillin
EmailProfileID	EmailProfileID	int64	->,>>>,>>9	Fillin
EmailReplyTo	EmailReplyTo	character	x(200)	Fillin
EmailTo	To	character	X(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Priority	Priority	integer	>>>>>>>9	Fillin
RecordStatus	RecordStatus	character	X(8)	Fillin
SentTime	SentTime	integer	->,>>>,>>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubjectLine	Subject	character	X(8)	Fillin
UserName	UserName	character	X(10)	Fillin
WordIndex	WordIndex	character	X(8)	Fillin

Table: SAEmergencyContact

AllowPickup	Allow Child Pickup?	logical	yes/no	CheckBox
City	City	character	x(20)	Fillin
ContactType	Contact Type	character	X(8)	ComboBox
Country	Country	character	x(20)	ComboBox
Employer	Employer	character	x(25)	Fillin
FirstName	First Name	character	x(12)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LastName	Last Name	character	x(18)	Fillin
MemberLinkID	Member LinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Order	Order	integer	zzzzz9	Fillin
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin
ParentTable	Parent Table	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PhotoID	Photo ID	integer	zzzzzzz9	Fillin
PrimaryAddress1	Primary Address 1	character	x(200)	Fillin
PrimaryAddress2	Primary Address 2	character	x(200)	Fillin
PrimaryEmailAddress	Email #1	character	x(100)	Fillin
PrimaryPhoneExtension	Phone #1 Extension	character	x(20)	Fillin
PrimaryPhoneNumber	Phone #1	character	x(20)	Fillin
PrimaryPhoneType	Phone #1 Type	character	x(20)	ComboBox
Relation	Relation	character	x(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAEmergencyContact Continued...				
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
State	State	character	x(3)	ComboBox
WordIndex	WordIndex	character	x(80)	Fillin
ZipCode	Zip Code	character	x(10)	Fillin
Table: SAEndOfShift				
BatchNumber	Batch Number	integer	zzzzzz9	Fillin
BeginBalance	Begin Balance	decimal	zzz,zz9.99-	Fillin
BeginBalance2	BeginBalance2	decimal	zzz,zz9.99-	Fillin
BeginBalance3	BeginBalance3	decimal	zzz,zz9.99-	Fillin
BeginBalance4	BeginBalance4	decimal	zzz,zz9.99-	Fillin
BeginDate	Begin Date	date	99/99/9999	Fillin
BeginTime	Begin Time	integer	999999	Fillin
BeginUserName	User	character	x(10)	Fillin
DrawerNumber	Drawer Number	integer	zzz9	Fillin
EndBalance	End Balance	decimal	zzz,zz9.99-	Fillin
EndBalance2	EndBalance2	decimal	zzz,zz9.99-	Fillin
EndBalance3	EndBalance3	decimal	zzz,zz9.99-	Fillin
EndBalance4	EndBalance4	decimal	zzz,zz9.99-	Fillin
EndDate	End Date	date	99/99/9999	Fillin
EndTime	End Time	integer	999999	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
MiscDepositSlip	Deposit Slip	character	x(100)	Fillin
MiscInformation	Over/Short Information	character	x(100)	Fillin
MiscOverShortInfo	MiscOverShortInfo	character	x(100)	Fillin
MiscOverShrtInfo	Over/Short Information	character	x(100)	Fillin
OldBatchNumber	OldBatchNumber	integer	zzzzzzzz9	Fillin
OldDrawerNumber	OldDrawerNumber	integer	zzz9	Fillin
OldEndDate	OldEndDate	date	99/99/9999	Fillin
OldEndTime	OldEndTime	integer	zzzz9	Fillin
Payments	Payments	clob	x(8)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Reference	Reference	character	X(30)	Fillin
RunUserName	RunUserName	character	x(10)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TempValues	TempValues	character	x(100)	Fillin
UserNameList	Users	character	x(200)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAFEE				
AllowGLCodeUpdate	Allow GLCode Update?	logical	Yes/No	CheckBox
AllowInsurance	AllowInsurance	logical	Yes/No	Fillin
AllowPaymentReduction	Allow Payment Reduction?	logical	Yes/No	CheckBox
AlwaysChargeTax	Always Charge Tax?	logical	Yes/No	CheckBox
Amount	Amount	decimal	zzz,zzz,zz9.99	Fillin
AmountOverride	Amount Override	character	x(20)	ComboBox
AmountOverridePermissionList	Amount Override Codes	character	x(20)	Picklist
Archived	Archived	logical	Yes/No	Fillin
BeginDays	Begin Days	integer	zzzzzzzz9	Fillin
BillingAmount	Billing Amount	decimal	zzz,zzz,zz9.99	Fillin
CancelGLOption	Cancel GL Option	character	x(100)	ComboBox
CancelProrateBasisDate	Cancel Prorate Basis Date	date	99/99/9999	Fillin
CancelProrateDate	Cancel Prorate End Date	date	99/99/9999	Fillin
CancelProrateOption	Cancel Prorate Option	character	x(100)	ComboBox
CancelTaxTableOption	CancelTaxTableOption	character	x(100)	Fillin
ChargeForPending	Rental Charge For Pending?	logical	Yes/No	CheckBox
CloneID	CloneID	int64	->>>>>>>>>9	Fillin
ControlCostCenter	Refund Apply Cost Center	character	x(100)	Picklist
ControlGLCode	Refund Apply GL Code	integer	zzzzzz9	Picklist
CouponList	Coupon List (Wildcard Allowed)	character	x(20)	Picklist



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAFEE Continued...				
CriteriaDescription	Criteria Description	character	x(100)	Editor
DayCareBeginDate	Begin Date	date	99/99/9999	Fillin
DayCareEndDate	End Date	date	99/99/9999	Fillin
DefaultQuantity	Default Quantity	decimal	zzz,zzz,zz9.99	Fillin
Description	Fee Description	character	x(1000)	Fillin
DiscountCategory	Discount Category	character	x(50)	Picklist
DiscountCategoryList	Discount Category List (Wildcard Allo	character	x(500)	Picklist
DiscountCostCenter	Discount Cost Center	character	x(100)	Picklist
DiscountGLCode	Discount GL Code	integer	zzzzz9	Picklist
DiscountOverride	Discount Override	character	x(20)	ComboBox
DiscountOverridePermissionList	Discount Override Codes	character	x(20)	Picklist
DueDate	Due Date	date	99/99/9999	Fillin
DueDays	Due Days	integer	zzzzzzzz9	Fillin
DueOption	Due Option	character	x(100)	ComboBox
EndDays	End Days	integer	zzzzzzzz9	Fillin
ExcludePayCodes	Exclude Pay Codes	character	x(100)	Picklist
ExcludePayCodeTypes	Exclude Pay Code Types	character	x(100)	ComboBox
ExcludeQuantity	Exclude Quantity	decimal	->>, >>9.99	Fillin
FeeAdjustmentCategory	Fee Adjustment Category	character	x(50)	Picklist
FeeAdjustmentCategoryList	Fee Adjustment Category List	character	x(500)	Picklist
FeeCategory	Fee Category	character	x(100)	Picklist
FeeGroupCode	Fee Group Code	character	x(1000)	Picklist
FeeLength	Fee Length	character	x(100)	ComboBox
FeeRequired	Fee Required?	logical	Yes/No	CheckBox
FeeType	Fee Type	character	x(100)	ComboBox
FlatDiscountFactor	Flat Discount Factor	character	x(8)	ComboBox
FutureTax	FutureTax	logical	Yes/No	Fillin
FutureTaxCharged	FutureTaxCharged	logical	Yes/No	Fillin
GiftCertificateList	Gift Certificate List (Wildcard Allowed)	character	x(100)	Picklist
ID	Fee ID	int64	->>>>>>>>>>9	Fillin
IncludeInAutoDiscount	Include In Auto Discount	logical	Yes/No	CheckBox
IncludeInFeeAdjustment	Include In Fee Adjustment/Percent Of	logical	Yes/No	CheckBox
IncludeInInstructorPay	Include In Instructor Pay?	logical	Yes/No	CheckBox
IncludePayCodes	Include Pay Codes	character	x(100)	Picklist
IncludePayCodeTypes	Include Pay Code Types	character	x(100)	ComboBox
IncludeQuantity	Include Quantity	decimal	->>, >>9.99	Fillin
InstallmentBillingCode	Installment Billing Code	character	x(1000)	Fillin
InstallmentBillingOption	Installment Billing Option	character	x(1000)	ComboBox
InstallmentBillNumberList	Installment Bill Number List	character	x(100)	Fillin
InsuranceOption	Insurance Option	character	x(100)	ComboBox
InterfacePostOption	Interface Post Option	character	x(1000)	ComboBox
ItemCode	ItemCode	character	X(100)	Fillin
LastAccrualDate	Last Accrual Date	date	99/99/9999	Fillin
LogDate	Log Date	date	99/99/9999	Fillin
LogTime	Log Time	integer	zzzzzzzz9	Fillin
MaximumQuantity	Maximum Quantity	decimal	->>, >>9.99	Fillin
MinimumPayment	Minimum Payment Amount	decimal	zzz,zzz,zz9.99	Fillin
MinimumPaymentOption	Minimum Payment Option	character	x(20)	ComboBox
MinimumQuantity	Minimum Quantity	decimal	->>, >>9.99	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(100)	Fillin
OrderNumber	Order Number	integer	zzzzzzzz9	Fillin
OriginalParentTable	OriginalParentTable	character	x(100)	Fillin
OriginalWildcardCostCenter	Use Wildcard Cost Center From Origi	character	x(100)	CheckBox
ParentCode	Parent Code	character	x(100)	Fillin
ParentID	Link ID	int64	->>>>>>>>>>9	Fillin
ParentTable	Parent Table	character	x(100)	Fillin
PaymentPassList	Payment Pass List	character	x(300)	Picklist
PaymentPunches	Payment Punches	decimal	>>, >>9.99	Fillin
Permissions	Permissions	character	x(100)	Fillin
PreviousStatus	PreviousStatus	character	x(100)	Fillin
PrintOption	Receipt Fee Detail Print Option	character	x(100)	ComboBox
PublishedPrice	Published Price	decimal	zzz,zzz,zz9.99	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAFEE Continued...				
PurchaseProrateBasisDate	Purchase/Renewal Prorate Basis Dat	date	99/99/9999	Fillin
PurchaseProrateDate	Purchase/Renewal Prorate Begin Dat	date	99/99/9999	Fillin
PurchaseProrateOption	Purchase/Renewal Prorate Option	character	x(100)	ComboBox
QuantityOverride	Quantity Override	character	x(20)	ComboBox
QuantityOverridePermissionList	Quantity Override Codes	character	x(20)	Picklist
QuestionLinkID	QuestionLinkID	int64	->>>>>>>>>>9	Picklist
ReceiptNumber	ReceiptNumber	integer	zzzzzzzzz9	Fillin
ReceivableCostCenter	Receivable Cost Center	character	x(100)	Picklist
ReceivableGLCode	Receivable GL Code	integer	zzzzz9	Picklist
RecordStatus	Status	character	x(10)	ComboBox
RefundApplyCostCenter	RefundApplyCostCenter	character	x(100)	Fillin
RefundApplyGLCode	RefundApplyGLCode	integer	zzzzz9	Fillin
RefundCostCenter	Refund Cost Center	character	x(100)	Picklist
RefundFinanceCostCenter	Refund Finance Cost Center	character	x(100)	Picklist
RefundFinanceGLCode	Refund Finance GL Code	integer	zzzzz9	Picklist
RefundGLCode	Refund GL Code	integer	zzzzz9	Picklist
RefundNowCostCenter	Refund Now Cost Center	character	x(100)	Picklist
RefundNowGLCode	Refund Now GL Code	integer	zzzzz9	Picklist
RemittalAmount	RemittalAmount	decimal	zzz,zzz,zz9.99	Fillin
RemittalCostCenter	Remittal Cost Center	character	x(100)	Picklist
RemittalGLCode	Remittal GL Code	integer	zzzzz9	Picklist
RemittalType	RemittalType	character	x(100)	Fillin
RentalVisitDailyPass	Rental Visit Daily Pass	character	x(100)	Picklist
RevenueCostCenter	Revenue Cost Center	character	x(100)	Picklist
RevenueCostCenter2	Revenue Cost Center 2	character	x(100)	Picklist
RevenueCostCenter3	Revenue Cost Center 3	character	x(100)	Picklist
RevenueGLCode	Revenue GL Code	integer	zzzzz9	Picklist
RevenueGLCode2	Revenue GL Code 2	integer	zzzzz9	Picklist
RevenueGLCode3	Revenue GL Code 3	integer	zzzzz9	Picklist
RevenuePercent2	Revenue Percent 2	decimal	zz9.99	Fillin
RevenuePercent3	Revenue Percent 3	decimal	zz9.99	Fillin
RewardsCode	RewardsCode	character	x(100)	Fillin
RewardsOption	Rewards Option	character	x(25)	ComboBox
RewardsPoints	Rewards Points Earned	decimal	zzzzz9.99	Fillin
RoundingAmount	Rounding Amount	decimal	->>, >>9.99	Fillin
RoundingOption	Rounding Option	character	x(100)	ComboBox
Savings	Savings	decimal	zzz,zzz,zz9.99	Fillin
SearchIndexPriceOption	Search Index Price Calculation Optio	character	x(100)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SuspenseCostCenter	Suspense Cost Center	character	x(100)	Picklist
SuspenseGLCode	Suspense GL Code	integer	zzzzz9	Picklist
TaxTable	Tax Table	character	x(100)	Picklist
TimeCountBuffer	Time Count Buffer	decimal	zzz,zzz,zz9.99	Fillin
TimeCountOverride	Time Count Override	character	x(20)	ComboBox
TimeCountOverridePermissionList	Time Count Override Codes	character	x(20)	Picklist
TimeCountType	Time Count Type	character	x(1000)	ComboBox
TimeFactor	Time Factor	decimal	zzz,zzz,zz9.99	Fillin
TimeFrame	Time Frame	character	x(100)	ComboBox
TimeToExclude	Time To Exclude	decimal	zzz,zzz,zz9.99	Fillin
TimeToInclude	Time To Include	decimal	zzz,zzz,zz9.99	Fillin
TotalPriceOption	Total Price Option?	logical	Yes/No	CheckBox
TransactionType	Transaction Type	character	x(100)	ComboBox
UnearnedCostCenter	Unearned Cost Center	character	x(100)	Picklist
UnearnedGLCode	Unearned GL Code	integer	zzzzz9	Picklist
UseAccrual	Use Accrual?	logical	Yes/No	CheckBox
UseHeadCountForQuantity	Use Head/Visit Count/Punches For Q	logical	Yes/No	CheckBox
UseOriginalCostCenter	UseOriginalCostCenter	logical	yes/no	Fillin
UserName	User Name	character	x(100)	Fillin
WebMinimumPayment	WebMinimumPayment	decimal	zzz,zzz,zz9.99	Fillin
WebMinimumPaymentOption	WebMinimumPaymentOption	character	x(20)	Fillin
WildcardCostCenter	Wildcard Cost Center?	logical	Yes/No	CheckBox



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAFEE Continued...				
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAFEEGROUP				
AllowedFees	Max Fees Allowed To Be Selected	integer	zzzzzzzz9	Fillin
CheckGroup	Check Group Headcount/Quantity Tot	logical	Yes/No	CheckBox
CustomDescription	Custom Description	character	x(500)	Fillin
Description	Description	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordCode	Fee Group Code	character	x(100)	Fillin
RequiredFees	Min Fees Required To Be Selected	integer	zzzzzzzz9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserPrompt	Prompt for Fees during Add to Cart	logical	Yes/No	CheckBox
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAFeeHistory				
AccrualAmount	Accrual Amount	decimal	zzz,zzz,zz9.99	Fillin
BillDate	Bill Date	date	99/99/9999	Fillin
CashDrawer	Cash Drawer	integer	zzzzzzzz9	Fillin
DiscountAmount	Discount Amount	decimal	zzz,zzz,zz9.99	Fillin
FeeAmount	Fee Amount	decimal	zzz,zzz,zz9.99	Fillin
FeePaid	Fee Paid	decimal	zzz,zzz,zz9.99	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LogDate	Log Date	date	99/99/9999	Fillin
LogTime	Log Time	integer	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NewFeePaid	New Fee Paid	decimal	zzz,zzz,zz9.99	Fillin
NewPayCodes	New Pay Codes	character	x(100)	Fillin
NewPayHouseholdList	New Pay Household List	character	x(100)	Fillin
NewTaxPaid	New Tax Paid	decimal	zzz,zzz,zz9.99	Fillin
Notes	Notes	character	x(1000)	Fillin
OrderNumber	Order Number	integer	zzzzzzzz9	Fillin
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(100)	Fillin
PayCode	Pay Code	character	x(100)	Fillin
PaymentHousehold	Payment Household	integer	zzzzzzzz9	Fillin
Permissions	Permissions	character	x(100)	Fillin
Quantity	Quantity	decimal	zzz,zzz,zz9.99	Fillin
ReceiptNumber	Receipt Number	integer	zzzzzzzz9	Fillin
RecordStatus	Status	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpecialLinkID	SpecialLinkID	int64	->>>>>>>>>>9	Fillin
SpecialLinkTable	SpecialLinkTable	character	x(20)	Fillin
TaxAmount	Tax Amount	decimal	zzz,zzz,zz9.99	Fillin
TaxPaid	Tax Paid	decimal	zzz,zzz,zz9.99	Fillin
TimeCount	Time Count	decimal	zzz,zzz,zz9.99	Fillin
UserName	User Name	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAFieldParam				
FieldName	FieldName	character	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Interface	Interface	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParamName	ParamName	character	x(8)	Fillin
ParamValue	ParamValue	character	x(8)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SAFieldParam Continued...					
RecordType	RecordType	character	x(10)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Version	Version	character	x(9)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: SAFormHistory					
FormDetails	FormDetails	clob	x(8)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin	
ParentTable	ParentTable	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
ScreenName	ScreenName	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: SAGiftCertificateDetail					
Amount	Amount	decimal	zzz,zz9.99-	Fillin	
AmountUsed	Amount Used	decimal	zzz,zz9.99-	Fillin	
CashDrawer	Cash Drawer	integer	zzz9	Fillin	
DailyName	Daily Name	character	x(20)	Fillin	
ExpirationDate	Expiration Date	date	99/99/9999	Fillin	
FullUseRequired	Full Use Required?	logical	Yes/No	CheckBox	
HouseholdNumber	Household Number	integer	zzzzzzzz9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
IssueDate	Issue Date	date	99/99/9999	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Number	Number	int64	zzzzzzzzzzzz9	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PIN	PIN	character	x(6)	Fillin	
ReceiptList	Receipt List	character	x(200)	Fillin	
Redeemed	Fully Used?	logical	Yes/No	CheckBox	
RenewalDate	Renewal Date	date	99/99/9999	Fillin	
ServiceItem	Gift Certificate Code	character	x(8)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
UserName	User Name	character	x(8)	Fillin	
Voided	Voided?	logical	Yes/No	CheckBox	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SAGLCode					
AccountNumber	Account Number	character	x(20)	Fillin	
BankCode	Bank Code	character	X(8)	Fillin	
CostOfGoodsGLCode	Cost Of Goods GL Code	integer	zzzzz9	Picklist	
Department	Department	integer	zzzzz9	Fillin	
Description	Description	character	x(35)	Fillin	
FundNumber	Fund Number	character	x(10)	Fillin	
GLCode	GL Code	integer	zzzzz9	Fillin	
GLCodeTracksOverShortPostings	Used To Track Over Short Postings?	logical	Yes/No	CheckBox	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InventoryGLCode	Inventory GL Code	integer	zzzzz9	Picklist	
MiscInformation	MiscInformation	character	x(100)	Fillin	
MiscInterfaceInformation	Misc Interface Information	character	x(100)	Fillin	
MTAccount1	MTAccount1	character	x(8)	Fillin	
MTAccount2	MTAccount2	character	x(8)	Fillin	
MTAccount3	MTAccount3	character	x(8)	Fillin	
MTAccount4	MTAccount4	character	x(8)	Fillin	
MTAccount5	MTAccount5	character	x(8)	Fillin	



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SAGLCode Continued...					
MTAccount6	MTAccount6	character	x(8)	Fillin	
MTAccount7	MTAccount7	character	x(8)	Fillin	
MTAccount8	MTAccount8	character	x(8)	Fillin	
MTAccount9	MTAccount9	character	x(8)	Fillin	
MTPersonnelCategory1	MTPersonnelCategory1	character	x(8)	Fillin	
MTPersonnelCategory2	MTPersonnelCategory2	character	x(8)	Fillin	
MTPersonnelCategory3	MTPersonnelCategory3	character	x(8)	Fillin	
MTPersonnelCategory4	MTPersonnelCategory4	character	x(8)	Fillin	
MTPersonnelCategory5	MTPersonnelCategory5	character	x(8)	Fillin	
MTPersonnelCategory6	MTPersonnelCategory6	character	x(8)	Fillin	
MTPersonnelCategory7	MTPersonnelCategory7	character	x(8)	Fillin	
MTPersonnelCategory8	MTPersonnelCategory8	character	x(8)	Fillin	
MTPersonnelCategory9	MTPersonnelCategory9	character	x(8)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
ProjectCode	Project Code	character	X(8)	Fillin	
ReceivableGLCode	Used To Track Receivables?	logical	Yes/No	CheckBox	
RecordStatus	Status	character	X(20)	ComboBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
UsedToTrackSalesTax	Used To Track Sales Tax?	logical	Yes/No	CheckBox	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SAGLColumn					
ColumnLength	Length (Fixed Length Output Only)	integer	->, >>>, >>>9	Fillin	
ColumnName	Name	character	x(100)	Fillin	
ColumnPosition	Position/Order	integer	->, >>>, >>>9	Fillin	
ColumnSort	Sort	integer	->, >>>, >>>9	Fillin	
ColumnValue	Value	character	x(100)	Fillin	
Description	Description	character	x(100)	Fillin	
GLRowID	GL Row ID	int64	->, >>>, >>>9	Fillin	
ID	ID	int64	->, >>>, >>>9	Fillin	
MiscInformation	Misc Information	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
Summary	Summary	logical	Yes/No	CheckBox	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: SAGLDistribution					
AdditionalInformation	Additional Information	character	x(100)	Fillin	
Amount	Amount	decimal	zzzz,zz9.99-	Fillin	
AnswerNumber	Answer Number	integer	zzzzzzzz9	Fillin	
BatchNumber	BatchNumber	integer	>, >>>, >>>9	Fillin	
CashDrawer	Cash Drawer	integer	zzz9	Fillin	
ChangeBackID	ChangeBackID	int64	->, >>>, >>>9	Fillin	
CostCenter	Cost Center	character	x(6)	Fillin	
DebitCredit	Debit Credit	character	X(20)	ComboBox	
DetailLinkID	Detail Link ID	int64	->>>>>>>>>>9	Fillin	
DetailLinkTable	DetailLinkTable	character	x(50)	Fillin	
EndOfDayStatus	End Of Day Status	character	x(1)	Fillin	
EPayLink	EPay Link	integer	zzzzzzzz9	Fillin	
ExchangeAmount	ExchangeAmount	decimal	z,zzz,zz9.99-	Fillin	
FeeLinkID	FeeLinkID	int64	->>>>>>>>>>9	Fillin	
ForeignCurrencyRate	Foreign Currency Rate	decimal	zzz,zz9.99999-	Fillin	
GLCode	GL Code	integer	zzzzz9	Fillin	
GLInterfaceStatus	GL Interface Status	character	x(1)	Fillin	
HouseholdNumber	Household Number	integer	zzzzzzzz9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InProcess	InProcess	logical	Yes/No	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Module	Module	character	x(2)	Fillin	
OffsetCostCenter	Offset Cost Center	character	x(6)	Fillin	
OffsetGLCode	Offset GL Code	integer	zzzzz9	Fillin	
PatronLinkID	Patron Link ID	int64	->>>>>>>>>>9	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAGLDistribution Continued...				
PatronTypeLinkTable	PatronTypeLinkTable	character	x(50)	Fillin
PayCode	Pay Code	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PostingDate	Posting Date	date	99/99/9999	Fillin
PostingTime	Posting Time	integer	999999	Fillin
ReceiptNumber	Receipt Number	integer	zzzzzzzz9	Fillin
SATaxTableID	SATaxTableID	int64	->, >>>, >>9	Fillin
SiblingID	SiblingID	int64	->, >>>, >>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TaxExempt	TaxExempt	logical	yes/no	Fillin
TaxTableID	TaxTableID	int64	->, >>>, >>9	Fillin
TaxTransaction	Tax Transaction?	logical	Yes/No	CheckBox
TransactionReference1	Transaction Reference 1	character	x(50)	Fillin
TransactionReference2	Transaction Reference 2	character	x(50)	Fillin
UserName	User Name	character	x(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAGLField				
FieldCode	Field Code	character	x(100)	Fillin
FormatText	Format Text	character	x(100)	Fillin
GLFieldDelimiter	Delimiter	character	x(100)	Fillin
GLFieldEntry	Entry	integer	->, >>>, >>9	Fillin
GLFieldLength	Length	integer	->, >>>, >>9	Fillin
GLFieldName	Database Field Name	character	x(100)	ComboBox
GLFieldStart	Start	integer	->, >>>, >>9	Fillin
GLTemplateID	GL Template ID	int64	->, >>>, >>9	Fillin
ID	ID	int64	->, >>>, >>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAGLFieldFormatRule				
ComparedTo	Compared To	character	x(100)	Fillin
GLFieldID	GL Field ID	int64	->, >>>, >>9	Fillin
GLFormatOperation	Operation	character	x(100)	ComboBox
GLFormatSort	Sort	integer	->, >>>, >>9	Fillin
ID	ID	int64	->, >>>, >>9	Fillin
MiscInformation	Misc Information	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ThenValue	Then Value	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAGLRow				
Description	Description	character	x(100)	Fillin
GLRowType	Row Type	character	x(100)	ComboBox
GLTemplateID	Template Link ID	int64	->, >>>, >>9	Fillin
ID	ID	int64	->, >>>, >>9	Fillin
MiscInformation	Misc Information	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAGLTemplate				
DefaultAmountFormat	Default Amount Format	character	x(100)	ComboBox
DefaultDateFormat	Default Date Format	character	x(100)	ComboBox
Description	Description	character	x(100)	Fillin
ID	ID	int64	->, >>>, >>9	Fillin
MiscInformation	Misc Information	character	x(100)	Fillin
OutputType	Output Type	character	x(100)	ComboBox
Permissions	Permissions	character	x(100)	ComboBox
SystemTemplate	System Template	logical	Yes/No	CheckBox
TemplateCode	Template Code	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAGLTemplate Continued...				
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAHelpAnnotation				
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAHoliday				
EmployeeHoliday	Employee Holiday?	logical	Yes/No	CheckBox
GolfTracHoliday	GolfTrac Holiday?	logical	Yes/No	CheckBox
HolidayCode	Holiday Code	character	x(100)	Picklist
HolidayDate	Holiday Date	date	99/99/9999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NoFacilityReservations	No Facility Reservations?	logical	Yes/No	CheckBox
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAHousehold				
AdditionalAddress1	Additional Address1	character	x(200)	Fillin
AdditionalAddress2	Additional Address2	character	x(200)	Fillin
AdditionalCity	Additional City	character	x(200)	Fillin
AdditionalCountry	Additional Country	character	x(200)	ComboBox
AdditionalState	Additional State	character	x(200)	ComboBox
AdditionalZipCode	Additional Zip Code	character	x(200)	Fillin
AllowRewards	Allow Rewards?	logical	Yes/No	CheckBox
AutoPayBalance	Auto Pay Balance	character	X(20)	ComboBox
BadCheckCount	Bad Check Count	integer	zz9	Fillin
Category	Category	character	x(100)	ComboBox
Comments	Comment Text	character	x(4000)	Editor
CreationDate	Creation Date	date	99/99/9999	Fillin
CreationProduct	Creation Product	character	X(2)	ComboBox
CreationTime	Creation Time	integer	999999	Fillin
CreationUserName	Creation User Name	character	X(10)	Fillin
DualMilitary	Dual Military?	logical	Yes/No	CheckBox
EPayLink	EPay Link	integer	zzzzzzzz9	Fillin
FamilyCarePlanDueDate	Family Care Plan Due Date	date	99/99/9999	Fillin
FamilyCarePlanRequired	Family Care Plan Required?	logical	Yes/No	CheckBox
FamilyCarePlanSignedDate	Family Care Plan Signed Date	date	99/99/9999	Fillin
FamilyIncome	Family Income	decimal	zzz,zz9.99-	Fillin
FamilySize	Family Size	integer	zz9-	Fillin
Features	Features	character	x(4000)	ComboBox
FeeCode	Fee Code	character	X(100)	ComboBox
FirstName	First Name	character	x(15)	Fillin
HouseholdNumber	Household #	integer	zzzzzzzz9	Fillin
HousingType	Housing Type	character	x(1)	ComboBox
ID	ID #	int64	->>>>>>>>>>9	Fillin
IncomeCategory	DOD Income Fee Category	character	x(8)	Fillin
InstallmentBillOption	Installment Bill Option	character	x(100)	ComboBox
InUse	In Use?	logical	yes/no	CheckBox
InUseComputerName	In Use Computer Name	character	x(30)	Fillin
LanguageCode	Language Code	character	x(100)	Picklist
LastActiveDate	Last Active	date	99/99/9999	Fillin
LastBadPaymentDate	Last Bad Payment Date	date	99/99/9999	Fillin
LastName	Last Name	character	x(20)	Fillin
LastReviewDate	Last Web Review	date	99/99/9999	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAHousehold Continued...				
LastUSDAUpdateDate	Last USDA Update Date	date	99/99/9999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
OrganizationName	Organization Name	character	x(35)	Fillin
PaymentRestrictions	Payment Restrictions	character	x(15)	Picklist
PCSDate	Withdrawal Date	date	99/99/9999	Fillin
Permissions	Permissions	character	x(100)	Fillin
PIN	PIN	character	x(10)	Fillin
PrimaryAddress1	Address 1	character	x(200)	Fillin
PrimaryAddress2	Address 2	character	x(200)	Fillin
PrimaryCity	City	character	x(200)	Fillin
PrimaryCountry	Country	character	x(200)	ComboBox
PrimaryEmailAddress	Primary Email	character	x(200)	Fillin
PrimaryPhoneExtension	Phone #1 Extension	character	x(20)	Fillin
PrimaryPhoneNumber	Primary Phone	character	x(20)	Fillin
PrimaryPhoneType	Primary Phone Type	character	x(20)	ComboBox
PrimaryState	State	character	x(200)	ComboBox
PrimaryZipCode	Zip Code	character	x(200)	Fillin
RecordStatus	Status	character	X(20)	ComboBox
RequireFullPayment	Require Full Payment?	logical	Yes/No	CheckBox
RewardPoints	Reward Points	decimal	zzz,zz9.99	Fillin
ScholarshipAmount	ScholarshipAmount	decimal	zzz,zz9.99-	Fillin
ScholarshipExpireDate	ScholarshipExpireDate	date	99/99/9999	Fillin
ScholarshipUsed	ScholarshipUsed	decimal	zzz,zz9.99-	Fillin
SecondaryFirstName	SecondaryFirstName	character	x(14)	Fillin
SecondaryLastName	SecondaryLastName	character	x(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SponsorConsentDate	Sponsor Consent Date	date	99/99/9999	Fillin
Taxable	Taxable?	logical	Yes/No	CheckBox
TicklerCode	Tickler Code	character	x(5)	Picklist
TicklerText	Tickler Text	character	x(4000)	Editor
USDACategory	USDA Fee Category	character	x(8)	Fillin
USDAIncome	USDA Income	decimal	zzz,zz9.99-	Fillin
UserName	User Name	character	X(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
XCoordinates	X Coordinates	decimal	zzzzzzzz9.999999	Fillin
YCoordinates	Y Coordinates	decimal	zzzzzzzz9.999999	Fillin
Table: SAHouseholdAddress				
HouseholdNumber	HouseholdNumber	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordCode	RecordCode	character	X(10)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAInterfaceParameters				
BaseHRef	Base HRef	character	x(8)	Fillin
CustomStyleSheet	Custom Style Sheet	character	x(30)	Fillin
DefaultParameter	Is this the Default Parameter for this I	logical	Yes/No	CheckBox
DemoInterface	Demo Interface?	logical	Yes/No	CheckBox
Description	Description	character	x(200)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
ImagePath	Image Path	character	x(8)	Fillin
InterfaceDebugging	Interface Debugging	integer	z9	ComboBox
InterfaceStackTrace	Interface Stack Trace	logical	Yes/No	CheckBox
InterfaceType	Interface Type	character	x(8)	ComboBox
JavaScriptDebugging	JavaScript Debugging	integer	z9	ComboBox
JavaScriptPath	JavaScript Path	character	x(200)	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SAInterfaceParameters Continued...					
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
ProductScreenName	Product Screen Name	character	x(200)	Fillin	
RecordCode	Record Code	character	x(10)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
StylePath	Style Path	character	x(8)	Fillin	
TouchEnabled	Touch Screen Enabled?	logical	Yes/No	CheckBox	
UserName	User Name	character	x(100)	Picklist	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: SALabelTemplate					
BarCodeFont	Barcode Font	character	x(200)	ComboBox	
BarCodeSize	Barcode Size	integer	zzz9	Fillin	
BarCodeSpacing	Barcode Spacing	integer	zzz,zz9-	Fillin	
ColumnsPerPage	Columns Per Page	integer	zzz9	Fillin	
Description	Description	character	x(35)	Fillin	
HorizontalOffset	Horizontal Offset	integer	zzz9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
LabelHeight	Label Height	integer	zzz9	Fillin	
LabelRows	Rows Per Page	integer	zzz9	Fillin	
LabelTemplateID	Label Template Code	character	X(8)	Fillin	
LabelWidth	Label Width	integer	zzz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Orientation	Orientation	character	X(20)	ComboBox	
Permissions	Permissions	character	x(100)	Fillin	
Pitch	Point Size	character	x(2)	ComboBox	
Prefix	Optional Barcode Prefix	character	x(4)	Fillin	
PrintLines	Print Lines	integer	zz9	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Suffix	Optional Barcode Suffix	character	x(4)	Fillin	
VerticalOffset	Vertical Offset	integer	zzz9	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SALanguageCode					
BackgroundColor	BackgroundColor	character	x(20)	Fillin	
CodelsList	Code Is A List	logical	Yes/No	CheckBox	
FontColor	FontColor	character	x(20)	Fillin	
FontSize	FontSize	character	x(20)	Fillin	
FontWeight	FontWeight	character	x(20)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InterfaceType	Interface Type	character	X(20)	ComboBox	
LanguageCode	Language Code	character	X(8)	Picklist	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
Phrase	Phrase	character	X(1000)	Editor	
PhraseID	Phrase ID	character	X(8)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
VariableList	Variable List	character	x(100)	Fillin	
WordIndex	WordIndex	character	X(8)	Fillin	
Table: SALanguageField					
BackgroundColor	BackgroundColor	character	x(20)	Fillin	
FontWeight	FontWeight	character	x(20)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
Language	Language	character	X(8)	Fillin	
LongText	LongText	clob	x(8)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SALanguageField Continued...					
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
Phrase	Phrase	character	X(8)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TableField	TableField	character	X(8)	Fillin	
WordIndex	WordIndex	character	X(8)	Fillin	
Table: SALETTER					
Description	Description	character	x(35)	Fillin	
FontSize	Font Size	integer	zz9-	ComboBox	
ID	ID	int64	->>>>>>>>>>9	Fillin	
LeftMargin	Left Margin	integer	zz9	Fillin	
LetterBody	Letter Text	clob	x(8)	Editor	
LetterCode	Letter Code	character	X(10)	Fillin	
Logo	Logo	character	X(200)	Fillin	
LogoHeight	Logo Height	integer	zz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
RecordType	Letter Type	character	x(2)	ComboBox	
RightMargin	Right Margin	integer	zz9	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TypeDescription	TypeDescription	character	x(30)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SALetterGroup					
ActivityMatchOption	Activity Match Option	character	x	ComboBox	
CoverLetter	CoverLetter	character	x(8)	Fillin	
Description	Description	character	x(30)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InterfaceType	Interface Type	character	x(10)	ComboBox	
LetterCode	Letter Code	character	x(8)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
MultiRecordLetter	MultiRecordLetter	character	x(8)	Fillin	
OneRecordLetter	Waiver Letter	character	x(8)	Picklist	
PagingOption	Receipt Print Option	character	x(25)	ComboBox	
Permissions	Permissions	character	x(100)	ComboBox	
PrintFrequency	Print Frequency	character	X(20)	ComboBox	
PrintOptions	Print Options	character	x(100)	ComboBox	
RecordType	Type	character	x(2)	ComboBox	
SignatureOption	SignatureOption	character	x(25)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Trailer	Trailer	character	x(8)	Fillin	
WaiverFrequencyDays	Waiver Frequency Days	integer	zzz9	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SALink					
AdditionalTable	AdditionalTable	character	x(100)	Fillin	
AdditionalTableID	AdditionalTableID	int64	->>>>>>>>>>9	Fillin	
ChildTable	Child Table	character	x(100)	Fillin	
ChildTableID	ChildTableID	int64	->>>>>>>>>>9	Fillin	
ID	Link ID	int64	->>>>>>>>>>9	Fillin	
JerseyNumber	Jersey Number	integer	zzzzzzzz9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Notes	Notes	character	X(500)	Fillin	
Order	Order	integer	->, >>>, >>>9	Fillin	
ParentTable	Parent Table	character	x(100)	Fillin	
ParentTableID	Parent Table ID	int64	->>>>>>>>>>9	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SALink Continued...				
Permissions	Permissions	character	x(100)	Fillin
Primary	Primary?	logical	Yes/No	CheckBox
RecordSubType	Participant Category	character	X(35)	ComboBox
RecordType	Record Type	character	x(100)	ComboBox
Relationship	Relationship	character	X(100)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SALogFileLoc				
BrokerLogFile	BrokerLogFile	character	X(500)	Fillin
BrokerName	BrokerName	character	X(100)	Fillin
BrokerNumLogFiles	BrokerNumLogFiles	integer	zzzzz9	Fillin
BrokerSubType	BrokerSubType	character	X(100)	Fillin
BrokerType	BrokerType	character	X(100)	Fillin
ComputerName	ComputerName	character	X(20)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ServerLogFile	ServerLogFile	character	X(500)	Fillin
ServerNumLogFiles	ServerNumLogFiles	integer	zzzzz9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SkipThisLog	SkipThisLog	logical	Yes/No	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAMedicalCode				
AllergyCategory	Allergy Category	character	x(1)	ComboBox
Description	Description	character	x(35)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
RecordCode	Code	character	X(8)	Fillin
RecordType	Type	character	X(20)	ComboBox
ReviewDays	Review Days	integer	zzz,zz9-	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SNRTCondition	SNRT Condition?	logical	Yes/No	CheckBox
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAMedicalDetail				
Comments	Comment Text	character	x(400)	Editor
ID	ID	int64	->>>>>>>>>>9	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NextReviewDate	Next Review Date	date	99/99/9999	Fillin
OriginalDate	Original Date	date	99/99/9999	Fillin
Permissions	Permissions	character	x(100)	Fillin
Reaction	Reaction	character	x(400)	Editor
RecordCode	Record Code	character	X(8)	Picklist
RecordType	Record Type	character	X(20)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAMemorizer				
BrowserInfo	BrowserInfo	character	x(8)	Fillin
FrameInformation	FrameInformation	character	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin



Dictionary Listing

Field Name	Field Label	Data Type	Field Format	Field Type
------------	-------------	-----------	--------------	------------

RecTrac Database Field Details

Table: SAMemorizer Continued...

MiscInformation	MiscInformation	character	x(100)	Fillin
Options	Options	character	x(4000)	Fillin
OptionsClob	OptionsClob	clob	x(8)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SourceProgram	SourceProgram	character	X(8)	Fillin
UserName	UserName	character	x(25)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: SAMenuGroup

Description	Description	character	X(40)	Fillin
DeviceList	Device List	character	X(8)	Fillin
DisplayTitle	Display Title	character	x(35)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
ImageFile	Background Image	character	x(100)	Fillin
MenuGroup	User Group	character	X(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: SAMilitaryGrade

Abbreviation	Abbreviation	character	X(8)	Fillin
Description	Description	character	x(35)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MilitaryBranch	Military Branch	character	X(8)	ComboBox
MilitaryGrade	Military Grade	character	X(8)	ComboBox
MiscInformation	MiscInformation	character	x(100)	Fillin
Order	Order	integer	zz9	Fillin
Permissions	Permissions	character	x(100)	Fillin
Rank	Rank	character	X(8)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubTotalRankGroup	Sub Total Rank Group	character	X(8)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: SAMiscCode

Description	Description	character	X(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InfoToTrack	Info To Track	character	X(8)	ComboBox
MiscCharacter1	Misc Character 1 Description	character	x(100)	Fillin
MiscCharacter1AllowMoreThanOne	Misc Character 1 - Allow Multiple Ans	logical	Yes/No	CheckBox
MiscCharacter1ComboBoxOptions	Misc Character 1 Combo Box Answer	character	x(100)	Fillin
MiscCharacter1FieldType	Misc Character 1 Field Type	character	x(100)	ComboBox
MiscCharacter2	Misc Character 2 Description	character	x(100)	Fillin
MiscCharacter2AllowMoreThanOne	Misc Character 2 - Allow Multiple Ans	logical	Yes/No	CheckBox
MiscCharacter2ComboBoxOptions	Misc Character 2 Combo Box Answer	character	x(100)	Fillin
MiscCharacter2FieldType	Misc Character 2 Field Type	character	x(100)	ComboBox
MiscCharacter3	Misc Character 3 Description	character	x(100)	Fillin
MiscCharacter3AllowMoreThanOne	Misc Character 3 - Allow Multiple Ans	logical	Yes/No	CheckBox
MiscCharacter3ComboBoxOptions	Misc Character 3 Combo Box Answer	character	x(100)	Fillin
MiscCharacter3FieldType	Misc Character 3 Field Type	character	x(100)	ComboBox
MiscDate1	Miscellaneous Date 1 Description	character	x(100)	Fillin
MiscDate2	Miscellaneous Date 2 Description	character	x(100)	Fillin
MiscDate3	Miscellaneous Date 3 Description	character	x(100)	Fillin
MiscDecimal1	Miscellaneous Decimal 1 Description	character	x(100)	Fillin
MiscDecimal2	Miscellaneous Decimal 2 Description	character	x(100)	Fillin
MiscDecimal3	Miscellaneous Decimal 3 Description	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: SAMiscCode Continued...

MiscInformation	MiscInformation	character	x(100)	Fillin
MiscInteger1	Miscellaneous Integer 1 Description	character	x(100)	Fillin
MiscInteger2	Miscellaneous Integer 2 Description	character	x(100)	Fillin
MiscInteger3	Miscellaneous Integer 3 Description	character	x(100)	Fillin
MiscLogical1	Miscellaneous Logical 1 Description	character	x(100)	Fillin
MiscLogical2	Miscellaneous Logical 2 Description	character	x(100)	Fillin
MiscLogical3	Miscellaneous Logical 3 Description	character	x(100)	Fillin
Permissions	Permissions	character	x(80)	ComboBox
RecordCode	Record Code	character	X(12)	Fillin
RecordType	Record Type	character	X(8)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubType	Subtype	character	X(8)	Fillin
TrackOptions	Track Options	character	X(8)	ComboBox
WordIndex	WordIndex	character	x(80)	Fillin

Table: SAMiscData

ActionReason	Action Reason	character	x(100)	ComboBox
Address1	Address 1	character	x(100)	Fillin
Address2	Address 2	character	x(100)	Fillin
Appointment	Appointment	character	x(100)	ComboBox
ApprovalDate	Approval Date	date	99/99/9999	Fillin
ApprovalUserName	Approval User Name	character	x(100)	Picklist
BackgroundCheckStatus	Background Check Status	character	x(100)	ComboBox
BeginDate	Begin Date	date	99/99/9999	Fillin
BeginTime	Begin Time	integer	999999	Fillin
BriefDecription	BriefDecription	character	x(200)	Fillin
CertificationDate	Certification Date	date	99/99/9999	Fillin
City	City	character	x(100)	Fillin
ClockHours	Clock Hours	decimal	->>, >>9.99999	Fillin
Comments	Comments	character	x(4000)	Editor
CompletedByUserName	Completed By User Name	character	x(100)	Picklist
CompletedDate	Completed Date	date	99/99/9999	Fillin
CreditHours	Credit Hours	decimal	->>, >>9.99999	Fillin
CYProviderRecordCode	Provider Record Code	character	x(100)	Picklist
CYStaffRecordCode	Staff Record Code	character	x(100)	Picklist
DaysOfTheWeek	Days Of The Week	character	x(100)	ComboBox
DecimalScore	Score	decimal	->>, >>9.99999	Fillin
Decription	Decription	character	x(200)	Fillin
Details	Details	character	x(4000)	Editor
DistemperDueDate	Distemper Due Date	date	99/99/9999	Fillin
DocumentLink	Document Link	character	x(500)	Fillin
DueDate	Due Date	date	99/99/9999	Fillin
EffectiveDate	Effective Date	date	99/99/9999	Fillin
EndorsementDate	Endorsement Date	date	99/99/9999	Fillin
EndTime	End Time	integer	999999	Fillin
FacilityLocation	Facility Location	character	x(100)	Picklist
FirstName	First Name	character	x(100)	Fillin
FullTimeEquivalent	Full Time Equivalent	decimal	->>, >>9.99	Fillin
FundingSource	Funding Source	character	x(100)	ComboBox
HireDate	Hire Date	date	99/99/9999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
ImmunizationDueDate	Immunization Due Date	date	99/99/9999	Fillin
InactiveDate	Inactive Date	date	99/99/9999	Fillin
InitialDate	Initial Date	date	99/99/9999	Fillin
IntegerScore	Score	integer	zzzzz9	Fillin
JobClassification	Job Classification	character	x(100)	ComboBox
JobSeries	Job Series	character	x(100)	ComboBox
JobStatus	Job Status	character	x(100)	ComboBox



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAMiscData Continued...				
LastChangeDate	Last Change Date	date	99/99/9999	Fillin
LastEvaluationDate	Last Evaluation Date	date	99/99/9999	Fillin
LastName	Last Name	character	x(100)	Fillin
Lastupdate	Last Update	date	99/99/9999	Fillin
LinkID	Link ID	int64	->>>>>>>>>9	Fillin
LinkParentTable	Link Parent Table	character	x(100)	Fillin
LogDate	Log Date	date	99/99/9999	Fillin
LOSSReason	LOSS Reason	character	x(100)	ComboBox
MilitaryBase	Military Base/Employer	character	x(100)	Fillin
MiscCharacter1	Miscellaneous Character 1	character	x(100)	Fillin
MiscCharacter2	Miscellaneous Character 2	character	x(100)	Fillin
MiscCharacter3	Miscellaneous Character 3	character	x(100)	Fillin
MiscDate1	Miscellaneous Date 1	date	99/99/9999	Fillin
MiscDate2	Miscellaneous Date 2	date	99/99/9999	Fillin
MiscDate3	Miscellaneous Date 3	date	99/99/9999	Fillin
MiscDecimal1	Miscellaneous Decimal 1	decimal	->>, >>9.99999	Fillin
MiscDecimal2	Miscellaneous Decimal 2	decimal	->>, >>9.99999	Fillin
MiscDecimal3	Miscellaneous Decimal 3	decimal	->>, >>9.99999	Fillin
MiscInformation	Misc Information	character	x(100)	Fillin
MiscInteger1	Miscellaneous Integer 1	integer	zzzzz9	Fillin
MiscInteger2	Miscellaneous Integer 2	integer	zzzzz9	Fillin
MiscInteger3	Miscellaneous Integer 3	integer	zzzzz9	Fillin
MiscLogical1	Miscellaneous Logical 1	logical	Yes/No	CheckBox
MiscLogical2	Miscellaneous Logical 2	logical	Yes/No	CheckBox
MiscLogical3	Miscellaneous Logical 3	logical	Yes/No	CheckBox
NumberOfChildren	Number Of Children	decimal	->>, >>9.99	Fillin
OperatingUnderLOSS	Operating Under LOSS?	logical	Yes/No	CheckBox
OriginalDate	Original Date	date	99/99/9999	Fillin
OriginalTime	Original Time	integer	999999	Fillin
OriginalUserName	Original User Name	character	x(10)	Picklist
PaidJobTitle	Paid Job Code	character	x(100)	ComboBox
ParentID	Parent ID	int64	->>>>>>>>>9	Fillin
ParentTable	Parent Table	character	X(20)	Fillin
PayAssignment	Pay Assignment	character	x(100)	ComboBox
PayLane	Pay Lane	character	x(100)	ComboBox
PayPlanGrade	Pay Plan Grade	character	x(100)	ComboBox
Permissions	Permissions	character	x(100)	ComboBox
PhoneNumber1	Phone Number 1	character	x(100)	Fillin
PhoneNumber2	Phone Number 2	character	x(100)	Fillin
PhotoFile	Photo File	character	x(4000)	Fillin
RecognitionDate	Recognition Date	date	99/99/9999	Fillin
RecordCode	Record Code	character	X(12)	ComboBox
RecordStatus	Record Status	character	x(100)	ComboBox
RecordType	Record Type	character	X(8)	ComboBox
SAPersonLinkID	Family Member	int64	->, >>>, >>9	ComboBox
SASTaffRecordCode	RecTrac Staff Record Code	character	x(100)	Picklist
SiteArea	SiteArea	character	x(100)	ComboBox
SiteCategory	SiteCategory	character	x(100)	ComboBox
SiteCode	SiteCode	character	x(100)	ComboBox
State	State	character	x(100)	ComboBox
SubsidyAmount	Subsidy Amount	decimal	->>, >>9.99	Fillin
SubType	Sub Type	character	X(8)	Fillin
ThroughDate	Through Date	date	99/99/9999	Fillin
VetApprovalDate	Vet Approval Date	date	99/99/9999	Fillin
VisitDate	Visit Date	date	99/99/9999	Fillin
WordIndex	Show Missing Dates	character	x(80)	ComboBox
ZipCode	Zip Code	character	x(100)	Fillin
Table: SAMiscIncome				
AccrualAmount	AccrualAmount	decimal	zzz,zz9.99-	Fillin
Amount	Amount	decimal	zzz,zz9.99	Fillin
BudgetID	BudgetID	int64	->>>>>>>>>9	Fillin
CashDrawer	Cash Drawer	integer	zzz9	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type
Table: SAMisIncome Continued...				
CostCenter	Cost Center	character	x(6)	Picklist
DebitOrCredit	Posting Type	character	X(20)	ComboBox
Description	Notes	character	x(200)	Editor
GLCode	GL Code	integer	zzzzzz	Picklist
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(2)	Fillin
ModuleLink	ModuleLink	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
PayCode	Pay Code	character	x(100)	Picklist
Permissions	Permissions	character	x(100)	Fillin
PostingDate	Post Date	date	99/99/9999	Fillin
PrintDescription	Description	character	x(30)	Fillin
ReceiptList	Receipt List	character	X(100)	Fillin
Season	Season	character	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserName	User Name	character	x(10)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin
Year	Year	integer	zzz9	Fillin
Table: SAModule				
Description	Description	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordCode	Module	character	x(50)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TaxOption	Tax Option	character	x(100)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin
Table: SANotifications				
DoNotShow	DoNotShow	logical	Yes/No	Fillin
HideTimeout	HideTimeout	integer	->, >>>, >>9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MessageDate	MessageDate	date	99/99/9999	Fillin
MessageStatus	MessageStatus	character	x(20)	Fillin
MessageText	MessageText	character	x(500)	Fillin
MessageTime	MessageTime	integer	zzzzz9	Fillin
MessageTitle	MessageTitle	character	x(500)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(20)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Printer	Printer	character	x(100)	Fillin
ProcessOption	ProcessOption	character	x(30)	Fillin
SessionID	SessionID	character	x(500)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserName	UserName	character	x(20)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAPackage				
AllowPartialItemSelection	Allow Partial Item Selection for this P	logical	Yes/No	CheckBox
Description	Description	character	x(35)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PackageCode	Group Code	character	X(8)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAPackage Continued...				
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAPackageLink				
FMTTable	Module	character	x(100)	ComboBox
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
OverridePrice	Override Price Amount	decimal	->>, >>9.99	Fillin
PackageCode	Linked Item Code	character	x(100)	Fillin
PackageID	Parent ID	int64	->>>>>>>>>>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
PriceOverride	Price Override?	character	x(100)	ComboBox
Quantity	Quantity	integer	zz9-	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WildCard	Wild Card	character	x(10)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAPaymentHistory				
Amount	Amount	decimal	->>>, >>>, >>>9.99	Fillin
DrawerNumber	DrawerNumber	integer	>>>>>>>9	Fillin
ExpirationDate	ExpirationDate	date	99/99/9999	Fillin
FileLinkID	FileLinkID	int64	->>>>>>>>>>9	Fillin
HouseholdNumber	HouseholdNumber	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LogDate	LogDate	date	99/99/9999	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(100)	Fillin
Notes	Notes	character	x(1000)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReceiptNumber	ReceiptNumber	integer	>>>>>>>9	Fillin
RecordCode	RecordCode	character	x(10)	Fillin
RecordType	RecordType	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserName	UserName	character	x(20)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAPaymentType				
AllowChangeBack	Allow Change Back?	logical	Yes/No	CheckBox
AllowOverPayment	AllowOverPayment	logical	Yes/No	Fillin
CashOverOffsetCostCenter	Cash Over Offset Cost Center	character	x(6)	Picklist
CashOverOffsetGLCode	Cash Over Offset GL Code	integer	zzzzzz	Picklist
CashOverRevenueCostCenter	Cash Over Revenue Cost Center	character	x(6)	Picklist
CashOverRevenueGLCode	Cash Over Revenue GL Code	integer	zzzzzz	Picklist
CashShortExpenseCostCenter	Cash Short Expense Cost Center	character	x(6)	Picklist
CashShortExpenseGLCode	Cash Short Expense GL Code	integer	zzzzzz	Picklist
CashShortOffsetCostCenter	Cash Short Offset Cost Center	character	x(6)	Picklist
CashShortOffsetGLCode	Cash Short Offset GL Code	integer	zzzzzz	Picklist
CoinList	Coin List	character	x(500)	Fillin
CommentCode	Receipt Comment Code	character	x(5)	Picklist
CostCenter	Normal Offset Cost Center	character	x(6)	Picklist
CurrencyList	Currency List	character	x(500)	Fillin
Description	Long Description	character	x(35)	Fillin
EndorsementTextLine1	Endorsement Text Line 1	character	x(40)	Fillin



Dictionary Listing

Field Name	Field Label	Data Type	Field Format	Field Type
------------	-------------	-----------	--------------	------------

RecTrac Database Field Details

Table: SAPaymentType Continued...

EndorsementTextLine2	Endorsement Text Line 2	character	x(40)	Fillin
EndorsementTextLine3	Endorsement Text Line 3	character	x(40)	Fillin
EndorsementTextLine4	Endorsement Text Line 4	character	x(40)	Fillin
EndorsementTextLine5	Endorsement Text Line 5	character	x(40)	Fillin
ExchangeRate	Exchange Rate	decimal	zzz,zz9.99999-	Fillin
ForeignCurrencyOverCostCenter	Foreign Currency Over Cost Center	character	x(6)	Picklist
ForeignCurrencyOverGLCode	Foreign Currency Over GL Code	integer	zzzzz9	Picklist
GLCode	Normal Offset GL Code	integer	zzzzzz	Picklist
ID	ID	int64	->>>>>>>>>>9	Fillin
InterfacePostOption	Interface Post Option	character	X(20)	ComboBox
MaxPaymentAmount	Max Payment Amount	decimal	zzz,zz9.99-	Fillin
MinDenomination	Minimum Denomination	decimal	zzz,zz9.99-	Fillin
MinPaymentAmount	Min Payment Amount	decimal	->>, >>9.99	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PayCode	Pay Code	character	x(100)	Fillin
PaymentReference1	Payment Reference 1	character	x(40)	Fillin
PaymentReference2	Payment Reference 2	character	x(40)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PopCashDrawer	Drawer To Open	integer	z	ComboBox
PrefixValidation	Prefix Validation (ie: Visa = '4' M/C = ')	character	X(8)	Fillin
ReceiptCopies	Receipt Copies	integer	zz9	ComboBox
RecordStatus	Status	character	X(20)	ComboBox
RecordType	Payment Type	character	x(20)	ComboBox
RequireHouseholdLinkAmount	Require Household Link Amount	decimal	zzz,zz9.99-	Fillin
RequireReference	Require Payment Reference?	logical	Yes/No	CheckBox
RequireRefundReference	Require Refund Reference?	logical	Yes/No	CheckBox
ScreenDescription	Screen Description	character	x(12)	Fillin
ServicelItemList	Valid Gift Certificate Service Items	character	x(300)	Picklist
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpecificBalanceSheetEntries	Make Balance Sheet Entries Cost Ce	logical	Yes/No	CheckBox
TotalsList	Totals List	character	x(500)	Fillin
VSIReserved	VSIReserved	logical	Yes/No	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: SAPermissionCode

Description	Description	character	x(50)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordCode	Record Code (Spaces Not Allowed)	character	x(50)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin

Table: SAPermissionData

AccessRights	Access Rights	character	x(200)	ComboBox
DataAccessCodes	Permissions Codes	character	x(50)	ComboBox
FunctionType	Function Type	character	x(50)	ComboBox
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordType	Data Table	character	x(50)	Fillin
SAProfileLinkID	SAProfileLinkID	int64	->>>>>>>>>>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin

Table: SAPermissionParams

Description	Description	character	x(100)	Fillin
-------------	-------------	-----------	--------	--------



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAPermissionParams Continued...				
FieldName	FieldName	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Override	Override	character	x(100)	Fillin
ParamName	ParamName	character	x(100)	Fillin
ParamValue	ParamValue	character	x(100)	Fillin
PermissionLinkID	PermissionLinkID	int64	zzzzzzzz9	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAPerson				
AllowCreditBook	Allow Credit Book?	logical	Yes/No	CheckBox
AltSponsorFamilyMemberLinkID	Alternate Sponsor Family Member Lin	int64	->>>>>>>>>>9	Fillin
AltSponsorHouseholdNumber	Alternate Sponsor Household Numbe	integer	zzzzzzzz9	Fillin
BackgroundCheckCompleted	Background Check Completed?	logical	Yes/No	CheckBox
BackgroundCheckStatus	Background Check Status	character	X(5)	ComboBox
BackgroundExpirationDate	Background Expiration Date	date	99/99/9999	Fillin
BackgroundProcessDate	Background Process Date	date	99/99/9999	Fillin
BirthCity	Birth City	character	x(100)	Fillin
BirthCountry	Birth Country	character	x(100)	ComboBox
Birthday	Birthday	date	99/99/9999	Fillin
BirthState	Birth State	character	x(100)	ComboBox
Category	Category	character	x(100)	ComboBox
Comments	Comment Text	character	x(4000)	Editor
CreditBookAmount	Credit Book Amount	decimal	zzz,zz9.99-	Fillin
Employer	Employer	character	x(100)	Fillin
Ethnicity	Ethnicity	character	x(8)	Picklist
ExceptionalFamilyMemberProgram	Exceptional Family Member Program	logical	Yes/No	CheckBox
Features	Features	character	x(1000)	ComboBox
FeeCode	Fee Code	character	X(100)	ComboBox
FirstName	First Name	character	x(15)	Fillin
Gender	Gender	character	X(20)	ComboBox
GolfHandicap	Golf Handicap	decimal	z9.9-	Fillin
GolfHandicapCalcDate	Golf Handicap Calc Date	date	99/99/9999	Fillin
GolfHandicapPIN	Golf Handicap PIN	character	x(100)	Fillin
GolfHandicapTrend	Golf Handicap Trend	decimal	z9.9-	Fillin
GolfHomeCourse	Golf Home Course	integer	zz9	Picklist
GolfHomeCourseHandicap	Golf Home Course Handicap	decimal	z9.9-	Fillin
HealthAssessmentDate	Health Assessment Date	date	99/99/9999	Fillin
ID	ID #	int64	->>>>>>>>>>9	Fillin
IDPrinted	ID Printed?	logical	yes/no	CheckBox
LastName	Last Name	character	x(20)	Fillin
LastPhysical	Last Physical	date	99/99/9999	Fillin
LastProfileDate	Last Profile Date	date	99/99/9999	Fillin
LastWaiverDate	Last Waiver Date	date	99/99/9999	Fillin
LostCardCount	Lost Card Count	integer	zz9-	Fillin
MemberHasSpecialNeeds	Member Has Special Needs?	logical	Yes/No	CheckBox
MiddleInitial	Middle Initial	character	x(1)	Fillin
MilitaryBranch	Military Branch	character	x(100)	ComboBox
MilitaryGrade	Military Grade	character	x(100)	ComboBox
MilitaryRank	Military Rank	character	x(100)	ComboBox
MilitaryStatus	Military Status	character	x(100)	ComboBox
MiscInformation	MiscInformation	character	x(100)	Fillin
NameTitle	Name Title	character	x(20)	Fillin
NewRecord	New Record?	logical	Yes/No	CheckBox
NickName	Nick Name	character	x(12)	Fillin
OrganizationName	Organization Name	character	x(35)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PhotoIDNumber	Photo ID Number	integer	zzzzzzzz9	Fillin
PrimaryAddress1	Address 1	character	x(200)	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type

Table: SAPerson Continued...

PrimaryAddress2	Address 2	character	x(200)	Fillin
PrimaryCity	City	character	x(200)	Fillin
PrimaryCountry	Primary Country	character	x(200)	ComboBox
PrimaryEmailAddress	Primary Email	character	x(200)	Fillin
PrimaryPhoneExtension	Phone #1 Extension	character	x(20)	Fillin
PrimaryPhoneNumber	Primary Phone	character	x(20)	Fillin
PrimaryPhoneType	Primary Phone Type	character	x(20)	ComboBox
PrimaryState	State	character	x(200)	ComboBox
PrimaryZipCode	Zip Code	character	x(200)	Fillin
ProgramAgreementDate	Program Agreement Date	date	99/99/9999	Fillin
QuickRentalSuspension	Quick Rental Suspension?	logical	Yes/No	CheckBox
RecordStatus	Status	character	X(20)	ComboBox
RoundsPlayed	Rounds Played	integer	zzzz9	Fillin
ScholarshipAmount	Scholarship Amount	decimal	zzz,zz9.99	Fillin
ScholarshipExpirationDate	Scholarship Expiration Date	date	99/99/9999	Fillin
School	School	character	x(100)	Fillin
SchoolGrade	School Grade	decimal	z9.99	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SNRTInitialDate	SNRT Initial Date	date	99/99/9999	Fillin
SNRTLstDate	SNRT Last Date	date	99/99/9999	Fillin
SocialSecurityNumber	Social Security Number	character	xxx-xx-xxxx	Fillin
SpecialNeedsComments	Special Needs Comments	character	x(400)	Editor
TaxID	Tax ID	character	x(11)	Fillin
TeeTimeBookings	Tee Time Bookings	integer	zzz9	Fillin
TeeTimeCancellations	Tee Time Cancellations	integer	zzz9-	Fillin
TeeTimeNoShows	Tee Time No Shows	integer	zzz9-	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: SAPhone

CallerID	Caller ID?	logical	Yes/No	CheckBox
Extension	Extension	character	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	LinkID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PhoneNumber	Phone Number	character	x(15)	Fillin
PhoneType	Phone Type	character	x(8)	ComboBox
PrimaryPhoneNumber	Primary Phone Number?	logical	Yes/No	CheckBox
Provider	Provider	character	x(100)	ComboBox
SAPersonLinkID	SAPersonLinkID	int64	->>>>>>>>>>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubType	Subtype	character	x(25)	ComboBox
WordIndex	WordIndex	character	x(100)	Fillin

Table: SAProfile

Description	Profile Description	character	X(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ProfileDetails	ProfileDetails	clob	x(8)	Fillin
RecordCode	Profile Code	character	X(100)	Fillin
RecordStatus	Status	character	X(35)	ComboBox
RecordSubType	Profile Subtype	character	X(35)	ComboBox
RecordType	Profile Type	character	X(35)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TreeDisplay	TreeDisplay	logical	Yes/No	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAPProfile Continued...				
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAQuestionRefusal				
ID	ID	int64	->>>>>>>>>>9	Fillin
LinkAnswerNumber	LinkAnswerNumber	integer	->, >>>, >>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
QuestionGroup	QuestionGroup	character	X(8)	Fillin
RefusalDate	RefusalDate	date	99/99/9999	Fillin
RefusalTime	RefusalTime	integer	->, >>>, >>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAQuestionText				
AnswersFromHistory	Include in Answers From History	logical	Yes/No	CheckBox
AssignExpirationDate	Assign Expiration Date?	logical	yes/no	CheckBox
AutoAnswerQuestion	Auto Answer Question	character	x(100)	ComboBox
Category	Category	character	x(200)	Fillin
CloneID	Clone ID	int64	->>>>>>>>>>9	Fillin
CriteriaDescription	Criteria Description	character	x(100)	Fillin
Data Type	Data Type	character	X	ComboBox
DoNotPrintOnReceipt	Do Not Print On Receipt?	logical	Yes/No	CheckBox
FeeType	Fee Type	character	X(5)	Fillin
FieldRequired	Answer Required?	logical	yes/no	CheckBox
FieldSize	Size of Field	integer	>>>>>>>9	Fillin
FieldType	Field Type	character	x(100)	ComboBox
FieldValue	Default Value	character	X(30)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InterfaceType	Interface Type	character	X(20)	ComboBox
JumpToMenu	Jump To Menu	character	X(8)	Fillin
LinkCode	Link Feature To Household/Family M	logical	Yes/No	CheckBox
MaximumAnswer	Maximum Answer	decimal	->>, >>9.99	Fillin
MaxLength	Max Length	integer	>>>>>>>9	Fillin
MinimumAnswer	Minimum Answer	decimal	->>, >>9.99	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(200)	Fillin
Multiple	Allow More Than One Answer?	logical	Yes/No	CheckBox
OptionDelimiter	Option Delimiter	character	x(10)	ComboBox
OptionList	Option List	character	x(500)	Editor
OrderNumber	Order Number	integer	>>>>>>>9	Fillin
OriginalParentTable	OriginalParentTable	character	x(100)	Fillin
ParentAnswer	ParentAnswer	character	x(400)	Fillin
ParentCode	ParentCode	character	x(100)	Fillin
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin
ParentTable	Parent Table	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PickListTable	Picklist Table	character	x(200)	ComboBox
QuestionText	Question Text	character	X(50)	Fillin
QuestionType	Question Type	character	x(100)	ComboBox
RecordStatus	Status	character	x(100)	ComboBox
RequiredMatchingAnswer	Required Matching Answer	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpecialAnswerFilters	Special Filters	character	x(200)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAReassign				
ChildCode	ChildCode	character	x(100)	Fillin
ChildID	ChildID	int64	->>>>>>>>>>9	Fillin
ChildTable	ChildTable	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SAReassign Continued...					
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
ParentCode	ParentCode	character	x(100)	Fillin	
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin	
ParentTable	ParentTable	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
RAWInformation	RAWInformation	raw	X(8)	Fillin	
RecordStatus	RecordStatus	character	X(100)	Fillin	
RecordType	RecordType	character	X(20)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SARecConnectHistory					
Description	Description	character	x(50)	Fillin	
EmailAddress	Email Address	character	x(100)	Fillin	
HistoryCategory	Category	character	x(100)	Fillin	
HouseholdNumber	Household #	integer	zzzzzzzz9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
LogDate	Log Date	date	99/99/9999	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PostingTime	Time	integer	zzzz9	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
SourceProgram	Source Program	character	x(15)	Fillin	
UserName	User Name	character	x(10)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SARECEIPT					
BatchNumber	BatchNumber	integer	->, >>>, >>9	Fillin	
Description	Description	character	x(40)	Fillin	
DrawerNumber	Drawer Number	integer	zzz9	Fillin	
FeeAmount	Fee Amount	decimal	zzz,zzz,zz9.99-	Fillin	
FeePaid	Fee Paid	decimal	zzz,zzz,zz9.99-	Fillin	
HouseholdNumber	Household Number	integer	zzzzzzzz9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InterfaceType	InterfaceType	character	x(8)	Fillin	
MiscInformation	Batch Number	character	x(100)	Fillin	
Module	Module	character	x(2)	Fillin	
PaymentDate	PaymentDate	date	99/99/9999	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PostingDate	Date	date	99/99/9999	Fillin	
PostingTime	Time	integer	zzzz9	Fillin	
PreviousReceiptNumber	Legacy Receipt Number	integer	zzzzzzzz9	Fillin	
ReceiptDocuments	ReceiptDocuments	character	x(100)	Fillin	
ReceiptNumber	Receipt Number	integer	zzzzzzzz9	Fillin	
RecordStatus	Record Status	character	X(35)	ComboBox	
SiteArea	Site Area	character	x(100)	Fillin	
SiteCategory	Site Category	character	x(100)	Fillin	
SiteCode	Site Code	character	x(100)	Fillin	
UserName	User Name	character	x(10)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: SAReceiptPayment					
AddCreditCategory	AddCreditCategory	character	x(100)	Fillin	
AddCreditFileLinkCode	AddCreditFileLinkCode	character	x(100)	Fillin	
AddCreditSubType	AddCreditSubType	character	x(100)	Fillin	
AddCreditType	AddCreditType	character	x(100)	Fillin	
AlternateAddress	AlternateAddress	character	x(100)	Fillin	
Amount	Amount	decimal	z,zzz,zz9.99-	Fillin	



Dictionary Listing

Field Name	Field Label	Data Type	Field Format	Field Type
------------	-------------	-----------	--------------	------------

RecTrac Database Field Details

Table: SAReceiptPayment Continued...

CashDrawer	SAReceiptPayment_CashDrawer	integer	zzz9	Fillin
CCHistoryLinkID	CCHistoryLinkID	int64	->, >>>, >>9	Fillin
ExchangeAmount	ExchangeAmount	decimal	z, zzz, zz9.99-	Fillin
ExchangeTaxAmount	ExchangeTaxAmount	decimal	z, zzz, zz9.99-	Fillin
ForeignCurrencyAmount	ForeignCurrencyAmount	decimal	->>, >>9.99	Fillin
ForeignCurrencyRate	ForeignCurrencyRate	decimal	->>, >>9.99999	Fillin
GiftCertificateNumber	GiftCertificateNumber	int64	->>>>>>>>>>9	Fillin
IBPrePayLinkNumber	IBPrePayLinkNumber	integer	->, >>>, >>9	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
IVGIDPunchCardID	IVGIDPunchCardID	character	x(100)	Fillin
MiscInfo	MiscInfo	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(3)	Fillin
NewGiftCertificate	NewGiftCertificate	character	x(100)	Fillin
OriginalControlAccountID	OriginalControlAccountID	int64	->, >>>, >>9	Fillin
ParentID	ParentID	int64	->>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
PassNumber	PassNumber	integer	zzzzzzzz9	Fillin
Paycode	PayCode	character	x(100)	Fillin
PaymentHousehold	PaymentHousehold	integer	zzzzzzzz9	Fillin
PaymentLinkID	PaymentLinkID	int64	->>>>>>>>>9	Fillin
PaymentLinkTable	PaymentLinkTable	character	x(20)	Fillin
PaymentMemberID	PaymentMemberID	int64	->>>>>>>>>9	Fillin
PaymentType	PaymentType	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PostingDate	Date	date	99/99/9999	Fillin
PostingTime	PostingTime	integer	zzzzzzzz9	Fillin
PunchesToUse	PunchesToUse	decimal	->>>, >>9.99	Fillin
ReceiptNumber	ReceiptNumber	integer	zzzzzzzz9	Fillin
RecordStatus	Record Status	character	x(10)	Fillin
RecordType	RecordType	character	x(100)	Fillin
ScholarshipCode	ScholarshipCode	character	x(20)	Fillin
SiblingID	SiblingID	int64	->>>>>>>>>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SpecialLinkID	SpecialLinkID	int64	->>>>>>>>>9	Fillin
SpecialLinkTable	SpecialLinkTable	character	x(20)	Fillin
TaxAmount	TaxAmount	decimal	->>, >>9.99999	Fillin
TransactionReference1	TransactionReference1	character	x(35)	Fillin
TransactionReference2	TransactionReference2	character	x(35)	Fillin
UniversityChargeCardID	UniversityChargeCardID	character	x(100)	Fillin
UserName	UserName	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin

Table: SAReceiptShippingInfo

BillingAddress1	BillingAddress1	character	x(200)	Fillin
BillingAddress2	BillingAddress2	character	x(200)	Fillin
BillingCity	BillingCity	character	x(100)	Fillin
BillingCountry	BillingCountry	character	x(200)	Fillin
BillingEmailAddress	BillingEmailAddress	character	x(400)	Fillin
BillingFullName	BillingFullName	character	x(200)	Fillin
BillingHomePhone	BillingHomePhone	character	x(200)	Fillin
BillingState	BillingState	character	x(20)	Fillin
BillingZipCode	BillingZipCode	character	x(100)	Fillin
EstimatedShipDate	EstimatedShipDate	date	99/99/9999	Fillin
ID	ID	int64	->>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	x(1000)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ProcessedDate	ProcessedDate	date	99/99/9999	Fillin
ProcessedTime	ProcessedTime	integer	zzzzzzzz9	Fillin
ProcessedUser	ProcessedUser	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SAReceiptShippingInfo Continued...					
ReceiptNumber	ReceiptNumber	integer	zzzzzzzz9	Fillin	
RecordStatus	RecordStatus	character	x(100)	Fillin	
SADetailList	SADetailList	character	x(100)	Fillin	
ShippedDate	ShippedDate	date	99/99/9999	Fillin	
ShippedTime	ShippedTime	integer	zzzzzzzz9	Fillin	
ShippedUser	ShippedUser	character	x(100)	Fillin	
ShippingAddress1	ShippingAddress1	character	x(200)	Fillin	
ShippingAddress2	ShippingAddress2	character	x(200)	Fillin	
ShippingCity	ShippingCity	character	x(100)	Fillin	
ShippingCountry	ShippingCountry	character	x(200)	Fillin	
ShippingEmailAddress	ShippingEmailAddress	character	x(400)	Fillin	
ShippingFullName	ShippingFullName	character	x(200)	Fillin	
ShippingHomePhone	ShippingHomePhone	character	x(200)	Fillin	
ShippingMethod	ShippingMethod	character	x(200)	Fillin	
ShippingState	ShippingState	character	x(20)	Fillin	
ShippingZipCode	ShippingZipCode	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TrackingNumber	TrackingNumber	character	x(200)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: SARecordCleanup					
CleanupDetails	CleanupDetails	character	x(100)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
RecordStatus	RecordStatus	character	X(100)	Fillin	
RecordType	RecordType	character	X(20)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SARecordStorage					
CustomMethod	Custom Method	character	x(100)	Fillin	
CustomOption	Custom Option	character	x(100)	Fillin	
FieldName	Field Name	character	x(100)	Fillin	
FieldNumber	Field Number	integer	>>>>>>>9	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
Length	Length	integer	>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
RecordCode	Record Code	character	x(100)	Fillin	
RecordStatus	Status	character	x(100)	ComboBox	
RecordType	Record Type	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
StartPosition	Start Position	integer	>>>>>>>9	Fillin	
TableName	Table Name	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	
Table: SAREFUND					
AddressOption	AddressOption	character	X(20)	ComboBox	
AlternateAddress1	AlternateAddress1	character	x(100)	Fillin	
AlternateAddress2	AlternateAddress2	character	x(100)	Fillin	
AlternateCity	AlternateCity	character	x(100)	Fillin	
AlternateName	AlternateName	character	x(100)	Fillin	
AlternateState	AlternateState	character	x(100)	Picklist	
AlternateZipcode	AlternateZipCode	character	x(100)	Fillin	
Amount	Amount	decimal	zzz,zz9.99-	Fillin	
CancelDate	CancelDate	date	99/99/9999	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: SAREFUND Continued...

CancellationReason	CancellationReason	character	x(5)	Fillin
CancellationTime	CancellationTime	integer	999999	Fillin
CheckNumber	CheckNumber	integer	zzzzz9	Fillin
CheckPrinted	CheckPrinted	logical	Yes/No	Fillin
DepositPaid	DepositPaid	decimal	zzz,zz9.99-	Fillin
DepositRefund	DepositRefund	decimal	zzz,zz9.99-	Fillin
DetailID	DetailID	int64	->>>>>>>>>>9	Fillin
DiscountAmount	DiscountAmount	decimal	->>>, >>9.99	Fillin
FeeAmount	Fee Amount	decimal	->>>, >>9.99	Fillin
HouseholdNumber	Household Number	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LastAccrualDate	LastAccrualDate	date	99/99/9999	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(2)	ComboBox
ModuleLink	Module Link	character	x(100)	Fillin
Notes	Notes	character	x(1000)	Fillin
OriginalDate	OriginalDate	date	99/99/9999	Fillin
OriginalPayCodes	OriginalPayCodes	character	x(100)	Fillin
OriginalReceiptNumbers	OriginalReceiptNumbers	character	x(100)	Fillin
PayCode	PayCode	character	x(100)	Picklist
PaymentID	PaymentID	int64	->, >>>, >>9	Fillin
Permissions	Permissions	character	x(100)	Fillin
PrintDate	PrintDate	date	99/99/9999	Fillin
ReceiptNumber	Receipt Number	integer	zzzzzzzz9	Fillin
RecordType	RecordType	character	X(20)	ComboBox
RefundType	Refund Type	character	X(20)	ComboBox
Season	Season	character	x(8)	Fillin
SiblingID	SiblingID	int64	->, >>>, >>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TaxAmount	TaxAmount	decimal	->>, >>9.99999	Fillin
TaxPaid	TaxPaid	decimal	>, >>9.99	Fillin
UserName	User Name	character	x(10)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin
Year	Year	integer	zzz9	Fillin

Table: SAReportHeader

BaseTable	Base Table	character	x(50)	ComboBox
CustomerID	CustomerID	character	x(100)	Fillin
Description	Description	character	x(100)	Fillin
FormatOptions	FormatOptions	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LongDescription	Report Output Help	character	x(500)	Editor
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(30)	ComboBox
OutputGroup	Output Group	character	x(100)	Picklist
Permissions	Permissions	character	x(100)	ComboBox
PrintLayout	PDF Print Layout	character	x(20)	ComboBox
RecordStatus	RecordStatus	character	x(100)	Fillin
ReportOptionHeight	ReportOptionHeight	decimal	->>, >>9.99	Fillin
ReportOptionWidth	ReportOptionWidth	decimal	->>, >>9.99	Fillin
RunFromScreen	RunFromScreen	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SkipJoinPermissions	Skip Join Permissions	character	x(100)	CheckBox
WordIndex	WordIndex	character	x(100)	Fillin

Table: SAReportOutput

Calculated	Calculated	logical	Yes/No	Fillin
FieldName	FieldName	character	x(30)	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	

Table: SAReportOutput Continued...

FieldTable	FieldTable	character	x(30)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
LinkID	LinkID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
OutputType	OutputType	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PrintOrder	PrintOrder	integer	>>>, >>>, >>9	Fillin	
RecordType	RecordType	character	x(30)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
SortOrder	SortOrder	integer	>>>, >>>, >>9	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	

Table: SAReportTemplate

Code	Template Code	character	x(15)	Fillin	
Description	Description	character	x(35)	Fillin	
FixedReport	FixedReport	logical	Yes/No	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	Additional Info	character	x(100)	Fillin	
Notes	Notes	character	X(4000)	Editor	
Permissions	Permissions	character	x(8)	ComboBox	
ReportHeaderID	ReportHeaderID	int64	->, >>>, >>9	Fillin	
ReportLink	Report Screen ID	character	x(25)	Fillin	
ReportTitle	ReportTitle	character	x(50)	Fillin	
ResultSetTemplate	ResultSetTemplate	logical	yes/no	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
UserName	Created By User	character	x(8)	Picklist	
WordIndex	WordIndex	character	x(80)	Fillin	

Table: SARule

CloneID	CloneID	int64	->>>>>>>>>>9	Fillin	
CriteriaDescription	Criteria Description	character	x(100)	Fillin	
Description	Rule Description	character	x(100)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
OriginalParentTable	OriginalParentTable	character	x(100)	Fillin	
Override	Rule Override Option	character	x(100)	ComboBox	
ParentCode	Parent Code	character	x(100)	Fillin	
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin	
ParentTable	Parent Table	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
PermOverrides	Permission Override	character	x(100)	Picklist	
RecordStatus	Status	character	x(100)	ComboBox	
RecordType	Rule Type	character	x(100)	ComboBox	
RuleGroup	Rule Group	character	x(100)	ComboBox	
RuleOption	Rule Option	character	x(20)	ComboBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TransactionType	Transaction Type	character	x(100)	ComboBox	
WordIndex	WordIndex	character	x(100)	Fillin	

Table: SAScheduledProgram

EventTimeZone	Time Zone	character	x(50)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InterfaceType	InterfaceType	character	x(10)	Fillin	
LastRunDate	Last Run Date	date	99/99/9999	Fillin	
LastRunPID	LastRunPID	integer	zzzzzzzz9	Fillin	
LastRunTime	Last Run Time	integer	->, >>>, >>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SAScheduledProgram Continued...					
Permissions	Permissions	character	x(100)	Fillin	
PID	Last Run PID	int64	->,>>>,>>9	Fillin	
ProcessStep	Process Step	character	x(200)	Fillin	
ProgramToRun	Scheduled Program	character	X(8)	ComboBox	
ProgramToRunType	ProgramToRunType	character	x(8)	Fillin	
RAWRunParameters	RAWRunParameters	raw	x(8)	Fillin	
RecordStatus	Record Status	character	X(8)	ComboBox	
RunAs	Run As	character	X(10)	Picklist	
RunNow	Run Now	logical	Yes/No	CheckBox	
RunOnce	Run Once	logical	Yes/No	CheckBox	
RunParameters1	RunParameters1	clob	x(10)	Fillin	
RunParameters2	RunParameters2	clob	x(10)	Fillin	
RunParameters3	RunParameters3	clob	x(10)	Fillin	
ScheduleInformation	ScheduleInformation	character	X(8)	Fillin	
ScheduleName	Schedule Name	character	X(30)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SAScholarship					
AmountAllocated	AmountAllocated	decimal	zzz,zz9.99-	Fillin	
AmountUsed	Amount Used	decimal	zzz,zz9.99-	Fillin	
Code	Scholarship Code	character	X(8)	Fillin	
Comments	Comment Text	character	x(1000)	Editor	
CostCenter	Cost Center	character	x(6)	Picklist	
DeductUsageFromHousehold	Deduct Usage From Member Balance	logical	Yes/No	CheckBox	
Description	Description	character	x(20)	Fillin	
ExpirationDate	Expiration Date	date	99/99/9999	Fillin	
GLCode	GL Code	integer	zzzzz9	Picklist	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
OriginalAmount	Original Amount	decimal	zzz,zz9.99-	Fillin	
Permissions	Permissions	character	x(100)	ComboBox	
RecordStatus	Status	character	X(20)	ComboBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
TransactionMaxAmount	Max Amount Per Transaction	decimal	zzz,zz9.99-	Fillin	
TransactionMaxPercent	Max Percent Per Transaction	decimal	zzz,zz9.99-	Fillin	
WildcardCostCenter	Wild Card Cost Center?	logical	Yes/No	CheckBox	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SAScreenDef					
Design	Design	character	x(8)	Fillin	
FieldName	Report Title	character	x(8)	Fillin	
FieldTable	Primary Table	character	x(8)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
Interface	Interface	character	x(8)	Fillin	
Level	Level	integer	->,>>>,>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Module	Module	character	x(30)	Fillin	
Order	Order	integer	->,>>>,>>9	Fillin	
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
RecordStatus	RecordStatus	character	x(10)	Fillin	
RecordType	RecordType	character	x(8)	Fillin	
ScreenName	Report Name	character	x(8)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Version	Version	character	x(9)	Fillin	
WordIndex	WordIndex	character	x(100)	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SASearchIndex				
ID	ID	int64	->>>>>>>>>>9	Fillin
LastCreated	LastCreated	date	99/99/9999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SearchDisplayInfo	SearchDisplayInfo	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SASearchIndexBuilder				
CreateDateTime	CreateDateTime	datetime	99/99/9999 HH:MM	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	RecordStatus	character	X(100)	Fillin
RecordType	RecordType	character	X(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SASecurityFile				
AllowedSites	Allowed Site(s)	character	x(100)	Picklist
AllowInstructorAccess	AllowInstructorAccess	logical	Yes/No	Fillin
AllowInventoryAndTicketUpdates	AllowInventoryAndTicketUpdates	logical	Yes/No	Fillin
AllowProcessOnDefaultDrawers	Allow Processing on Default Drawer?	logical	Yes/No	CheckBox
ButtonPermissions	ButtonPermissions	character	x(100)	Fillin
CheckForPassDuringQuickRentals	Check For Pass in Quick Rentals?	logical	Yes/No	CheckBox
ConfirmPassword	Confirm Password	character	x(10)	Fillin
CYSUser	CYMS User?	logical	Yes/No	CheckBox
DatabaseAnalyticsDashboardAccess	Allow IntelliTrac Access?	logical	Yes/No	CheckBox
DomainUserSID	User SID	character	x(100)	Fillin
DoNotShowAgain	Do Not Show Again	character	x(50)	Fillin
EmailAddress	Email Address	character	x(100)	Fillin
GroupGlobalSalesPermissions	Button/Miscellaneous Override Codes	character	X(20)	Picklist
HideFamilyMemberXrefs	Hide Family Member Xrefs?	logical	Yes/No	CheckBox
HideFromUI	HideFromUI	logical	Yes/No	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
IgnoreADByPass	IgnoreADByPass	logical	Yes/No	Fillin
LastTwoFactorAuthentication	LastTwoFactorAuthentication	datetime	99/99/9999 HH:MM	Fillin
LockedOut	User Currently Locked Out?	logical	Yes/No	CheckBox
LoginBeginTime	Login Begin Time	integer	zzzzz9	Fillin
LoginEndTime	Login End Time	integer	zzzzz9	Fillin
LogonAttempts	Logon Attempts	integer	zzz,zz9	Fillin
MenuGroups	User Group(s)	character	x(5)	Picklist
MiscInformation	MiscInformation	character	x(100)	Fillin
Name	Name	character	x(35)	Fillin
NetworkLogon	Network Logon	character	X(30)	Fillin
Password	Password	character	x(10)	Fillin
PasswordChangedDate	Password Changed Date	date	99/99/9999	Fillin
PasswordList	PasswordList	character	x(300)	Fillin
PasswordNeverExpires	Password Never Expires	logical	Yes/No	CheckBox
Permissions	Permissions List	character	x(10)	ComboBox
QualificationID	QualificationID	character	x(50)	Fillin
QualifiedForLogin	QualifiedForLogin	logical	yes/no	Fillin
RecordStatus	Status	character	X(35)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SASecurityFile Continued...				
SiteCode	SiteCode	character	x(100)	Fillin
StaffCode	Staff Code	character	x(8)	Picklist
UseButtonPermissions	UseButtonPermissions	logical	Yes/No	Fillin
UserName	User Name	character	x(10)	Fillin
ViewCreditCardInformation	View Cred Card Info?	logical	Yes/No	CheckBox
VSIPassword	VSIPassword	character	x(100)	Fillin
VSIUserName	VSIUserName	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
WorkStationList	Workstation List	character	x(300)	Picklist
XRefValue	Xref Value	character	x(50)	Fillin
Table: SASequenceDetail				
ID	ID	int64	->>>>>>>>>>>>9	Fillin
LineNumber	LineNumber	integer	zzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(8)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PrintInstructions	PrintInstructions	character	X(8)	Fillin
RecordTitle	RecordTitle	character	x(35)	Fillin
RecordType	RecordType	character	x(1)	Fillin
ServiceItem	ServiceItem	character	x(6)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TemplateID	TemplateID	character	X(8)	Fillin
TotalLevel	TotalLevel	integer	z	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SASequenceHeader				
Description	Description	character	x(35)	Fillin
ID	ID	int64	->>>>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReportHeaderText	ReportHeaderText	character	x(52)	Fillin
ReportSubHeader2Text	ReportSubHeader2Text	character	x(52)	Fillin
ReportSubHeaderText	ReportSubHeaderText	character	x(52)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TemplateID	TemplateID	character	x(8)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SASerialCoupon				
CouponCode	Coupon Code	character	x(100)	Fillin
CouponID	CouponID	int64	->>>>>>>>>>>>9	Fillin
ID	ID	int64	->>>>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Redeemed	Redeemed	logical	Yes/No	CheckBox
SerialNumber	Serial Number	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SASessionInfo				
AccessControlSession	AccessControlSession	logical	Yes/No	Fillin
HouseholdNumber	Household Number	integer	zzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>>>9	Fillin
InterfaceParameter	InterfaceParameter	character	x(4000)	Fillin
InterfaceType	Interface Type	character	x(10)	Fillin
LastActiveDate	Last Active Date	date	99/99/9999	Fillin
LastActiveTime	Last Active Time	integer	zzzz9	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type

Table: SASessionInfo Continued...

LoginDate	Login Date	date	99/99/9999	Fillin
LoginTime	Login Time	integer	zzzz9	Fillin
LogoutDate	Logout Date	date	99/99/9999	Fillin
LogoutTime	Logout Time	integer	zzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PassedInURLWorkstation	PassedInURLWorkstation	character	x(500)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReceiptNumber	ReceiptNumber	integer	zzzzzzzz9	Fillin
ServerLastActiveDate	UTC Last Active Date	date	99/99/9999	Fillin
ServerLastActiveTime	UTC Last Active Time	integer	zzzz9	Fillin
ServerLoginDate	UTC Login Date	date	99/99/9999	Fillin
ServerLoginTime	UTC Login Time	integer	zzzz9	Fillin
ServerLogoutDate	UTC Logout Date	date	99/99/9999	Fillin
ServerLogoutTime	UTC Logout Time	integer	zzzz9	Fillin
SessionID	Session ID	character	x(50)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Step	Step	integer	zzzzzzzz9	Fillin
UserName	UserName	character	x(20)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Workflow	Workflow	character	x(100)	Fillin
WorkStationName	Workstation	character	x(50)	Fillin

Table: SASessionTracking

Action	Action	character	x(20)	Fillin
Duration	Duration	int64	->, >>>, >>9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InterfaceType	InterfaceType	character	x(10)	Fillin
IPAddress	IP Address	character	x(20)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PostingDate	PostingDate	date	99/99/9999	Fillin
PostingTime	PostingTime	integer	zzzzzzzz9	Fillin
QueryString	QueryString	character	x(500)	Fillin
Routine	Routine	character	x(20)	Fillin
ScreenDesign	ScreenDesign	character	x(8)	Fillin
ScreenName	ScreenName	character	x(20)	Fillin
SessionID	SessionID	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubAction	SubAction	character	x(20)	Fillin
SubSessionID	SubSessionID	character	x(100)	Fillin
UserAgent	UserAgent	character	x(100)	Fillin
UserName	UserName	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin

Table: SASETS

Active	Active?	logical	Yes/No	CheckBox
Description	Description	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Modules	Modules	character	x(8)	Fillin
Permissions	Permissions	character	x(100)	Picklist
RecordType	Record Type	character	x(100)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin

Table: SAShippingInfo

BillingAddress1	BillingAddress1	character	x(200)	Fillin
-----------------	-----------------	-----------	--------	--------



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: SAShippingInfo Continued...

BillingAddress2	BillingAddress2	character	x(200)	Fillin
BillingCity	BillingCity	character	x(100)	Fillin
BillingCountry	BillingCountry	character	x(200)	Fillin
BillingEmailAddress	BillingEmailAddress	character	x(400)	Fillin
BillingFullName	BillingFullName	character	x(200)	Fillin
BillingPhoneNumber	BillingPhoneNumber	character	x(200)	Fillin
BillingState	BillingState	character	x(20)	Fillin
BillingZipCode	BillingZipCode	character	x(100)	Fillin
EstimatedShipDate	EstimatedShipDate	date	99/99/9999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	x(1000)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReceiptNumber	ReceiptNumber	integer	->, >>>, >>9	Fillin
ShippedDate	ShippedDate	date	99/99/9999	Fillin
ShippedTime	ShippedTime	integer	zzzzzzzz9	Fillin
ShippedUser	ShippedUser	character	x(100)	Fillin
ShippingAddress1	ShippingAddress1	character	x(200)	Fillin
ShippingAddress2	ShippingAddress2	character	x(200)	Fillin
ShippingCity	ShippingCity	character	x(100)	Fillin
ShippingCountry	ShippingCountry	character	x(200)	Fillin
ShippingEmailAddress	ShippingEmailAddress	character	x(400)	Fillin
ShippingFullName	ShippingFullName	character	x(200)	Fillin
ShippingMethod	ShippingMethod	character	x(100)	Fillin
ShippingPhoneNumber	ShippingPhoneNumber	character	x(200)	Fillin
ShippingState	ShippingState	character	x(20)	Fillin
ShippingZipCode	ShippingZipCode	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TrackingNumber	TrackingNumber	character	x(50)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin

Table: SAShotCode

Description	Description	character	x(35)	Fillin
DueDaysFromBirthday	Due Days From Birthday	integer	zzz,zz9-	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
RecordCode	Shot Code	character	X(8)	Fillin
ReminderDays	Reminder Days	integer	zzz,zz9-	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StandardShot	Standard Shot?	logical	Yes/No	CheckBox
WordIndex	WordIndex	character	x(80)	Fillin

Table: SAShotDetail

Comments	Comments	character	x(1000)	Editor
DueDate	Due Date	date	99/99/9999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordCode	Shot Code	character	x(8)	Picklist
ShotDate	Shot Date	date	99/99/9999	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Waived	Waived?	logical	Yes/No	CheckBox
WordIndex	WordIndex	character	x(80)	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type
Table: SASite				
Address1	Address 1	character	x(100)	Fillin
Address2	Address 2	character	x(100)	Fillin
City	City	character	x(50)	Fillin
Country	Country	character	x(50)	ComboBox
Description	Description	character	X(100)	Fillin
Details	Details	clob	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Latitude	Latitude	decimal	->>, >>9.99999999	Fillin
Longitude	Longitude	decimal	->>, >>9.99999999	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Name	Name	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
PrimaryPhoneNumber	Primary Phone Number	character	x(30)	Fillin
RecordCode	Record Code	character	X(100)	Fillin
RecordStatus	RecordStatus	character	X(35)	Fillin
SiteArea	Site Area	character	x(100)	Picklist
SiteCategory	Site Category	character	x(100)	Picklist
SiteGroup	Site Group	character	x(100)	Picklist
SiteTimeZone	Site Time Zone	character	x(50)	ComboBox
SiteType	Site Type	character	x(100)	Picklist
State	State	character	x(3)	ComboBox
USDACategory	USDA Region	character	x(50)	ComboBox
WordIndex	WordIndex	character	x(80)	Fillin
Zipcode	Zip Code	character	x(15)	Fillin
Table: SASlot				
BeginTime	Begin Time	integer	999999	Fillin
ComboKey	Facility	character	x(100)	Picklist
EndTime	End Time	integer	999999	Fillin
HeadCount	Booked Slots	integer	z9-	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MaxCount	Total Slots	integer	z9-	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Notes	Notes	character	x(1000)	Fillin
Permissions	Permissions	character	x(100)	Fillin
PurposeRestriction	PurposeRestriction	character	x(5)	Fillin
RecordType	Record Type	character	x(8)	Fillin
SectionComboKey	SectionComboKey	character	x(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SlotDate	Date	date	99/99/9999	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SASnapShot				
Char1	Char1	character	x(50)	Fillin
Char2	Char2	character	x(50)	Fillin
Char3	Char3	character	x(50)	Fillin
Date1	Date1	date	99/99/99	Fillin
Date2	Date2	date	99/99/99	Fillin
Date3	Date3	date	99/99/99	Fillin
Dec1	Dec1	decimal	->>>, >>>, >>9.99	Fillin
Dec2	Dec2	decimal	->>>, >>>, >>9.99	Fillin
Dec3	Dec3	decimal	->>>, >>>, >>9.99	Fillin
ID	ID	int64	zzzzzzzz9	Fillin
Int1	Int1	integer	->>>, >>>, >>9	Fillin
Int2	Int2	integer	->>>, >>>, >>9	Fillin
Int3	Int3	integer	->>>, >>>, >>9	Fillin
MiscInformation	MiscInformation	character	x(250)	Fillin
Module	Module	character	x(8)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: SASnapShot Continued...

SiteCode	SiteCode	character	x(100)	Fillin
SnapShotCLOB	SnapShotCLOB	clob	x(8)	Fillin
SnapShotDate	SnapShotDate	date	99/99/99	Fillin
SnapShotMonth	SnapShotMonth	integer	z9	Fillin
SnapShotType	SnapShotType	character	x(20)	Fillin
SnapShotYear	SnapShotYear	integer	zzz9	Fillin
WordIndex	WordIndex	character	x(250)	Fillin

Table: SAStaff

ActivityCoordinator	Activity Coordinator?	logical	Yes/No	CheckBox
Address1	Address 1	character	x(200)	Fillin
Address2	Address 2	character	x(200)	Fillin
AltBenefitAmount	Alternative Benefit Amount	decimal	->>, >>9.99	Fillin
AltExportPayrollCodeEquivalent	AltExportPayrollCodeEquivalent	character	x(100)	Fillin
BackgroundCheckCompleted	Background Check Completed?	logical	yes/no	CheckBox
BackgroundCheckExpires	Background Check Expiration Date	date	99/99/9999	Fillin
BackgroundCheckStatus	Background Check Status	character	x(8)	ComboBox
BenefitAmount	Benefit Amount	decimal	->>, >>9.99	Fillin
BenefitType	Benefit type	character	x(8)	ComboBox
BiographyCode	Biography Code	character	x(5)	Picklist
Birthday	Birthday	date	99/99/9999	Fillin
BYPassFingerScanOK	BYPassFingerScanOK	logical	yes/no	Fillin
Category	Category	character	x(20)	Picklist
City	City	character	x(30)	Fillin
Comments	Comment Text	character	x(4000)	Editor
ConfirmVoiceMailPassword	Confirm Voice Mail Password	character	x(10)	Fillin
Department	Department	character	x(8)	Fillin
DisplayInstructorOnWeb	Display Instructor On Web?	logical	yes/no	CheckBox
DisplayTrainerOnWeb	Display Trainer On Web?	logical	Yes/No	CheckBox
EmailScheduleFormat	EmailScheduleFormat	character	x(8)	Fillin
EmployeeType	EmployeeeType	character	x(8)	Fillin
Ethnicity	Ethnicity	character	x(8)	Fillin
FinTracEmployeeID	FinTrac Employee ID	character	X(8)	Fillin
FirstName	First Name	character	x(12)	Fillin
Gender	Gender	character	X(20)	ComboBox
HoursPerDay	Normal Hours Per Day	decimal	->>, >>9.99	Fillin
HoursPerWeek	Normal Hours Per Week	decimal	->>, >>9.99	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Instructor	Instructor?	logical	Yes/No	CheckBox
InterfacID	InterfacID	character	x(8)	Fillin
KeywordSearch	Keyword Search	character	x(100)	Fillin
LastBackgroundCheck	Last Background Check	date	99/99/9999	Fillin
LastEvaluationDate	Last Evaluation Date	date	99/99/99	Fillin
LastHireDate	Last Hire Date	date	99/99/9999	Fillin
LastName	Last Name	character	x(18)	Fillin
LastRaiseDate	Last Raise Date	date	99/99/99	Fillin
LicenseNumber	LicenseNumber	character	x(8)	Fillin
Location	Location	character	x(8)	Fillin
MainTrac	MainTrac Staff	logical	yes/no	CheckBox
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MatchScheduleOnSwipeOut	MatchScheduleOnSwipeOut	logical	Yes/No	Fillin
MaxHoursWeekSchedule	MaxHoursWeekSchedule	decimal	->>, >>9.99	Fillin
MemberLinkID	Member LinkID	int64	->>>>>>>>>>9	Fillin
MiddleName	MiddleName	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NameTitle	NameTitle	character	x(100)	Fillin
NextReview	NextReview	date	99/99/99	Fillin
OriginalHireDate	Original Hire Date	date	99/99/9999	Fillin
OTHoursRefused	OTHoursRefused	decimal	->>, >>9.99	Fillin
OverheadPercent	Overhead Percentage	decimal	->>, >>9.99	Fillin
PaidHolidaysOnHolidaysNotWorked	PaidHolidaysOnHolidaysNotWorked	logical	yes/no	Fillin
PayFrequency	PayFrequency	integer	->, >>>, >>9	Fillin
PayGroup	Pay Group	character	x(5)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAStaff Continued...				
PayStep	PayStep	character	x(8)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
PersonalTrainer	Personal Trainer?	logical	yes/no	CheckBox
PhotoFile	Photo File	character	x(50)	Fillin
PhotoIDNumber	PhotoIDNumber	integer	->,>>>,>>9	Fillin
PIN	PIN	character	x(8)	Fillin
Position	Position	character	x(8)	Fillin
PrimaryEmailAddress	Email #1	character	x(100)	Fillin
PrimaryPhoneExtension	Phone #1 Extension	character	x(20)	Fillin
PrimaryPhoneNumber	Phone #1	character	x(20)	Fillin
PrimaryPhoneType	Phone #1 Type	character	x(20)	ComboBox
QualificationLinks	Qualification Links	character	x(1000)	Picklist
QualificationNotes	Qualification Notes	character	x(4000)	Editor
ReceiptDocuments	Receipt Documents	character	X(500)	Picklist
ReceivesHolidayPayonHolidaysWork	ReceivesHolidayPayonHolidaysWork	logical	yes/no	Fillin
RecordCode	Record Code	character	x(100)	Fillin
RecordStatus	Status	character	X(20)	ComboBox
Referee	Referee?	logical	Yes/No	CheckBox
ReportTag	Report Tag	character	x(100)	Picklist
ReportTag2	Report Tag 2	character	x(100)	Picklist
ReportTag3	Report Tag 3	character	x(100)	Picklist
Salary	Salary	decimal	->>,>>9.99	Fillin
ServiceYearsStartDate	ServiceYearsStartDate	date	99/99/99	Fillin
ShiftCode	Shift Code	character	x(8)	Picklist
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SocialSecurityNumber	Social Security Number	character	xxx-xx-xxxx	Fillin
StaffTitle	StaffTitle	character	x(8)	Fillin
State	State	character	x(3)	ComboBox
SubType	Subtype	character	x(100)	Picklist
TaxId	Tax Id	character	xx-xxxxxxx	Fillin
TenureYears	Tenure Years	integer	z9	Fillin
TerminationDate	Termination Date	date	99/99/9999	Fillin
TicklerCode	Tickler Code	character	x(5)	Picklist
TicklerText	Tickler Text	character	x(4000)	Editor
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox
TotalHours	TotalHours	decimal	->>,>>9.99	Fillin
TotalOTHours	TotalOTHours	decimal	->>,>>9.99	Fillin
TypeCode	Type	character	x(100)	Picklist
UnionStaff	UnionStaff	logical	yes/no	Fillin
UseHoffmanLunchProcess	UseHoffmanLunchProcess	logical	yes/no	Fillin
VoiceMailPassword	Voicemail Password	character	zzzzzzz9	Fillin
WebUserName	WebUserName	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
ZipCode	Zip Code	character	x(10)	Fillin
Table: SAStaffLink				
ContractNumber	Contract Number	character	x(40)	Fillin
CostCenter	Cost Center	character	x(6)	Picklist
DropInPayRate	Drop In Rate	decimal	->>,>>9.99	Fillin
FinTracJobCode	FinTrac Job Code	character	x(8)	Fillin
FlatFee1	FlatFee1	decimal	->>,>>9.99	Fillin
FlatFee2	FlatFee2	decimal	->>,>>9.99	Fillin
FlatFee3	FlatFee3	decimal	->>,>>9.99	Fillin
FlatFee4	FlatFee4	decimal	->>,>>9.99	Fillin
FlatFee5	FlatFee5	decimal	->>,>>9.99	Fillin
FlatPaid1	FlatPaid1	decimal	->>,>>9.99	Fillin
FlatPaid2	FlatPaid2	decimal	->>,>>9.99	Fillin
FlatPaid3	FlatPaid3	decimal	->>,>>9.99	Fillin
FlatPaid4	FlatPaid4	decimal	->>,>>9.99	Fillin
FlatPaid5	FlatPaid5	decimal	->>,>>9.99	Fillin
GLCode	GL Code	integer	zzzzz9	Picklist



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type

Table: SAStaffLink Continued...

GrossRosterPaid	Gross Roster Paid	decimal	zzz,zz9.99-	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NormalHours	Normal Hours	decimal	zzz,zz9.99-	Fillin
Notes	Notes	character	x(4000)	Editor
ParentCode	Staff Code	character	x(8)	Picklist
ParentLinkID	Parent LinkID	int64	->>>>>>>>>>9	Fillin
ParentTable	Parent Table	character	x(25)	Fillin
PercentPayUsed	Percent Pay Used	decimal	zzz,zz9.99-	Fillin
PerHeadCount	Per Head Count	decimal	zzz,zz9.99-	Fillin
PerHeadUsed	Per Head Used	decimal	zzz,zz9.99-	Fillin
Permissions	Permissions	character	x(100)	Fillin
PrimaryInstructor	Primary?	logical	Yes/No	CheckBox
RateTable	Rate Table	character	x(10)	Picklist
RecordStatus	Status	character	X(20)	ComboBox
RecordType	Record Type	character	X(20)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
VolunteerFlag	Volunteer Flag?	logical	Yes/No	CheckBox
WordIndex	WordIndex	character	x(80)	Fillin

Table: SAStaffPayHistory

ActivityLinkID	ActivityLinkID	int64	->>>>>>>>>>9	Fillin
CostCenter	CostCenter	character	x(6)	Fillin
GLCode	GLCode	integer	zzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LinkID	LinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
OtherPay	Other/Misc Pay	decimal	zzz,zz9.99-	Fillin
OvertimeFactor	OT Factor	decimal	z9.99-	Fillin
OvertimeHours	OT Hours	decimal	zz9.99-	Fillin
OvertimePay	OT Pay	decimal	zzz,zz9.99-	Fillin
PaymentDate	Payment Date	date	99/99/9999	Fillin
PaySource	PaySource	character	X(20)	Fillin
PayType	Pay Type	character	x(1)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RateOfPay	Pay Rate	decimal	zzz,zz9.99-	Fillin
RateTable	Rate Table	character	x(10)	Fillin
ReceiptNumber	ReceiptNumber	integer	->, >>>, >>9	Fillin
Season	Season	character	x(8)	Fillin
Section	Section	character	x(2)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StandardCount	Count	decimal	zz9.99-	Fillin
StandardPay	Standard Pay	decimal	zzz,zz9.99-	Fillin
VolunteerFlag	Volunteer Pay	logical	Yes/No	CheckBox
WordIndex	WordIndex	character	x(80)	Fillin
Year	Year	integer	zzz9	Fillin

Table: SAStaffPayRate

Description	Description	character	x(20)	Fillin
EarningsCeiling1	Earnings Ceiling	decimal	->>, >>9.99	Fillin
EarningsCeiling2	Earnings Ceiling	decimal	->>, >>9.99	Fillin
EarningsCeiling3	Earnings Ceiling	decimal	->>, >>9.99	Fillin
EarningsCeiling4	Earnings Ceiling	decimal	->>, >>9.99	Fillin
EarningsCeiling5	Earnings Ceiling	decimal	->>, >>9.99	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LastYearEarnings	Last Year Earnings	decimal	zzz,zz9.99-	Fillin
LinkID	LinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
PayType1	Pay Type	character	x(50)	ComboBox



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type
Table: SAStaffPayRate Continued...				
PayType2	Pay Type	character	x(50)	ComboBox
PayType3	Pay Type	character	x(50)	ComboBox
PayType4	Pay Type	character	x(50)	ComboBox
PayType5	Pay Type	character	x(50)	ComboBox
Permissions	Permissions	character	x(100)	Fillin
RateOfPay1	Rate Of Pay	decimal	->, >>9.99	Fillin
RateOfPay2	Rate Of Pay	decimal	->, >>9.99	Fillin
RateOfPay3	Rate Of Pay	decimal	->, >>9.99	Fillin
RateOfPay4	Rate Of Pay	decimal	->, >>9.99	Fillin
RateOfPay5	Rate Of Pay	decimal	->, >>9.99	Fillin
RateTable	Rate Table	character	x(10)	Picklist
RecordType	Rate Type	character	X(20)	ComboBox
SAStaffCode	Staff Code	character	X(8)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
YearToDateEarnings	YearToDateEarnings	decimal	zzz,zz9.99-	Fillin
Table: SAStatementDetail				
BillAmount	BillAmount	decimal	zzz,zz9.99	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InvoiceNumber	InvoiceNumber	integer	zzzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(2)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TransactionNumber	TransactionNumber	integer	zzzzzzzzz9	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAStatementHistory				
BeginDate	Begin Date	date	99/99/9999	Fillin
DueDate	Due Date	date	99/99/9999	Fillin
EndDate	End Date	date	99/99/9999	Fillin
FullyPaid	FullyPaid	logical	Yes/No	Fillin
HouseholdNumber	Household	integer	999999999	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InvoiceAmount	Statement Amount	decimal	zzz,zz9.99	Fillin
InvoiceNumber	Statement Number	integer	zzzzzz9	Fillin
InvoicePaid	InvoicePaid	decimal	zzz,zz9.99	Fillin
MiscInformation	MiscInfo	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReceiptNumber	Receipt Number	integer	zzzzzzzz9	Fillin
RecordStatus	Status	character	X	ComboBox
SABlobFileLinkID	SABlobFileLinkID	int64	->, >>>, >>9	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
StatementDate	Statement Date	date	99/99/9999	Fillin
UserName	UserName	character	x(10)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SASystemCode				
BeginIncome	Begin Income	decimal	->, >>9.99	Fillin
BeginTime	Begin Time	integer	zzzzz9	Fillin
DefaultFeeCodes	Default Fee Codes	character	x(100)	Picklist
Description	Description	character	x(30)	Fillin
DiscountCalculation	Discount Calculation	character	x(50)	ComboBox
EndIncome	End Income	decimal	->, >>9.99	Fillin
EndTime	End Time	integer	zzzzz9	Fillin
FTPPassword	Password	character	x(100)	Fillin



Dictionary Listing

Field Name	Field Label	RecTrac Database Field Details		
		Data Type	Field Format	Field Type
Table: SASystemCode Continued...				
FTPURL	Connection URL	character	x(100)	Fillin
FTPUserName	Username	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
InterfaceType	Interface Type	character	x(10)	ComboBox
MiscInformation	MiscInformation	character	x(100)	Fillin
Order	Order	integer	zzzz9	Fillin
Permissions	Permissions	character	x(100)	ComboBox
RecordCode	System Code	character	x(5)	Fillin
RecordType	Type	character	x(2)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubTotalCategory	Subtotal Category	character	x(5)	Fillin
SystemCodeImage	System Code Image	character	x(200)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SASystemSubCode				
Description	Description	character	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentCode	Parent Code	character	x(50)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentType	Parent Type	character	x(50)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordCode	Subtype Code	character	x(15)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SATaxTable				
CostCenter	Cost Center	character	x(100)	Picklist
Description	Description	character	x(200)	Fillin
GLCode	GL Code	integer	zzzz9	Picklist
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ReceivableCostCenter	Receivable Cost Center	character	x(100)	Picklist
ReceivableGLCode	Receivable GL Code	integer	zzzz9	Picklist
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TaxPercent	Tax Percent	decimal	zzz,zzz,zz9.99	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SATemplate				
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NameValuePairs	Template Settings	character	x(8)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
RecordType	Record Type	character	x(8)	ComboBox
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
TemplateDetails	TemplateDetails	clob	x(8)	Fillin
TemplateID	Template ID	character	x(8)	Fillin
WordIndex	WordIndex	character	x(8)	Fillin
Table: SATickler				
BeginDate	Begin Date	date	99/99/9999	Fillin
Comments	Comment Text	character	x(4000)	Editor



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SATickler Continued...					
Description	Description	character	x(20)	Fillin	
EndDate	End Date	date	99/99/9999	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin	
ParentTable	Parent Table	character	x(25)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
RecordStatus	Status	character	X(20)	ComboBox	
RecordType	RecordType	character	x(25)	ComboBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SATimeBlocks					
BeginDate	BeginDate	date	99/99/9999	Fillin	
BeginTime	BeginTime	integer	999999	Fillin	
BlockInterval	BlockInterval	integer	zzzzz9	Fillin	
EndDate	EndDate	date	99/99/9999	Fillin	
EndTime	EndTime	integer	999999	Fillin	
Friday	Friday	logical	Yes/No	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InterfaceType	InterfaceType	character	X(100)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Monday	Monday	logical	Yes/No	Fillin	
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin	
ParentTable	ParentTable	character	X(20)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
RecordType	RecordType	character	X(100)	Fillin	
ReservationBeginDate	ReservationBeginDate	date	99/99/9999	Fillin	
ReservationEndDate	ReservationEndDate	date	99/99/9999	Fillin	
Saturday	Saturday	logical	Yes/No	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Sunday	Sunday	logical	Yes/No	Fillin	
Thursday	Thursday	logical	Yes/No	Fillin	
Tuesday	Tuesday	logical	Yes/No	Fillin	
Wednesday	Wednesday	logical	Yes/No	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SAUniqueLinks					
CreateDate	CreateDate	date	99/99/9999	Fillin	
CreateTime	CreateTime	integer	999999	Fillin	
CreateUser	CreateUser	character	x(50)	Fillin	
DurationDate	DurationDate	date	99/99/9999	Fillin	
DurationInt	DurationInt	integer	zzzzzzz9	Fillin	
DurationOption	DurationOption	character	x(25)	Fillin	
ID	ID	int64	zzzzzzzz9	Fillin	
LastVisitDate	LastVisitDate	date	99/99/9999	Fillin	
LastVisitTime	LastVisitTime	integer	999999	Fillin	
LinkVisitCount	LinkVisitCount	integer	zzzzzzz9	Fillin	
MiscInformation	MiscInformation	character	x(50)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
RunParameters	RunParameters	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
UID	UID	character	x(50)	Fillin	
Table: SAUPC					
Description	Description	character	x(20)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAUPC Continued...				
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UPCCode	UPC Code	character	x(20)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAUpsell				
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	List	character	x(100)	Fillin
ParentCode	Parent Code	character	x(100)	Fillin
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	Record Status	character	X(100)	ComboBox
RecordType	Record Type	character	X(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: SAUserSettings				
FieldName	FieldName	character	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParamName	ParamName	character	x(100)	Fillin
ParamValue	ParamValue	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordType	RecordType	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserName	UserName	character	x(50)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAVerifone				
Counter	Counter	int64	->,>>>,>>9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
IPAddress	IPAddress	character	x(20)	Fillin
MACLabel	MACLabel	character	x(20)	Fillin
MACofCounter	MACofCounter	character	x(50)	Fillin
Permissions	Permissions	character	x(100)	Fillin
RecordStatus	RecordStatus	character	x(10)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Table: SAVersion				
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Version	Version	character	X(8)	Fillin
WordIndex	WordIndex	character	x(100)	Fillin
Table: SAWaiverHistory				
HouseholdNumber	Household Number	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: SAWaiverHistory Continued...					
MatchValue	Match Value	character	x(20)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin	
ParentTable	Parent Table	character	x(25)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
ReceiptNumber	SAWaiverHistory_ReceiptNumber	integer	>>>>>>>9	Fillin	
RecordStatus	RecordStatus	character	x(25)	Fillin	
RecordType	Waiver Type	character	x(2)	Fillin	
ReferenceDoc	Document Name	character	x(50)	Fillin	
SADetailLinkID	SADetailLinkID	int64	->>>>>>>>>>9	Fillin	
SignatureFileName	SignatureFileName	character	x(200)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WaiverCode	Waiver Code	character	x(8)	Fillin	
WaiverDate	Waiver Date	date	99/99/9999	Fillin	
WaiverText	WaiverText	clob	x(8)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SAWarehouse					
FacilityLocation	Warehouse	character	x(5)	Picklist	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
ParentID	Parent ID	int64	->>>>>>>>>>9	Fillin	
ParentTable	Parent Table	character	x(25)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
QuantityOnHand	Quantity On Hand	decimal	zzz,zz9.99-	Fillin	
QuantityOnOrder	Quantity On Order	decimal	zzz,zz9.99-	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SAWeather					
Comments	Comment Text	character	x(400)	Editor	
GolfCourse	Golf Course	integer	z9	Picklist	
HumidityRating	Humidity	character	X(20)	ComboBox	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
OpenStatus	Open Status	character	x(1)	ComboBox	
Permissions	Permissions	character	x(100)	Fillin	
PrecipitationRating	Precipitation	character	X(20)	ComboBox	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
Temperature	Temperature	character	X(20)	ComboBox	
WeatherDate	Date	date	99/99/9999	Fillin	
Wind	Wind	character	x(1)	ComboBox	
WordIndex	WordIndex	character	x(80)	Fillin	
Table: SAWorkStation					
ClientVersion	VIC Version	character	x(8)	Fillin	
Description	Workstation Description	character	x(100)	Fillin	
DeviceList	DeviceList	character	X(8)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
LastLogonDate	Last Logon Date	date	99/99/9999	Fillin	
LastLogonTime	Last Logon Time	integer	->, >>>, >>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Permissions	Permissions	character	x(100)	Fillin	
SiteArea	SiteArea	character	x(100)	Fillin	
SiteCategory	SiteCategory	character	x(100)	Fillin	
SiteCode	SiteCode	character	x(100)	Fillin	
WordIndex	WordIndex	character	x(80)	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: SAWorkStation Continued...				
WorkStationName	Workstation Name	character	x(30)	Fillin
Table: TPTrip				
BrochureCode	Brochure Code	character	x(20)	Picklist
BrochureText	Brochure Text	character	x(4000)	Editor
Category	Category	character	X(5)	Picklist
ChargeLateFeeMultipleTimes	ChargeLateFeeMultipleTimes	logical	Yes/No	Fillin
ComboKey	ComboKey	character	x(100)	Fillin
CommentCode	Comment Code	character	x(5)	Picklist
CommentText	Comment Text	character	x(4000)	Editor
DepartureDate	Departure Date	date	99/99/9999	Fillin
DepartureTime	Departure Time	integer	999999	Fillin
DisplayOnWeb	Display On Web	character	X(1)	ComboBox
EnrollCount	Enroll Count	integer	zzz9-	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
KeywordSearch	Keyword Search	character	x(100)	Fillin
LongDescription	Long Description	character	x(20)	Fillin
MaintenanceCode	Maintenance Code	character	x(5)	Picklist
MaintenanceComment	Maintenance Text	character	x(4000)	Editor
ManagementGroup	ManagementGroup	character	x(8)	Fillin
MaxCount	Max Count	integer	zzz9-	Fillin
MaxCountOverride	Max Count Override	character	x(100)	ComboBox
MaxCountOverridePerm	Max Count Override Codes	character	x(100)	Picklist
MinCount	Min Count	integer	zzz9-	Fillin
Misclnformation	Misclnformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	ComboBox
PrintTicket	Print Ticket?	logical	Yes/No	CheckBox
ReceiptDocuments	Receipt Documents	character	X(500)	Picklist
RecordStatus	Status	character	X(20)	ComboBox
ReportTag	Report Tag	character	x(100)	Picklist
ReportTag2	Report Tag 2	character	x(100)	Picklist
ReportTag3	Report Tag 3	character	x(100)	Picklist
ReturnDate	Return Date	date	99/99/9999	Fillin
ReturnTime	Return Time	integer	999999	Fillin
ShortDescription	Short Description	character	x(200)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
SubType	Subtype	character	x(100)	Picklist
TicketAccessGUI	Ticket Access GUI	character	x(100)	Picklist
TicketAccessWeb	Ticket Access Web	character	x(100)	Picklist
TicketTemplateGUI	Ticket Template GUI	character	x(100)	Picklist
TicketTemplateWeb	Ticket Template Web	character	x(100)	Picklist
TicklerCode	Tickler Code	character	x(5)	Picklist
TicklerText	Tickler Text	character	x(4000)	Editor
TicklerTextInterfaceType	Tickler Text Interface Type	character	x(100)	ComboBox
TripCode	Trip Code	character	x(8)	Fillin
TripImage	Trip Image	character	X(50)	Fillin
TypeCode	Trip Type	character	x(5)	Picklist
WaitlistCount	Waitlist Count	integer	zzz9-	Fillin
WaitlistMaxCount	Waitlist Max Count	integer	zzz9	Fillin
WaitlistOverride	Waitlist Override	character	x(100)	ComboBox
WaitlistOverridePerm	Waitlist Override Codes	character	x(100)	Picklist
WaiverCode	Waiver Code	character	X(8)	Picklist
WebEvent	Web Event?	logical	yes/no	CheckBox
WebEventTitle	Web Event Title	character	x(50)	Fillin
WebMinPayment	WebMinPayment	decimal	->>,>>9.99	Fillin
WebMinPaymentOption	WebMinPaymentOption	character	x(100)	Fillin
WildCardCostCenter	WildCard Cost Center	character	x(100)	Picklist
WordIndex	WordIndex	character	x(80)	Fillin
Table: VSICriteriaType				
CriteriaType	CriteriaType	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details					
Field Name	Field Label	Data Type	Field Format	Field Type	
Table: VSICriteriaType Continued...					
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
NumberValues	NumberValues	integer	->, >>>, >>9	Fillin	
TaskNumber	TaskNumber	integer	zzzzzzzzz9	Fillin	
Version	Version	character	x(9)	Fillin	
Table: VSIDataSub					
CustomName	CustomName	character	x(8)	Fillin	
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin	
Field1	Field1	character	x(8)	Fillin	
Field2	Field2	character	x(8)	Fillin	
FieldName	FieldName	character	x(8)	Fillin	
FieldName2	FieldName2	character	x(8)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Procedure	Procedure	character	x(8)	Fillin	
RecordType	RecordType	character	x(10)	Fillin	
Table1	Table1	character	x(8)	Fillin	
Table2	Table2	character	x(8)	Fillin	
TaskNumber	TaskNumber	integer	zzzzzzzzz9	Fillin	
Version	Version	character	x(9)	Fillin	
Table: VSIFieldParam					
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin	
FieldName	FieldName	character	x(8)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
Interface	Interface	character	x(8)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
ParamName	ParamName	character	x(8)	Fillin	
ParamValue	ParamValue	character	x(8)	Fillin	
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin	
RecordType	RecordType	character	x(10)	Fillin	
TaskNumber	TaskNumber	integer	zzzzzzzzz9	Fillin	
Version	Version	character	x(9)	Fillin	
Table: VSIJoin					
ChildTable	ChildTable	character	x(30)	Fillin	
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin	
ID	ID	integer	zzzzzzzzz9	Fillin	
LinkTables	LinkTables	character	x(100)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Module	Module	character	x(30)	Fillin	
ParentTable	ParentTable	character	x(30)	Fillin	
QueryStatement	QueryStatement	character	x(500)	Fillin	
RecordType	RecordType	character	x(8)	Fillin	
TaskNumber	TaskNumber	integer	zzzzzzzzz9	Fillin	
Version	Version	character	x(9)	Fillin	
Table: VSILanguageCode					
BackgroundColor	BackgroundColor	character	x(20)	Fillin	
CodelsList	List	logical	Yes/No	CheckBox	
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin	
FontColor	FontColor	character	x(20)	Fillin	
FontSize	FontSize	character	x(20)	Fillin	
FontWeight	FontWeight	character	x(20)	Fillin	
ID	ID	int64	->>>>>>>>>>9	Fillin	
InterfaceType	Interface Type	character	x(8)	ComboBox	
LanguageCode	Language Code	character	x(8)	Fillin	
MiscInformation	MiscInformation	character	x(100)	Fillin	
Phrase	Phrase	character	x(100)	Editor	
PhraseID	Phrase ID	character	x(1000)	Fillin	
TaskNumber	TaskNumber	integer	zzzzzzzzz9	Fillin	



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: VSILanguageCode Continued...				
VariableList	Variable List	character	x(8)	Fillin
Version	Version	character	x(9)	Fillin
WordIndex	WordIndex	character	x(250)	Fillin
Table: VSIReportHeader				
BaseTable	Base Table	character	x(50)	ComboBox
CustomerID	CustomerID	character	x(100)	Fillin
CustomProcedure	Custom Report Procedure Name	character	x(100)	Fillin
CustomReportName	Custom Report Name	character	x(100)	Fillin
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin
Description	Description	character	x(100)	Fillin
EndOfShiftReport	Allow Report to be Run from End of S	logical	Yes/No	CheckBox
FixedInputs	Fixed Inputs	character	x(100)	Fillin
FixedReport	Fixed Report	character	x(100)	Fillin
FormatOptions	Format Options	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LongDescription	Report Output Help	character	x(500)	Editor
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(30)	ComboBox
OutputGroup	Output Group	character	x(100)	Picklist
Permissions	Permissions	character	x(100)	ComboBox
PrintLayout	PDF Print Layout	character	x(20)	ComboBox
RecordStatus	RecordStatus	character	x(100)	Fillin
ReportOptionHeight	ReportOptionHeight	decimal	->>,>>9.99	Fillin
ReportOptionWidth	ReportOptionWidth	decimal	->>,>>9.99	Fillin
RunFromScreen	Run From Screen Name	character	x(100)	Fillin
SkipJoinPermissions	Skip Join Permissions	character	x(100)	CheckBox
TaskNumber	Task Number	integer	zzzzzzzz9	Fillin
Version	Version	character	x(9)	Fillin
VT2ID	Show Report for these VT2 Customer	character	x(100)	Fillin
Table: VSIReportOutput				
Calculated	Calculated	logical	Yes/No	Fillin
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin
FieldName	FieldName	character	x(30)	Fillin
FieldTable	FieldTable	character	x(30)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LinkID	LinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
OutputType	OutputType	character	x(100)	Fillin
PrintOrder	PrintOrder	integer	>>>,>>>,>>9	Fillin
RecordType	RecordType	character	x(30)	Fillin
SortOrder	SortOrder	integer	>>>,>>>,>>9	Fillin
TaskNumber	TaskNumber	integer	zzzzzzzz9	Fillin
Version	Version	character	x(9)	Fillin
Table: VSIReportTable				
BaseTable	BaseTable	character	x(50)	Fillin
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin
Description	Description	character	x(100)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(30)	Fillin
TaskNumber	TaskNumber	integer	zzzzzzzz9	Fillin
Version	Version	character	x(9)	Fillin
Table: VSIRoutine				
Action	Action	character	x(8)	Fillin
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin
Function	Function	character	x(20)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Interface	Interface	character	x(8)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: VSIRoutine Continued...				
NeedTransaction	NeedTransaction	logical	Yes/No	Fillin
ProfileList	ProfileList	character	x(300)	Fillin
RefreshCheck	RefreshCheck	character	x(100)	Fillin
Routine	Routine	character	x(8)	Fillin
SkipFieldNames	SkipFieldNames	character	x(30)	Fillin
SkipLogging	SkipLogging	logical	Yes/No	Fillin
StartupCheck	StartupCheck	character	x(100)	Fillin
SubAction	SubAction	character	x(8)	Fillin
TaskNumber	TaskNumber	integer	zzzzzzzz9	Fillin
Version	Version	character	x(9)	Fillin
Table: VSIScreenDef				
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin
Design	Design	character	x(8)	Fillin
FieldName	Report Title	character	x(8)	Fillin
FieldTable	Primary Table	character	x(8)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
Interface	Interface	character	x(8)	Fillin
Level	Level	integer	->, >>>, >>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Module	Module	character	x(30)	Fillin
Order	Order	integer	->, >>>, >>9	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
RecordStatus	RecordStatus	character	x(10)	Fillin
RecordType	RecordType	character	x(8)	Fillin
ScreenName	Report Name	character	x(8)	Fillin
TaskNumber	TaskNumber	integer	zzzzzzzz9	Fillin
Version	Version	character	x(9)	Fillin
Table: VSIURLMapping				
DeleteRecord	DeleteRecord	logical	Yes/No	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LinkKeyWord	LinkKeyWord	character	x(100)	Fillin
Mapping	Mapping	character	x(100)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
TaskNumber	TaskNumber	integer	zzzzzzzz9	Fillin
Version	Version	character	x(9)	Fillin
Table: VSIVersion				
ID	ID	int64	->>>>>>>>>>9	Fillin
LastUpdated	LastUpdated	datetime	99/99/9999 HH:MM	Fillin
ProductName	ProductName	character	x(100)	Fillin
ProductVersion	ProductVersion	character	x(100)	Fillin
Table: WebAddressChange				
ChangeDate	ChangeDate	date	99/99/9999	Fillin
HouseholdNumber	HouseholdNumber	integer	zzzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
NewAddress1	NewAddress1	character	x(100)	Fillin
NewAddress2	NewAddress2	character	x(100)	Fillin
NewCity	NewCity	character	X(30)	Fillin
NewCountry	NewCountry	character	X(10)	Fillin
NewResidencyStatus	NewResidencyStatus	logical	yes/no	Fillin
NewStreet	NewStreet	character	X(3)	Fillin
NewZipCode	NewZipCode	character	X(10)	Fillin
OldAddress1	OldAddress1	character	x(100)	Fillin
OldAddress2	OldAddress2	character	x(100)	Fillin
OldCity	OldCity	character	X(30)	Fillin
OldCountry	OldCountry	character	X(10)	Fillin
OldResidencyStatus	OldResidencyStatus	logical	yes/no	Fillin
OldStreet	OldStreet	character	X(3)	Fillin
OldZipCode	OldZipCode	character	X(10)	Fillin



Dictionary Listing

RecTrac Database Field Details				
Field Name	Field Label	Data Type	Field Format	Field Type
Table: WebAddressChange Continued...				
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: WebEvent				
BeginTime	Begin Time	integer	zzzz9	Fillin
Category	Category	character	x(8)	Picklist
Comments	Comments	character	x(4000)	Editor
CreateDate	CreateDate	date	99/99/9999	Fillin
Description	Description	character	x(50)	Fillin
EndDate	End Date	date	99/99/9999	Fillin
EndTime	End Time	integer	zzzz9	Fillin
EventDate	Event Date	date	99/99/9999	Fillin
ExternalLink	External Link	character	x(100)	Fillin
FacilityLocation	Location	character	x(5)	Picklist
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserName	UserName	character	x(8)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: WebHeader				
Code	Code	character	X(8)	Fillin
Description	Description	character	X(30)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WebMenuType	WebMenuType	character	X(20)	Fillin
WordIndex	WordIndex	character	X(80)	Fillin
Table: WebMenu				
Code	Code	character	X(8)	Fillin
DisplayOption	DisplayOption	character	X(20)	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
LeagueMenu	LeagueMenu	logical	yes/no	Fillin
Level1	Level1	integer	z9	Fillin
Level2	Level2	integer	z9	Fillin
Level3	Level3	integer	z9	Fillin
MenuLabel	MenuLabel	character	X(40)	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
Parameters	Parameters	character	X(100)	Fillin
Permissions	Permissions	character	x(100)	Fillin
ProgramToRun	ProgramToRun	character	X(20)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
Target	Target	character	X(12)	Fillin
WebMenuType	WebMenuType	character	X(20)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin
Table: WebUserName				
AuthorizeContactsViaEmail	Authorize Contact Via Email?	logical	yes/no	CheckBox
EmailAddress	EmailAddress	character	x(200)	Fillin
ExternalDatabaseLogin	External Database Login	character	X(40)	Fillin
ExternalDatabasePin	External Database Pin	character	X(40)	Fillin



Dictionary Listing

Field Name	Field Label	Data Type	Field Format	Field Type
------------	-------------	-----------	--------------	------------

RecTrac Database Field Details

Table: WebUserName Continued...

ID	ID	int64	->>>>>>>>>>9	Fillin
LastAttemptDate	LastAttemptDate	date	99/99/9999	Fillin
LastAttemptTime	LastAttemptTime	integer	zzzzz9	Fillin
LockedOut	User Locked Out?	logical	yes/no	CheckBox
LogonAttempts	LogonAttempts	integer	zzzzzzz9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
ParticipateInWebPromotions	Participate in Web Promotions	logical	yes/no	CheckBox
Password	Password	character	X(40)	Fillin
PasswordChanged	PasswordChanged	logical	yes/no	Fillin
PasswordChangedDate	PasswordChangedDate	date	99/99/9999	Fillin
PasswordList	PasswordList	character	x(300)	Fillin
Permissions	Permissions	character	x(100)	Fillin
Referral	Referral	character	X(5)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
UserName	Username	character	X(40)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

Table: WebWishList

HouseholdNumber	HouseholdNumber	integer	zzzzzzz9	Fillin
ID	ID	int64	->>>>>>>>>>9	Fillin
MemberLinkID	MemberLinkID	int64	->>>>>>>>>>9	Fillin
MiscInformation	MiscInformation	character	x(100)	Fillin
ParentID	ParentID	int64	->>>>>>>>>>9	Fillin
ParentTable	ParentTable	character	x(25)	Fillin
Permissions	Permissions	character	x(100)	Fillin
SiteArea	SiteArea	character	x(100)	Fillin
SiteCategory	SiteCategory	character	x(100)	Fillin
SiteCode	SiteCode	character	x(100)	Fillin
WishListValues	WishListValues	character	x(500)	Fillin
WordIndex	WordIndex	character	x(80)	Fillin

End of Field Details