

# **Test Report**

Applicant : DIGITAL MATTER EMBEDDED SOUTH AFRICA

Address Oval, St Georges Block, Cnr Meadowbrook Lane and Sloane Street,

Bryanston, Gauteng, South Africa

Report on the submitted samples said to be:

Sample Name(s) : REMORA3-GLOBAL

Trade Mark : Digital Matter

Part No. : REMORA3-GLOBAL

Sample Received Date : December 08, 2023

**Testing Period** : December 08, 2023 ~ December 12, 2023

Date of Report : December 12, 2023

Testing Location : 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community,

Matian Street, Guangming District, Shenzhen, Guangdong, China

Results : Please refer to next page(s).

TEST REQUEST	CONCLUSION
As specified by client, based on the performed tests on submitted sample, the result of	
Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs,	
Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl	PASS
Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by	
RoHS Directive 2011/65/EU with amendment (EU) 2015/863.	上 和检测股份

Signed for and on behalf of LCS

Report No.: LCSA11223150R

Terry Luo





# A. EU RoHS Directive 2011/65/EU and its amendment directives

Test method: Refer to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF).

Test result(s):

Sample	Sample		Screening Result(s)					
No.	Description Description	Cd	Pb	Hg	Cr▼	Br▼		submission/
		Cu	10	ng		PBBs	PBDEs	Resubmission
1	Black plastic shell	BL	BL	BL	BL	BL	BL	2023-12-08
2	Silver metal screw	BL	BL	BL	BL	/	/	2023-12-08
3	Black metal magnet	BL	BL	BL	BL	/	在那	2023-12-08
4	White label	BL	BL	BL	BL	BL	BL	2023-12-08
5	Black foam	BL	BL	BL	BL	BL	BL	2023-12-08
6	Transparent rubber ring	BL	BL	BL	BL	BL	BL	2023-12-08
7	Silver metal sheet	BL	BL	BL	BL	/	/	2023-12-08
8	Silver metal spring	BL	BL	BL	BL	/	/	2023-12-08
9	Red plastic wire skin	BL	BL	BL	BL	BL	BL	2023-12-08
10	Black plastic wire leather	BL	BL	BL	BL	BL	BL	2023-12-08
Till in	Silver metal wire core	BL	BL	BL	BL	MRE Cab	/	2023-12-08
12	White plastic terminals	BL	BL	BL	BL	BL	BL	2023-12-08
13	Silver metal contacts	BL	BL	BL	BL	/	/	2023-12-08
14	Silver metal wire	BL	BL	BL	BL	/	/	2023-12-08
15	Silver metal screw	BL	BL	BL	BL	/	/	2023-12-08
16	Yellow tape	BL	BL	BL	BL	BL	BL	2023-12-08
17	Black plastic chip	BL	BL	BL	BL	BL	BL	2023-12-08
18	Silver metal rivets	BL	BL	BL	BL	/	/	2023-12-08
19	Pink white ceramic	BL	BL	BL	BL	BL	BL	2023-12-08
20	White label	BL	BL	BL	BL	BL	BL	2023-12-08
21	Silver metal cover	BL	BL	BL	BL	/	150/ LCS	2023-12-08
22	Black plastic block	BL	BL	BL	BL	BL	BL	2023-12-08
23	Silver metal sheet	BL	BL	BL	BL	/	/	2023-12-08
24	Black plastic sheet	BL	BL	BL	BL	BL	BL	2023-12-08
25	Gold metal contacts	BL	BL	BL	BL	/	/	2023-12-08
26	Black plastic body	BL	BL	BL	BL	BL	BL	2023-12-08
27	Gray metal magnetic core	BL	BL	BL	BL	/	/	2023-12-08
28	White plastic interface	BL	BL	BL	BL	BL	BL	2023-12-08



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Page 3 of 12

Report No.: LCSA11223150R

Sample	Sample 15	CS Testing		Screening	g Result(s			Date of sample
No.	Sample Description	Cd	Pb	Hg	Cr▼	В	r▼	submission/
	Description	Cu	10	ng	Ci	PBBs	PBDEs	Resubmission
29	Silver metal stylus	BL	BL	BL	BL	/	/	2023-12-08
30	Black plastic patch body	BL	BL	BL	BL	BL	BL	2023-12-08
31	Black plastic transistor	BL	BL	BL	BL	BL	BL	2023-12-08
32	Black plastic IC	BL	BL	BL	BL	BL	BL	2023-12-08
33	Brown plastic patch capacitor	BL	BL	BL	BL	BL	BL	2023-12-08
34	Black plastic diode	BL	BL	BL	BL	BL	BL	2023-12-08
35	Black plastic chip	BL	BL	BL	BL	BL	BL	2023-12-08
36	Blue plastic patch PCB	BL	BL	BL	BL	BL	BL	2023-12-08
37	Blue plastic patch body	BL	BL	BL	BL	BL	BL	2023-12-08
38	Black plastic chip	BL	BL	BL	BL	BL	BL	2023-12-08
39	Black plastic chip	BL	BL	BL	BL	BL	BL	2023-12-08
40	Gray metal magnetic core	BL	BL	BL	BL	/	/	2023-12-08
41	Black metal magnetic core	BL	BL	BL	BL	and the	/	2023-12-08
42	Silver metal crystal oscillator	BL	BL	BL	BL	sting hap	/	2023-12-08
43	Purple plastic patch body	BL	BL	BL	BL	BL	BL	2023-12-08
44	Black plastic patch PCB	BL	BL	BL	BL	BL	BL	2023-12-08
45	White plastic body	BL	BL	BL	BL	BL	BL	2023-12-08
46	Black metal chip inductor	BL	BL	BL	BL	/	/	2023-12-08
47	Green plastic PCB	BL	BL	BL	BL	BL	BL	2023-12-08
48	Silver metal solder	BL	BL	BL	BL	/	/	2023-12-08



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



#### Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>

#### Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- $3\sigma$ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.







Report No.: LCSA11223150R



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



_	S
	The second secon

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

#### Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.







Report No.: LCSA11223150R



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



# B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

#### Test method:

# Lead(Pb) & Cadmium(Cd) Content:

Refer to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES) or atomic absorption spectrometer (AAS).

### Mercury(Hg) Content:

Refer to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES).

#### Hexavalent Chromium(Cr(VI)) Content:

Refer to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

#### PBBs & PBDEs Content:

Refer to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatography-mass spectrometer (GC-MS).

# Phthalates(DBP, BBP, DEHP &DIBP) Content:

Refer to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatography-mass spectrometer (GC-MS).

## Test result(s):

# 1) Phthalates(DBP, BBP, DEHP &DIBP)

Tested Item(s)	MDL	Test Result(s) (mg/kg)				Limit
	(mg/kg)	1	6	9	10	(mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	N.D.	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	N.D.	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	N.D.	N.D.	N.D.	1000
Tiff 10 ming Lab	古洲植物	g Lab	•		世讯和	ing Lab

Tested Item(s)	MDL	Test Result(s) (mg/kg)	Limit
rested rem(s)	(mg/kg)	4+5+12+16+17+19	(mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity



Report No.: LCSA11223150R



文讯检测股份 文讯检测服	Page 7 of 12	Report No.: LCS	SA11223150R
Tested Item(s)	MDL	Test Result(s) (mg/kg)	Limit
resteu rem(s)	(mg/kg)	20+22+24+26+28+30	(mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

Tested Item(s)	MDL (mg/kg)	Test Result(s) (mg/kg) 31+32+33+34+35+36	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

Tested Item(s)	MDL	Test Result(s) (mg/kg)	Limit	
LCS Testing LCS Testing	(mg/kg)	37+38+39+43+44+45	(mg/kg)	
Dibutyl Phthalate(DBP) Content	50	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000	

Tested Item(s)	MDL	Test Result(s) (mg/kg)	Limit	
Tested recinity	(mg/kg)	th Lab 47	(mg/kg)	
Dibutyl Phthalate(DBP) Content	50	N.D. VST LCS Test	1000	
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China




#### Note:


- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg= milligram
- According to customer's requirement, only the appointed materials have been tested.

## **Test Process**


1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013




2. Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV



3. Hexavalent Chromium(Cr(VI))









Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs): IEC 62321-6:2015



5. Phthalates(DBP, BBP, DEHP & DIBP) : IEC 62321-8:2017



立语检测股份 LCS Testing Lab





Report No.: LCSA11223150R




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



# The photo(s) of the sample





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China








Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



Page 12 of 12 Report No.: LCSA11223150R



#### **Statement:**

- 1. The test report is invalid without the signature of the approver and the special seal for the company's report;
- The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- The test results in this report are only responsible for the tested samples; 3.
- Without written approval of LCS, this report can't be reproduced except in full; 4.
- In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

\*\*\* End of Report \*\*\*



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China