



Test Report

Applicant : DIGITAL MATTER EMBEDDED SOUTH AFRICA

Address Oval, St Georges Block, Cnr Meadowbrook Lane and Sloane Street,

Bryanston, Gauteng, South Africa

Report on the submitted samples said to be:

Sample Name(s) : OYSTER3-GLOBAL

Trade Mark : Digital Matter

Part No. : OYSTER3-GLOBAL

Sample Received Date : December 08, 2023

Testing Period : December 08, 2023 ~ December 12, 2023

Date of Report : December 12, 2023

Testing Location : 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community,

Matian Street, Guangming District, Shenzhen, Guangdong, China

Results : Please refer to next page(s).

TEST REQUEST	CONCLUSION
As specified by client, based on the performed tests on submitted sample, the result of	
Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs,	
Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl	PASS
Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by	
RoHS Directive 2011/65/EU with amendment (EU) 2015/863.	上语检测股份

Signed for and on behalf of LCS

Report No.: LCSA11223153R

Terry Luo





A. EU RoHS Directive 2011/65/EU and its amendment directives

Test method: Refer to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF).

Test result(s):

Sample	Sample	Screening Result(s)						Date of sample
No.	Description Description	Cd	Pb	Hg	Cr▼	Br▼		submission/
		Cu	10	11g	CI	PBBs	PBDEs	Resubmission
1	Black plastic shell	BL	BL	BL	BL	BL	BL	2023-12-08
2	Silver metal screw	BL	BL	BL	BL	/	/	2023-12-08
3	White label	BL	BL	BL	BL	BL	BL	2023-12-08
4	Grey foam	BL	BL	BL	BL	BL	BL	2023-12-08
5	White rubber ring	BL	BL	BL	BL	BL	BL	2023-12-08
6	Yellow tape	BL	BL	BL	BL	BL	BL	2023-12-08
7	Green plastic PCB	BL	BL	BL	BL	BL	BL	2023-12-08
8	Black plastic seat	BL	BL	BL	BL	BL	BL	2023-12-08
9	Silver metal contacts	BL	BL	BL	BL	/	/	2023-12-08
10	White label	BL	BL	BL	BL	BL	BL	2023-12-08
11	Silver metal cover	BL	BL	BL	BL	/	/	2023-12-08
12	Black plastic body	BL	BL	BL	BL	BL	BL	2023-12-08
13°5411	Gray metal magnetic core	BL	BL	BL	BL	/ stillia	/	2023-12-08
14	Black plastic transistor	BL	BL	BL	BL	BL	BL	2023-12-08
15	Silver metal solder	BL	BL	BL	BL	/	/	2023-12-08
16	Black metal chip inductor	BL	BL	BL	BL	/	/	2023-12-08
17	White plastic patch LED light	BL	BL	BL	BL	BL	BL	2023-12-08
18	Black plastic patch resistor	BL	BL	BL	BL	BL	BL	2023-12-08
19	Pink white ceramic	BL	BL	BL	BL	BL	BL	2023-12-08
20	Silver metal rivets	BL	BL	BL	BL	/	A ALTHU	2023-12-08
21	Silver metal sheet	BL	BL	BL	BL	/	1	2023-12-08
22	Black plastic sheet	BL	BL	BL	BL	BL	BL	2023-12-08
23	Silver metal contacts	BL	BL	BL	BL	/	/	2023-12-08
24	Black plastic block	BL	BL	BL	BL	BL	BL	2023-12-08
25	Brown plastic patch capacitor	BL	BL	BL	BL	BL	BL	2023-12-08
26	Black plastic chip	BL	BL	BL	BL	BL	BL	2023-12-08
27	Black plastic chip	BL	BL	BL	BL	BL	BL	2023-12-08
28	Black plastic IC	BL	₩ BL	BL	BL	BL	BL	2023-12-08



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



Page 3 of 11

Report No.: LCSA11223153R

TIME TO STORE STOR	Comple V6	Tillian Testin	Date of sample					
Sample No.	Sample Description	Cd	Pb	Ша	Cr▼	В	r▼	submission/
110.	Description	Cu	ΓU	Hg	Cr	PBBs	PBDEs	Resubmission
29	Black plastic secondary pipe	BL	BL	BL	BL	BL	BL	2023-12-08
30	Blue plastic patch PCB	BL	BL	BL	BL	BL	BL	2023-12-08
31	Black plastic chip	BL	BL	BL	BL	BL	BL	2023-12-08
32	Black plastic chip	BL	BL	BL	BL	BL	BL	2023-12-08
33	Gray metal magnetic core	BL	BL	BL	BL	/	/	2023-12-08
34	Black metal magnetic core	BL	BL	BL	BL	/	位讯	2023-12-08
35	Silver metal crystal oscillator	BL	BL	BL	BL	/	1200	2023-12-08
36	Blue plastic patch body	BL	BL	BL	BL	BL	BL	2023-12-08
37	Purple plastic patch body	BL	BL	BL	BL	BL	BL	2023-12-08

Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

	T-471	ITI	. nT-4T
Element	Polymers	Metals Metals	Composite material
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>

Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- 3σ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China





RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

Test method:

Lead(Pb) & Cadmium(Cd) Content:

Refer to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES) or atomic absorption spectrometer (AAS).

Mercury(Hg) Content:

Refer to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

Refer to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

Refer to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatography-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP &DIBP) Content:

Refer to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatography-mass spectrometer (GC-MS).



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



Test result(s):

1) Phthalates(DBP, BBP, DEHP &DIBP)

Tested Item(s)	MDL	Test Result(s) (mg/kg)			Limit
resteu tem(s)	(mg/kg)	(1)	(5)	(6)	(mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	N.D.	N.D.	1000

Tested Item(s)	MDL (mg/kg)	Test Result(s) (mg/kg) (3+4+7+8+10+12)	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

Tested Item(s)	MDL	Test Result(s) (mg/kg)	Limit	
resteu rem(s)	(mg/kg)	(14+17+18+19+22+24)	(mg/kg)	
Dibutyl Phthalate(DBP) Content	50	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000	

Tested Item(s)	MDL (mg/kg)	Test Result(s) (mg/kg) (25+26+27+28+29+30)	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China





Page 6 of 11

Report No.: LCSA11223153R

Tested Item(s)	MDL	Test Result(s) (mg/kg)	Limit	
rested rem(s)	(mg/kg)	(31+32+36+37)	(mg/kg)	
Dibutyl Phthalate(DBP) Content	50	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000	

Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg= milligram
- According to customer's requirement, only the appointed materials have been tested.




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China




Test Process

1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013




2. Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV



Hexavalent Chromium(Cr(VI))

IEC 62321-7-2:2017





Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




2) IEC 62321-7-1:2015



4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs): IEC 62321-6:2015



5. Phthalates(DBP, BBP, DEHP & DIBP): IEC 62321-8:2017









Report No.: LCSA11223153R



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



The photo(s) of the sample









Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
























Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China





Statement:

- 1. The test report is invalid without the signature of the approver and the special seal for the company's report;
- 2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- 4. Without written approval of LCS, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

*** End of Report ***

至 LCS Testing Lab













Report No.: LCSA11223153R



Shenzhen LCS Compliance Testing Laboratory Ltd.