

Text resource changes in Pure (backend)

This is an overview of the text additions and modifications to Pure's default text resources for the locale **cy** between versions **5.15.0** and **5.16.0**.

This content is confidential and should not be shared or reproduced.

Note: It does not include text changes made for individual customer sites, and may include some texts that are not visible on your Pure instance (used for Elsevier supporter role, inactive modules or modules from other countries such as REF, or different system configurations).

The keys in the translations are not necessarily indicative of the functionality. Changes in key between releases will override any custom text resource changes in your Pure.

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources_cy.properties **CHANGED**

12	- overviewimpactTemplateREF2020=Trosolwg o astudiaeth achos effaith
15	- overviewimpactCaseStudyREF2020=?Trosolwg o astudiaeth achos effaith
14	+ overviewimpactCaseStudyREF2020=Trosolwg o astudiaeth achos effaith

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources_en.properties **CHANGED**

12	- overviewimpactTemplateREF2020=Impact case study overview
15	- overviewimpactCaseStudyREF2020=?Impact case study overview
14	+ overviewimpactCaseStudyREF2020=Impact case study overview

pure-core/admin/client/components/modules/report/properties/report-resources_cy.properties **CHANGED**

112	- onboarding-tip-filterbar=Cliciwch ar y bar hidlo er mwyn hidlo math o gynnwys. Yna ychwanegwch hidlyddion yn y panel ar yr ochr dde.
264	- filter-tab-placeholder-part-two=Dewiswch y bar hidlo uwch ben colofn i weithredu'r tab hidlo.
300	- filter-staffref2020-added={count} REF1a/c (2021) wedi ei ychwanegu
298	+ filter-staffref2020-added={count} REF1 (2021) wedi ei ychwanegu
304	- filter-staffref2020-title=REF1a/c (2021)
302	+ filter-staffref2020-title=REF1 (2021)
313	- filter-staffref2020-summary={count} REF1a/c (2021) wedi ei ychwanegu
311	+ filter-staffref2020-summary={count} REF1 (2021) wedi ei ychwanegu
569	- series-filter-active-list-placeholder-text="Does dim ffiltrau gweithredol yn cael eu defnyddio yn y golofn hon. Rhwch gynnig ar ychwanegu un neu ragor o ffiltrau yn y tab "Ychwanegu ffilter".

567 + series-filter-active-list-placeholder-text=Does dim ffiltrau gweithredol yn cael eu defnyddio yn y golofn hon. Rhowch gynnig ar ychwanegu un neu ragor o ffiltrau yn y tab "Ychwanegu ffilter".

577 - content-id-filter-placeholder-text=Teipiwch yma i chwilio

611 - data-story-visualization-add-filter-bar=Bar hidlo

627 - data-story-filter-tab-no-filters-on-other-elements-to-target=Ychwanegwch hidlyddion ychwanegol at declynnau eraill i'w defnyddio yn y bar hidlo

637 - data-story-filters-tab-panel-aria-label=Bar hidlo - hidlo tabiau gan hidlo mathau unigol o gynnwys

639 - report-settings-features-title=Nodweddion arbrofol

633 + report-settings-features-experimental-title=Nodweddion arbrofol

650 + filter-tab-placeholder-part-two=Dewiswch y rheolydd hidlo uwch ben colofn i roi'r tab Hidlo ar waith.

651 + onboarding-tip-filterbar=Cliciwch y rheolydd hidlo i hidlo math o gynnwys. Wedyn ychwanegwch hidlyddion yn y panel ar y dde.

652 + data-story-visualization-preview-scoreCard-title=Cerdyn sgorio

653 + content-id-filter-placeholder-multi-text=Teipiwch yma i chwilio

654 + content-id-filter-placeholder-dropdown-text=Dewiswch eitem hidlo

655 + data-story-visualization-add-filter-bar=Rheolydd hidlo

656 + data-story-value-tab-selected-element-does-not-support-value-selection=Dim gwerthoedd y gellir eu dewis

657 + data-story-filter-tab-no-filters-on-other-elements-to-target=Ychwanegwch hidlyddion ychwanegol at declynnau eraill i'w defnyddio yn y rheolydd hidlo

658 + data-story-filters-tab-panel-aria-label=Rheolydd hidlo - Hidlo tabiau gan hidlo mathau unigol o gynnwys

659 + report-settings-features-stable-title=Nodweddion sefydlog

660 + validation-status-error-title=Methu dilysu man gwaith

661 + validation-status-error-ok=Cau

662 + report-settings-concurrency-title=Perfformiad

663 + report-settings-concurrency-itemIdBatching-title=Nôl sypiau o resi mewn edeifion ar wahân (yn allgludo'n llawer cyflymach ar gyfer setiau data mawr o bosib, ar draul cof a llwyth y gweinydd)

664 + report-settings-concurrency-itemIdBatching-toggle-label=Galluogi aml-edafeddu (rhesi)

665 + report-settings-concurrency-subSetFetching-title=Nôl sypiau o golofnau mewn edeifion ar wahân (yn nôl yn llawer cyflymach ar gyfer nifer mawr o golofnau o bosib, ar draul cof a llwyth y gweinydd)

666 + report-settings-concurrency-subSetFetching-toggle-label=Galluogi aml-edafeddu (colofnau)

667 + data-story-visualization-add-layout=Ychwanegu grŵp cynllun

668 + data-story-layout-tab-placeholder-header=Defnyddiwch y tab yma i addasu'r elfennau dan sylw a newid yr opsiynau o ran cynllun.

669 + data-story-layout-tab-clear-search-label=Clirio'r chwiliad

670 + data-story-layout-tab-teaser=Mae'r nodwedd hon wrthi'n cael ei datblygu.

671 + data-story-layout-tab-select-widgets=Teclynnau

672 + canvas-widget-default-table-name=Tabl

673 + canvas-widget-default-columnChart-name=Siart colofnau

674 + canvas-widget-default-barChart-name=Siart bar

675 + canvas-widget-default-pieChart-name=Siart cylch

676 + canvas-widget-default-text-name=Testun

677 + canvas-widget-default-filterBar-name=Rheolydd hidlo

678 + canvas-widget-default-scoreCard-name=Cerdyn sgorio

679 + canvas-widget-default-layout-name=Grŵp cynllun

680 + canvas-widget-default-lineChart-name=Siart llinell
681 + data-story-format-tab-no-annotatable-columns=Heb ganfod colofnau mae modd eu hanodi
682 + data-story-format-tab-placeholder-header=Defnyddiwch y tab hwn i newid cynllun eich stori ddata, i newid lliwiau'r delweddau ac i fformatio'r testun, e.e. paragraffau, aliniad a rhestri bwled.
683 + data-story-format-tab-create-new-annotation=Creu ysgogiad gweledol newydd
684 + data-story-format-tab-select-element-to-display-options=Dewis elfen stori ddata i newid y fformatio
685 + data-story-format-tab-selected-element-does-not-support-formatting=Dydy'r elfen stori ddata dan sylw ddim yn gallu delio â fformatio
686 + data-story-format-tab-teaser=Mae'r nodwedd hon wrthi'n cael ei datblygu.
687 + confirm-revert-to-original-are-you-sure=Ydych chi'n siŵr eich bod chi eisiau disodli'r man gwaith "{name}" â'r fersiwn gwreiddiol?
688 + confirm-revert-to-original-header=Disodli man gwaith â'r gwreiddiol
689 + confirm-revert-cancel=Canslo
690 + confirm-revert-do-revert=Disodli â'r gwreiddiol
691 + confirm-replace-header=Mewngludo a disodli'r man gwaith ar gyfer cofnodi
692 + confirm-replace-select-json=Dewiswch ffeil .json i fewngludo man gwaith cofnodi sydd eisoes yn bodoli. Bydd unrhyw newidiadau i'r man gwaith presennol yn cael eu colli. Ar ôl llwytho i fyny, cliciwch 'ailosod rhannu a mewngludo o ffeil' i ddefnyddio'r man gwaith newydd yn lle'r un presennol, neu ganslo er mwyn parhau i ddefnyddio'r man gwaith presennol.
693 + confirm-replace-are-you-sure=Bydd clicio'r botwm isod yn llwytho man gwaith o'r ffeil i mewn i'r golygydd. Pan fydd y man gwaith newydd wedi'i gadw, bydd yn disodli fersiwn flaenorol y man gwaith "{name}". Nodwch y bydd unrhyw waith gosod a rennir yn cael ei dynnu.
694 + confirm-replace-upload-label=Ailosod man gwaith rhannu a mewngludo o ffeil
695 + confirm-replace-cancel-label=Canslo
696 + attribution-algorithm-header=Algorithm priodoli
697 + algorithmInfoDialogTooltipText1=Mae'r Algorithm Priodoli Awtomatig yn eich helpu chi i gael y GPA uchaf posib ar gyfer UoA penodol, ar sail y REF1s dan sylw a'r gronfa o allbynnau dan sylw.
698 + algorithmInfoDialogTooltipText2=Os ydych chi am wneud yn siŵr bod allbynnau penodol yn cael eu priodoli i unigolion, gallwch wneud hynny drwy gloi'r allbwn eich hun ar dudalen y cyhoeddiad. Wedyn bydd yr algorithm yn ystyried y clo hwn ac yn cyfrifo'r GPA uchaf o dan yr amgylchiadau hynny.
699 + algorithmInfoDialogTooltipText3=Mae'r algorithm yn gweithio fel hyn:
700 + algorithmInfoDialogTooltipText4=1. Mae un allbwn yn cael ei briodoli i ymchwilyr sydd ag un allbwn yn unig yn y gronfa, ac fe gaiff yr allbwn ei dynnu o'r gronfa.
701 + algorithmInfoDialogTooltipText5=2. Bydd yr allbwn â'r sgôr uchaf yn cael ei briodoli i'r ymchwilyr sy'n weddill. Lle bo'r radd yr un fath, bydd allbynnau ag un awdur yn cael blaenoriaeth dros allbynnau wedi'u cyd-awdura.
702 + algorithmInfoDialogTooltipText6=3. Ar ôl i un allbwn gael ei briodoli i bob ymchwilydd, caiff "y gorau o'r gweddill" ei ddewis, gan ddechrau gyda'r allbynnau cryfaf, lle does dim ond un awdur y gellir priodoli'r allbwn hwn iddo. Mae hyn yn cynnwys allbynnau gan gyn-aelodau o staff.
703 + algorithmInfoDialogTooltipText7=4. Pan fydd nifer yr allbynnau heb eu priodoli sy'n weddill yn llai na nifer yr allbynnau sydd â'r un radd, caiff yr allbynnau eu dewis er mwyn sicrhau'r optimeiddiad gorau posib ar draws staff Cat A o fewn UoA.
704 + attribution-algorithm-cancel=Canslo
705 + attribution-algorithm-reset=Ailosod
706 + attribution-algorithm-run=Rhedeg Priodoliad
707 + attribution-algorithm-last-run=Y tro diwethaf iddo gael ei redeg:
708 + attribution-algorithm-status=Statws:


```
709 + attribution-cannot-run-algorithm=Methu rhedeg priodoliad
710 + attribution-cannot-reset=Methu ailosod priodoliadau
711 + attribution-already-running=Mae'r gwaith priodoli yn rhedeg ar hyn o bryd.
712 + attribution-not-authorized=Does gennych chi ddim hawl i wneud y weithred hon.
713 + attribution-error=Aerth rhywbeth o'i le wrth redeg y gwaith.
714 + attribution-algorithm-cancel-aria-label=Botwm a fydd yn canslo'r algorithm priodoli tra mae'n rhedeg
715 + attribution-algorithm-reset-aria-label=Botwm a fydd yn ailosod y rhedwr priodoli, ar ôl iddo gael ei redeg
716 + attribution-algorithm-run-aria-label=Botwm a fydd yn rhedeg yr algorithm priodoli
717 + display-table-total-count=Cyfanswm
718 + display-table-total-in-percent=Cyfanswm mewn %
719 + column-ignore-isolate-non-distinct-aggregation-on=Analluogi cyfanrediad ar wahân (cyflymach)
720 + column-ignore-isolate-non-distinct-aggregation-off=Galluogi cyfanrediad ar wahân (arafach)
721 + logging=Logio
722 + download=lawrlwytho
723 + revert-to-original=Dychwelyd i'r gwreiddiol
724 + pinned-filter-icon=Eicon hidlo wedi'i phinio
725 + pinned-filter-trash-icon=Eicon hidlo sbwriel wedi'i phinio
726 + themeAdjustment=Addasu thema
727 + selectTargetColumn=Dewiswch y golofn darged
728 + filters=Hidlyddion
729 + legendExplanation=Esboniad o'r allwedd
730 + apply=Gweithredu
731 + left=Chwith
732 + operator=Gweithredwr
733 + right=Dde
734 + select-col-or-input-static-value=Dewiswch golofn neu fewnbynnu gwerth statig
735 + add-filters=Ychwanegu hidlydd
736 + widget-filters=Hidlyddion teclynnau
737 + when-column=Pan fydd colofn
738 + or-value=Neu werth
739 + navigate-up=Llywio i fyny
740 + create=Creu
741 + report-settings-subSetFetcherMergeInOrchestrator-title=Cyfuno 'SubSetFetchers' yn y trefnwr (mae hyn yn galluogi rhai
ymholiadau i redeg gyda'i gilydd yn yr un SubSetFetcher, ac yn gallu rhoi hwb i berfformiad pan fydd mwy nag un ymholiad yn
gorgyffwrdd, ac yn nôl gwybodaeth sydd wedi'i chydleoli)
742 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Galluogi cyfuno ymholiadau sydd â gwybodaeth wedi'i chyd-leoli
743 + report-settings-enableDifferenceLoggingOrchestrator-title=Yn newid y trefnwr diofyn am fersiwn sydd, yn ogystal â rhedeg yr
ymholiad, yn rhedeg nifer o ymholiadau ychwanegol yn awtomatig i bennu a oes gwahaniaeth yn yr allbwn ar gyfer cyfanrediadau
wedi'u hynysu / heb fod wedi'u hynysu
744 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Galluogi logio gwahaniaeth
```

22	+ column-ignore-isolate-non-distinct-aggregation-on=Disable distinct aggregation (faster)
23	+ column-ignore-isolate-non-distinct-aggregation-off=Enable distinct aggregation (slower)
70	- filter-tab-placeholder-part-two=Select the filter bar above a column to activate the Filter tab.
72	+ filter-tab-placeholder-part-two=Select the filter control above a column to activate the Filter tab.
137	+ aria-share-component-ok-label=Confirm share report
139	+ aria-share-component-cancel-label=Cancel share report
161	- onboarding-tip-filterbar=Click the filter bar to filter a content type. Then add filters in the right-hand panel.
165	+ onboarding-tip-filterbar=Click the filter control to filter a content type. Then add filters in the right-hand panel.
256	- number-of-subcolumns-has-been-added={count} of max {total} subcolumns has been added
260	+ number-of-subcolumns-has-been-added={count} of max {total} subcolumns have been added
325	+ data-story-visualization-preview-scoreCard-title=Scorecard
340	- format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.
341	- format-tab-placeholder-line2=This feature is currently under development.
650	- content-id-filter-placeholder-text=Type here to search
653	+ content-id-filter-placeholder- multi -text=Type here to search
654	+ content-id-filter-placeholder-dropdown-text=Select a filter item
677	- data-story-visualization-add-filter-bar=Filter bar
681	+ data-story-visualization-add-filter-bar=Filter control
694	+ data-story-value-tab-selected-element-does-not-support-value-selection=No selectable values
693	- data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter bar
698	+ data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter control
704	- data-story-filters-tab-panel-aria-label=Filter bar - Filter tabs filtering individual content-type
709	+ data-story-filters-tab-panel-aria-label=Filter control - Filter tabs filtering individual content-type
706	- report-settings-features-title=Experimental features
711	+ report-settings-features- experimental -title=Experimental features
712	+ report-settings-features-stable-title=Stable features
718	- upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Load and replace to use the new workspace or cancel to keep the existing workspace.
724	+ upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Import existing workspace to use the new workspace or cancel to keep the existing workspace.
731	+ report-settings-concurrency-title=Performance
732	+ report-settings-concurrency-itemIdBatching-title=Fetch batches of rows in separate threads (potentially exports much faster for large datasets at the cost of memory and server load)
733	+ report-settings-concurrency-itemIdBatching-toggle-label=Enable multi-threading (rows)
734	+ report-settings-concurrency-subSetFetching-title=Fetch batches of columns in separate threads (potentially fetches faster for a large number of columns at the cost of memory and server load)
735	+ report-settings-concurrency-subSetFetching-toggle-label=Enable multi-threading (columns)

736 + data-story-visualization-add-layout=Add layout group
737 + data-story-layout-tab-placeholder-header=Use this tab to manipulate selected elements and change layout options.
738 + data-story-layout-tab-clear-search-label=Clear search
739 + data-story-layout-tab-teaser=This feature is currently under development.
740 + data-story-layout-tab-select-widgets=Widgets
741 +
742 + #export type VisualizationType = 'text' | 'pieChart' | 'barChart' | 'columnChart' | 'lineChart' | 'table' | 'complexTable' |
'filterBar' | 'header' | 'footer' | 'layout' | 'scoreCard';
743 + canvas-widget-default-table-name=Table
744 + canvas-widget-default-columnChart-name=Column chart
745 + canvas-widget-default-barChart-name=Bar chart
746 + canvas-widget-default-pieChart-name=Pie chart
747 + canvas-widget-default-text-name=Text
748 + canvas-widget-default-filterBar-name=Filter control
749 + canvas-widget-default-scoreCard-name=Scorecard
750 + canvas-widget-default-layout-name=Layout group
751 + canvas-widget-default-lineChart-name=Line chart
752 +
753 + format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and
format text, e.g. paragraphs, alignment and bullet lists.
754 + format-tab-placeholder-line2=This feature is currently under development.
755 + data-story-format-tab-no-annotatable-columns=No annotatable columns found
756 + data-story-format-tab-placeholder-header=Use this tab to change the layout of your data story, change the colours of
visualisations and format text, e.g. paragraphs, alignment and bullet lists.
757 + data-story-format-tab-create-new-annotation=Create new visual cue
758 + data-story-format-tab-select-element-to-display-options=Select data story element to change formatting
759 + data-story-format-tab-selected-element-does-not-support-formatting=Selected data story element does not support formatting
760 + data-story-format-tab-teaser=This feature is currently under development.
761 +
762 + confirm-revert-to-original-are-you-sure=Are you sure you want to replace the workspace "{name}" with the original version?
763 + confirm-revert-to-original-header=Replace workspace with original
764 + confirm-revert-cancel=Cancel
765 + confirm-revert-do-revert=Replace with original
766 +
767 + confirm-replace-header=Import and replace reporting workspace
768 + confirm-replace-select-json=Select a .json file to import an existing reporting workspace. Any changes to the current
workspace will be lost. After the upload click 'reset sharing and import from file' to use the new workspace in place of
existing one or cancel to keep the existing workspace.
769 + confirm-replace-are-you-sure=Clicking the button below will load a workspace from file into the editor. Once the new workspace
is saved it will replace the previous version of workspace "{name}". Please note that any sharing setup will be removed.
770 + confirm-replace-upload-label=Reset sharing and import workspace from file
771 + confirm-replace-cancel-label=Cancel

```
772 +
773 + attribution-algorithm-header=Attribution algorithm
774 + algorithmInfoDialogTooltipText1=The Automated Attribution Algorithm helps you reach the highest possible GPA for a specific
UoA, given the selected REF1s and the selected pool of outputs.
775 + algorithmInfoDialogTooltipText2=If you want to ensure that specific outputs are attributed to individuals, you can do so by
locking the output manually on the page of the publication. The algorithm will then respect this lock and calculate the highest
GPA under those circumstances.
776 + algorithmInfoDialogTooltipText3=The algorithm works as follows:
777 + algorithmInfoDialogTooltipText4=1. Researchers with only one output in the pool have their one output attributed to them and
the output is removed from the pool.
778 + algorithmInfoDialogTooltipText5=2. Remaining researchers have their top graded output attributed to them. Where the grade is
the same, single-authored outputs are prioritized over co-authored outputs.
779 + algorithmInfoDialogTooltipText6=3. Once each researcher has been attributed one output, the "best of the rest" is selected,
starting with the strongest outputs where there is only one author to whom this output can be attributed. This includes outputs
by former members of staff.
780 + algorithmInfoDialogTooltipText7=4. When the number of remaining unattributed outputs is smaller than the number of outputs
with the same grade, then the outputs are selected so that they optimize spread across Cat A staff within the UoA.
781 + attribution-algorithm-cancel=Cancel
782 + attribution-algorithm-reset=Reset
783 + attribution-algorithm-run=Run Attribution
784 + attribution-algorithm-last-run=Last run:
785 + attribution-algorithm-status=Status:
786 +
787 + attribution-cannot-run-algorithm=Cannot run attribution
788 + attribution-cannot-reset=Cannot reset attributions
789 + attribution-already-running=The attribution job is currently running.
790 + attribution-not-authorized=You are not authorized to perform this action.
791 + attribution-error=An error occurred while running the job.
792 +
793 + attribution-algorithm-cancel-aria-label=Button that will cancel the attribution algorithm while it is running
794 + attribution-algorithm-reset-aria-label=Button that will reset the attribution runner, once it has been run
795 + attribution-algorithm-run-aria-label=Button that will run the attribution algorithm
796 +
797 + display-table-total-count=Total count
798 + display-table-total-in-percent=Total in %
799 + cancel-export=Cancel Export
800 + report-datatable-scroll-to-top=Scroll to top of the table
801 + logging=Logging
802 + download=download
803 + revert-to-original=Revert to original
804 + pinned-filter-icon=Start edit
805 + pinned-filter-trash-icon>Delete the filter
806 + themeAdjustment=Theme adjustment
```

```
807 + selectTargetColumn=Select target column
808 + filters=Filters
809 + legendExplanation=Legend explanation
810 + apply=Apply
811 + left=Left
812 + operator=Operator
813 + right=Right
814 + select-col-or-input-static-value=Select a column or a input a static value
815 + add-filters=Add filters
816 + widget-filters=Widget filters
817 + when-column=When column
818 + or-value=Or value
819 + navigate-up=Navigate up
820 + create=Create
821 +
822 +
823 + report-settings-subSetFetcherMergeInOrchestrator-title=Merge 'SubSetFetchers' in orchestrator (Enables some queries to run
together in the same SubSetFetcher, it can boost performance when multiple when queries overlap and fetches information that is
co-located)
824 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Enable merging of queries with co-located information
825 +
826 + report-settings-enableDifferenceLoggingOrchestrator-title=Replaces the default orchestrator with a version that in addition to
running the query, automatically runs a number of extra queries to determine if the there is a difference in the output for
isolated / non-isolated aggregations
827 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Enable difference logging
828 + plus-icon=Add a new column
829 + confirm-workspace-delete>Delete workspace
```

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources_cy.properties CHANGED

```
6 - inventory-close-callout=Cau'r ddeialog
7 - inventory-show-more=Dangos mwy
8 + timeline-dialog-title=Amserlen
9 + timeline-dialog-description=Mae eich ffenestr yn rhy fach i ddangos amserlen ryngweithiol ar gyfer eich prosiectau yma. I weld
yr amserlen, gwnewch eich ffenestr yn fwy neu glicio'r botwm i'w hagor mewn ffenestr naid.
10 + view-timeline=Agor amserlen
11 + timeline-dialog-close=Cau'r blwch deialog
```

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources_en.properties CHANGED

```
8 + timeline-dialog-title=Timeline
```



```
9 + timeline-dialog-description=Your window is too small to display an interactive timeline for your projects here. To view the
  timeline, enlarge your window or click the button to open it in a popup.
10 + view-timeline=Open timeline
11 + timeline-dialog-close=Close dialog
```

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources_cy.properties CHANGED

```
8 + originalUser-as-user={originalName} fel {name}
```

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources_en.properties CHANGED

```
8 + originalUser-as-user={originalName} as {name}
```

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources_cy.properties CHANGED

```
56 - MendeleyDataSet-body-plural={countAndContent} a gafwyd yn Data Mendeley
57 - MendeleyDataSet-body-singular={countAndContent} oedd i'w weld yn Data Mendeley
85 - newsflo-import-personal-user-added-message-notification=Rydych chi wedi cael eich ychwanegu at eitem cynnwys Newsflo:
84 + DataSearchDataSet-body-singular={countAndContent} wedi'i ganfod yn DataSearch
85 + DataSearchDataSet-body-plural={countAndContent} wedi'u canfod yn DataSearch
86 + newsflo-import-personal-user-added-message-notification=Rydych chi wedi cael eich ychwanegu at yr eitem(au) Newsflo
87 + Application-deadline-inconsistency-message-body=Mae'r {application} dyddiad cau ar gyfer cyflwyno yn wahanol i'r
  {fundingOpportunity} dyddiad cau ar gyfer:
88 + dialog-close=Cau deialog
89 + Workflow-body-created={fromUser} wedi creu cynnwys newydd yn y cam llif gwaith {workflowStep}:
```

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources_en.properties CHANGED

```
20 - Workflow-body-backward={fromUser} returned the workflow step to {workflowStep}:
20 + Workflow-body-created={fromUser} created new content in the workflow step {workflowStep}:
21 + Workflow-body-backward={fromUser} returned the workflow step to {workflowStep} for:
64 - MendeleyDataSet-body-singular={countAndContent} was found in Mendeley Data
65 - MendeleyDataSet-body-plural={countAndContent} were found in Mendeley Data
65 + DataSearchDataSet-body-singular={countAndContent} was found in DataSearch
66 + DataSearchDataSet-body-plural={countAndContent} were found in DataSearch
104 - newsflo-import-personal-user-added-message-notification=You have been added to a Newsflo content item:
105 + newsflo-import-personal-user-added-message-notification=You have been added to new Newsflo item(s)
110 +
111
```

```
112 + Application-deadline-inconsistency-message-body=The {application} submission deadline differs from the {fundingOpportunity}
113 + deadline for:
113 + dialog-close=Close dialog
```

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources_cy.properties CHANGED

```
255 - authentication-mechanism-test=Prawf
255 + authentication-mechanism-test=
575 - ElsevierIDPlusAuthenticationMechanism.label=Dilysu Elsevier ID+
576 - ElsevierIDPlusAuthenticationMechanism=Mae hyn yndilysu defnyddwyr drwy ddefnyddio Elsevier's ID+.
575 + cron.searchNoResult=Does dim gwaith cron yn cyfateb i'ch chwiliad
576 + authentication-mechanism-failure-help=Mae'r ffurfweddiad dilysu yn annilys.
577 + authentication-mechanism-success-help=Mae'r ffurfweddiad dilysu yn ddilys.
578 + ElsevierIDPlusAuthenticationMechanism.label=Dilysiad Cyfrif Elsevier
579 + ElsevierIDPlusAuthenticationMechanism=Dilysu defnyddwyr sy'n defnyddio eu cyfrif Elsevier.
```


pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources_en.properties CHANGED

```
108 - cron.jobLegend=Name, User & Job:
108 + cron.jobLegend=Name, User and Job:
124 + cron.searchNoResult=No cron jobs match your search
163 - joblog.contentId=Content-ID:
164 + joblog.contentId=ContentID:
275 - logging.completed=Log session completed. Click button below to download results
276 + logging.completed=Log session completed. Click button below to download results.
290 - system-currency-country=System currency & country
291 + system-currency-country=System currency and country
300 - authentication-mechanism-test=Test
301 + authentication-mechanism-test=Check certificates
305 + authentication-mechanism-failure-help=The authentication configuration is invalid.
306 + authentication-mechanism-success-help=The authentication configuration is valid.
338 - ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ Authentication
339 - ElsevierIDPlusAuthenticationMechanism=Authenticates users byusing Elsevier's ID+
341 + ElsevierIDPlusAuthenticationMechanism.label=Elsevier Account Authentication
342 + ElsevierIDPlusAuthenticationMechanism=Authenticates users using theirElsevier account.
```

pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources_cy.properties CHANGED

```
1 - #Added translations
```

```
2 - #Tue May 15 10:54:59 CEST 2018
37 + personDataCleanup.operation.name=Glanhau data
38 + personDataCleanup.title=Glanhau meysydd dan sylw
39 + personDataCleanup.refine.title=Dewis meysydd i'w glanhau
40 + personDataCleanup.refine.title.description=Bydd y meysydd dan sylw yn cael eu glanhau neu eu gosod fel opsiynau dan sylw.
<br/> Ffurfweddu meysydd sydd wedi'u gwirio eisoes yn Gweinyddwr > Unigolion > Ffurfweddiad glanhau data.
41 + personDataCleanup.summary.warning=Pwysig! Bydd y data'n cael ei ddileu'n barhaol ac ni ellir ei adfer.
42 + personDataCleanup.error.updates.failed=Wedi methu glanhau data ar gyfer yr holl unigolion dan sylw
43 + personDataCleanup.error.content.update.failed=Gwall wrth lanhau meysydd ar {content}
44 + personDataCleanup.error.content.update.skipped=Dim meysydd wedi'u glanhau oherwydd doedd dim byd i'w lanhau - mae'r meysydd
naill ai wedi'u cysoni neu eisoes yn lân
45 + personDataCleanup.set.to_lowercase=gosodwyd i
46 + personDataCleanup.set.to_uppercase=Gosodwyd i
47 + personDataCleanup.organisation.association.info=Dim ond gwybodaeth ategol fydd yn cael ei dileu
48 + personDataCleanup.organisation.association.info.description=Bydd y cyswllt rhwng unigolion a'u sefydliadau cysylltiedig yn
cael ei gadw ond bydd yr wybodaeth sy'n ymwneud â'r sefydliad e.e. rhifau ffôn, cyfeiriadau, URLs gwefannau, yn cael eu dileu.
49 + exemptPersonFromDataCleanup.operation.name=Marcio i gael ei eithrio rhag glanhau data
50 + exemptPersonFromDataCleanup.title=Marcio i gael ei eithrio rhag glanhau data
51 + exemptPersonFromDataCleanup.refine.title=Pennu cyfnod eithrio rhag glanhau data
52 + exemptPersonFromDataCleanup.refine.retention.period=Gosod cyfnod eithrio o
53 + exemptPersonFromDataCleanup.refine.retention.period-hint=Ni fydd unigolyn/unigolion wedi'u marcio i gael eu heithrio yn cael
eu cynnwys mewn prosesau glanhau data mewn swp yn ystod y cyfnod hwn (ar ôl i'r gweithgaredd mewn swp gael ei gwblhau). <br/>
Gellir gweld statws eithrio yma: <br/> Ffenestr golygu unigolion > Tab hanes a sylwadau > Adran polisi glanhau data
54 + exemptPersonFromDataCleanup.error.updates.failed=Doedd dim modd pennu cyfnod eithrio ar gyfer pob unigolyn dan sylw
55 + exemptPersonFromDataCleanup.error.content.update.failed=Gwall wrth bennu cyfnod eithrio ar {content}
```

 pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources_en.properties CHANGED

```
18 + personDataCleanup.operation.name=Data cleanup
19 + personDataCleanup.title=Clean up selected fields
20 + personDataCleanup.refine.title=Select fields for cleanup
21 + personDataCleanup.refine.title.description=Selected fields will be cleaned up or set to selected options. <br/> Configure pre-
checked fields in Administrator > Persons > Data cleanup configuration.
22 + personDataCleanup.summary.warning=Important! The data will be permanently deleted and cannot be restored.
23 + personDataCleanup.error.updates.failed=Could not clean data on all selected persons
24 + personDataCleanup.error.content.update.failed=Error when cleaning fields on {content}
25 + personDataCleanup.error.content.update.skipped=No fields cleaned as there was nothing to clean - either the fields are
synchronized or already clean
26 + personDataCleanup.set.to_lowercase=set to
27 + personDataCleanup.set.to_uppercase=Set to
28 + personDataCleanup.organisation.association.info=Only supplementary information will be deleted
29
```

```
    + personDataCleanup.organisation.association.info.description=The link between persons and their associated organisations will
    be retained but information related to the organisation, e.g. telephone numbers, addresses, website URLs, will be deleted.
30 +
31 + exemptPersonFromDataCleanup.operation.name=Mark for data cleanup exemption
32 + exemptPersonFromDataCleanup.title=Mark for data cleanup exemption
33 + exemptPersonFromDataCleanup.refine.title=Specify data cleanup exemption period
34 + exemptPersonFromDataCleanup.refine.retention.period=Set exemption period of
35 + exemptPersonFromDataCleanup.refine.retention.period-hint=Person(s) marked for exemption will not be included in bulk data
    cleanup processes during this period (once the bulk action is completed). <br/> Exemption status can be found in: <br/> Person
    editor window > History and comments tab > Data cleanup policy section
36 + exemptPersonFromDataCleanup.error.updates.failed=Could not set exemption period on all selected persons
37 + exemptPersonFromDataCleanup.error.content.update.failed=Error when setting exemption period on {content}
38 +
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... ADDED

```
1 + agreed-terms-group=Telerau y cytunwyd arnynt
2 + agreed-terms-help=Telerau mae'r defnyddiwr wedi cytuno iddynt
3 + agreed-terms-version=Fersiwn: {version}
4 + agreed-terms-lastlogin=Mewngofnodwyd ddiwethaf: {lastLogin}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... ADDED

```
1 + agreed-terms-group=Agreed terms
2 + agreed-terms-help=Terms that the user has agreed to
3 + agreed-terms-version=Version: {version}
4 + agreed-terms-lastlogin=Last login: {lastLogin}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

```
58 - correspondingauthor-button=Gosod yr awdur cyfatebol
59 - removecorrespondingauthor-button=Tynnu'r awdur cyfatebol
58 + correspondingauthornote-singular-text=Sylwer: Mae 1 unigolyn eisoes wedi'i ddewis felawdur cyfatebol.
59 + correspondingauthornote-plural-text=Sylwer: Mae {count} unigolyn eisoes wedi'u dewis fel awduroncyfatebol.
60 + correspondingAuthor=Awdur cyfatebol
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

```
76 - correspondingauthor-button=Set corresponding author
```

```
77 - removecorrespondingauthor-button=Remove corresponding author
76 + correspondingauthornote-singular-text=Note: There is already 1 other person selected as a corresponding author.
77 + correspondingauthornote-plural-text=Note: There are already {count} other persons selected as corresponding authors.
78 + correspondingAuthor=Corresponding author
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
7 + unlinkUser=Datgysylltu defnyddiwr cysylltiedig
8 + cancelUnlinkUser=Canslo
9 + unlinkDisclaimer-confirm=Ar ôl cadw, bydd y person hwn yn cael ei ddatgysylltu o'r defnyddiwr cysylltiedig. Os oes gan y
defnyddiwr rolau yn Pure yn ogystal â bod yn ddefnyddiwr personol, bydd yn dal yn gallu mewngofnodi i Pure a pherfformio tasgau
yn unol â'r rolau hynny sydd wedi'u neilltuo.
10 + unlinkDisclaimer=Os oes gan y defnyddiwr rolau yn Pure yn ogystal â bod yn ddefnyddiwr personol, bydd yn dal yn gallu
mewngofnodi i Pure a pherfformio tasgau yn unol â'r rolau hynny sydd wedi'u neilltuo.
11 + unlinkSyncedAssociation=Does dim modd i chi ddatgysylltu defnyddiwr eich hun pan fydd y wybodaeth defnyddiwr wedi'i chysoni o
system arall.
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... CHANGED

```
7 + unlinkUser=Unlink associated user
8 + cancelUnlinkUser=Cancel
9 + unlinkDisclaimer-confirm=Upon saving, this person will be unlinked from the associated user. If the user has roles in Pure in
addition to being a personal user, they will still be able to log into Pure and perform tasks according to those assigned roles.
10 + unlinkDisclaimer=If the user has roles in Pure in addition to being a personal user, they will still be able to log into Pure
and perform tasks according to those assigned roles.
11 + unlinkSyncedAssociation=You cannot manually unlink a user when the user information is synchronised from another system.
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources_cy.p... CHANGED

```
1 - #Added translations
2 - #Thu Sep 28 10:10:59 CEST 2017
44 - select-bulk-action=Dewiswch y weithred dorfol y byddwch yn ei pherfformio ar gyfer y ffeiliau
71 - updateOrganisationsOnPerson.refinedTitleDescription-rules=1) \tCaiffsefydliadau oedd yn weithredol ar ddyddiad cyhoedi
cyhoeddiad penodol eu hychwanegu oni bai fod prif sefydliad yn eu mysg, yna dim ond y sefydliad hwnnw fydd yn cael ei ychwanegu.
<br/>2) \tOsna fyddwn yn canfod sefydliadau yn 1) yna bydd sefydliadau sy'n weithredol ar hyn o bryd yn cael eu hychwanegu oni
bai fod prif sefydliad yn eu mysg, yna dim ond y sefydliad hwnnw fydd yn cael ei ychwanegu.<br/>3)\tOs na fydd unrhyw
sefydliadau'n cael eu canfod yn 2) yna bydd y prif sefydliad cyntaf neu'r sefydliad cyntaf yn unig yn cael ei ychwanegu.
```

68

+ updateOrganisationsOnPerson.refinedTitleDescription-rules=1)Caiff sefydliadau oedd yn weithredol ar ddyddiad cyhoedi cyhoeddiad penodol eu hychwanegu oni bai fod prif sefydliad yn eu msg, yna dim ond y sefydliad hwnnw fydd yn cael ei ychwanegu.
2)Os na fyddwn yn canfod sefydliadau yn 1) yna bydd sefydliadau sy'n weithredol ar hyn o bryd yn cael eu hychwanegu oni bai fod prif sefydliad yn eu msg, yna dim ond y sefydliad hwnnw fydd yn cael ei ychwanegu.
3)Os na fydd unrhyw sefydliadau'n cael eu canfod yn 2) yna bydd y prif sefydliad cyntaf neu'r sefydliad cyntaf yn unig yn cael ei ychwanegu.

73 + select-bulk-action=Dewiswch y weithred rydych chi am ei chynnal

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources_en.p... [CHANGED]

54 - select-bulk-action=Select the bulkaction you will performfor the files

54 + select-bulk-action=Select the action you want toperform

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources_cy.pr... [CHANGED]

32 - idplus-group=Ffurfweddu ID+

33 - idplus-group-help=Ffurfweddu mynediad defnyddiwr

i ID+. Mae'r ID yn cael ei ddefnyddio ar gyfer cyfateb defnyddiwr yn Pure gyda defnyddiwr o ID+

32 + agreed-terms-tab=Telerau y cytunwyd arnynt

33 + agreed-terms=Telerau y cytunwyd arnynt

34 + idplus-group=Ffurfweddiad cyfrif Elsevier

35 + idplus-group-help=Ffurfweddiad mynediad defnyddwyr at ddilysiad cyfrif Elsevier. Defnyddir yr ID yma i baru defnyddiwr yn Pure â chyfrif defnyddiwr Elsevier.

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources_en.pr... [CHANGED]

6 + agreed-terms-tab=Agreed terms

7 +

8 + #AGREED TERMS

9 + agreed-terms=Agreed terms

18 - idplus-group=ID+ configuration

19 - idplus-group-help=Configuration of user access to ID+. This ID is used for matching a user in pure with a user from ID+

22 + idplus-group=Elsevier accountconfiguration

23 + idplus-group-help=Configuration of user access to Elsevier account authentication.This ID is used for matching a user in Pure with an Elsevieruser account.

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsofagreement/model/editor/termso... [CHANGED]

1 - #Added translations

2 - #Sun Jan 29 14:15:58 CET 2017

```
11 + termsOfAgreement.information=Noder: Does dim modd i chi olygu testun Telerau Cytundeb ar ôl iddo gael ei gadw.
```

```
pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsOfAgreement/model/editor/termsOfAgreement... [CHANGED]
```

```
15 + termsOfAgreement.information=Note: You cannot edit the text of a Terms of Agreement after it has been saved.
```

```
pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_cy.properties [CHANGED]
```

```
266 + inconsistentworkflow.title=Llif gwaith anghyson ar gyfer {path} ID {id}
267 + inconsistentworkflow.message=Does dim modd golygu'r cynnwys y gwnaethoch gais amdano ar hyn o bryd
268 + inconsistentworkflow.why=Pam oedd y dudalen hon yn cael ei dangos?
269 + inconsistentworkflow.why.update.required=Mae'r ffurfweddiad llif gwaith ar gyfer {path} yn cael ei addasu gan weinyddwr ac nid
    yw wedi'i gwblhau eto
270 + inconsistentworkflow.whatnow=Beth nesaf?
271 + inconsistentworkflow.whatnow.support=Cysylltwch â'r adran gymorth
272 + inconsistentworkflow.whatnow.close=Cau'r ffenestr hon
```

```
pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_en.properties [CHANGED]
```

```
135 + inconsistentworkflow.title=Inconsistent workflow for {path} ID {id}
136 + inconsistentworkflow.message=The content you requested cannot be edited at this time
137 + inconsistentworkflow.why=Why was this page displayed?
138 + inconsistentworkflow.why.update.required=The workflow configuration for {path} is being modified by an administrator and is
    not completed yet
139 + inconsistentworkflow.whatnow=Now what?
140 + inconsistentworkflow.whatnow.support=Contact support
141 + inconsistentworkflow.whatnow.close=Close this window
142 +
```

```
pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_cy.properties [CHANGED]
```

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
3 - ssofail_title=Cofrestru Untro wedi methu
4 - ssofail=Cofrestru Untro wedi methu
5 - ssofail_description=Ni ellid eich mewngofnodi 'r gwasanaeth hwn. Er mwynmewngofnodi gyda
    Chofrestru Untro, rhaid i'r gwasanaeth wybodeich enw defnyddiwr.
    Cysylltwch â chymorth TG.<br/>Os yw wedi ei alluogi ar gyfer eich defnyddiwr, gellwch ddefnyddio <a
    href\="/admin/login.xhtml">direct login</a>
```

```

6 - login_error_SAMLProcessingException=Cyfathrebu â'r gweinydd Cofrestru Untro wedi methu
7 - login_error_ProcessingException=Cyfathrebu â'r gweinydd Cofrestru Untro wedi methu
8 - login_error_LockedException=Mae'r cyfrif wedi'i gloi
9 - login_error_UsernameNotFoundException=Nid yw'r defnyddiwr yn bodoli yn Pure
10 - login_error_BadCredentialsException=Cymwysterau gwael
11 - login_error_InsufficientAuthenticationException=Nid oes gan y defnyddiwr hawliau digonol i fewngofnodi
12 - login_error_InternallyAuthenticatedAccountStatusException=Ni ellir defnyddio'r cyfrif i ddilysu'n allanol
1 + ssofail_title=Wedi Methu Mewngofnodi ar gyfer Pure yn {institutionname}
2 + ssofail=Wedi Methu Mewngofnodi ar gyfer Pure yn {institutionname}
3 + ssofail_description=Efallai y
byddwch yn gallu <a href="{login}">mewngofnodi i Pure yn uniongyrchol </a> os mai chi eich hun syddwedi
ffurfweddu eich enw defnyddiwr a'ch cyfrinair.</br>Cysylltwch ag adran cymorth TG leol eich sefydliad os bydd y broblem yn
parhau.
4 + ssofail_footer=Fersiwn Pure {versionnumber} yn {institutionname}, {dateandtime}
5 + login_error_SAMLProcessingException=Doedd Pure ddim yn gallu cysylltu â gweinydd mewngofnodi unwaith eich sefydliad.
6 + login_error_ProcessingException=Doedd Pure ddim yn gallu cysylltuâ gweinydd mewngofnodi unwaith eich sefydliad.
7 + login_error_LockedException=Dydy'ch cyfrif defnyddiwr ddim yn gallu cael mynediad at Pure.
8 + login_error_UsernameNotFoundException=Heb ddod o hydi'ch cyfrif defnyddiwr yn Pure.
9 + login_error_BadCredentialsException=Dydy'ch enw defnyddiwr a'ch cyfrinair ddim wedi cael eu nodi'n gywir.
10 + login_error_InsufficientAuthenticationException=Does gennych chi ddim hawl i fewngofnodi i Pure.
11 + login_error_InternallyAuthenticatedAccountStatusException=Does dim modd defnyddio eich cyfrifdefnyddiwr i fewngofnodi i Pure.
12 + login_error_AuthenticationServiceException=Aeth rhywbeth o'i le wrth fewngofnodi
gan ddefnyddio system mewngofnodi unwaith eich sefydliad.
13 - login_error_AuthenticationServiceException=Cafwyd problem system anhysb wrth brosesu'r cais dilysu.

```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_en.properties CHANGED

```

1 - ssofail_title=Single Sign-On failed
2 - ssofail=Single Sign-On failed
3 - ssofail_description=You could notbe logged into this service. In orderto login with Single Sign-On it is necessary for the
service to knowyour username. Please contactIT support.<br>If enabled for your
user you can use <a href="{login}">direct login</a>
1 + ssofail_title=Login Failed for Pure at {institutionname}
2 + ssofail=Login Failed for Pure at {institutionname}
3 + ssofail_description=You may be able to <a href="{login}">log in to Pure directly</a> if your username and password are
configured manually.<br>Please contact your institution's local IT support if this problem persists.
4 + ssofail_footer=Pure version {versionnumber} at {institutionname}, {dateandtime}
5 - login_error_SAMLProcessingException=Communication with Single Sign-On serverfailed
6 - login_error_ProcessingException=Communication with Single Sign-on serverfailed
7 - login_error_LockedException=The account is locked
8 - login_error_UsernameNotFoundException=The user is not present in Pure
9 - login_error_BadCredentialsException=Bad credentials

```



```

10 - login_error_InsufficientAuthenticationException=User has insufficient rights to login
11 - login_error_InternallyAuthenticatedAccountStatusException=The account cannot be used for external authentication
12 - login_error_AuthenticationServiceException=An unknown systemerror occurred when processing the authentication request.
6 + login_error_SAMLProcessingException=Pure could not connectwith your institution's single sign-on server.
7 + login_error_ProcessingException=Pure could not connectwith your institution's single sign-on server.
8 + login_error_LockedException=Your useraccount is unable to access Pure.
9 + login_error_UsernameNotFoundException=Your user was not found in Pure.
10 + login_error_BadCredentialsException=Your username or password were not entered correctly.
11 + login_error_InsufficientAuthenticationException=You do not have permissionto log into Pure.
12 + login_error_InternallyAuthenticatedAccountStatusException=Your useraccount cannot be used to log into Pure.
13 + login_error_AuthenticationServiceException=An error occurred while logging in using your institution's single sign-on system.

```

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources_cy.properties CHANGED

```

79 - newsflo-message.velocity_title=Rydych wedi eich hychwanegu at eitem cynnwys Newsflo\: {title}
80 - newsflo-message.velocity_subject=Rydych wedi eich hychwanegu at eitem cynnwys Newsflo\: {title}
85 + newsflo-message.velocity_title=Rydych chi wedi cael eich ychwanegu at yr eitem(au) Newsflo
86 + newsflo-message.velocity_subject=Wedi creu cynnwys Newsflo

```

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources_en.properties CHANGED

```

53 - suggestedaction-message.digest_listing=<a href="{link}">View all ({count}) ></a>
53 + suggestedaction-message.digest_listing=<a href="{link}">View all ({count}) ></a>
74 - workflow-message.digest_listing=<a href="{link}">View all ({count}) ></a>
74 + workflow-message.digest_listing=<a href="{link}">View all ({count}) ></a>
97 - plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of technical limitations, such as large file (larger than 25 MB), password protected file, the file is not readable or file type is not supported by the anti-plagiarism system Ephorus.
97 + plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of technical limitations, such as large file (larger than 25MB), password protected file, the file is not readable or file type is not supported by the anti-plagiarism system Ephorus.
115 - newsflo-message.velocity_title=You have been added to a Newsflo contentitem: {title}
116 - newsflo-message.velocity_subject=You have been added to aNewsflo content item: {title}
115 + newsflo-message.velocity_title=You have been added to new Newsflo item(s)
116 + newsflo-message.velocity_subject=Newsflo content created

```

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources_cy.properties ADDED

```

1 + uptodate-subject=Mae Pure wedi'i ddiweddarau
2

```

```

+ uptodate-body=Newyddion da, mae eich Pure ({currentVersion}) wedi'i ddiweddaru. Mae bod yn gyfredol yn ein helpu ni i'ch helpu
chi . Ewch i weld <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">uchafbwyntiau'r cyhoeddiad.</a>
3 + onebehind-subject=Mae Pure yn barod i gael ei ddiweddaru
4 + onebehind-body=Mae fersiwn newydd o Pure ({latestVersion}) ar gael, ewch i weld <a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">uchafbwyntiau'r fersiwn newydd</a> ac ystyried diweddaru.
Rydych chi'n rhedeg {currentVersion} ar hyn o bryd - bydd hwn yn gallu rhedeg nes bydd fersiwn {endOfLifeVersion} yn cael ei
gyhoeddi.
5 + twobehind-subject=Mae'n amser diweddaru Pure
6 + twobehind-body=Mae fersiwn newydd o Pure ({latestVersion}) ar gael, ewch i weld <a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">uchafbwyntiau'r cyhoeddiad newydd</a> ac ystyried diweddaru
yn fuan. Ni fydd eich fersiwn {currentVersion} presennol yn gweithio ar ôl i'r fersiwn {endOfLifeVersion} nesaf gael ei gyhoeddi.
7 + threebehind-subject=Mae'r fersiwn yma o Pure wedi dod i ben
8 + threebehind-body=Does dim modd cynnal eich fersiwn presennol ({currentVersion}) yn llawn ac ni fydd problemau pellach sy'n
gysylltiedig â'r fersiwn yma'n cael eu datrys. Ar ôl i chi uwchraddio i fersiwn {minimumSupportedVersion} neu uwch, byddwch yn
gallu manteisio ar gymorth llawn eto. Cysylltwch â <a href="mailto: pure-support@elsevier.com">Thim Cymorth Pure</a> i roi gwybod
i ni pa fersiwn rydych chi'n dymuno uwchraddio iddo, neu rhag ofn bod gennych chi unrhyw gwestiynau am Bolisi Cyhoeddi Elsevier.
```

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources_en.properties **ADDED**

```

1 + uptodate-subject=Pure is up to date
2 + uptodate-body=Good news, your Pure ({currentVersion}) is up to date.\nStaying up to date helps us best support you. Check out
the <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the release.</a>
3 + onebehind-subject=Pure is ready to update
4 + onebehind-body=A new Pure version ({latestVersion}) is available, check out the <a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the new release</a> and consider
updating.\nRight now you're running {currentVersion} - this will be supported until version {endOfLifeVersion} is released.
5 + twobehind-subject=It's time to update your Pure
6 + twobehind-body=A new Pure version ({latestVersion}) is available, please check out the <a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the new release</a> and consider updating
soon.\nYour current version {currentVersion} will no longer be supported once the next version {endOfLifeVersion} is released.
7 + threebehind-subject=Pure version out of date
8 + threebehind-body=Your current version ({currentVersion}) is no longer fully supported and no further issues relating to this
version will be resolved.\nOnce you upgrade to version {minimumSupportedVersion} or higher, you can again benefit from full
support.\nPlease contact the <a href="mailto: pure-support@elsevier.com">Pure Support Team</a> to notify us which version you
wish to upgrade to, or in case you have any questions about Elsevier's Release Policy.
```

pure-core/admin/src/main/resources/META-INF/resources/search/search-resources_cy.properties **CHANGED**

```
52 + acceptDuplicates=Marcio fel nodedig
```

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources_cy.properties **CHANGED**

```
73 - support_manual=Llawlyfr
160 + support_manual=Llawlyfr Pure
```

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources_en.properties CHANGED

```
100 - support_manual=Manual
100 + support_manual=PureManual
```

pure-core/admin/src/main/resources/renderer/dk/atira/pure/api/shared/editor/renderers/insufficientrolesexceptionrenderer-resources_cy.pro... CHANGED

```
5 - error.systemdesc.header=Neges gan y system
5 + error.systemdesc.header=You do not
have the correct permissions to modify/save this record.\n This could be due to a "Managing organisational unit" that you do not
have the right to modify managed content for.\n Try selecting a different "Managing organisational unit".
```

pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources_cy.properties CHANGED

```
235 + Scopus.use.approximated.publication.date-label=Defnyddio'r amcan o'r dyddiad cyhoeddi
236 + Scopus.use.approximated.publication.date-description=Pan fydd wedi'i osod i Gwir, bydd Pure yn mewngludo ac yn defnyddio'r
amcan o'r dyddiad cyhoeddi wedi'i ddarparu gan Scopus. Pan fydd wedi'i osod i Anwir, bydd Pure yn dosrannu'r dyddiad mae Scopus
wedi'i gael gan y cyfnodolyn ac yn pennu'r dyddiad yn unol â hynny. Mewn rhai achosion, gallai caniatáu i Pure fynd i'r afael â'r
gwaith dosrannu data (ffurfweddiad wedi'i osod i Anwir) arwain at ganlyniadau gwell. Yn yr achosion prin lle mai dim ond amcan
o'r dyddiad sydd ar gael, bydd Pure yn defnyddio'r amcan.
237 + pubmed.content.api.esearch.url=URL i ESearch
238 + pubmed.content.api.efetch.url=URL i EFetch
239 + pubmed.content.api.epost.url=URL i EPost
240 + pubmed.content.api.etool.url=URL i'r offeryn trosi ID
```

pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources_en.properties CHANGED

```
4 - Scopus.authentication.apiKey-label=API Key
4 + Scopus.authentication.apiKey-label=API key
42 + Scopus.use.approximated.publication.date-label=Use approximated publication date
43 + Scopus.use.approximated.publication.date-description=When set to True, Pure will import and use the Scopus-provided
approximated publication date. When set to False, Pure will parse the date which Scopus has received from the journal and set the
date accordingly. In some cases letting Pure handle the date parsing (configuration set to False) may yield better results. In
the rare case that only the approximated date is available, Pure will use the approximated date.
44 - enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID - Notice byenabling
this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles
will be removed.
```

46	+ enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID. Note: By enabling this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles will be removed.
120	- crossref.pid-description=
122	+ crossref.pid-description=Email address or credentials used in the 'pid' parameter of Crossref's OpenURL request.
192	- pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster response and import. An API Key is not mandatory, but recommended. Information can be found here: https://www.ncbi.nlm.nih.gov/books/NBK25497
193	-
194	+ pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster response and import. An API key is not mandatory, but recommended. Information can be found here: https://www.ncbi.nlm.nih.gov/books/NBK25497
195	+ pubmed.content.api.esearch.url=URL to ESearch
196	+ pubmed.content.api.efetch.url=URL to EFetch
197	+ pubmed.content.api.epost.url=URL to EPost
198	+ pubmed.content.api.etool.url=URL to ID converter tool
198	- EMBASE.authentication.apiKey-label=API Key
203	+ EMBASE.authentication.apiKey-label=API key

📄 pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources_cy.properties **CHANGED**

535	+ researchoutputwizard.label=Dewin mewnforio allbwn ymchwil
536	+ DataSearch.label=DataSearch

📄 pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources_en.properties **CHANGED**

241	+ DataSearch.label=DataSearch
242	+
332	- authorScopus=Author & affiliations in Scopus
334	+ authorScopus=Author and affiliations in Scopus
364	- authorScielo=Author & affiliations in SciELO
366	+ authorScielo=Author and affiliations in SciELO
418	- authorPure=Author & affiliations in Pure
420	+ authorPure=Author and affiliations in Pure
513	- default-organisation-from-authors-hint=If there are no information regarding affiliations for internal authors from the source, then the most relevant organisations from Pure are added. The strategy is as follows\: >1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added. >2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added. >3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.
515	

+ default-organisation-from-authors-hint=If there **is** no information regarding affiliations for internal authors from the source, then the most relevant organisations from Pure are added. The strategy is as follows\:

1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added.
2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added.
3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.

614 +

615 + researchoutputwizard.label=Research output import wizard

pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources_cy.properties **CHANGED**

1310 - elsevieridplusauthenticationmechanism.oAuthUrl-label=URL ID+ sylfaen OAuth
1311 - elsevieridplusauthenticationmechanism.failure-text-label=ID+ neges methu dilysu
1312 - elsevieridplusauthenticationmechanism.original-username-label=ID+ cysonyn enw defnyddiwr gwreiddiol
1314 - elsevieridplusauthenticationmechanism.synchronize-label=Cysoni defnyddwyr gydag ID+
1315 - elsevieridplusauthenticationmechanism.editor.clear-id-description=Os yw'r ID yn anghywir, gallwch chi ei dynnu o Pure. Cysylltwch ag ID+ i gael cymorth ar ddatrys y mater.

1312 + elsevieridplusauthenticationmechanism.oAuthUrl-label=URL sylfaen OAuth cyfrif Elsevier
1313 + elsevieridplusauthenticationmechanism.failure-text-label=Wedi methu dilysu neges cyfrif Elsevier
1314 + elsevieridplusauthenticationmechanism.original-username-label=Enw defnyddiwr gwreiddiol cyfrif Elsevier yn gyson
1315 + elsevieridplusauthenticationmechanism.synchronize-label=Cysoni defnyddwyr â chyfrif Elsevier
1316 + elsevieridplusauthenticationmechanism.original-username-regex-label=Enw defnyddiwr gwreiddiol cyfrif Elsevier yn gyson (regex ar gyfer ôl-brosesu enw defnyddiwr)
1317 + elsevieridplusauthenticationmechanism.original-username-regex-description=E.e. (?!.*@)(.*) dim ond echdynnu'r rhan ar ôl @ mewn e.e. some@user
1318 + elsevieridplusauthenticationmechanism.editor.clear-id-description=Os yw'r ID yn anghywir, gallwch ei dynnu o Pure. Cysylltu ag Elsevier i gael cymorth i gywiro'r mater.
1319 + saml2authenticationmechanism.sha256-signing-label=Defnyddio algorithm SHA-256
1320 + syncjob.associationType.allowChange-label=Tynnu a disodli cysylltiadau sefydliadau os yw'r math wedi newid
1321 + syncjob.associationType.allowChange-description=Mae'n tynnu cysylltiad hŷn os yw wedi'i baru â fersiwn newydd o fath gwahanol. Wedi colli'r holl ddata sy'n gysylltiedig â'r hen gysylltiad. Cysylltiad newydd wedi'i greu gyda data newydd o'r mewnbyn.
1322 + creatable-by-roles-ADMINISTRATORS_AND_EDITORS_AND_ASSISTING_EDITORS=Gweinyddwyr, golygyddion a golygyddion cynorthwyol

pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources_en.properties **CHANGED**

7 - RoMEO_apiKey-label=SHERPA/RoMEO API **Key**
7 + RoMEO_apiKey-label=SHERPA/RoMEO API **key**
35 - limitToLastStepWCSF-description=Filter content based on the current **work flow** step so that only last step is allowed.
35 + limitToLastStepWCSF-description=Filter content based on the current **workflow** step so that only last step is allowed.
43 - aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from. **Eg.** {"entityId1" : "Description 1", "entityId2" : "Description 2"}

43

+ aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from, e.g. {"entityId1" : "Description 1", "entityId2" : "Description 2"}

45 - aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes Eg. ELS_eduPersonPrincipalName

45 + aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes e.g. ELS_eduPersonPrincipalName

69 - elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth base URL

69 + elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier accountOAuth base URL

71 - elsevieridplusauthenticationmechanism.failure-text-label=ID+ failure to authentication message

71 + elsevieridplusauthenticationmechanism.failure-text-label=Elsevier accountfailure to authenticate message

73 - elsevieridplusauthenticationmechanism.original-username-label=ID+ original username constant

73 + elsevieridplusauthenticationmechanism.original-username-label=Elsevier accountoriginal username constant

77 - elsevieridplusauthenticationmechanism.synchronize-label=Synchronize users with ID+

77 + elsevieridplusauthenticationmechanism.synchronize-label=Synchronise users with Elsevier account

79 - elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from PURE. Contact ID+ for assistance correcting the issue.

79 + elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier account original username constant (regex for post-processing of username)

80 + elsevieridplusauthenticationmechanism.original-username-regex-description=E.g. (?!.*@)(.*) to only extract the part after @ in e.g. some@user

81 + elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from Pure. Contact Elsevier for assistance correcting the issue.

106 + saml2authenticationmechanism.sha256-signing-label=Use SHA-256 algorithm

107 + saml2authenticationmechanism.sha256-signing-description=

123 - casauthenticationmechanism.extra_login_url_parameters-description=Any extra URL parameters that should be appended to the URL to whichthe user is redirected for authentication. Eg. '&p_logintype=ad&language=da'

127 + casauthenticationmechanism.extra_login_url_parameters-description=Any extra URL parameters that should be appended to the URL that the user is redirected tofor authentication, e.g. '&p_logintype=ad&language=da'

150 - ldapauthenticationmechanism.user-dn-patterns-description=Semicolonseparated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'

154 + ldapauthenticationmechanism.user-dn-patterns-description=Semicolon-separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'.

474 - syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ids references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.

478 + syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ID references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.

555 - syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If there existpersons without organisational unit associations, the synchronisation will not continue and a fatal error is logged.

559 + syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If persons without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.

580	-
584	+ syncjob.associationType.allowChange-label=Remove and replace organisation associations if the type has changed
585	+ syncjob.associationType.allowChange-description=Removes older association if matched with a new one of a different type. All data related to the old association is lost. A new association is made with new data from the input.
635	- syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If there exists students without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
640	+ syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If students without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
702	- syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any staffs without organisational unit associations. If there exists staffs without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
707	+ syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any staff members without organisational unit associations. If staff members without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
975	- e.g., http://scival.com/overview/summary?uri=Institution/315028
980	+ e.g. http://scival.com/overview/summary?uri=Institution/315028
1082	- pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails.
1083	- pure.mail.forced-recipient-of-all-email-excludes-description=The email addresses provided will receive an email even though the "Forces recipient of all emails" has been set. The list of email addresses must be comma-separated. E.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1087	+ pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails
1088	+ pure.mail.forced-recipient-of-all-email-excludes-description=These email addresses will receive emails even if the 'Force recipient of all emails' has been set. The list of email addresses must be comma-separated, e.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1085	- pure.mail.forced-recipient-exclude-internal-description=Enabling this option will ensure internally-managed users will receive emails even if the "Forces recipient of all emails" has been set. This option is complementary to the explicit email whitelist.
1090	+ pure.mail.forced-recipient-exclude-internal-description=Enabling this option ensures internally-managed users will receive emails even if the 'Forces recipient of all emails' has been set. This option is complementary to the explicit email whitelist.
1090	- pure.mail.from-description=This changes the from email address. This should not be changed, unless otherwise instructed by Elsevier.
1095	+ pure.mail.from-description=This changes the 'From' email address. This should not be changed, unless otherwise instructed by Elsevier.
1092	- pure.mail.reply-to-description=The reply email address on the emails sent from Pure
1097	+ pure.mail.reply-to-description=The 'Reply to' email address on the emails sent from Pure.
1097	- pure.mail.username-label=Mail host user name
1098	- pure.mail.username-description=The user name used with the mail host.
1102	+ pure.mail.username-label=Mail host username
1103	+ pure.mail.username-description=The username used with the mail host.
1101	- pure.mail.starttls.enable-label=Enable or disable STARTTLS command.
1106	+ pure.mail.starttls.enable-label=Enable or disable STARTTLS command
1103	- pure.mail.checkserveridentity-label=On will check the server identity.
1104	- pure.mail.checkserveridentity-description=If set to on, check the server identity as specified by RFC 2595.

1108 + pure.mail.checkserveridentity-label=Check the server identity

1109 + pure.mail.checkserveridentity-description=If set to On, check the server identity as specified by RFC 2595.

1106 - pure.mail.support-email-address-description=The support email address that appears in the Help and support section in the Pure admin.

1107 - pure.mail.connection.timeout.seconds-label=Mail connection timeout (In seconds)

1111 + pure.mail.support-email-address-description=The support email address that appears in the 'Help and support' section in the Pure interface.

1112 + pure.mail.connection.timeout.seconds-label=Mail connection timeout (in seconds)

1110 - pure.mail.require.logindate-label=Only send email messages to users that have beenlogged in toPure

1115 + pure.mail.require.logindate-label=Only send email messages to users that have logged into Pure

1113 - pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format -e.g. "mail.smtp.starttls.enable=true", separated with line breaks.

1118 + pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format, e.g. "mail.smtp.starttls.enable=true", separated with line breaks.

1135 - mount.points.fullUrl.ws-label=Full URL for ws

1140 + mount.points.fullUrl.ws-label=Full URL for WS

1145 - dspace.user-label=User name

1150 + dspace.user-label=Username

1202 - researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advice against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.

1207 + researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advise against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources_cy.properties CHANGED

1 - #Added translations

2 - #Sun Jan 29 14:15:58 CET 2017

11 + originalUserNameAsUserName={originalUserName} fel {userName}

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources_en.properties CHANGED

13 +

14 + originalUserNameAsUserName={originalUserName} as {userName}

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources_cy.properties CHANGED

13 + logger.grouping.elsevieridplus=Dilysiad - cyfrif Elsevier

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources_en.properties CHANGED

13 + logger.grouping.elsevieridplus=Authentication - Elsevier account

pure-core/core/src/main/resources/security/security-resources_cy.properties CHANGED

28 - idplusMarkerRole=Defnyddiwr ID+

28 + idplusMarkerRole=Cyfrif Elsevier

pure-core/core/src/main/resources/security/security-resources_en.properties CHANGED

12 - idplusMarkerRole=ID+ user

12 + idplusMarkerRole=Elsevier account

pure-core/model/src/main/resources/validation/validation-core-model-resources_cy.properties CHANGED

242 + temporalCoverageStartDate.year=Blwyddyn dechrau'r ddarpariaeth dymhorol

243 + temporalCoverageEndDate.year=Blwyddyn gorffen y ddarpariaeth dymhorol

244 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=Mae'r meysydd canlynol yn cynnwys ffurfweddiad allweddeiriau anghywir

245 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily=Mae {field} yn cynnwys ffurfweddiad allweddeiriau anghywir nad oes ond modd i {differentFamily} ei ddefnyddio

246 + statement.mimeType=Math y ffeil sydd wedi'i llwytho i fyny

247 + validation.text.limitCollectionToNotContain-group=Does dim modd cadw oherwydd mae perthnasoedd dyblyg

248 + validation.text.limitCollectionToNotContain=Does dim modd i chi ddefnyddio'r endid '{value}' fel '{field:lowercase}' oherwydd mae eisoes yn cael ei ddefnyddio fel '{referencedFieldName}'

pure-core/model/src/main/resources/validation/validation-core-model-resources_en.properties CHANGED

9 - validation.text.defined-group=The following fields are required

9 + validation.text.defined-group=The following fields are required:

84 + statement.mimeType=The type of the uploaded file

143 - validation.issn.format-group=The following fields have ISSN numbers with invalid format. ISSN must be of the format: "nnnn-nnnn"

144 - validation.issn.format=The ISSN number is not correctly formatted, it must be of the format nnnn-nnnn

145 - validation.issn.checkdigit-group=The following fields have invalid ISSN numbers; modulus check has failed. Please check that the ISSN numbers have been entered correctly.

146 - validation.issn.checkdigit=The ISSN number is not correct, modulus check has failed. Please check that the ISSN number has been entered correctly.

144 + validation.issn.format-group=The following fields have ISSNs with an invalid format. ISSNs must have the format "nnnn-nnnn"

145 + validation.issn.format=The ISSN is not correctly formatted, it must have the format nnnn-nnnn.

146 + validation.issn.checkdigit-group=The following fields have invalid ISSNs; modulus check has failed. Please check that the ISSNs have been entered correctly.

147 + validation.issn.checkdigit=The ISSN is not correct, modulus check has failed. Please check that the ISSN has been entered correctly.

161 - validation.text.inStep=The current work flow step can only be {expectedStepName}, but is {currentStepName}

162 + validation.text.inStep=The current workflow step can only be {expectedStepName}, but is {currentStepName}

209 - validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour

210 + validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour:

225 - validation.text.definedonobjects-group=The following fields are required

226 + validation.text.definedonobjects-group=The following fields are required:

234 - validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps has been used more than once

235 + validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps have been used more than once

240 - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps has been used in the definition

241 - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps has been used in the definition

241 + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps have been used in the definition

242 + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps have been used in the definition

244 - validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps has been used more than once

245 + validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps have been used more than once

285 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=The following fields contains an incorrect keyword configuration

286 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} contains an incorrect keyword configuration, which is only usable by {differentFamily}

328 +

329 + validation.text.limitCollectionToNotContain-group=Cannot save due to duplicate relations

330 + validation.text.limitCollectionToNotContain=You cannot use the entity '{value}' as '{field:lowercase}' because it is already used as '{referencedFieldName}'

 pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources_cy.properties CHANGED

1 - #Added translations

```
2 - #Sun Jan 29 14:15:58 CET 2017
5 + scheduledreport-failure-message.title=Wedi methu cynhyrchu adroddiad wedi'i drefnu
6 + scheduledreport-failure-message.velocity_subject=Roedd yr adroddiad wedi "{title}" methu cynhyrchu canlyniad
7 + scheduledreport-failure-message.velocity_title=Roedd yr adroddiad wedi "{title}" methu cynhyrchu canlyniad
8 + scheduledreport-failure-message.text=Mae'r adroddiad wedi'i drefnu "{title}" a weithredwyd gan Pure ar {date} wedi methu cynhyrchu canlyniad. Cysylltwch â'ch Gweinyddwr Pure i ymchwilio i'r rheswm pam na lwyddodd yr adroddiad wedi'i drefnu i gynhyrchu canlyniad. Mae rhagor o wybodaeth ar gael yn y cofnod gwaith (Pure > Gweinyddwr > Gwaith > Cofnod Gwaith). (Rydych chi wedi cael yr e-bost yma oherwydd bod eich defnyddiwr yn berchennog adroddiad wedi'i drefnu).
```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources_en.properties CHANGED

```
6 +
7 + scheduledreport-failure-message.title=Failure to generate scheduled report
8 + scheduledreport-failure-message.velocity_subject=The report "{title}" failed to produce a result
9 + scheduledreport-failure-message.velocity_title=The report "{title}" failed to produce a result
10 + scheduledreport-failure-message.text=The scheduled report "{title}" executed by Pure on {date} failed to generate a result. Contact your Pure Administrator to investigate why the scheduled report failed to produce a result. Further information can be found in the job log (Pure > Administrator > Jobs > Job log). (You received this email because your user is the owner of the scheduled report).
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources_cy.properties CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
45 + exported-value-was-truncated=Cafodd y gwerth yn rhes {rowNum} ei docio.
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources_en.properties CHANGED

```
39 - pivot-multiple-fields-help=Data will be expanded horizontally this means that based on the data this definition may span multiple fields and each of these fields will then be prefixed with aID.x where the x is the position of the element.
39 + pivot-multiple-fields-help=Data will be expanded horizontally -this means that based on the data this definition may span multiple fields and each of these fields will then be prefixed with ID.x where the x is the position of the element.
62 +
63 + exported-value-was-truncated=The value in row {rowNum} was truncated.
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources_cy.properties CHANGED

```
568 + preferences.maxRowsInExcelExport.label=Uchafswm rhesi mewn allgludiad Excel
569 + preferences.maxRowsInExcelExportButton.label=Cadw 'uchafswm rhesi mewn allgludiad Excel'
570
```

+ pure-report-unable-to-load-react-mount-point-description=Os nad yw ffurfweddiad y pwynt darparu yn cyfateb i gyfeiriad y gweinydd: Gofynnwch i weinyddwr eich system wirio ffurfweddiad y pwynt darparu yn y tab Gweinyddwr (man-gwaith/gweinyddwr/categori/gosodiadau/ffurfweddiad/pwyntiau-darparu/). Mae'n rhaid i weinydd Pure wybod ble gellir dod o hyd i'r Javascript sydd wedi'i gynhyrchu i ddangos y dudalen hon. Naill ai does dim gwerth ffurfweddu neu fod y gweinydd wedi cael ei symud i barth arall, neu efallai na chafodd ffurfweddiad y pwynt darparu ei ddiweddarau'n briodol. Dal ddim yn gweithio? Bydd cael mynediad at Pure o gyfeiriad lletywr lleol yn achosi diffyg cyfateb o ran cwcis mewngofnodi ac ni fydd rhai nodweddion ar gael. Yn yr achos hwn, dylech fewngofnodi i '{mount_point}/report/start.xhtml'.

571 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}

572 + pure-report-unable-to-load-react-mount-point-label=Pwynt darparu

573 + pure-report-unable-to-load-react-sub-header=Os ydych chi'n gweld y neges hon, mae'n golygu nad oedd Pure yn gallu adalw'r wybodaeth angenrheidiol i gynhyrchu'r dudalen

574 + pure-report-unable-to-load-react-header=Wedi methu llwytho ffeiliau Javascript

📄 pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources_en.properties CHANGED

481 + preferences.maxRowsInExcelExport.label=Max rows in Excel export

482 + preferences.maxRowsInExcelExportButton.label=Save 'max rows in Excel export'

583 - visibilityAndConfidentiality=Visibility & confidentiality

585 + visibilityAndConfidentiality=Visibility and confidentiality

722 + pure-report-unable-to-load-react-mount-point-description=If the mount point configuration does not match the server address: Ask your system administrator to check configuration of the mount point in the Administrator tab (workspace/administrator/category/settings/configuration/mount-points/). A Pure server must know where to find the generated Javascript to display this page. Either there is no configuration value or the server has been moved to another domain or perhaps the mount point configuration was not updated accordingly. Still not working? Accessing Pure directly from a localhost address will cause a mismatch in login cookies and some features will be unavailable. In this case you should go to log in to '{mount_point}/report/start.xhtml' instead.

723 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}

724 + pure-report-unable-to-load-react-mount-point-label=Mount point

725 + pure-report-unable-to-load-react-sub-header=If you see this message it means that Pure was unable to retrieve information needed to generate the page

726 + pure-report-unable-to-load-react-header=Failed to load Javascript files

727 +

728 +

📄 pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

15 + personalInformationShown-hint=Pan fydd hyn wedi'i alluogi, bydd yr allwedd yn datgelu gwybodaeth bersonol, fel rhyw, cenedligrwydd a dyddiad geni.

16 + content-group=Mynediad at wybodaeth bersonol

17 + content-group-help=Dewiswch pa gynnwys yr hoffech ei ddatgelu

📄 pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

```
6 + personalInformationShown-hint=When this is enabled, the key exposes personal information, such as gender, nationality and date of birth.
16 + content-group=Access to personal information
17 + content-group-help=Choose what content you would like to expose
```

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

```
1 - #Added translations
2 - #Tue May 30 14:15:07 CEST 2017
13 + allowedProperties=Caniatáu mynediad i'r meysydd hyn
```

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

```
1 - type-name=API Key
2 - type-name-plural=API Keys
3 - family-name-plural=API Keys
4 - family-name=API Key
1 + type-name=API key
2 + type-name-plural=API keys
3 + family-name-plural=API keys
4 + family-name=API key
6 - apiKey=API Key
6 + apiKey=API key
14 + allowedProperties=Allow access to these fields
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
18 - submissiondate=Dyddiad cyflwyno
23 + submissiondate=Dyddiad cyflwyno
24 + submissiondeadline=Dyddiad cau ar gyfer cyflwyno
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
21 - submissiondate=Submission date
21 + submissiondate=Date submitted
22 + submissiondeadline=Submission deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
40 + application-submission-deadline-period-legend=Cais yn dynesu at y dyddiad cau ar gyfer cyflwyno
41 + application-submission-deadline-period-hint=Mae'r gosodiadau hyn yn ffurfweddu gwedd matrices y Ceisiadau fel mai dim ond
    Ceisiadau sydd â dyddiad cau ar gyfer cyflwyno yn ystod y cyfnod dan sylw sy'n ymddangos.
42 + application-submission-deadline-period=Dyddiad cau ar gyfer cyflwyno o fewn
43 + applicationSubmissionDeadlinePeriodOptions.ALL=Pob ystod
44 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=Wythnos
45 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Pythefnos
46 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=Mis
47 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Tri mis
48 + application-submission-deadline-column=Dyddiad cau yn agosáu
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
45 + application-submission-deadline-period-legend=Application approaching submission deadline
46 + application-submission-deadline-period-hint=These settings configure the Application matrix view so that only Applications
    that have a submission deadline within the chosen period are shown.
47 + application-submission-deadline-period=Submission deadline in next
48 + applicationSubmissionDeadlinePeriodOptions.ALL=All ranges
49 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=One week
50 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Two weeks
51 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=One month
52 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Three months
53 +
60 +
61 + application-submission-deadline-column=Approaching deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

```
1 + funderStatus-group=Statws cyllidwr
2 + submissionDeadline-group=Dyddiad cau ar gyfer cyflwyno
3 + submissionDeadline-group-help=Rhowch y dyddiad olaf y gellir cyflwyno'r cais. Os byddwch yn cysylltu cyfle cyllido â'r cais
    hwn, bydd dyddiad cau'r cyfle cyllido yn cael ei ddefnyddio os nad yw'r dyddiad hwn eisoes wedi'i nodi yn y cais.
4 + same-submission-deadline-notification=Yr un fath â'r cyfle cyllido
5 + earlier-submission-deadline-notification=Cynharach na'r cyfle cyllido ({fundingOpportunityDeadline})
6 + later-submission-deadline-notification=Hwyrach na'r cyfle cyllido ({fundingOpportunityDeadline})
7 + not-set-submission-deadline-notification=Diffinnir ar y cyfle cyllido ({fundingOpportunityDeadline})
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

```
1 + funderStatus-group=Funder status
2 + funderStatus-group-help=
3 +
4 + submissionDeadline-group=Submission deadline
5 + submissionDeadline-group-help=Enter the date that the application must be submitted by. If you associate a funding opportunity
  with this application, the deadline from the funding opportunity will be used if this date has not already been set on the
  application.
6 +
7 + same-submission-deadline-notification=Same as funding opportunity
8 + earlier-submission-deadline-notification=Earlier than funding opportunity ({fundingOpportunityDeadline})
9 + later-submission-deadline-notification=Later than funding opportunity ({fundingOpportunityDeadline})
10 + not-set-submission-deadline-notification=Defined on funding opportunity ({fundingOpportunityDeadline})
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
7 + create-new-ethical-review-no-save=Creu adolygiad moesegol...
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
6 + create-new-ethical-review-no-save=Create ethical review...
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
3 - title=Dyddiad cyflwyno
5 + title=Dyddiad cyflwyno
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

```
1 - title=Submission date
1 + title=Date submitted
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

```
1 + title=Dyddiad cau ar gyfer cyflwyno
2 + noLimit=Pob un
```

```
3 + noSubmissionDeadline=Dim dyddiad cau ar gyfer cyflwyno
4 + submissionDeadline=Dyddiad cau ar gyfer cyflwyno o fewn
5 + submissionDeadlineCustom=Dyddiad cau ar gyfer cyflwyno mewn ystod dyddiadau personol
6 + oneWeek=Wythnos
7 + twoWeeks=Pythefnos
8 + oneMonth=Mis
9 + threeMonths=Tri mis
10 + all=Pob ystod
11 + from=0
12 + to=I
13 + date=Dyddiad
14 + arrow=>
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

```
1 + title=Submission deadline
2 + noLimit=All
3 + noSubmissionDeadline=No submission deadline
4 + submissionDeadline=Submission deadline in next
5 + submissionDeadlineCustom=Submission deadline in custom date range
6 + oneWeek=One week
7 + twoWeeks= Two weeks
8 + oneMonth= One month
9 + threeMonths= Three months
10 + all= All ranges
11 + from=From
12 + to=To
13 + date=Date
14 + arrow=>
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
28 + applicationdeadlineinconsistency.title=Dyddiadau cau anghyson ar gyfer cyflwyno
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
31 +
32 + applicationdeadlineinconsistency.title=Inconsistent submission deadline dates
```


pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

1	- submissionDate=Dyddiad cyflwyno
7	- funderStatus-group=Statws cyllidwr
8	- funderStatus-group-help=
10	+ submissionDate=Dyddiad cyflwyno
11	+ submissionDeadline=Dyddiad cau

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

1	- submissionDate=Submission date
1	+ submissionDate=Date submitted
2	+ submissionDeadline=Deadline
10	- funderStatus-group=Funder status
11	- funderStatus-group-help=
12	-

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources_cy.properties CHANGED

1	- #Added translations
2	- #Tue May 30 14:15:07 CEST 2017
10	- applicationOrderBySubmissionDate.label=Dyddiad cyflwyno
21	+ applicationOrderBySubmissionDate.label=Dyddiad cyflwyno
22	+ applicationOrderByApproachingSubmissionDeadline.label=Dyddiad cau yn agosáu

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources_en.properties CHANGED

1	- applicationOrderBySubmissionDate.label=Submission date
1	+ applicationOrderBySubmissionDate.label=Date submitted
2	+ applicationOrderByApproachingSubmissionDeadline.label=Approaching deadline

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-resources CHANGED

1	- #Added translations
2	- #Mon Oct 08 10:56:19 CEST 2018
57	+ newsflo.api.clienttoken-legend=Ffurfweddiad gwerthwr: Tocyn Cleient Newsflo
58	+ newsflo.api.clienttoken-description=Y tocyn cleient i'w ddefnyddio â'r API.

CHANGED


pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... [CHANGED]

```
55 - newsflo.api.token-legend=Vendor configuration: Newsflo API Key
56 - newsflo.api.token-description=The API Key for use with the API.
55 + newsflo.api.token-legend=Vendor configuration: Newsflo API key
56 + newsflo.api.token-description=The API key for use with the API.
64 +
65 + newsflo.api.clienttoken-legend=Vendor configuration: Newsflo Client Token
66 + newsflo.api.clienttoken-description=The client token to use with the API.
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration... [ADDED]


```
1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=Integreiddiad DataSearch
3 + datasearch-configuration-header-description=Ar y dudalen ffurfweddu hon gallwch osod integreiddiad gyda DataSearch er mwyn dod
o hyd i gynnwys set ddata yn awtomatig.
4 + what-is-datasearch-disclosure-header=Beth yw integreiddiad DataSearch
5 + what-is-datasearch-disclosure=Bydd galluogi'r integreiddiad gyda DataSearch yn creu cynnwys set ddata yn awtomatig
(cysylltiedig ag Unigolion a Sefydliadau perthnasol) yn Pure. Bydd cysylltiadau ag Allbynnau Ymchwil hefyd yn cael eu creu'n
awtomatig, lle bo'r rheini ar gael.</br></br><p>Bydd galluogi'r integreiddiad DataSearch isod yn rhoi'r gwaith 'DataSearch:
Mewngofnodi Setiau Data' ar waith, ac yn ei osod i redeg bob wythnos. Mae modd newid y gosodiadau yn y ddewislen 'Gweinyddwr >
Gwaith > Amserlennu Gwaith Cron'.</p>
6 + datasearch-integration-legend=Integreiddiad DataSearch
7 + toggle-datasearch-hint=<b>Rhowch yr</b> integreiddiad DataSearch ar waith i ddod o hyd i gynnwys setiau data sy'n bodoli
eisoes a rhai ar gyfer y dyfodol.<br><b>Diffoddwch yr</b> integreiddiad DataSearch i stopio'r integreiddiad dros dro ac atal
cynnwys setiau data rhag cael eu poblogi yn Pure.
8 + datasearch-integration-label=Integreiddiad DataSearch
9 + datasearch-configuration-save=Cadw
10 + datasearch-configuration-refresh=Adnewyddu
11 + datasearch-institution-id-label=IDs sefydliadau
12 + datasearch-institution-id-hint=Rhowch restr o InstitutionID a ScopusID eich sefydliad wedi'u gwahanu ag atalnodau er mwyn dod
o hyd i setiau data o DataSearch.
13 + datasearch-missing-institution-id-error-text=Mae angen ID sefydliad cyn galluogi integreiddiad DataSearch
14 + datasearch-missing-default-managing-organisation-error-text=Mae angen y sefydliad rheoli diodyn cyn galluogi integreiddiad
DataSearch
15 + datasearch-workflow-legend=Gosodiadau llif gwaith setiau data
16 + toggle-datasearch-workflow-hint=Pan fo'r integreiddiad DataSearch wedi'i alluogi, bydd y setiau data sydd wedi'u mewngludo yn
awtomatig yn cael eu gosod yn y cam llif gwaith sydd wedi'i ffurfweddu isod. Ni fydd hyn yn effeithio ar setiau data sydd wedi'u
mewngludo eisoes.
17 + clear-rejected-candidates-legend=Ymgeiswyr wedi'u gwrthod
18 + clear-rejected-candidates-hint=Mae'n bosib clirio unrhyw ymgeiswyr wedi'u gwrthod gan ddefnyddio'r botwm isod. Nodyn: Bydd yr
holl ymgeiswyr wedi'u gwrthod yn cael eu clirio. Does dim modd dad-wneud y weithred.
19 + rejected-candidates-will-be-cleared-message=bydd ymgeiswyr wedi'u gwrthod yn cael eu clirio
```

```
20 + clear-rejected-candidates-label=Clirio ymgeiswyr wedi'u gwrthod
21 + datasearch-default-organisation-legend=Sefydliad rheoli diofyn
22 + datasearch-default-managing-organisation=Sefydliad rheoli diofyn
23 + datasearch-default-managing-organisation-hint=Bydd y sefydliad yn cael ei ddefnyddio ar gyfer ymgeiswyr lle nad oes modd pennu
sefydliad rheoli
24 + datasearch-enable-workflow-recommendation=Argymhellir galluogi llyf gwaith ar gyfer setiau data
25 + datasearch-clear-reject-candidate-dialogue-description=Ydych chi'n siŵr eich bod am glirio'r ymgeiswyr wedi'u gwrthod? <br>
Does dim modd dad-wneud y weithred.
26 + datasearch-vendorfields-label=Dim ond defnyddiwr gwerthu Elsevier all weld rhai meysydd
27 + datasearch-apiurl-label=URL API
28 + datasearch-apikey-label=Allwedd API
29 + datasearch-apikey-description=Allwedd ar gyfer API DataSearch Elsevier.
30 + datasearch-pagesize-label=Maint tudalen
31 + datasearch-pagesize-description=Nifer y setiau data i'w cynnwys ym mhob cais API.
32 + datasearch-sources=Ffynonellau DataSearch
33 + datasearch-sources-hint=Rhestr o ffynonellau wedi'u gwahanu gan atalnodau er mwyn cyfyngu'r DataSearch. Gadewch yn wag i
beidio â chyfyngu'r ffynonellau DataSearch. Rhaid i enwau ffynonellau gyfateb i enwau penodol y ffynonellau yn DataSearch.
34 + datasearch-show-sources=Dangos y ffynonellau sydd ar gael
35 + datasearch-available-sources=Mae'r ffynonellau canlynol ar gael drwy DataSearch
36 + datasearch-invalid-source=Doedd mwy nag un o'r ffynonellau a nodwyd ddim yn cyfateb i ffynhonnell yn DataSearch.
37 + datasearch-failed-to-get-sources=Mae Pure wedi methu cael rhestr o ffynonellau o DataSearch ac felly ni fydd yn dilysu'r
ffynonellau.
38 + delete-button=Cadarnhau
39 + cancel-button=Canslo
```

 [pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration...](#) ADDED

```
1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=DataSearch integration
3 + datasearch-configuration-header-description=In this configuration page you can set up integration with DataSearch to
automatically source Dataset content.
4 + what-is-datasearch-disclosure-header=What is the DataSearch integration
5 + what-is-datasearch-disclosure=Enabling the integration with DataSearch will automatically create Dataset content (associated
with relevant Persons and Organisations) in Pure. Relations with Research Outputs will also automatically be created, where
available.</br></br><p>Enabling the DataSearch integration below will turn on the 'DataSearch: Import Datasets' job, and set it
to run on a weekly basis. The settings can be changed in the 'Administrator > Jobs > Cron Job Scheduling' menu.</p>
6 + datasearch-integration-legend=DataSearch integration
7 + toggle-datasearch-hint=<b>Turn on</b> the DataSearch integration to source existing and future Dataset content.<br/><b>Turn
off</b> the DataSearch integration to pause the integration and prevent new Dataset content being populated in Pure.
8 + datasearch-integration-label=DataSearch integration
9 + datasearch-configuration-save=Save
10 + datasearch-configuration-refresh=Refresh
```

```
11 + datasearch-institution-id-label=Institution IDs
12 + datasearch-institution-id-hint=Enter a comma-separated list of your institution's InstitutionID and ScopusID to find Datasets
    from DataSearch.
13 + datasearch-missing-institution-id-error-text=An institution ID is required before enabling the DataSearch integration
14 + datasearch-missing-default-managing-organisation-error-text=The default managing organisation is required before enabling the
    DataSearch integration
15 + datasearch-workflow-legend=Dataset workflow settings
16 + toggle-datasearch-workflow-hint=When the DataSearch integration is enabled, the Datasets imported automatically will be set in
    the workflow step configured below. Already imported Datasets will not be affected.
17 + clear-rejected-candidates-legend=Rejected candidates
18 + clear-rejected-candidates-hint=It is possible to clear any rejected candidates using the button below. Note: All previously
    rejected candidates will be cleared. The action is not reversible.
19 + rejected-candidates-will-be-cleared-message=rejected candidates will be cleared
20 + clear-rejected-candidates-label=Clear rejected candidates
21 + datasearch-default-organisation-legend=Default managing organisation
22 + datasearch-default-managing-organisation=Default managing organisation
23 + datasearch-default-managing-organisation-hint=This organisation will be used for candidates where a managing organisation
    could not be determined
24 + datasearch-enable-workflow-recommendation=It is recommended to enable workflow for datasets
25 + datasearch-clear-reject-candidate-dialogue-description=Are you sure you want to clear these rejected candidates? <br> The
    action cannot be undone.
26 + datasearch-vendorfields-label=Specific fields only visible to the Elsevier vendor user
27 + datasearch-apiurl-label=API URL
28 + datasearch-apikey-label=API Key
29 + datasearch-apikey-description=Key for Elsevier DataSearch API.
30 + datasearch-pagesize-label=Page size
31 + datasearch-pagesize-description=Number of Datasets to include in each API request.
32 + datasearch-sources=DataSearch sources
33 + datasearch-sources-hint=A comma-separated list of sources to limit DataSearch to. Leave blank to not limit DataSearch sources.
    Source names must match the exact source names in DataSearch.
34 + datasearch-show-sources>Show available sources
35 + datasearch-available-sources=The following sources are available through DataSearch
36 + datasearch-invalid-source=One or more of the entered sources did not match a source in DataSearch.
37 + datasearch-failed-to-get-sources=Pure failed to get the list of sources from DataSearch and will therefore not validate the
    sources.
38 + delete-button=Confirm
39 + cancel-button=Cancel
```

 pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

```
1 - #Added translations
2 - #Fri Sep 15 08:43:44 CEST 2017
```

- 14 - mendeley-data-institution-id-hint=Rhowch eich ID sefydliad o Mendeley, y gellir ei ganfod yma XXX
- 28 + mendeley-data-institution-id-hint=Rhowch ID eich sefydliad o Mendeley, y mae modd ei weld yma (angen tanystrigriadiad Cyhoeddiad Sefydliadol Data Mendeley)

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

- 12 - mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found here (requires Mendeley Data Institutional Edition subscription)
- 12 + mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found here (requires Mendeley Data Institutional Edition subscription)

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

- 1 - #Added translations
- 2 - #Sun Jan 29 14:15:58 CET 2017
- 5 - mendeleyDataSetCandidateColumn=Mewnforio ymgeiswyr
- 6 - mendeleyDataSetCandidateGroup=Ymgeiswyr mewnforio Mendeley ar gyfer Set Data
- 7 - header-mendeley-dataset-text=Digwyddodd y mewnforio Data Mendeley diwethaf\: {lastJobExecutionDate} {jobError} - bydd y mewnforio nesaf yn digwydd ar\: {nextJobExecutionDate}
- 8 - header-mendeley-dataset-job-error=(gyda gwallau, gweler y log)
- 9 - header-mendeley-dataset-date-not-available=Ddim ar gael
- 10 - mendeley-dataset-task-group-name=Ymgeiswyr set data Mendeley
- 13 - datasetauthorMendeleyData=Pobl yn Data Mendeley
- 14 - datasetorganisationMendeleyData=Sefydliadau yn Data Mendeley
- 19 - header-mendeley-dataset-job-warning=(gyda rhybuddion, gweler y log)
- 20 - header-dataset-mendeley-all=Rhestr
o ymgeiswyr mewnforio o Mendeley Data nad ydynt yn Pure ar hyn o bryd. Mae'r setiau data â'r label Diweddarwyd yn dynodi setiau data sydd eisoes yn Pure, pan fo'r awdur(on)
a/neu'r
uned sefydliadol wedi newid yn Mendeley Data. Mae'n bwysig mewnforio'r setiau data diweddariedig, oherwydd bydd y rhain yn parhau i ymddangos ar restr yr ymgeiswyr mewnforio nes y gwneir hynny. Gallwch gyfyngu'r rhestr ganlyniadau drwy ddefnyddio'r gwympen uchod i ddangos naill ai'r holl ymgeiswyr mewnforio newydd neu ymgeiswyr a ddiweddarwyd.
- 9 + header-dataset-datasearch-all=Rhestr o'r ymgeiswyr a fewngludwyd o DataSearch nad ydynt yn Pure ar hyn o bryd.
- 10 + searchDataSetCandidateColumn=Ymgeiswyr a fewngludwyd
- 11 + searchDataSetCandidateGroup=Ymgeiswyr a fewngludwyd o DataSearch ar gyfer y set ddata
- 12 + header-datasearch-dataset-text=Amser y mewngludiad diwethaf o DataSearch: {lastJobExecutionDate} {jobError} - bydd y mewngludiad nesaf yn digwydd: {nextJobExecutionDate}
- 13 + header-datasearch-dataset-job-error=(gyda gwallau, gweler cofnod)
- 14 + header-datasearch-dataset-job-warning=(gyda rhybuddion, gweler cofnod)
- 15 + header-datasearch-dataset-date-not-available=Amh.

```
16 + datasearch-dataset-task-group-name=Ymgeiswyr set ddata DataSearch
17 + datasetauthorDataSearch=Pobl yn DataSearch
18 + authorDataSearch=Pobl yn DataSearch
19 + datasetorganisationDataSearch=Sefydliadau yn DataSearch
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

```
3 - header-dataset-mendeley-all=List of import candidates from Mendeley Data not currently in Pure. \
4 - The datasets with the label Updated denotes datasets already in Pure, where the author(s) and/or the organisational unit have
  changed in Mendeley Data. \
3 + header-dataset-datasearch-all=List of import candidates from DataSearch not currently in Pure. \
4 + The label 'Updated' denotes datasets already in Pure, where the author(s) and/or the organisational unit have changed in
  DataSearch. \
6 - You can limit the result list using the drop down above to show either all, new import candidates or updated candidates
7 - mendeleyDataSetCandidateColumn=Import candidates
8 - mendeleyDataSetCandidateGroup=Mendeley import candidates for Dataset
9 - header-mendeley-dataset-text=Last Mendeley Data import occurred: {lastJobExecutionDate} {jobError} - the next import will
  happen at: {nextJobExecutionDate}
10 - header-mendeley-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 - header-mendeley-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 - header-mendeley-dataset-date-not-available=N/A
13 - mendeley-dataset-task-group-name=Mendeley dataset candidates
6 + You can limit the result list using the drop down above to show either all, new import candidates or updated candidates.
7 + dataSearchDataSetCandidateColumn=Import candidates
8 + dataSearchDataSetCandidateGroup=DataSearch import candidates for Dataset
9 + header-datasearch-dataset-text=Last DataSearch import occurred: {lastJobExecutionDate} {jobError} - the next import will
  happen at: {nextJobExecutionDate}
10 + header-datasearch-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 + header-datasearch-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 + header-datasearch-dataset-date-not-available=N/A
13 + datasearch-dataset-task-group-name=DataSearch dataset candidates
16 - datasetauthorMendeleyData=People in Mendeley Data
17 - datasetorganisationMendeleyData=Institutions in Mendeley Data
16 + datasetauthorDataSearch=People in DataSearch
17 + authorDataSearch=People in DataSearch
18 + datasetorganisationDataSearch=Institutions in DataSearch
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources_cy.prop... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
```

```
1 + dataSearchDataSetImportJob-label=DataSearch: Mewngofnodi Setiau Data
2 + dataSearchDataSetImportJob-description=Mewngofnodi setiau data o DataSearch ar gyfer y sefydliad dan sylw.
3 - mendeleyDataSetImportJob-label=Data Mendeley\ : Mewnforio Setiau Data
4 - mendeleyDataSetImportJob-description=Yn mewnforio Setiau Data o Ddata Mendeley ar gyfer y sefydliad penodol
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources_en.prop... CHANGED

```
1 - mendeleyDataSetImportJob-label=Mendeley Data: Import Datasets
2 - mendeleyDataSetImportJob-description=Imports Datasets from Mendeley Datafor the given institution.
1 + dataSearchDataSetImportJob-label=DataSearch: Import Datasets
2 + dataSearchDataSetImportJob-description=Imports Datasets from DataSearch for the given institution.
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
7 - widgetFactory.dataset_top_contributors.name=Cyfranogwyr prif setiau data
5 + widgetFactory.dataset_top_contributors.name=Nifer y setiau datafesul cyflogai
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

```
7 - widgetFactory.dataset_top_contributors.name=Top dataset contributors
7 + widgetFactory.dataset_top_contributors.name=No. of datasets by employee
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modu... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
14 - mendeleydataset-message.title=Ymgeiswyr set data o Mendeley
12 + dataSearchdataset-message.title=Ymgeiswyr setiau data o DataSearch
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modul... CHANGED

```
3 - mendeleydataset-message.title=Dataset candidates from Mendeley
3 + dataSearchdataset-message.title=Dataset candidates from DataSearch
```

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... CHANGED

1	- #Added translations
2	- #Wed Sep 26 12:12:51 CEST 2018
52	- mendeleycategories=Categoriâu Mendeley
52	+ dataSearchcategories=Categoriâu DataSearch

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... CHANGED

61	- mendeleycategories=Mendeley categories
61	+ dataSearchcategories=DataSearch categories

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

24	+ contactExpert-group=Cysylltu ag Arbenigwr
25	+ persons.enableContactExpert=Galluogi'r nodwedd cysylltu ag arbenigwr

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

3	+ contactExpert-group=Contact Expert
12	- persons.personContactLink-hint=The portal will replace {id} with the person's ID and the {name} with the person's name.
13	+ persons.personContactLink-hint=Note:The Pure will replace {id} with the person's ID and the {name} with the person's name.
25	+ persons.enableContactExpert=Enable 'Contact Expert' button

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

11	- requestForCopyIncludingRestrictedDocuments=!!Include restricted documents
12	- requestForCopyIncludingRestrictedDocuments-hint=!!If this is turned on, documents which have 'Restricted' status are included in the request for copy function.
11	+ requestForCopyIncludingRestrictedDocuments=Cynnwys dogfennau cyfyngedig
12	+ requestForCopyIncludingRestrictedDocuments-hint=Os yw hwn wedi'i alluogi, caiff dogfennau â statws 'Cyfyngedig' eu cynnwys yn y swyddogaeth cais am gopi.

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

86	- campus-ip-ranges=Ystodau IP Campws
86	+ campus-ip-ranges=Ystodau IP ar gyfer gweledd rhwydweithiau campws
109	+ enableContactExpert=Galluogi'r nodwedd cysylltu ag arbenigwr
110	+ contactByUrl=Dolen we allanol
111	+ contactByForm=Ffurflen we ddiodyfyn Pure ar gyfer cysylltu ag arbenigwr

112 + howToContactExperts=Botwm cysylltu ag arbenigwr' yn agor:
113 + contactFormReceiver=Cyfeiriad e-bost derbynnydd diofyn ar gyfer ceisiadau cyswllt drwy ffurflen we Pure:
114 + contactFormOrganisations=Y cyfeiriad e-bost sy'n gysylltiedig â'r uned sefydliadol ei hun (Ffenestr golygu uned sefydliadol > Metadata > Cyfeiriadau electronig > Negeseuon e-bost)
115 + contactFormResearchers=Y cyfeiriad e-bost cysylltiedig ag aelodaeth sefydliadol yr unigolyn (Ffenestr golygu unigolyn > Metadata > Aelodaeth sefydliadol)
116 + contactFormEmailHint=Os nad oes gan yr unigolyn gyfeiriad e-bost ar gyfer yr aelodaeth sefydliadol, bydd yr e-bost yn cael ei anfon at y cyfeiriad e-bost sy'n gysylltiedig â'r uned sefydliadol.
117 + contactLink=URL dolen gyswllt
118 + contactLinkHint=Sylwer: Bydd Pure yn disodli {id} ag ID yr unigolyn ac yn disodli {name} ag enw'r unigolyn.

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

88 - campus-ip-ranges=CampusIP ranges
88 + campus-ip-ranges=IP rangesfor campus network visibility
89 + campus-ip-ranges-help=Define one or more IP ranges for visibility of content for campus network. Multiple ranges must be comma-separated, e.g. x.x.x.x - x.x.x.x, x.x.x.x - x.x.x.x
92 - campus-ip-ranges-help=
103 + enableContactExpert=Enable 'Contact Expert' button
104 + contactByUrl=An external web link
105 + contactByForm=Pure's default 'Contact Expert' web form
106 + howToContactExperts='Contact expert' button opens:
107 + contactFormReceiver=Default recipient email address of contact requests via Pure's web form:
108 + contactFormOrganisations=The email address associated with the organisational unit itself (Organisational unit editor window > Metadata > Electronic addresses > Emails)
109 + contactFormResearchers=The email address associated with the organisational affiliation on the person (Person editor window > Metadata > Organisational affiliations)
110 + contactFormEmailHint=If the person does not have an email address available on the organisational affiliation, the email will be sent to the email address associated with the organisational unit.
111 + contactLink=Contact link URL
112 + contactLinkHint=Note: The Pure will replace {id} with the person's ID and the {name} with the person's name.

pure-modules/ddp-module/templates/bundled/src/main/resources/renderer/portalng-rendering-resources_cy.properties CHANGED

2739 + dataset/dataSearchcategories=Categoriâu DataSearch
2740 + documentlinkextensionaccessrendererportal/render-format-embargoEndDate=Dan embargo tan
2741 + documentlinkextensionaccessrendererportal/render-format-file=Ffeil
2742 + documentlinkextensionaccessrendererportal/render-format-license=Trwydded
2743 + documentlinkextensionaccessrendererportal/render-format-type=Math
2744 + documentsattachedportalrendererng/render-format-file=Ffeil
2745 + journal/links=Gwefan cyfnodolyn

```

2746 + organisationancestorsrenderportal/ended=Uned sefydliadol flaenorol
2747 + organisationancestorsrenderportal/taken-over=Cymerwyd drosodd gan
2748 + person/dataCleanupExemptionEndDate=Eithriad glanhau data - dyddiad dod i ben
2749 + person/organisationAssociations.supervisedByRelations=Goruchwyllo
2750 + personcontactbuttonrenderportal/expert_contact_button=Cysylltu ag Arbenigwr
2751 + personexternalpositionsrenderportal/external_positions=Safleoedd allanol
2752 + personorganisationcontactrenderportal/email=E-bost
2753 + personorganisationcontactrenderportal/phone=Ffôn
2754 + personorganisationcontactrenderportal/website=Gwefan
2755 + personsocialmediaorcidrenderportal/scopusProfile=Gweld Proffil Scopus
2756 + personsocialmediarenderportal/scopusProfile=Gweld Proffil Scopus
2757 + studentthesisdocument/show-documentLicense=Dangos trwydded
2758 + ueoexternalorganisation/contactAddress.subdivision=Is-raniad

```

pure-modules/ddp-module/templates/bundled/src/main/resources/renderportalng-rendering-resources_en.properties CHANGED

```

1772 - temporalissn/family-name-plural=ISSN numbers
1772 + temporalissn/family-name-plural=ISSNs
1776 - temporalissn/type-name-plural=ISSN numbers
1776 + temporalissn/type-name-plural=ISSNs
2728 - highlightedcontentconfiguration/description-body>Select some of your content to highlight (by default,the newest content is used). The list is shown on\
2728 + highlightedcontentconfiguration/description-body>Select some of your content to highlight (the newest content is used by default). The list is shown on\
2739 + dataset/dataSearchcategories=DataSearch categories
2740 + documentlinkextensionaccessrenderportal/render-format-embargoEndDate=\\!Embargo End Date
2741 + documentlinkextensionaccessrenderportal/render-format-file=\\!File
2742 + documentlinkextensionaccessrenderportal/render-format-license=\\!Licence
2743 + documentlinkextensionaccessrenderportal/render-format-type=\\!Type
2744 + documentsattachedportalrenderportalng/render-format-file=\\!File
2745 + journal/links=Journal website
2746 + organisationancestorsrenderportal/ended=\\!Former organisational unit
2747 + organisationancestorsrenderportal/taken-over=\\!Taken over by
2748 + person/dataCleanupExemptionEndDate=Data cleanup exemption end date
2749 + person/organisationAssociations.supervisedByRelations=Supervision
2750 + personcontactbuttonrenderportal/expert_contact_button=\\!Contact Expert
2751 + personexternalpositionsrenderportal/external_positions=\\!External positions
2752 + personorganisationcontactrenderportal/email=\\!Email
2753 + personorganisationcontactrenderportal/phone=\\!Phone
2754 + personorganisationcontactrenderportal/website=\\!Website
2755 + personsocialmediaorcidrenderportal/scopusProfile=\\!View Scopus Profile

```

2756 + personsocialmediarendererportal/scopusProfile=\\!\\View Scopus Profile
2757 + studentthesisdocument/show-documentLicense=Show licence
2758 + ueoexternalorganisation/contactAddress.subdivision=Subdivision
2759 + studentthesis/DOIs=DOIs
2760 + studentthesis/DOIs-type-name=DOI
2761 + studentthesis/ISMN=ISMN
2762 + studentthesis/abstract=Abstract
2763 + studentthesis/activityRelations=Activities
2764 + studentthesis/activityRelations-add=Add activity...
2765 + studentthesis/annualReportSelected=Selected for annual report
2766 + studentthesis/author=Author
2767 + studentthesis/awardDate=Date of Award
2768 + studentthesis/awardDate.year=Year of Award
2769 + studentthesis/awardingInstitution=Awarding Institution
2770 + studentthesis/bibliographicalNote=Bibliographical note
2771 + studentthesis/bibliometrics=Bibliometrics
2772 + studentthesis/claim-action=Mine - claim content
2773 + studentthesis/clippingRelations=Press/Media
2774 + studentthesis/clippingRelations-add=Add press/media...
2775 + studentthesis/clippingRelations-title=Find and select press/media
2776 + studentthesis/dateOfProcessingBibliometric=Date of bibliometric processing
2777 + studentthesis/disclaim-action=Not mine - disclaim content
2778 + studentthesis/displayInOthersPublicationList=Show in other persons' publication lists
2779 + studentthesis/documents=Documents
2780 + studentthesis/edition=Edition
2781 + studentthesis/electronicISBNs=ISBN (Electronic)
2782 + studentthesis/equipmentRelations=Facilities/Equipment
2783 + studentthesis/equipmentRelations-add=Add equipment...
2784 + studentthesis/family-count=Total
2785 + studentthesis/family-count-no-documents-sherpa=RoMEO colours without documents
2786 + studentthesis/family-count-with-documents=With documents
2787 + studentthesis/family-count-without-documents=Without documents
2788 + studentthesis/family-documents-visibility=Document visibility
2789 + studentthesis/family-name=Student thesis
2790 + studentthesis/family-name-plural=Student theses
2791 + studentthesis/family-with-documents={family} with documents
2792 + studentthesis/family-with-suggested-actions=Claimed/disclaimed publications
2793 + studentthesis/filter.family.mycontent=My student theses
2794 + studentthesis/generatePDF=Generate front page for uploaded PDF files
2795 + studentthesis/groupAuthor=Group author
2796 + studentthesis/handleNet=Handle.net
2797 + studentthesis/id=Internal-ID

2798 + studentthesis/impactRelations=Impacts
2799 + studentthesis/impactRelations-add=Add impact...
2800 + studentthesis/journal=Journal
2801 + studentthesis/journalNumber=Journal number
2802 + studentthesis/keywords=User-defined keywords
2803 + studentthesis/language=Original language
2804 + studentthesis/librarianKeywordContainers=Library Keywords
2805 + studentthesis/librarianKeywords=Keywords
2806 + studentthesis/links=URLs
2807 + studentthesis/links-type-name=URL
2808 + studentthesis/numberOfPages=Number of pages
2809 + studentthesis/organisations=Organisations
2810 + studentthesis/organisations-mark-as-primary=Set placement
2811 + studentthesis/organisations-primary=Placement
2812 + studentthesis/owner=Placement
2813 + studentthesis/pending-publication=Pending publications
2814 + studentthesis/pending-researchoutput=Pending research output
2815 + studentthesis/persons=Author
2816 + studentthesis/persons-singular=Author
2817 + studentthesis/persons.name=Author name
2818 + studentthesis/placeOfPublication=Place of Publication
2819 + studentthesis/printISBNs=ISBN (Print)
2820 + studentthesis/projectRelations=Projects
2821 + studentthesis/projects=Projects
2822 + studentthesis/publicationDate=Publication date
2823 + studentthesis/publicationDate.day=Day
2824 + studentthesis/publicationDate.month=Month
2825 + studentthesis/publicationDate.year=Year
2826 + studentthesis/publicationStatus=Publication status
2827 + studentthesis/publicationYear=Publication year
2828 + studentthesis/publisher=Publisher
2829 + studentthesis/qualification=Qualification name
2830 + studentthesis/relatedPublications=Research Outputs
2831 + studentthesis/researchOutputRelations=Research Outputs
2832 + studentthesis/researchOutputRelations-add=Add research output...
2833 + studentthesis/searchplaceholder=Search for student thesis...
2834 + studentthesis/sponsors=Sponsors
2835 + studentthesis/subTitle=Subtitle of the thesis in original language
2836 + studentthesis/supervisors=Supervisor
2837 + studentthesis/title=Title of the thesis in original language
2838 + studentthesis/translatedSubtitle=Translated subtitle of the thesis
2839 + studentthesis/translatedTitle=Translated title of the thesis

2840 + studentthesis/type-name=Student thesis
2841 + studentthesis/type-name-plural=Student theses
2842 + studentthesis/typeClassification=Qualification level
2843 + studentthesis/view-publications-by-action=View publications by
2844 + studentthesis/volume=Volume
2845 + studentthesis/yearSubmitted=Submission year
2846 + studentthesisdocument/embargoReason-label=Embargo reason
2847 + studentthesisrelationsrenderportal/clipping-relations=Press/Media
2848 + studentthesisrelationsrenderportal/researchoutput-relations=Research Outputs

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/rendererdk/atira/pure/modules/experts/internal/renderin... ADDED

1 + render-format-license=Trwydded
2 + render-format-type=Math
3 + render-format-file=Ffeil
4 + render-format-embargoEndDate=Dan embargo tan

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/rendererdk/atira/pure/modules/experts/internal/renderin... ADDED

1 + render-format-license=Licence
2 + render-format-type=Type
3 + render-format-file=File
4 + render-format-embargoEndDate=Embargo End Date

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/rendererdk/atira/pure/modules/experts/internal/renderi... ADDED

1 + render-format-file=Ffeil

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/rendererdk/atira/pure/modules/experts/internal/renderi... ADDED

1 + render-format-file=File

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
7 + fingerprintSelectionModified=Dewis ôl bys wedi newid dyddiad

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

5 + fingerprintSelectionModified=Fingerprint selection changed date

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

1 + fundingDiscoveryProfiles=Proffiliau cyllido

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

1 + fundingDiscoveryProfiles=Funding profiles

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources_cy.proper... CHANGED

9 + configuration.authentication=Dilysu
10 + configuration.login=Mewngofnodi
11 + configuration.logout=Allgofnodi
12 + client-key=Allwedd y Cleient
13 + login-failed=Wedi methu mewngofnodi
14 + error-details=Manylion
15 + close=Cau
16 + test-failed=Prawf wedi methu
17 + test-success=Prawf wedi llwyddo
18 + status.test=Profi cysylltiad

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources_en.prope... CHANGED

4 + configuration.authentication=Authentication
5 + configuration.login=Login
6 + configuration.logout=Logout
11 + client-key=Client Key
13 + login-failed=Login failed
14 + error-details=Details
15 + close=Close
16 + test-failed=Test failed
17 + test-success=Test successful
18 + status.test=Test connection

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

4 + authentication-configuration-label=Ffurfweddiad dilysu

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

3 + authentication-configuration-label=Authentication configuration

4 -

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

1 + oauth-group=OAuth
2 + oauthUrl=URL
3 + oauthClientId=ID y Cleient
4 + oauthClientSecret=Cyfrinach
5 + cognito-group=Cognito
6 + cognitoPoolId=ID y Gronfa
7 + cognitoRegion=Rhanbarth

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

1 + oauth-group=OAuth
2 + oauthUrl=URL
3 + oauthClientId=Client ID
4 + oauthClientSecret=Secret
5 + cognito-group=Cognito
6 + cognitoPoolId=Pool ID
7 + cognitoRegion=Region

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/bulk/bulk-operation-ref2020-resources_cy... ADDED

1 + attributionIsLocked=Methu diweddarau'r aelodaeth wedi'i chloi ar REF2
2 + attribution-bulk-remove=Tynnu'r priodoliad o'r REF2s dan sylw
3 + attributionLocked-bulk-change=Cloi/Datgloi priodoliad
4 + attributionLocked-bulk-change-operation-title=Cloi priodoliad
5 + attributionLocked-selection-placeholder=Dewis gweithred gloi
6 + attributionLocked-label-true=Wedi Cloi
7 + attributionLocked-label-false=Wedi Datgloi
8 + selectionStatus-bulk-change=Newid y dewis ar gyfer cronfa UoA o statws allbynnau

9 + selectionStatus-bulk-change-operation-title=Newid y dewis ar gyfer cronfa UoA o statws allbynnau i {selectionStatus}
10 + selectionStatus-selection-placeholder=Dewis statws dewis
11 + selectedForREF2020.Proposed=Cynigion
12 + selectedForREF2020.Selected=Dewiswyd ar gyfer cronfa UoA
13 + selectedForREF2020.Review=Dewiswyd ar gyfer adolygiad
14 + selectedForREF2020.NotSelected=Heb ei ddewis ar gyfer cronfa UoA
15 + eligibleStatus-bulk-change=Newid statws cymhwysedd
16 + eligibleStatus-bulk-change-operation-title=Newid statws cymhwysedd
17 + eligibleStatus-selection-placeholder=Dewis statws cymhwysedd...
18 + eligibleStatus.Pending=Yn disgwyl
19 + eligibleStatus.Yes=Cymwys
20 + eligibleStatus.No=Anghymwys
21 + submittedStatus-bulk-change=Newid statws cyflwynedig
22 + submittedStatus-bulk-change-operation-title=Newid statws cyflwynedig
23 + submittedStatus-selection-placeholder=Dewis statws cyflwynedig...
24 + submittedStatus.Pending=Yn disgwyl
25 + submittedStatus.Yes=Wedi cyflwyno
26 + submittedStatus.No=Heb ei gyflwyno
27 + uoa-bulk-change=Newid UA
28 + uoa-bulk-change-operation-title=Newid UA
29 + uoa-selection-placeholder=Dewis Uned Aseu...
30 + uoa.notActive=Anweithredol
31 + #Added translations
32 + #Wed Sep 26 12:12:52 CEST 2018
33 + ref-open-access-information-contributor.header=Cydymffurfio Open Access REF
34 + ref-open-access-information-contributor.message=Gallai golygu fersiynau electronig cyfredol a/neu eu priodweddau cysylltiedig effeithio ar gymhwysedd REF allbwn yr ymchwil hwn. Argymhellir eich bod yn ymgynghori gyda'ch tîm cefnogi lleol cyn gwneud unrhyw newidiadau yn yr adran hon.
35 + ref2020exception-bulk-change=Newid eithriad REF2021
36 + ref2020exception-bulk-change-operation-title=Newid eithriad REF2021 i {exception}
37 + ref2020exception-selection-placeholder=Dewiswch eithriad REF2021
38 + noValue=Dim gwerth
39 +
40 + #Bulk change selection status
41 + selectionStatus-bulk-change=Newid yr un a ddewiswyd ar gyfer cronfa UoA statws allbwn
42 + selectionStatus-bulk-change-operation-title=Newid dewis ar gyfer cronfa UoA o statws allbynnau i {selectionStatus}
43 + selectionStatus-selection-placeholder=Dewis statws y dewis
44 +
45 + selectedForREF2020.Proposed=Cynigir yr allbwn ymchwil hwn ar gyfer REF2021
46 + selectedForREF2020.Selected=Dewiswyd yr allbwn ymchwil hwn ar gyfer REF2021
47 + selectedForREF2020.Review=Dewiswyd yr allbwn ymchwil hwn i'w adolygu ar gyfer REF2021
48 + selectedForREF2020.NotSelected=Ni ddewiswyd yr allbwn ymchwil hwn ar gyfer REF2021


```
1 + #Bulk remove attributions
2 + attributionIsLocked= Cannot update locked attribution on REF2
3 + attribution-bulk-remove=Remove attribution from selected REF2s
4 +
5 + #Bulk lock attributions
6 + attributionLocked-bulk-change=Lock/Unlock attribution
7 + attributionLocked-bulk-change-operation-title=Lock attribution
8 + attributionLocked-selection-placeholder=Select locking operation
9 + attributionLocked-label-true=Locked
10 + attributionLocked-label-false=Unlocked
11 +
12 + #Bulk change selection status
13 + selectionStatus-bulk-change=Change selection for UoA pool of outputs status
14 + selectionStatus-bulk-change-operation-title=Change selection for UoA pool of outputs status to {selectionStatus}
15 + selectionStatus-selection-placeholder=Select selection status
16 +
17 + selectedForREF2020.Proposed=Proposed
18 + selectedForREF2020.Selected=Selected for UoA pool
19 + selectedForREF2020.Review=Selected for review
20 + selectedForREF2020.NotSelected=Not selected for UoA pool
21 +
22 + # Bulk change REF1 eligible status
23 + eligibleStatus-bulk-change=Change eligibility status
24 + eligibleStatus-bulk-change-operation-title=Change eligibility status
25 + eligibleStatus-selection-placeholder=Select eligibility status...
26 + eligibleStatus.Pending=Pending
27 + eligibleStatus.Yes=Eligible
28 + eligibleStatus.No=Not eligible
29 +
30 + # Bulk change REF1 submitted status
31 + submittedStatus-bulk-change=Change submitted status
32 + submittedStatus-bulk-change-operation-title=Change submitted status
33 + submittedStatus-selection-placeholder=Select submitted status...
34 + submittedStatus.Pending=Pending
35 + submittedStatus.Yes=Submitted
36 + submittedStatus.No=Not submitted
37 +
38 + # Bulk change REF1 UoA
39 + uoa-bulk-change=Change UoA
```

```
40 + uoa-bulk-change-operation-title=Change UoA
41 + uoa-selection-placeholder=Select UoA...
42 + uoa.notActive=Not active
43 +
44 + #Bulk change Exception
45 + ref2020exception-bulk-change=Change REF2021 exception
46 + ref2020exception-bulk-change-operation-title=Change REF2021 exception to {exception}
47 + ref2020exception-selection-placeholder=Select REF2021 exception
48 + noValue=No value
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-base-uk-ref20... CHANGED

```
63 - syncjob.ref4a.ref2020.ref4aSyncType-description=Penderfynwch pa fath o fath cydamseru REF4a ddylid ei ddefnyddio. Os
dewisir Pure,bydd
yr holl fyfyrwyr sydd wedi cael dyfarniad yn ystod y cyfnod REF yn cael eu defnyddio, a'u cysylltiadau â goruchwylwyr. Os bydd
EXCEL_DETAILS yn cael eu defnyddio, mae'n rhaid nodi'r dogfennau mapio, a bydd y data hwn yn cael ei ddefnyddio. Os defnyddir
EXCEL_SUMMARY mae'n rhaid nodi'r ddogfen excel grynodol ac ni chreir REF4aDetails. SYLWER, wrth newid math y cydamseru, bydd yr
holl gynnwys a gydamserwyd yn cael ei ddileu
63 + syncjob.ref4a.ref2020.ref4aSyncType-description=Penderfynwch pa fath o fath cydamseru REF4a ddylid ei ddefnyddio. Os bydd
EXCEL_DETAILS yn cael eu defnyddio, mae'n rhaid nodi'r dogfennau mapio, a bydd y data hwn yn cael ei ddefnyddio. Os defnyddir
EXCEL_SUMMARY mae'n rhaid nodi'r ddogfen excel grynodol ac ni chreir REF4aDetails. SYLWER, wrth newid math y cydamseru, bydd yr
holl gynnwys a gydamserwyd yn cael ei ddileu
95 - syncjob.ref4b.ref2020.ref4bSyncType-description=Penderfynwch pa fath o fath cydamseru REF4b ddylid ei ddefnyddio. Os
dewisir Pure,bydd
pob prosiect sydd â blwyddyn ariannol yn ystod y cyfnod REF yn cael eu defnyddio. Sylwer, mae'n rhaid i'r cyfranogwyr gael
perchnogaeth academiaidd er mwyn cael eu hystyried. Os bydd
EXCEL_DETAILS yn cael eu defnyddio, mae'n rhaid nodi'r dogfennau mapio, a bydd y data hwn yn cael ei ddefnyddio. Os defnyddir
EXCEL_SUMMARY mae'n rhaid nodi'r ddogfen excel grynodol ac ni chreir REF4bDetails. SYLWER, wrth newid math y cydamseru, bydd yr
holl gynnwys a gydamserwyd yn cael ei ddileu
95 + syncjob.ref4b.ref2020.ref4bSyncType-description=Penderfynwch pa fath o fath cydamseru REF4b ddylid ei ddefnyddio. Os bydd
EXCEL_DETAILS yn cael eu defnyddio, mae'n rhaid nodi'r dogfennau mapio, a bydd y data hwn yn cael ei ddefnyddio. Os defnyddir
EXCEL_SUMMARY mae'n rhaid nodi'r ddogfen excel grynodol ac ni chreir REF4bDetails. SYLWER, wrth newid math y cydamseru, bydd yr
holl gynnwys a gydamserwyd yn cael ei ddileu
264 + REF2020.attribution.algorithm-label=Algorithm priodoli REF2021
265 + REF2020.attribution.algorithm.simulated.annealing-label=Defnyddiwch algorithm priodoli arbrofol sy'n seiliedig ar efelychiad o
anelio.
266 + REF2020.attribution.algorithm.simulated.annealing-description=Algorithm priodoli arbrofol amgen sy'n seiliedig ar efelychiad o
anelio.
267 + REF2020.attribution.algorithm.simulated.annealing.initial.temperature-label=Tymheredd cychwynnol ar gyfer algorithm priodoli
arbrofol sy'n efelychu anelio.
268 + REF2020.attribution.algorithm.simulated.annealing.initial.temperature-description=Tymheredd cychwynnol. Po uchaf y gwerth, y
mwyaf tebygol yw'r algorithm o roi cynnig ar atebion sy'n ymddangos yn waeth i ddechrau, ond a allai fod yn well yn y pen draw.
269 + REF2020.attribution.algorithm.simulated.annealing.minimum.temperature-label=Tymheredd isaf ar gyfer algorithm priodoli
arbrofol sy'n efelychu anelio.
```

270 + REF2020.attribution.algorithm.simulated.annealing.minimum.temperature-description=Tymheredd isaf. Po agosaf yw at 0, y mwyaf o amser fydd yr algorithm yn ei dreulio yn ceisio dod o hyd i atebion gwell.

271 + REF2020.attribution.algorithm.simulated.annealing.cooling.rate-label=Cyfradd oeri ar gyfer algorithm priodoli arbrofol sy'n efelychu anelio.

272 + REF2020.attribution.algorithm.simulated.annealing.cooling.rate-description=Pa mor gyflym fydd y tymheredd yn gostwng. Po gyflymaf y bydd yn gostwng, y cyflymaf y bydd yn setlo. Bydd cyfradd arafach yn rhoi cyfle i'r algorithm roi cynnig ar ragor o atebion gwahanol.

273 + REF2020.attribution.algorithm.simulated.annealing.max.silence-label=Cyfnod tawel hiraf ar gyfer algorithm priodoli arbrofol sy'n efelychu anelio.

274 + REF2020.attribution.algorithm.simulated.annealing.max.silence-description=Nifer yr iteriadau heb gynydd i'w caniatáu cyn i'r algorithm ddod i ben.

275 + REF2020.attribution.algorithm.uoaNumber-label=Y rhif UoA i'w brosesu.

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-base-uk-ref20... CHANGED

184 - syncjob.ref4a.ref2020.ref4aSyncType-description=Determine what kind of REF4a sync type should be used. If Pure is selected, all awarded students within the REF period is used, and their supervisor associations. If EXCEL_DETAILS are used the mapping documents must be specified, and this data is used. If EXCEL_SUMMARY is used, the summary Excel document must be specified, and no REF4aDetails are created. Note: When changing synchronisation type, all old synchronised content is deleted!!

184 + syncjob.ref4a.ref2020.ref4aSyncType-description=Determine what kind of REF4a sync type should be used. If EXCEL_DETAILS are used the mapping documents must be specified, and this data is used. If EXCEL_SUMMARY is used, the summary Excel document must be specified, and no REF4aDetails are created. Note: When changing synchronisation type, all old synchronised content is deleted!!

190 - syncjob.ref4a.ref2020.ref4aStudentNotFoundLogLevel-description=This is only used when using the EXCEL_DETAILS sync type. You can specify whether you want WARN, INFO, or NONE. If you expect your student `ids` to match a person in Pure, then we `advise` you to use WARN.

190 + syncjob.ref4a.ref2020.ref4aStudentNotFoundLogLevel-description=This is only used when using the EXCEL_DETAILS sync type. You can specify whether you want WARN, INFO, or NONE. If you expect your student `IDS` to match a person in Pure, then we `advise` you to use WARN.

192 - syncjob.ref4a.ref2020.excel.mapping.filehandle.summary-description=This is only used when using the EXCEL_SUMMARY sync type. See the wiki for documentation regarding the format of this Excel document. Note: You must specify values for ALL UoAs. You must create a new "File Handle" under master data, and select REF2021 as the type. This file handle will then be available in the dropdown.

192 + syncjob.ref4a.ref2020.excel.mapping.filehandle.summary-description=This is only used when using the EXCEL_SUMMARY sync type. See the wiki for documentation regarding the format of this Excel document. Note: You must specify values for ALL UoAs.

194 - syncjob.ref4a.ref2020.excel.mapping.filehandle-description=This is only used when using the EXCEL_DETAILS sync type. See the wiki for documentation regarding the format of this Excel document. You must create a new "File Handle" under master data, and select REF2021 as the type. This file handle will then be available in the dropdown.

194 + syncjob.ref4a.ref2020.excel.mapping.filehandle-description=This is only used when using the EXCEL_DETAILS sync type. See the wiki for documentation regarding the format of this Excel document.

219

- syncjob.ref4b.ref2020.ref4bSyncType-description=Determine what kind of REF4b sync type should be used. If Pure is selected, all projects with a fiscal year within the REF period are used. Note: The participants must have an academic ownership in order to be considered. If EXCEL_DETAILS are used the mapping documents must be specified, and this data is used. If EXCEL_SUMMARY is used, the summary Excel document must be specified, and no REF4bDetails are created. Note: When changing synchronisation type, all old synchronised content is deleted!!

219 + syncjob.ref4b.ref2020.ref4bSyncType-description=Determine what kind of REF4b sync type should be used. If EXCEL_DETAILS are used the mapping documents must be specified, and this data is used. If EXCEL_SUMMARY is used, the summary Excel document must be specified, and no REF4bDetails are created. Note: When changing synchronisation type, all old synchronised content is deleted!!

223 - syncjob.ref4b.ref2020.excel.mapping.filehandle.summary-description=This is only used when using the EXCEL_SUMMARY sync type. See the wiki for documentation regarding the format of this Excel document. Note: You must specify values for ALL UoAs. You must create a new "File Handle" under master data, and select REF2021 as the type. This file handle will then be available in the dropdown.

223 + syncjob.ref4b.ref2020.excel.mapping.filehandle.summary-description=This is only used when using the EXCEL_SUMMARY sync type. See the wiki for documentation regarding the format of this Excel document. Note: You must specify values for ALL UoAs.

225 - syncjob.ref4b.ref2020.excel.mapping.filehandle-description=This is only used when using the EXCEL_DETAILS sync type. See the wiki for documentation regarding the format of this Excel document. You must create a new "File Handle" under master data, and select REF2021 as the type. This file handle will then be available in the dropdown.

225 + syncjob.ref4b.ref2020.excel.mapping.filehandle-description=This is only used when using the EXCEL_DETAILS sync type. See the wiki for documentation regarding the format of this Excel document.

250 - syncjob.ref4c.ref2020.excel.mapping.filehandle.summary-description=This is only used when using the EXCEL_SUMMARY sync type. See the wiki for documentation regarding the format of this Excel document. Note: You must specify values for ALL UoAs. You must create a new "File Handle" under master data, and select REF2021 as the type. This file handle will then be available in the dropdown.

250 + syncjob.ref4c.ref2020.excel.mapping.filehandle.summary-description=This is only used when using the EXCEL_SUMMARY sync type. See the wiki for documentation regarding the format of this Excel document. Note: You must specify values for ALL UoAs.

252 - syncjob.ref4c.ref2020.excel.mapping.filehandle-description=This is only used when using the EXCEL_DETAILS sync type. See the wiki for documentation regarding the format of this Excel document. You must create a new "File Handle" under master data, and select REF2021 as the type. This file handle will then be available in the dropdown.

252 + syncjob.ref4c.ref2020.excel.mapping.filehandle-description=This is only used when using the EXCEL_DETAILS sync type. See the wiki for documentation regarding the format of this Excel document.

255 - REF2020.submission.ref3.enabled-description=If set to false, all REF3a and REF3b data will not be included in the REF2021 submission. You must manually upload REF3a and REF3b data to the REF2021 submission system.

255 + REF2020.submission.ref3.enabled-description=If set to false, all REF3a and REF3 data will not be included in the REF2021 submission. You must manually upload REF3a and REF3 data to the REF2021 submission system.

305 + REF2020.attribution.algorithm.label=REF2021 attribution algorithm

306 + REF2020.attribution.algorithm.simulated.annealing.label=Use experimental attribution algorithm based on simulated annealing.

307 + REF2020.attribution.algorithm.simulated.annealing-description=An alternative experimental attribution algorithm based on simulated annealing.

308 + REF2020.attribution.algorithm.simulated.annealing.initial.temperature.label=Initial temperature for experimental simulated annealing attribution algorithm.

309 + REF2020.attribution.algorithm.simulated.annealing.initial.temperature-description=The initial temperature. The higher the value, the more likely is the algorithm is to try out solutions that initially seem worse, but eventually may be better.

```
310 + REF2020.attribution.algorithm.simulated.annealing.minimum.temperature-label=Minimal temperature for experimental simulated
annealing attribution algorithm.
311 + REF2020.attribution.algorithm.simulated.annealing.minimum.temperature-description=The minimal temperature. The closer to 0 the
longer the algorithm will try to find better solutions.
312 + REF2020.attribution.algorithm.simulated.annealing.cooling.rate-label=Cooling rate for experimental simulated annealing
attribution algorithm.
313 + REF2020.attribution.algorithm.simulated.annealing.cooling.rate-description=How fast the temperature will fall. The faster it
falls, the quicker it will settle. A slower rate will allow the algorithm to try out more alternatives.
314 + REF2020.attribution.algorithm.simulated.annealing.max.silence-label=Max silence period for experimental simulated annealing
attribution algorithm.
315 + REF2020.attribution.algorithm.simulated.annealing.max.silence-description=The number of iterations without progress to allow
before the algorithm terminates.
316 + REF2020.attribution.algorithm.uoaNumber-label=The UoA number to process.
317 +
318 + REF2020.attribution.algorithm.report.id-label=REF2021 Attribution Algorithm
319 + REF2020.attribution.algorithm.report.id-description=The id here is used to identify the preserved report definition used for
the REF2021 'Attribution algorithm' page
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/extern... ADDED

```
1 + DEFAULT-tab=REF5a (2021)
2 + headerBox=Cyfyngiad geiriau: <strong>Uchafswm {words} geiriau</strong> <span class="ref2020_headerbox_dimmed">(ar sail
cyfanswm FTE y staff Categori A a gyflwynwyd ac a ddychwelwyd ledled y sefydliad)</span>
3 + statement-group=Llwytho datganiad i fyny
4 + add-pdfFile-button=Ychwanegu ffeil PDF...
5 + change-pdfFile-button=Disodli ffeil PDF...
6 + show-pdfFile-button=Dangos PDF
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/extern... ADDED

```
1 + DEFAULT-tab=REF5a (2021)
2 +
3 + headerBox=Word limit: <strong>Max {words} words</strong> <span class="ref2020_headerbox_dimmed">(based on the total FTE of
Category A submitted staff returned across the institution)</span>
4 +
5 + statement-group=Statement upload
6 +
7 + add-pdfFile-button=Add PDF file...
8 + change-pdfFile-button=Replace PDF file...
9 + show-pdfFile-button>Show PDF
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/exte... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
32 + edit-impactcasegrantinformation-panel-title=Golygu grantiau astudiaethau achos Impact
33 + new-impactcasegrantinformation-panel-title=Grantiau astudiaethau achos Impact
34 + grantInfo-group=Grant astudiaeth achos Impact
35 + impactCaseGrantInformations=Gofynnir i unedau gwblhau'r meysydd data cyd-destunol ychwanegol canlynol, lle bo hynny'n
berthnasol. Bydd yr wybodaeth hon yn galluogi cyllidwr ymchwil i olrhain a gwerthuso effaith eu cyllid. Ni fydd yn cael ei
darparu i'r paneli ac ni fyddant yn ffurfio rhan o'r cyfyngiad pum tudalen ar gyfer astudiaethau achos ar effaith.
36 + add-impactcasegrantinformation-button=Ychwanegu grantiau astudiaethau achos Impact...
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/exte... CHANGED

```
5 - conflicts-group=Conflicts of interests
5 + conflicts-group=Conflicts of interest
10 - contacts=Contacts: sources who could be contacted by the REF team or who have provided a factual statement to corroborate
claims made in the case study
10 + contacts=Contacts: Sources who can be contacted by the REF team or who have provided a factual statement to corroborate claims
made in the case study
12 - DEFAULT-tab=REF3b (2021)
12 + DEFAULT-tab=REF3 (2021)
38 - underpinningResearch=As outputs cited in REF3b Section 3 "References to the Research" must be capable of being made available
to panels upon request, UoAs are encouraged to link the records of the research outputs cited in Section 3 here.This will help
source the output quickly, should a panel request be made.
38 + underpinningResearch=As outputs cited in REF3 Section 3 "References to the Research" must be capable of being made available
to panels upon request, UoAs are encouraged to link the records of the research outputs cited in Section 3 here.This will help
source the output quickly, should a panel request be made.
39 +
40 + new-impactcasegrantinformation-panel-title=Additional contextual information
41 + grantInfo-group=Additional contextual information
42 + impactCaseGrantInformations=Units are required to complete, where applicable, the following additional contextual data fields.
This information will enable research funder to track and evaluate the impact of their funding. It will not be provided to the
panels and will not form part of the five-page limit for impact case studies.
43 + add-impactcasegrantinformation-button=Add Additional contextual information...
44 + edit-impactcasegrantinformation-panel-title=Edit Additional contextual information
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/exte... CHANGED

```
38 + ref6b-reduction-description=Lleihad posib: <strong>{returned}</strong>
39
```

+ ref6b-reduction-help=0s byddwch yn newid y gwerthoedd yn y meysydd testun, bydd angen i chi gadw ac ailagor y Lleihad REF6 mewn trefn er mwyn i'r cyfrifiad Lleihad gael effaith.

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/exte... CHANGED

```
97 + selectedForREF2020.Proposed=Cynigion
98 + selectedForREF2020.Selected=Dewiswyd ar gyfer cronfa UoA
99 + selectedForREF2020.Review=Dewiswyd ar gyfer adolygiad
100 + selectedForREF2020.NotSelected=Heb ei ddewis ar gyfer cronfa UoA
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/exte... CHANGED

```
92 - selectionStatus-bulk-change=Change selection for UoA pool of outputs status
93 - selectionStatus-bulk-change-operation-title=Change selectionfor UoA poolof outputs status to {selectionStatus}
94 - selectionStatus-selection-placeholder=Select selection status
92 + selectedForREF2020.Proposed=Proposed
93 + selectedForREF2020.Selected=Selected for UoA pool
94 + selectedForREF2020.Review=Selected for review
95 + selectedForREF2020.NotSelected=Not selected for UoA pool
96 +
123 +
124 + selectionStatus-bulk-change=Change selection for UoA pool of outputs status
125 + selectionStatus-bulk-change-operation-title=Change selection for UoA pool of outputs status to {selectionStatus}
126 + selectionStatus-selection-placeholder=Select selection status
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/exte... CHANGED

```
1 - DEFAULT-tab=REF1a/c (2021)
1 + DEFAULT-tab=REF1 (2021)
2 - circumstances-group=Amgylchiadau staff unigol
43 - staffHaveCircumstances=Crëwyd ffurflen Amgylchiadau Staff Unigol
44 - staffDoesNotHaveCircumstances=NI chafodd ffurflen Amgylchiadau Staff Unigol ei chreu
97 + circumstances-group=Gostyngiadau REF6
98 + staffHaveCircumstances=Wedi creu'r ffurflen Gostyngiadau REF6
99 + staffDoesNotHaveCircumstances=Heb greu'r ffurflen Gostyngiadau REF6
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/exte... CHANGED

```
7 - circumstances-group=Individual Staff Circumstances
```

7	+ circumstances-group=REF6 reductions
76	- staffHaveCircumstances=Individual Staff Circumstancesform has been created
77	- staffDoesNotHaveCircumstances=Individual Staff Circumstancesform has NOT been created
76	+ staffHaveCircumstances=REF6 Reductions form has been created
77	+ staffDoesNotHaveCircumstances=REF6 Reductions form has not been created
129	+
130	+ totalFTEPerson=Total FTE

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/exte... CHANGED

4	- staffCircumstances=REF6b
4	+ staffCircumstances=Lleihad REF6

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/exte... CHANGED

5	- staffCircumstances=REF6b
5	+ staffCircumstances=REF6 reduction

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/external... ADDED

1	+ title=Wedi datgan Gostyngiadau REF6
2	+ labeltrue=Iawn
3	+ labelfalse=Na

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/external... ADDED

1	+ title=REF6 Reductions declared
2	+ labeltrue=Yes
3	+ labelfalse=No

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED

1	- #Added translations
2	- #Sun Jan 29 14:15:58 CET 2017
4	- noLimit=Y cyfan
5	- labeltrue=Ie
6	- labelfalse=Na
2	+ selected=Wedi dewis


```
3 + please.select=Dewiswch un neu ragor
4 + maternitypaternityoradoptionleave.ONE=1
5 + maternitypaternityoradoptionleave.TWO=2
6 + maternitypaternityoradoptionleave.THREE=3
7 + maternitypaternityoradoptionleave.none=Dim
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED

```
1 - title=!!UoA
2 - selected=!!Selected Unit of Assessment
3 - please.select=!!Please select one or more Unit of Assessment below to filter
4 - noUoaAssignment=!!No UoAssignment
1 + title=UoA
2 + selected=Uned Asesu dan sylw
3 + please.select=Dewiswch un neu ragor o'r Unedau Asesu isod er mwyn hidlo
4 + noUoaAssignment=Dim aseiniadUoA
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
11 + YEAR2019T02020=2019/20
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED

```
9 + YEAR2019T02020=2019/20
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
11 + YEAR2019T02020=2019/20
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED

```
9 + YEAR2019T02020=2019/20
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED

1	- #Added translations
2	- #Sun Jan 29 14:15:58 CET 2017
11	+ YEAR2019T02020=2019/20

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED	
9	+ YEAR2019T02020=2019/20

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/external... ADDED	
1	+ title=Priodolwyd
2	+ labeltrue=Iawn
3	+ labelfalse=Na

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/external... ADDED	
1	+ title=Attributed
2	+ labeltrue=Yes
3	+ labelfalse=No

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED	
1	- #Added translations
2	- #Sun Jan 29 14:15:58 CET 2017
5	- expectedLatePublished=Cyhoeddir rhwng 30 Tachwedd a 31 Rhagfyr 2019 (gan gynnwys y dyddiadau hynny)
6	- notExpectedLatePublished=Cyhoeddir cyn 30 Tachwedd
3	+ expectedLatePublished=Cyhoeddir rhwng 27 Tachwedd 2020a 31 Rhagfyr 2020 (y ddau ddiwrnod wedi'u cynnwys)
4	+ notExpectedLatePublished=Cyhoeddwyd cyn 27 Tachwedd2020

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED	
3	- expectedLatePublished=Will be published between 30 Nov and 31 Dec 2019 (inclusive)
4	- notExpectedLatePublished=Published before 30 Nov
3	+ expectedLatePublished=Will be published between November 27 2020and December31 2020 (both days included)
4	+ notExpectedLatePublished=Published before November 27 2020

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED

```
1 - #Added translations
2 - #Mon Oct 08 10:56:20 CEST 2018
18 + nullValue=Heb osod
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/exter... CHANGED

```
18 + nullValue=Not set
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/internal/... ADDED

```
1 + title=Priodoliad wedi'i gloi
2 + yes=Ar waith
3 + no=Wedi diffodd
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/ref2020/internal/... ADDED

```
1 + title=Locked attribution
2 + yes=0n
3 + no=0ff
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/ref2AttributionAlgorithm/ref2AttributionAlgor... ADDED

```
1 + overview-menu-item-name=Algorithm priodoli
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/ref2AttributionAlgorithm/ref2AttributionAlgor... ADDED

```
1 + overview-menu-item-name=Attribution algorithm
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/ref2AttributionProfile/ref2AttributionProfil... CHANGED

```
1 - overview-menu-item-name=Proffil PriodoliREF2
1 + overview-menu-item-name=Proffil Priodoli
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/ref2AttributionProfile/ref2AttributionProfil... CHANGED

1	- overview-menu-item-name=REF2Attribution Profile
1	+ overview-menu-item-name=Attribution Profile

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/ref2UoaPoolSummaryTableProvider/ref2... CHANGED

1	- overview-menu-item-name=Proffil Unigo1REF2
1	+ overview-menu-item-name=Proffil Unigo1

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/ref2UoaPoolSummaryTableProvider/ref2... CHANGED

1	- overview-menu-item-name=REF2Individual Profile
1	+ overview-menu-item-name=Individual Profile

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/refCandidateOpenAccessMonitoringSum... CHANGED

7	- overview-menu-item-name=REF2 CandidatesOA Summary
7	+ overview-menu-item-name=OA Summary

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/refCandidateOpenAccessMonitoringSum... CHANGED

6	- overview-menu-item-name=REF2 candidatesOA summary
6	+ overview-menu-item-name=OA summary

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/refCandidateOpenAccessTrackingSumm... CHANGED

7	- overview-menu-item-name=REF2 CandidatesOA Tracking
7	+ overview-menu-item-name=OA Tracking

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/refCandidateOpenAccessTrackingSumm... CHANGED

6	- overview-menu-item-name=REF2 candidatesOA tracking
6	+ overview-menu-item-name=OA tracking

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/report/report-base-uk-ref1ac-ref2020-res... CHANGED

27	- globalReportGrouping.staffRef2020=REF1a/c (2021) wedi'i ddewis
----	--

27 + globalReportGrouping.staffRef2020=REF1 (2021) wedi'i ddewis

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/report/report-base-uk-ref4b-ref2020-reso... CHANGED

1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
19 + function.ref4b.project.spend201819=2018/2019
20 + function.ref4b.project.spend201920=2019/2020

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/report/report-base-uk-ref4b-ref2020-reso... CHANGED

41 + function.ref4b.project.spend201819=2018/2019
42 + function.ref4b.project.spend201920=2019/2020

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/report/report-base-uk-researchoutput-ref... CHANGED

5 - contentIdReportFilter.researchOutputREF2020.staffref.description=Cyfyngu REF2 (Allbwn REF2021) ar sail REF1a/c (2021) a ddewiswyd
5 + contentIdReportFilter.researchOutputREF2020.staffref.description=Cyfyngu REF2 (Allbwn REF2021) ar sail REF1 (2021) a ddewiswyd

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/report/report-base-uk-staff-ref2020-resou... CHANGED

3 - globalReportGrouping.staffRef2020=REF1a/c (2021) a ddewiswyd
3 + globalReportGrouping.staffRef2020=REF1 (2021) a ddewiswyd

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/sync/documentation/ref4a-sync-description... ADDED

1 + ref4a.summary.example.description=Ffeil enghreifftiol o grynoded REF4a syml (ref4a-summary.xlsx)
2 + ref4a.details.example.description=Ffeil enghreifftiol o fanylion REF4a syml (ref4a-details.xlsx)

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/sync/documentation/ref4a-sync-description... ADDED

1 + ref4a.summary.example.description=Simple REF4a summary example file (ref4a-summary.xlsx)
2 + ref4a.details.example.description=Simple REF4a details example file (ref4a-details.xlsx)

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/sync/documentation/ref4b-sync-description... ADDED

```
1 + ref4b.summary.example.description=Ffeil enghreiff tiol o grynodeb REF4b syml (ref4b-summary.xlsx)
2 + ref4b.details.example.description=Ffeil enghreiff tiol o fanylion REF4b syml (ref4b-details.xlsx)
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/sync/documentation/ref4b-sync-description... ADDED

```
1 + ref4b.summary.example.description=Simple REF4b summary example file (ref4b-summary.xlsx)
2 + ref4b.details.example.description=Simple REF4b details example file (ref4b-details.xlsx)
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/sync/documentation/ref4c-sync-description... ADDED

```
1 + ref4c.summary.example.description=Ffeil enghreiff tiol o grynodeb REF4c syml (ref4c-summary.xlsx)
2 + ref4c.details.example.description=Ffeil enghreiff tiol o fanylion REF4c syml (ref4c-details.xlsx)
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/META-INF/resources/sync/documentation/ref4c-sync-description... ADDED

```
1 + ref4c.summary.example.description=Simple REF4c summary example file (ref4c-summary.xlsx)
2 + ref4c.details.example.description=Simple REF4c details example file (ref4c-details.xlsx)
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/security/base-uk-ref2020-security-resources_cy.properties CHANGED

```
15 - ref2020-ref3-editor=Golygydd REF3a/b
17 - ref2020-ref5-editor=Golygydd REF5
```

pure-modules/ref2020-module/base-uk/admin-runtime/src/main/resources/security/base-uk-ref2020-security-resources_en.properties CHANGED

```
11 - ref2020-ref3-editor=Editor of REF3a
11 + ref2020-ref3b-editor=Editor of REF3
12 - ref2020-ref3b-editor=Editor of REF3b
19 - ref2020-ref5-editor=Editor of REF5
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/association/ref4... CHANGED

```
31 + awardYear.YEAR2019T02020=2019/20
38 + YEAR2019T02020=2019/20
48 + awardYear.YEAR2019To2020=2019/20
49 + YEAR2019To2020=2019/20
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/association/ref4... CHANGED

```
33 + awardYear.YEAR2019T02020=2019/20
41 + YEAR2019T02020=2019/20
49 + awardYear.YEAR2019To2020=2019/20
57 + YEAR2019To2020=2019/20
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/association/ref4... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
39 + spend2019T02020=2019/20
40 + spend2019To2020=2019/20
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/association/ref4... CHANGED

```
33 + spend2019T02020=2019/20
40 + spend2019To2020=2019/20
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/association/ref4... CHANGED

```
20 + spend2019T02020=2019/20
27 + spend2019To2020=2019/20
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/association/ref4... CHANGED

```
33 + spend2019T02020=2019/20
40 + spend2019To2020=2019/20
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/environmentstate... ADDED

```
1 + family-name-plural=REF5a (2021)
2 + family-name=REF5a (2021)
3 + searchplaceholder=Chwilio am REF5a (2021)...
4 + reindex-family=Mynegeio REF5a (2021)
5 + new=REF5a newydd (2021)
6 + type-name=REF5a (2021)
7 + type-name-plurual=REF5a (2021)
```

```
8 + statement=Datganiad amgylcheddol REF5a (fel ffeil PDF)
9 + statement-label=Datganiad amgylcheddol
10 + statementMissing=Dim datganiad wedi'i lwytho i fyny
11 + workflowMustBeApproved=Mae'n rhaid pennu'r cam llif gwaith yn 'REF5a wedi'i Gadarnhau'
```

 pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/environmentstate... ADDED

```
1 + family-name-plural=REF5a (2021)
2 + family-name=REF5a (2021)
3 + family-name-help=
4 + type-name-help=
5 + searchplaceholder=Search for REF5a (2021)...
6 + reindex-family=Indexing REF5a (2021)
7 + new=New REF5a (2021)
8 +
9 + type-name=REF5a (2021)
10 + type-name-plural=REF5a (2021)
11 +
12 + statement=REF5a environment statement (as PDF file)
13 + statement-label=Environment statement
14 + statementMissing=No statement uploaded
15 +
16 + workflowMustBeApproved=The workflow step must be set to 'REF5a Confirmed'
```

 pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/impactcasegrantin... ADDED

```
1 + grantNumber=Rhif y grant
2 + funderName=Enw'r cyllidwr
3 + globalResearchIdentifier=Dynodydd Ymchwil Byd-eang
4 + amountOfGrant=Swm y grant (mewn GBP (Sterling))
5 + ORCID=ORCID
6 + nameOfFormalPartner=Enw'r partner ffurfiol
7 + countryOfImpact=Gwlad lle cafwyd yr effaith
8 + legend-grant-information=Gwybodaeth
9 + new-impactcasegrantinformation-panel-title=Grantiau astudiaethau achos Impact
10 + grantInfo-group=Ychwanegu grant astudiaeth achos Impact
11 + impactCaseGrantInformations=Gofynnir i unedau gwblhau'r meysydd data cyd-destunol ychwanegol canlynol, lle bo hynny'n berthnasol. Bydd yr wybodaeth hon yn galluogi cyllidwr ymchwil i olrhain a gwerthuso effaith eu cyllid. Ni fydd yn cael ei darparu i'r paneli ac ni fydd yn rhan o'r cyfyngiad pum tudalen ar gyfer astudiaethau achos o effaith.
12 + add-impactcasegrantinformation-button=Ychwanegu grantiau astudiaethau achos Impact...
```


pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/impactcasegrantin... ADDED

```
1 + grantNumber=Grant number
2 + funderName=Funder name
3 + globalResearchIdentifier=Global Research Identifier
4 + amountOfGrant=Amount of grant (in GBP (Sterling))
5 + ORCID=ORCID
6 + nameOfFormalPartner=Name of formal partner
7 + countryOfImpact=Country where the impact occurred
8 + legend-grant-information=Information
9 + new-impactcasegrantinformation-panel-title=Additional contextual information
10 + grantInfo-group=Add impact case study grant
11 + impactCaseGrantInformations=Units are required to complete, where applicable, the following additional contextual data fields.
    This information will enable research funder to track and evaluate the impact of their funding. It will not be provided to the
    panels and will not form part of the five-page limit for impact case studies.
12 + add-impactcasegrantinformation-button=Add Additional contextual information...
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4adetailsref2... CHANGED

```
31 + awardYear.YEAR2019T02020=2019/20
38 + YEAR2019T02020=2019/20
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4adetailsref2... CHANGED

```
23 - figuresDerivedFromPURE=Figures derived from Pure/Excel
23 + figuresDerivedFromPURE=Figures derived from detailedExcelimport
26 - moveDerivedDataToSummary=Move data derived from Pure to submitted figures
26 + moveDerivedDataToSummary=Move data derived from detailed Excelto submitted figures
36 + awardYear.YEAR2019T02020=2019/20
44 + YEAR2019T02020=2019/20
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4asummaryre... CHANGED

```
1 - #Added translations
2 - #Tue May 30 14:15:08 CEST 2017
17 + awardYear2019T02020=2019/20
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4asummaryre... CHANGED

20 + awardYear2019T02020=2019/20

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4bdetailsref2... CHANGED

1 - #Added translations
2 - #Wed Sep 26 12:12:52 CEST 2018
34 + YEAR2019T02020=2019/20

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4bdetailsref2... CHANGED

19 - figuresDerivedFromPURE=Figures derived from Pure/Excel
19 + figuresDerivedFromPURE=Figures derived from detailedExcelimport
22 - moveDerivedDataToSummary=Move data derived from Pure to submitted figures
22 + moveDerivedDataToSummary=Move data derived from detailed Excelto submitted figures
36 + YEAR2019T02020=2019/20

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4bsummaryre... CHANGED

1 - #Added translations
2 - #Tue May 30 14:15:08 CEST 2017
17 + spend2019T02020=2019/20

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4bsummaryre... CHANGED

20 + spend2019T02020=2019/20

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4cdetailsref2... CHANGED

1 - #Added translations
2 - #Wed Sep 26 12:12:52 CEST 2018
38 + YEAR2019T02020=2019/20

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4cdetailsref2... CHANGED

18 - figuresSubmittedIncomeType=!!Data to be submitted
19 - figuresDerivedFromPURE=Figures derived from Excel
18 + figuresSubmittedIncomeType=Data to be submitted

19	+ figuresDerivedFromPURE=Figures derived from detailedExcelimport
22	- moveDerivedDataToSummary=Move data derived from Pure to submitted figures
22	+ moveDerivedDataToSummary=Move data derived from detailed Excelto submitted figures
36	+ YEAR2019T02020=2019/20
45	- TYPE_14=14: Income from specific bodies that fund health research (see GoS paragraph 172)
46	+ TYPE_14=14: Income from specific bodies that fund health research (see GoS paragraph 353)

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4csummaryre... CHANGED

1	- #Added translations
2	- #Tue May 30 14:15:08 CEST 2017
17	+ spend2019T02020=2019/20

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/ref4csummaryre... CHANGED

20	+ spend2019T02020=2019/20
----	---------------------------

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/researchoutputr... CHANGED

385	- pendingPublication=I ddod Cyhoeddir rhwng 30 Tachwedd a 31 Rhagfyr 2020 (gan gynnwys y dyddiadau hynny)
385	+ pendingPublication=Yn aros: Cyhoeddir rhwng 27 Tachwedd 2020a 31 Rhagfyr 2020 (y ddau ddiwrnod wedi'u cynnwys)
461	+ attribution=Priodoliad
462	+ attributionLocked=Priodoliad wedi'i gloi
463	+ nullValue=Heb ei osod
464	+ nullValue-description=Heb ei osod

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/researchoutputr... CHANGED

38	- pendingPublication=Pending: Will be published between 30 Nov and 31 Dec2020 (inclusive)
38	+ pendingPublication=Pending: Will be published between November 27 2020and December31 2020 (both days included)
41	+ nullValue=Not set
42	+ nullValue-description=Not set
86	+ selectedForREF2020.Proposed=Proposed
87	+ selectedForREF2020.Selected=Selected for UoA pool
88	+ selectedForREF2020.Review=Selected for review
89	+ selectedForREF2020.NotSelected=Not selected for UoA pool
90	+
132	- selectedForREF2020.Proposed=Proposed
133	- selectedForREF2020.Selected=Selected for UoA pool

134	- selectedForREF2020.Review=Selected for review
135	- selectedForREF2020.NotSelected=Not selected for UoA pool
136	-
260	- predictedGradePeerComments=Predicted grade & peer comments
262	+ predictedGradePeerComments=Predicted grade and peer comments
334	- isNonEnglishLanguage=Is nonEnglish language
336	+ isNonEnglishLanguage=Is non-English language
381	- doiInvalidFormat=The DOI format is invalid. It must be ofthe format: 10.[4 digits]/[string suffix without whitespace]
383	+ doiInvalidFormat=The DOI format is invalid. It must have the format '10.[4 digits]/[string suffix without whitespace]'
512	+ attribution=Attribution
513	+ attributionLocked=Locked attribution

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/staffref2020-res... CHANGED

283 + 2019=2019/20

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/staffref2020-res... CHANGED

141	- status-group=Status: Eligibility & Inclusion in REF submission
141	+ status-group=Status: Eligibility and Inclusion in REF submission
240	+ 2019=2019/20
289	- nonUKBasedIsDefined=You must specify whether the staff is nonUK based
290	- nonUkBasedTextIsDefined=You must specify why the staff is nonUK based
290	+ nonUKBasedIsDefined=You must specify whether the staff is non-UK based
291	+ nonUkBasedTextIsDefined=You must specify why the staff is non-UK based

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/staffref2020unitr... CHANGED

14	- reductionTotal=Cyfanswm y gostyngiad (wedi'i dalgrynnu i'r cyfanrif agosaf)
14	+ reductionTotal=Cyfanswm posib yr allbynnau i'w cyflwyno ar ôl lleihau(wedi'i dalgrynnu i'r rhif cyfanagosaf).
28	+ totalNumberOfOutputToBeSubmitted=Cyfanswm posib y lleihad (wedi'i dalgrynnu i'r rhif cyfan agosaf)

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/staffref2020unitr... CHANGED

22	- reductionTotal=Total number of outputs to be submitted after reduction (rounded to whole number)
22	+ reductionTotal=Potential total number of outputs to be submitted after reduction (rounded to whole number)

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/unitofassessme... CHANGED

23	- staff=REF1a/c (2021)
24	- staffs=Perthyn i REF1a/c (2021)
23	+ staff=REF1 (2021)
24	+ staffs=Perthyn i REF1 (2021)
37	- uoaSummaryRef5Header=REF5
37	+ uoaSummaryRef5Header=REF5b

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/external/model/unitofassessme... CHANGED

31	- environmentTemplate=REF5 (2021)
32	- impactCaseStudy=REF3b (Impact case)
31	+ environmentTemplate=REF5b (2021)
32	+ impactCaseStudy=REF3 (Impact case)
35	- uoaSummaryRef3Header=Impact template (REF3a) & case studies (REF3b)
35	+ uoaSummaryRef3Header=Impact template (REF3a) and case studies (REF3)
37	- uoaSummaryRef3bHeader=REF3b
37	+ uoaSummaryRef3bHeader=REF3
100	- disabled-joint-submission-not-lead=REF3b forms cannot be created when not lead institution
100	+ disabled-joint-submission-not-lead=REF3 forms cannot be created when not lead institution

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/internal/model/migration/ref2021re... ADDED

1	+ migration-log=!!Recreated REF2s
2	+ content-id=!!REF2 ID
3	+ uoa-number=!!UoA Number
4	+ research-output-id=!!Research Output ID

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/internal/model/migration/ref2021re... ADDED

1	+ migration-log=Recreated REF2s
2	+ content-id=REF2 ID
3	+ uoa-number=UoA Number
4	+ research-output-id=Research Output ID

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/internal/model/migration/staffcat... CHANGED

5	+ ref2020.staffref2020.staffcategory.pending.description=Yn aros
6	+ ref2020.staffref2020.staffcategory.cata.description=Categori A

7 + ref2020.staffref2020.staffcategory.catb.description=Category B

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/model/dk/atira/pure/modules/ref2020/internal/model/migration/staffcat... CHANGED

3 - ref2020.staffref2020.staffcategory.cata=Category A
4 - ref2020.staffref2020.staffcategory.catb=Category B
3 + ref2020.staffref2020.staffcategory.pending.description=Pending
4 + ref2020.staffref2020.staffcategory.cata=A
5 + ref2020.staffref2020.staffcategory.cata.description=Category A
6 + ref2020.staffref2020.staffcategory.catb.description=Category B
7 + ref2020.staffref2020.staffcategory.catb=B

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/workflows/environmentstatementref2020-resources_cy.properties ADDED

1 + entryInProgress=REF5a Mynediad ar waith
2 + forApproval=REF5a Gwirio ar waith
3 + forApproval_BACKWARD=Yn ôl i REF5a Gwirio ar waith
4 + forApproval_NONE=Gadael i fynd i REF5a Gwirio ar waith
5 + approved=REF5a wedi Cadarnhau
6 + approved_ACCEPTED=REF5a wedi Cadarnhau
7 + created=Wedi Creu
8 + created_BACKWARD=Yn ôl i'r cyflwynydd
9 + description_approved=Rhoddir gwybod i'r defnyddwyr canlynol fod y cais yn un REF5a wedi Cadarnhau: {emails}
10 + description_created=Rhoddir gwybod i'r defnyddwyr canlynol fod y cais yn un REF5a Mynediad ar waith: {emails}
11 + description_created_BACKWARD=Rhoddir gwybod i'r defnyddwyr canlynol fod y cais yn cael ei ddychwelyd i REF5a Mynediad ar waith: {emails}
12 + description_forApproval=Mae'r defnyddwyr canlynol yn gyfrifol am wirio'r cais REF5a yma: {emails}
13 + description_forApproval_BACKWARD=Rhoddir gwybod i'r defnyddwyr canlynol fod y cyflwyniad yn cael ei ddychwelyd i REF5a Gwirio ar waith: {emails}
14 + name=Cam llif gwaith ar gyfer REF5a (2021)

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/workflows/environmentstatementref2020-resources_en.properties ADDED

1 + entryInProgress=REF5a Entry in Progress
2 +
3 + forApproval=REF5a Checking Underway
4 + forApproval_BACKWARD=Back to REF5a Checking Underway
5 + forApproval_NONE=Leave for REF5a Checking Underway
6 +
7 + approved=REF5a Confirmed

```
8 + approved_ACCEPTED=REF5a Confirmed
9 +
10 +
11 + created=Created
12 + created_BACKWARD=Return to submitter
13 +
14 + description_approved=The following users will be informed that the submission is REF5a Confirmed: {emails}
15 + description_created=The following users will be informed that the submission is REF5a Entry in Progress: {emails}
16 + description_created_BACKWARD=The following users will be informed that the submission is being returned to REF5a Entry in Progress: {emails}
17 + description_forApproval=The following users are responsible for checking this REF5a submission: {emails}
18 + description_forApproval_BACKWARD=The following users will be informed that the submission is being returned to REF5a Checking Underway: {emails}
19 +
20 + name=Workflow step for REF5a (2021)
```

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/workflows/staffref2020-resources_cy.properties CHANGED

```
3 - name=Llif gwaith REF1a/c (2021)
3 + name=Llif gwaith REF1 (2021)
```

pure-modules/ref2020-module/base-uk/runtime/src/main/resources/criteria/criteria-ref2020-resources_cy.properties CHANGED

```
15 - ref2020Ref3aOrderByTitle.label=Teitl
16 - ref2020Ref3aOrderByCreated.label=Dyddiad llunio
17 - ref2020Ref3aOrderByModified.label=Dyddiad addasu
44 + ref2020Ref5aOrderByTitle.label=Teitl
45 + ref2020Ref5aOrderByCreated.label=Dyddiad creu
46 + ref2020Ref5aOrderByModified.label=Dyddiad addasu
```

pure-modules/ref2020-module/base-uk/runtime/src/main/resources/criteria/criteria-ref2020-resources_en.properties CHANGED

```
24 - ref2020Ref3aOrderByTitle.label=Title
25 - ref2020Ref3aOrderByCreated.label=Created date
26 - ref2020Ref3aOrderByModified.label=Modified date
31 + ref2020Ref5aOrderByTitle.label=Title
32 + ref2020Ref5aOrderByCreated.label=Created date
33 + ref2020Ref5aOrderByModified.label=Modified date
```

pure-modules/ref2020-module/base-uk/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/ref2020/external/model/re... ADDED

- 1 + project-proposal-author-abstract-in-english=Crynodeb y ceisydd yn Saesneg
- 2 + project-proposal-author-co-authored-reason=Rheswm y ceisydd wedi'i gyd-awdura
- 3 + project-proposal-author-double-weighted-reason=Rheswm pwysoliad dwbl y ceisydd
- 4 + project-proposal-author-reason=Rheswm y ceisydd dros gynnig
- 5 + relation-proposed=Cynigion

pure-modules/ref2020-module/base-uk/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/ref2020/external/model/re... ADDED

- 1 + project-proposal-author-abstract-in-english=Submitter's abstract in english
- 2 + project-proposal-author-co-authored-reason=Submitter's co-authored reason
- 3 + project-proposal-author-double-weighted-reason=Submitter's double weighted reason
- 4 + project-proposal-author-reason=Submitter's reason for proposing
- 5 +
- 6 + relation-proposed=Proposed

pure-modules/ref2020-module/base-uk/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/ref2020/external/model/... CHANGED

- 5 - filter-associated-staff=REF1a/c (2021)
- 5 + filter-associated-staff=REF1 (2021)
- 115 + filter-selected-as-reserve=Dewiswyd fel opsiwn wrth gefn
- 116 + filter-selected-as-reserve-TRUE=Dewiswyd fel opsiwn wrth gefn
- 117 + filter-selected-as-reserve-FALSE=Heb ei ddewis fel opsiwn wrth gefn
- 118 + category-attribution=Priodoliad
- 119 + filter-attribution-extension-attribution-locked=Priodoliad wedi'i gloi
- 120 + filter-attribution-extension-attribution-locked-TRUE=Priodoliad allbwn wedi'i gloi
- 121 + filter-attribution-extension-attribution-locked-FALSE=Priodoliad allbwn heb ei gloi ac mae modd ei ailosod neu ei briodoli
- 122 + project-attribution-extension-attribution-locked=Priodoliad wedi'i gloi

pure-modules/ref2020-module/base-uk/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/ref2020/external/model/... CHANGED

- 11 + filter-selected-as-reserve=Selected as reserve
- 12 + filter-selected-as-reserve-TRUE=Selected as a reserve
- 13 + filter-selected-as-reserve-FALSE=Not selected as a reserve
- 113 +
- 123 +
- 124 + category-attribution=Attribution
- 125 + filter-attribution-extension-attribution-locked=Attribution locked
- 126 + filter-attribution-extension-attribution-locked-TRUE=Output attribution has been locked

127 + filter-attribution-extension-attribution-locked-FALSE=Output attribution is not locked and can be reset or attributed
128 + project-attribution-extension-attribution-locked=Attribution locked

pure-modules/ref2020-module/base-uk/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/ref2020/external/model/... CHANGED

42 - filter-id=REF1a/c (2021)
42 + filter-id=REF1 (2021)

pure-modules/ref2020-module/base-uk/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/ref2020/external/model/... CHANGED

42 - filter-eligible-contracts-period-start-date=Period(s) start date
43 - filter-eligible-contracts-period-end-date=Period(s) end date
42 + filter-eligible-contracts-period-start-date=Period(s) start date(s)
43 + filter-eligible-contracts-period-end-date=Period(s) end date(s)
77 - project-eligible-contracts-period-start-date=Period(s) start date
78 - project-eligible-contracts-period-end-date=Period(s) end date
77 + project-eligible-contracts-period-start-date=Period(s) start date(s)
78 + project-eligible-contracts-period-end-date=Period(s) end date(s)

pure-modules/ref2020-module/base-uk/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/ref2020/external/model/... CHANGED

23 - relation-related-staff=REF1a/c cysylltiedig (2021)
23 + relation-related-staff=REF1 cysylltiedig (2021)
31 + sum-of-eligible-ref-person-fte-in-uoac=Cymwys ac wedi cyflwyno FTE Cat A

pure-modules/ref2020-module/base-uk/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/ref2020/external/model/... CHANGED

29 - project-required-number-of-outputs=Number of REF2s required for submission
29 + project-required-number-of-outputs=REF2s required for submission
36 + sum-of-eligible-ref-person-fte-in-uoac=Eligible and submitted Cat A FTE

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

236 - category-state.dates=Dyddiadau
498 + category-proposals=Cynigion
499 + category-status.dates=Dyddiadau
500 + category-status.dates.fullDate=Dyddiad llawn
501 + category-status.dates.year=Blwyddyn

502 + category-status.dates.month=Mis
503 + category-status.dates.day=Diwrnod
504 + count-contributors-internal-person=Nifer yr unigolion mewnol
505 + validation-dataset-failure-to-parse=Wedi methu dosrannu set ddata mewnbwn: '{message}'.
506 + validation-dataset-no-series=Dim cyfres wedi'i diffinio mewn set ddata.
507 + validation-dataset-annotation-is-missing-a-column-reference-id=Mae ID colofn gyfeirio ar goll yn fformat y colofn gyda cyf={annotationId}, mae'n defnyddio gwerth={value}
508 + validation-dataset-annotation-operator-no-longer-exists=Mae fformat y golofn gyda cyf={annotationId} yn defnyddio gweithredwr does dim modd delio ag ef={operator} a bydd yn dychwelyd i'r modd diofyn

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

166 + category-proposals=Proposals
171 - category-state.dates=Dates
173 + category-status.dates=Dates
174 + category-status.dates.fullDate=Full date
175 + category-status.dates.year=Year
176 + category-status.dates.month=Month
177 + category-status.dates.day=Day
343 + count-contributors-internal-person=Number of internal persons
539 + validation-dataset-annotation-is-missing-a-column-reference-id=Formatting of column with ref={annotationId} is missing a reference column id, it uses value={value}
540 + validation-dataset-annotation-operator-no-longer-exists=Formatting of column with ref={annotationId} is using an unsupported operator={operator} and will revert to default
542 - report.standard.user.assignable.roles-description=An overview of the user role assignment across organisational units
550 + report.standard.user.assignable.roles-description=An overview of the user role assignments across organisational units

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

118 - project-issn-(electronic)=ISSN (Electronig)
118 + project-publication-series-issn-electronic=ISSN (Electronig)
120 - project-issn-print=ISSN (argraffiad)
120 + project-publication-series-issn-print=ISSN (argraffiad)
165 - project-series-names=Enwau cyfresi
165 + project-publication-series-names=Enwau cyfresi
197 + filter-submission-year=Blwyddyn gyflwyno
198 + project-publication-series-no=Rhif y gyfres
199 + project-submission-year=Blwyddyn gyflwyno

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

66	- project-series-names=Series names
66	+ project- publication-series -names=Series name
67	+ project-publication-series-no=Series number
92	- project-issn-(electronic)=ISSN (Electronic)
93	+ project- publication-series-issn-electronic =ISSN (Electronic)
94	- project-issn-print=ISSN (print)
95	+ project- publication-series-issn-print =ISSN (print)

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

29	+ project-userrole=Rolau defnyddwyr (gan gynnwys rolau'r system)
30	+ project-terms-of-agreement=Telerau'r cytundeb

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

28	-
28	+ project-terms-of-agreement=Terms of agreement

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

90	+ create-award-from-application-no-save=Creu dyfarniad...
91	+ create-application-from-application-no-save=Creu rhaglen arall...
92	+ create-upmproject-from-application-no-save=Creu prosiect...
93	+ add-organisationassociation-button=Ychwanegu sefydliad sy'n cyd-reoli...
94	+ new-organisationassociation-panel-title=Ychwanegu sefydliad sy'n cyd-reoli

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

95	+ create-award-from-application-no-save=Create award...
99	+ create-application-from-application-no-save=Create another application...
103	+ create-upmproject-from-application-no-save=Create project...
112	+ add-organisationassociation-button=Add co-managing organisation...
113	+ new-organisationassociation-panel-title=Add co-managing organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

115	+ create-ethicalreview-from-award-no-save=Creu adolygiad moesegol...
-----	--

```
116 + create-award-from-award-no-save=Creu dyfarniad arall...
117 + create-award-from-application-no-save=Creu dyfarniad...
118 + create-application-from-award-no-save=Creu rhaglen...
119 + create-upmproject-from-award-no-save=Creu prosiect...
120 + add-organisationassociation-button=Ychwanegu sefydliad sy'n cyd-reoli...
121 + new-organisationassociation-panel-title=Ychwanegu sefydliad sy'n cyd-reoli
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
78 + create-ethicalreview-from-award-no-save=Create ethical review...
126 + create-award-from-award-no-save=Create another award...
130 + create-award-from-application-no-save=Create award...
134 + create-application-from-award-no-save=Create application...
138 + create-upmproject-from-award-no-save=Create project...
147 + add-organisationassociation-button=Add co-managing organisation...
148 + new-organisationassociation-panel-title=Add co-managing organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
70 + create-upmproject-from-project-no-save=Creu prosiect arall...
71 + create-award-from-project-no-save=Creu dyfarniad...
72 + create-application-from-project-no-save=Creu rhaglen...
73 + add-organisationassociation-button=Ychwanegu sefydliad sy'n cyd-reoli...
74 + new-organisationassociation-panel-title=Ychwanegu sefydliad sy'n cyd-reoli
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
70 + create-upmproject-from-project-no-save=Create another project...
80 + create-award-from-project-no-save=Create award...
84 + create-application-from-project-no-save=Create application...
101 +
102 + add-organisationassociation-button=Add co-managing organisation...
103 + new-organisationassociation-panel-title=Add co-managing organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Uned sefydliadol sy'n cyd-reoli
2 + selected.organisations=Sefydliadau dan sylw
3 + please.select=Dewiswch un neu fwy o'r sefydliadau isod i'w hidlo
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Co-managing organisational unit
2 + selected.organisations=Selected organisations
3 + please.select=Please select one or more organisations below to filter
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Sefydliad sy'n cyd-reoli yn gysylltiedig
2 + yes=Sefydliad sy'n cyd-reoli yn gysylltiedig
3 + no=Does dim sefydliad sy'n cyd-reoli yn gysylltiedig
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Co-managing organisation associated
2 + yes=Co-managing organisation associated
3 + no=No co-managing organisation associated
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources_cy.pro... CHANGED

```
235 + coManagingOrganisations-legend=Galluogi sefydliadau sy'n cyd-reoli
236 + coManagingOrganisations-enabled=Galluogi'r nodwedd sefydliadau sy'n cyd-reoli ar raglenni, gwobrau a phrosiectau. Pan fydd
sefydliad penodol yn cael ei ychwanegu at y cynnwys fel sefydliad sy'n 'cyd-reoli', gall golygyddion a golygyddion cynorthwyol yn
y sefydliadau hyn helpu i gynnal gwybodaeth am y cynnwys. Gall y golygyddion sy'n helpu olygu'r holl briodweddau ond ni allant
symud cynnwys yn ôl/ymlaen mewn llif gwaith.
237 + coManagingOrganisations-enabled-true=Galluogwyd
238 + coManagingOrganisations-enabled-false=Analluogwyd
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources_en.pr... CHANGED

```
145 + coManagingOrganisations-legend=Enable co-managing organisations
146 + coManagingOrganisations-enabled=Enable feature of co-managing organisations on applications, awards and projects. When a given
organisation is added as a 'co-managing' organisation to the content, editors and assisting editors from these organisations can
help maintain the information of the content. The helping editors can edit all properties but not move content back/forward in
workflow.
147 + coManagingOrganisations-enabled-true=Enabled
148 + coManagingOrganisations-enabled-false=Disabled
149 +
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul... CHANGED

```
321 +  
322 + syncjob.award.usingNIHAwardsService-label=!!Using NIH Awards Service.  
323 + syncjob.award.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it  
    changes how the job processes the data.  
324 + syncjob.upmproject.usingNIHAwardsService-label=!!Using NIH Awards Service.  
325 + syncjob.upmproject.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as  
    it changes how the job processes the data.
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul... CHANGED

```
360 +  
361 + syncjob.award.usingNIHAwardsService-label=Using NIH Awards Service.  
362 + syncjob.award.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it  
    changes how the job processes the data.  
363 + syncjob.upmproject.usingNIHAwardsService-label=Using NIH Awards Service.  
364 + syncjob.upmproject.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it  
    changes how the job processes the data.
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

```
67 + overviewapplicationapprovalroute=Fy nhasgau cymeradwyo a gwirio  
68 + coManagingOrganisations=Unedau sefydliadol sy'n cyd-reoli
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

```
16 + overviewapplicationapprovalroute=My approver and checker tasks  
54 + coManagingOrganisations=Co-managing organisational units
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

```
1 + coManagingOrganisations=Unedau sefydliadol sy'n cyd-reoli
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

```
1 + coManagingOrganisations=Co-managing organisational units
```

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

```
5 + awardFunder=Corff ariannu
6 + choose=Ychwanegu corff ariannu...
```

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

```
3 + awardFunder=Funding Body
4 + choose=Select funding body...
```

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
3 + choose=Ychwanegu natur y gweithgaredd...
4 + awardNatureOfActivityType=Natur y Gweithgaredd
```

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

```
3 + awardNatureOfActivityType=Nature of Activity
4 + choose=Select nature of activity...
```

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
82 + filter-co-managing-organisations=Uned sefydliadol sy'n cyd-reoli
83 + filter-has-co-managing-organisation=Sefydliad sy'n cyd-reoli yn gysylltiedig
84 + filter-has-co-managing-organisation-TRUE=Sefydliad sy'n cyd-reoli yn gysylltiedig
85 + filter-has-co-managing-organisation-FALSE=Does dim sefydliad sy'n cyd-reoli yn gysylltiedig
86 + project-co-managing-organisations=Sefydliadau sy'n rheoli
```

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
43 + filter-co-managing-organisations=Co-managing organisational unit
44 + filter-has-co-managing-organisation=Co-managing organisation associated
45 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
46 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
47 +
```

62

-

67 + project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

167 + filter-co-managing-organisations=Uned sefydliadol sy'n cyd-reoli

168 + filter-has-co-managing-organisation=Sefydliad sy'n cyd-reoli yn gysylltiedig

169 + filter-has-co-managing-organisation-TRUE=Sefydliad sy'n cyd-reoli yn gysylltiedig

170 + filter-has-co-managing-organisation-FALSE=Does dim sefydliad sy'n cyd-reoli yn gysylltiedig

171 + project-co-managing-organisations=Sefydliadau sy'n rheoli

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

86 + filter-co-managing-organisations=Co-managing organisational unit

87 + filter-has-co-managing-organisation=Co-managing organisation associated

88 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated

89 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated

90 +

136 + project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

105 + filter-co-managing-organisations=Uned sefydliadol sy'n cyd-reoli

106 + filter-has-co-managing-organisation=Sefydliad sy'n cyd-reoli yn gysylltiedig

107 + filter-has-co-managing-organisation-TRUE=Sefydliad sy'n cyd-reoli yn gysylltiedig

108 + filter-has-co-managing-organisation-FALSE=Does dim sefydliad sy'n cyd-reoli yn gysylltiedig

109 + project-co-managing-organisations=Sefydliadau sy'n rheoli

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

53 + filter-co-managing-organisations=Co-managing organisational unit

54 + filter-has-co-managing-organisation=Co-managing organisation associated

55 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated

56 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated

57 +

116 + project-co-managing-organisations=Co-managing organisations

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources_cy.properties CHANGED

1	- #Added translations
2	- #Sun Jan 29 14:15:58 CET 2017
41	+ summary-content-errors=Aeth rhywbeth o'i le wrth brosesu {count} darn o gynnwys

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources_en.properties CHANGED	
37	+ summary-content-errors=Problems occurred while processing {count} pieces of content

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED	
1	- #Added translations
2	- #Thu Sep 28 10:11:00 CEST 2017
55	+ add-link-button=Ychwanegu gwefan...

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED	
69	+ add-link-button=Add website...

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... CHANGED	
144	+ dataRetentionPolicy-group=Polisi glanhau data
145	+ retainPersonalData=Data personol wedi'u heithrio o'r broses lanhau
146	+ retainPersonalData-yes=Iawn
147	+ retainPersonalData-no=Na
148	+ retentionPeriod=Wedi'i eithrio o'r broses lanhau tan
149	+ highlighted-content-group=Cynnwys wedi'i amlygu
150	+ fundingprofiles-group=Proffiliau cyllido
151	+ fingerprints-group=Olion bysedd
152	+ orcid-config-not-valid=Dydy Orcid ddim wedi'i ffurfweddu'n gywir. Cysylltwch â'ch Gweinyddwr Pure i wirio tudalen ffurfweddu ORCID a llwytho ffeil XML mapio allbwn ddilys i fyny.

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... CHANGED	
106	+ orcid-config-not-valid=Orcid is not configured correctly. Contact your local Pure Administrator to check the ORCID configuration page and upload a valid output mapping XML file.
169	+
170	+ dataRetentionPolicy-group=Data cleanup policy

```
171 + retainPersonalData=Exempt personal data from cleanup
172 + retainPersonalData-yes=Yes
173 + retainPersonalData-no=No
174 + retentionPeriod=Exempt from cleanup until
175 +
176 + highlighted-content-group=Highlighted content
177 + fundingprofiles-group=Funding profiles
178 + fingerprints-group=Fingerprints
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... CHANGED

```
137 - corresponding-author-association-button=Gosod yr awdur cyfatebol
138 - remove-corresponding-author-association-button=Tynnu'r awdur cyfatebol
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... CHANGED

```
7 - info-group-help=Select original language; the language that the current contribution is written in. The Title field is required.
7 + info-group-help=Select original language (the language that the current contribution is written in). The Title field is required.
161 - corresponding-author-association-button=Set corresponding author
162 - remove-corresponding-author-association-button=Remove corresponding author
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

```
1 + title=Wedi'i eithrio o'r broses glanhau data
2 + showDataCleanupExemptions=Dangos unigolion wedi'u heithrio yn unig
3 + hideDataCleanupExemptions=Cuddio unigolion wedi'u heithrio o'r broses lanhau
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

```
1 + title=Exempted from data cleanup
2 + showDataCleanupExemptions=Only show exempted persons
3 + hideDataCleanupExemptions=Hide persons exempted from cleanup
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

```
1 + time-since-former=Amser ers y tro diwethaf
```

2 + former-for-at-least=Blaenorol am o leiaf

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

1 + time-since-former=Time since former

2 + former-for-at-least=Former for at least

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources_cy.properties CHANGED

1 - #Added translations

2 - #Mon Jan 15 14:17:32 CET 2018

27 + fundingopportunity-import-wizard=Cyfle cyllido

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources_en.properties CHANGED

27 + fundingopportunity-import-wizard=Funding opportunity

pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources_cy.properties ADDED

1 + refresh=Adnewyddu

2 + save=Cadw

3 + person-access=Cyfnod gras mynediad at unigolyn

4 + person-access-legend=Ffurfweddiad cyfnod gras

5 + person-access-hint=Efallai y bydd angen defnyddwyr/unigolion anweithredol i fewngofnodi i Pure er mwyn cyflawni gofynion polisi a sicrhau bod data'n cael eu diweddarau. Gall gweinyddwyr bennu cyfnodau gras i unigolion/defnyddwyr sy'n staff a myfyrwyr nad ydynt yn weithredol rhagor. Mae hawliau mynediad wedi'u pennu gan bolisiau mewngofnodi unwaith sefydliad yn disodli unrhyw gyfnodau gras a nodir isod.

6 + person-access-note=Sylwer: Bydd hyn yn effeithio ar yr HOLL staff a'r myfyrwyr.

7 + grace-period-days-staff=Cyfnod gras i staff (mewn diwrnodau)

8 + grace-period-days-staff-hint=Mae'r gosodiad hwn yn pennu am faint o ddiwrnodau y bydd staff yn cadw eu hawliau mynediad Pure ar ôl iddynt fod yn anweithredol

9 + grace-period-days-student=Cyfnod gras i fyfyrwyr (mewn diwrnodau)


10 + grace-period-days-student-hint=Mae'r gosodiad hwn yn pennu am faint o ddiwrnodau y bydd myfyrwyr yn cadw eu hawliau mynediad Pure ar ôl iddynt fod yn anweithredol

pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources_en.properties ADDED

1 + person-access=Person access grace period

2 + person-access-legend=Grace period configuration

```
3 + person-access-hint=Institutions may require non-active persons/users to access Pure to fulfill policy requirements and ensure
  data is updated. Administrators can specify grace periods for staff and student persons/users that are no longer active. General
  access rights set by an institution's single sign-on (SSO) policies supersede any grace periods set below.
4 + person-access-note=Note: ALL staff and students will be affected.
5 + grace-period-days-staff=Staff grace period (in days)
6 + grace-period-days-staff-hint=This setting determines how many days staff will retain their Pure access rights after they are
  non-active
7 + grace-period-days-student=Student grace period (in days)
8 + grace-period-days-student-hint=This setting determines how many days students will retain their Pure access rights after they
  are non-active
9 + refresh=Refresh
10 + save=Save
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources_cy.properties ADDED

```
1 + persondatacleanupconfiguration=Ffurfweddiad glanhau data
2 + savedfilter-legend=Gwerthoedd diofyn ar gyfer hidlydd wedi'i gadw 'Glanhau data personol'
3 + savedfilter-hint=Dewiswch pa werthoedd diofyn i'w cynnwys yn yr hidlyddion sy'n rhan o'r hidlydd wedi'i gadw 'Glanhau data
  personol'.
4 + affiliationperiod-legend=Cyfnod aelodaeth
5 + exemptionperiod-label=Mae'n rhaid i aelodaeth pob unigolyn fod yn flaenorol am o leiaf
6 + exemptionperiod.ONE_MONTH=Mis
7 + exemptionperiod.THREE_MONTHS=Tri mis
8 + exemptionperiod.SIX_MONTHS=Chwe mis
9 + exemptionperiod.ONE_YEAR=Blwyddyn
10 + employmenttype-legend=Math
11 + employmenttype-label=Cynnwys y math canlynol o staff
12 + staff=Staff
13 + student=Myfyriwr
14 + visitingScholar=Ysgolor sy'n ymweld
15 + fieldstodelete-legend=Rhestr safonol o feysydd i'w dileu
16 + fieldstodelete-hint=Dewis y gwerthoedd rhagosodedig diofyn i'r weithred dileu mewn swp
17 + savedfilter-note=!!You must log out and log in again for the changes to appear.
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources_en.properties ADDED

```
1 + persondatacleanupconfiguration=Data cleanup configuration
2 +
3 + savedfilter-legend=Default values for saved filter 'Personal data cleanup'
4 + savedfilter-hint=Select which default values to include in the filters that are part of the saved filter 'Personal data
  cleanup'.
```

```
5 + savedfilter-note=You must log out and log in again for the changes to appear.
6 +
7 + affiliationperiod-legend=Affiliation period
8 + exemptionperiod-label=All person affiliations must be former for at least
9 + exemptionperiod.ONE_MONTH=One month
10 + exemptionperiod.THREE_MONTHS=Three months
11 + exemptionperiod.SIX_MONTHS=Six months
12 + exemptionperiod.ONE_YEAR=One year
13 +
14 + employmenttype-legend=Type
15 + employmenttype-label=Include the following type of staff
16 + staff=Staff
17 + student=Student
18 + visitingScholar=Visiting scholar
19 +
20 + fieldstodelete-legend=Standard list of fields to delete
21 + fieldstodelete-hint=Select the default preset values to delete in the bulk action
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources_cy.propert... CHANGED

```
225 + FundingOpportunities=Cyfleoedd cyllido
226 + verify.header.type.FundingOpportunities=Math o gyfle cyllido
227 + verify.header.count.FundingOpportunities=Nifer y Cyfleoedd Cyllido
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources_en.proper... CHANGED

```
20 - upload-instruction.secondpart=Once the files has been uploaded you can proceed to the next step in the wizard where the data
in the XML will be validated against the xsd files.
20 + upload-instruction.secondpart=Once the files have been uploaded you can proceed to the next step in the wizard where the data
in the XML will be validated against the XSD files.
98 - xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the
mandatory elements are present verify if the ordering of the elements is as specified in the xsd.
98 + xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the
mandatory elements are present verify if the ordering of the elements is as specified in the XSD.
114 - supportedfile.errors=The import found files that it cannot import (See supported namespace in the xsd), please see the
documentation on how to generate the files or remove them from the upload screen:
114 + supportedfile.errors=The import found files that it cannot import (see supported namespace in the XSD), please see the
documentation on how to generate the files or remove them from the upload screen:
248 +
249 + FundingOpportunities=Funding opportunities
250 + verify.header.type.FundingOpportunities=Funding opportunity type
```

251 + verify.header.count.FundingOpportunities=Number of Funding opportunities

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources_cy.properties CHANGED

```
1 - #Added translations
2 - #Mon Jan 15 14:17:32 CET 2018
72 + fundingopportunity.xsd.description=Ffeil sgema XML (fundingopportunity.xsd)
73 + fundingopportunity.simple.example.description=Ffeil enghreifftau syml (fundingopportunity-simple-examples.xml)
74 + fundingopportunity.advanced.example.description=Ffeil enghreifftau uwch (fundingopportunity-advanced-example.xml)
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources_en.properties CHANGED

```
97 + fundingopportunity.xsd.description=XML schema file (fundingopportunity.xsd)
98 + fundingopportunity.simple.example.description=Simple examples file (fundingopportunity-simple-examples.xml)
99 + fundingopportunity.advanced.example.description=Advanced example file (fundingopportunity-advanced-example.xml)
100 +
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources_cy.properties CHANGED

```
22 + personal.overview.downloads.publication.tooltip={citations} eitemau wedi'u llwytho i lawr
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources_en.properties CHANGED

```
27 + personal.overview.downloads.publication.tooltip={citations} downloads
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... CHANGED

```
36 + globalsyncimport-header=Ffurfweddiadau cysoni/mewngludo cyffredinol
37 + integrations-global-sync-import-configuration=Cysoni/mewngludo cyffredinol
38 + globalsyncimport.pureIdFallbackEnabled-label=Galluogi paru ID Pure
39 + globalsyncimport.pureIdFallbackEnabled-description=Bydd galluogi'r nodwedd hon yn galluogi'r prosesau cysoni yn Pure i gyfateb ag IDs Pure ynghylch cysylltiadau. Mae hyn yn golygu, os ydych chi wedi mynd ati i ychwanegu cysylltiad at ddarn o gynnwys yn Pure a'ch bod yn rhoi'r ID Pure fel ID cysylltiad yn y data mewngludo (view/xml), bydd y cysoni yn ei feddiannu a'i ddiweddarau'n briodol. Byddwch yn ofalus wrth ddefnyddio'r nodwedd hon. Prosesau cysoni a gefnogir: Pob proses gysoni sy'n 'Ffurfweddadwy' ac eithrio cysoni Dyfarniadau, Prosiectau a Rhaglenni.
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... CHANGED

```
50 +
51 + globalsyncimport-header=Global sync/import configurations
52 + integrations-global-sync-import-configuration=Global sync/import
53 + globalsyncimport.pureIdFallbackEnabled-label=Enable Pure ID match
54 + globalsyncimport.pureIdFallbackEnabled-legend=
55 + globalsyncimport.pureIdFallbackEnabled-description=Enabling this feature will make it possible for the synchronizations in Pure to be able to match on Pure IDs on associations.\n This means that if you have manually added an association to a piece of content in Pure and you provide the Pure ID as the association ID in the import data (view/xml), the synchronisation will take ownership of it and update it accordingly. Use this feature with caution. \n Supported synchronizations: All synchronizations prefaced with 'Configurable' except the Award, Project and Application synchronisation.
```

 [pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources_cy.pro...](#) CHANGED

```
53 + contentCorrection.correct.family.Person-label=Cywiro personau
54 + contentCorrection.correct.family.PreservedReportDefinition-label=Cywiro diffiniadau adroddiadau wedi'u cadw
55 + contentCorrection.correct.family.ConferenceSeries-label=Cywiro cyfres cynadleddau
56 + contentCorrection.correct.family.Publisher-label=Cywiro cyhoeddwyr
57 + contentCorrection.correct.family.Semester-label=Cywiro tymhorau
58 + contentCorrection.correct.family.StudentProject-label=Cywiro prosiectau myfyrwyr
59 + contentCorrection.correct.family.StudentThesis-label=Cywiro traethawd ymchwil myfyriwr
60 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Cywiro ffurfweddiadau telerau cytundeb
61 + contentCorrection.correct.family.MessageTemplate-label=Cywiro templedi negeseuon
62 + contentCorrection.correct.family.User-label=Cywiro defnyddwyr
63 + contentCorrection.correct.family.EditableMessageBundle-label=Cywiro bwndeli negeseuon golygadwy
64 + contentCorrection.correct.family.CurriculumVitae-label=Cywiro curriculum vitae
65 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Cywiro diffiniadau chwilio mewngludo cynnwys
66 + contentCorrection.correct.family.TermsOfAgreement-label=Cywiro telerau cytundeb
67 + contentCorrection.correct.family.Suggestion-label=Cywiro awgrymiadau
68 + contentCorrection.correct.family.Project-label=Cywiro prosiectau
69 + contentCorrection.correct.family.PreservedContent-label=Cywiro gwrthrychau gwybodaeth am gynnwys wedi'i gadw
70 + contentCorrection.correct.family.Message-label=Cywiro neges
71 + contentCorrection.correct.family.Organisation-label=Cywiro unedau sefydliadol
72 + contentCorrection.correct.family.PublicationSuggestedAction-label=Cywiro hawliadau/gwrthodiadau allbwn ymchwil
73 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Cywiro ffurfweddiadau casgliad storio parhaol
74 + contentCorrection.correct.family.TemporaryFileInformation-label=Cywiro gwrthrychau gwybodaeth am ffeiliau dros dro
75 + contentCorrection.correct.family.ImportResult-label=Cywiro gwrthrychau canlyniadau mewngludo
76 + contentCorrection.correct.family.Clipping-label=Cywiro'r wasg/cyfryngau
77 + contentCorrection.correct.family.Event-label=Cywiro digwyddiadau
78 + contentCorrection.correct.family.Publication-label=Cywiro allbwn ymchwil
79 + contentCorrection.correct.family.UserFilterModel-label=Cywiro modelau hidlo defnyddwyr
80 + contentCorrection.correct.family.Activity-label=Cywiro gweithgareddau
```

81 + contentCorrection.correct.family.ExternalOrganisation-label=Cywiros sefydliadau allanol
82 + contentCorrection.correct.family.UserProfile-label=Cywiros proffiliau defnyddwyr
83 + contentCorrection.correct.family.Sticky-label=Cywiros nodiadau gludiog
84 + contentCorrection.correct.family.Journal-label=Cywiros dyddlyfrau
85 + contentCorrection.correct.family.ClassificationScheme-label=Cywiros cynlluniau dosbarthu
86 + contentCorrection.correct.family.Education-label=Cywiros addysgiadau
87 + contentCorrection.correct.family.Award-label=Cywiros gwobrau
88 + contentCorrection.correct.family.Thesauri-label=Cywiros thesawrysau
89 + contentCorrection.correct.family.EmailQueueEntry-label=Cywiros cofnodion ciw e-bost
90 + contentCorrection.correct.family.PhDThesis-label=Cywiros traethodau ymchwil PhD
91 + contentCorrection.correct.family.ExternalPerson-label=Cywiros personau allanol
92 + contentCorrection.correct.family.MeasurementMetrics-label=Cywiros metrigau mesur
93 + contentCorrection.correct.family.Prize-label=Cywiros gwobrau
94 + contentCorrection.correct.family.EthicalReview-label=Cywiros adolygiadau moesegol
95 + contentCorrection.correct.family.AggregatedContentIdSet-label=Cywiros setiau ID cynnwys wedi'i gyfanredu
96 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Cywiros ffurfweddiadau rolau cymorth defnyddwyr
97 + contentCorrection.correct.family.Fingerprint-label=Cywiros olion bysedd
98 + contentCorrection.correct.family.FileHandle-label=Cywiros handlenni ffeiliau
99 + contentCorrection.correct.family.Course-label=Cywiros cyrsiau
100 + contentCorrection.correct.family.UEOExternalOrganisation-label=Cywiros sefydliadau allanol
101 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Cywiros ffurfweddiadau llyf gwaith wedi'u diffinio gan y cwsmer
102 + contentCorrection.correct.family.AwardMilestone-label=Cywiros cerrig milltir
103 + contentCorrection.correct.family.Concept-label=Cywiros cysyniadau
104 + contentCorrection.correct.family.UPMProject-label=Cywiros prosiectau UPM
105 + contentCorrection.correct.family.SystemMessage-label=Cywiros negeseuon system
106 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Cywiros diffiniadau llyf gwaith wedi'u diffinio gan y cwsmer a gadwyd
107 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Cywiros ffurfweddiadau camau llyf gwaith
108 + contentCorrection.correct.family.Impact-label=Cywiros effeithiau
109 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Cywiros dangosyddion perfformiad ymchwil
110 + contentCorrection.correct.family.SemanticGroup-label=Cywiros grwpiau semantig
111 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Cywiros ffurfweddiadau grwpiau allweddeiriau
112 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Cywiros amcanion perfformiad ymchwil y sefydliad
113 + contentCorrection.correct.family.PreservedRendering-label=Cywiros rendradau wedi'u cadw
114 + contentCorrection.correct.family.ContentIdSet-label=Cywiros setiau ID cynnwys
115 + contentCorrection.correct.family.AwardCluster-label=Cywiros clystyrau gwobrau
116 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Cywiros ffurfweddiadau allgludo adroddiadau wedi'u cadw
117 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Cywiros templedi cerrig milltir
118 + contentCorrection.correct.family.DataSet-label=Cywiros setiau data


```
119 + contentCorrection.correct.family.FundingOpportunity-label=Cywiro cyfleoedd i gael cyllid
120 + contentCorrection.correct.family.ApplicationCluster-label=Cywiro clystyrau rhaglenni
121 + contentCorrection.correct.family.BFIPublication-label=Cywiro cyhoeddiadau BFI
122 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Cywiro teclynnau dangosfwrdd wedi'u cadw
123 + contentCorrection.correct.family.Application-label=Cywiro rhaglenni
124 + contentCorrection.correct.family.Specialisation-label=Cywiro arbenigeddau
125 + contentCorrection.correct.family.PersistentJobState-label=Cywiro cyflyrau tasgau parhaus
```

 pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources_en.pro... CHANGED

```
37 - ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external
organisation. Separate each extension by ','
37 + ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external
organisations. Separate each extension by ','
58 + contentCorrection.correct.family.Person-label=Correct persons
59 + contentCorrection.correct.family.PreservedReportDefinition-label=Correct preserved report definitions
60 + contentCorrection.correct.family.ConferenceSeries-label=Correct conference series
61 + contentCorrection.correct.family.Publisher-label=Correct publishers
62 + contentCorrection.correct.family.Semester-label=Correct semesters
63 + contentCorrection.correct.family.StudentProject-label=Correct student projects
64 + contentCorrection.correct.family.StudentThesis-label=Correct student thesis
65 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Correct terms of agreement configurations
66 + contentCorrection.correct.family.MessageTemplate-label=Correct message templates
67 + contentCorrection.correct.family.User-label=Correct users
68 + contentCorrection.correct.family.EditableMessageBundle-label=Correct editable message bundles
69 + contentCorrection.correct.family.CurriculumVitae-label=Correct curriculum vitae
70 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Correct content import search definitions
71 + contentCorrection.correct.family.TermsOfAgreement-label=Correct terms of agreement
72 + contentCorrection.correct.family.Suggestion-label=Correct suggestions
73 + contentCorrection.correct.family.Project-label=Correct projects
74 + contentCorrection.correct.family.PreservedContent-label=Correct preserved content information objects
75 + contentCorrection.correct.family.Message-label=Correct message
76 + contentCorrection.correct.family.Organisation-label=Correct organisational units
77 + contentCorrection.correct.family.PublicationSuggestedAction-label=Correct research output claim/disclaims
78 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Correct permanent store collection configurations
79 + contentCorrection.correct.family.TemporaryFileInformation-label=Correct temporary file information objects
80 + contentCorrection.correct.family.ImportResult-label=Correct import result objects
81 + contentCorrection.correct.family.Clipping-label=Correct press/media
82 + contentCorrection.correct.family.Event-label=Correct events
83 + contentCorrection.correct.family.Publication-label=Correct research output
84 + contentCorrection.correct.family.UserFilterModel-label=Correct user filter models
```

85 + contentCorrection.correct.family.Activity-label=Correct activities
86 + contentCorrection.correct.family.ExternalOrganisation-label=Correct external organisations
87 + contentCorrection.correct.family.UserProfile-label=Correct user profiles
88 + contentCorrection.correct.family.Sticky-label=Correct stickies
89 + contentCorrection.correct.family.Journal-label=Correct journals
90 + contentCorrection.correct.family.ClassificationScheme-label=Correct classification schemes
91 + contentCorrection.correct.family.Education-label=Correct educations
92 + contentCorrection.correct.family.Award-label=Correct awards
93 + contentCorrection.correct.family.Thesauri-label=Correct thesauri
94 + contentCorrection.correct.family.EmailQueueEntry-label=Correct email queue entries
95 + contentCorrection.correct.family.PhDThesis-label=Correct PhD theses
96 + contentCorrection.correct.family.ExternalPerson-label=Correct external persons
97 + contentCorrection.correct.family.MeasurementMetrics-label=Correct measurement metrics
98 + contentCorrection.correct.family.Prize-label=Correct prizes
99 + contentCorrection.correct.family.EthicalReview-label=Correct ethical reviews
100 + contentCorrection.correct.family.AggregatedContentIdSet-label=Correct aggregated content ID sets
101 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Correct user supporter role configurations
102 + contentCorrection.correct.family.Fingerprint-label=Correct fingerprints
103 + contentCorrection.correct.family.FileHandle-label=Correct filehandles
104 + contentCorrection.correct.family.Course-label=Correct courses
105 + contentCorrection.correct.family.UEOExternalOrganisation-label=Correct external organisations
106 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Correct customer-defined workflow configurations
107 + contentCorrection.correct.family.AwardMilestone-label=Correct milestones
108 + contentCorrection.correct.family.Concept-label=Correct concepts
109 + contentCorrection.correct.family.UPMProject-label=Correct UPM projects
110 + contentCorrection.correct.family.SystemMessage-label=Correct system messages
111 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Correct preserved customer-defined workflow definitions
112 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Correct workflow step configurations
113 + contentCorrection.correct.family.Impact-label=Correct impacts
114 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Correct research performance indicators
115 + contentCorrection.correct.family.SemanticGroup-label=Correct semantic groups
116 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Correct keyword group configurations
117 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Correct organisation research performance objectives
118 + contentCorrection.correct.family.PreservedRendering-label=Correct preserved renderings
119 + contentCorrection.correct.family.ContentIdSet-label=Correct content ID sets
120 + contentCorrection.correct.family.AwardCluster-label=Correct award clusters
121 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Correct preserved report export configurations
122 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Correct milestones templates
123 + contentCorrection.correct.family.DataSet-label=Correct datasets
124 + contentCorrection.correct.family.FundingOpportunity-label=Correct funding opportunities

125 + contentCorrection.correct.family.ApplicationCluster-label=Correct application clusters
126 + contentCorrection.correct.family.BFIPublication-label=Correct BFI publications
127 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Correct preserved dashboard widgets
128 + contentCorrection.correct.family.Application-label=Correct applications
129 + contentCorrection.correct.family.Specialisation-label=Correct specialisation
130 + contentCorrection.correct.family.PersistentJobState-label=Correct persistent job states

pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources_cy.properties CHANGED

1 - #Added translations
2 - #Wed Sep 26 12:12:52 CEST 2018
4 + former-persons-for-cleanup=Glanhau data personol

pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources_en.properties CHANGED

4 + former-persons-for-cleanup=Personal data cleanup

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources_cy.properties CHANGED

1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
32 + links=Gwefan cyfnodolyn

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources_en.properties CHANGED

38 + links=Journal website

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources_cy.properties CHANGED

86 + organisationAssociations.supervisedByRelations=Goruchwyliaeth
87 + dataCleanupExemptionEndDate=Dyddiad dod i ben yr eithriad o brosesau glanhau data

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources_en.properties CHANGED

27 + organisationAssociations.supervisedByRelations=Supervision
103 +
104 + dataCleanupExemptionEndDate=Data cleanup exemption end date

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:15:58 CET 2017
2 + show-documentLicense=Dangos trwydded
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... CHANGED

```
1 + show-documentLicense>Show licence
2 +
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources_cy.prop... CHANGED

```
95 + handleNet=Handle.net
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources_en.pro... CHANGED

```
140 + handleNet=Handle.net
141 +
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... CHANGED

```
38 + contactAddress.subdivision=Is-raniad
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... CHANGED

```
35 + contactAddress.subdivision=Subdivision
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... ADDED

```
1 + links.journal.description=Mathau o ddolenni ar gyfer Cyfnodolyn
2 + links.journal.website=Gwefan
3 + links.journal.website.description=Dolen i wefan y cyfnodolyn
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... ADDED

```
1 + links.journal.description=Types of links for Journal
2 + links.journal.website=Website
3 + links.journal.website.description=Link to the journal website
```

pure-templates/rendering/src/main/resources/renderer/renderer-resources_cy.properties CHANGED

```
41 - render-event-title=Teitl
41 + render-event-title=Teitly digwyddiad
76 + render-format-show=Dangos
77 + render-format-hide=Dangos llai
78 + render-show-all-authors-button=Dangos pob awdur cysylltiedig
79 + render-hide-all-authors-button=Cuddio pob awdur cysylltiedig
80 + render-format-authors-shown=Rhestr awduron yn cael ei dangos, cliciwch i'w chuddio
81 + render-format-authors-hidden=Rhestr awduron yn cael ei chuddio, cliciwch i'w dangos
```

pure-templates/rendering/src/main/resources/renderer/renderer-resources_en.properties CHANGED

```
26 - render-format-others=others
26 + render-format-others=more
27 + render-format-show>Show
28 + render-format-hide>Show less
29 + render-show-all-authors-button>Show all related authors
30 + render-hide-all-authors-button=Hide all related authors
31 + render-format-authors-shown=Author list shown, click to hide author list
32 + render-format-authors-hidden=Authors list hidden, click to show author list
53 - render-event-title=Title
59 + render-event-title=Event title
```