

Text resource changes in Pure (backend)

This is an overview of the text additions and modifications to Pure's default text resources for the locale **nl** between versions **5.15.0** and **5.16.0**.

This content is confidential and should not be shared or reproduced.

Note: It does not include text changes made for individual customer sites, and may include some texts that are not visible on your Pure instance (used for Elsevier supporter role, inactive modules or modules from other countries such as REF, or different system configurations).

The keys in the translations are not necessarily indicative of the functionality. Changes in key between releases will override any custom text resource changes in your Pure.

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources_en.properties **CHANGED**

12	- overviewimpactTemplateREF2020=Impact case study overview
15	- overviewimpactCaseStudyREF2020=?Impact case study overview
14	+ overviewimpactCaseStudyREF2020=Impact case study overview

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources_nl.properties **CHANGED**

12	- overviewimpactTemplateREF2020=Overzicht impact casestudy
----	--

pure-core/admin/client/components/modules/report/properties/report-resources_en.properties **CHANGED**

22	+ column-ignore-isolate-non-distinct-aggregation-on=Disable distinct aggregation (faster)
23	+ column-ignore-isolate-non-distinct-aggregation-off=Enable distinct aggregation (slower)
70	- filter-tab-placeholder-part-two=Select the filter bar above a column to activate the Filter tab.
72	+ filter-tab-placeholder-part-two=Select the filter control above a column to activate the Filter tab.
137	+ aria-share-component-ok-label=Confirm share report
139	+ aria-share-component-cancel-label=Cancel share report
161	- onboarding-tip-filterbar=Click the filter bar to filter a content type. Then add filters in the right-hand panel.
165	+ onboarding-tip-filterbar=Click the filter control to filter a content type. Then add filters in the right-hand panel.
256	- number-of-subcolumns-has-been-added={count} of max {total} subcolumns has been added
260	+ number-of-subcolumns-has-been-added={count} of max {total} subcolumns have been added
325	+ data-story-visualization-preview-scoreCard-title=Scorecard
340	- format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.

341 - format-tab-placeholder-line2=This feature is currently under development.
650 - content-id-filter-placeholder-text=Type here to search
653 + content-id-filter-placeholder-multi-text=Type here to search
654 + content-id-filter-placeholder-dropdown-text=Select a filter item
677 - data-story-visualization-add-filter-bar=Filter bar
681 + data-story-visualization-add-filter-bar=Filter control
694 + data-story-value-tab-selected-element-does-not-support-value-selection=No selectable values
693 - data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter bar
698 + data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter control
704 - data-story-filters-tab-panel-aria-label=Filter bar - Filter tabs filtering individual content-type
709 + data-story-filters-tab-panel-aria-label=Filter control - Filter tabs filtering individual content-type
706 - report-settings-features-title=Experimental features
711 + report-settings-features-experimental-title=Experimental features
712 + report-settings-features-stable-title=Stable features
718 - upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Load and replace to use the new workspace or cancel to keep the existing workspace.
724 + upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Import existing workspace to use the new workspace or cancel to keep the existing workspace.
731 + report-settings-concurrency-title=Performance
732 + report-settings-concurrency-itemIdBatching-title=Fetch batches of rows in separate threads (potentially exports much faster for large datasets at the cost of memory and server load)
733 + report-settings-concurrency-itemIdBatching-toggle-label=Enable multi-threading (rows)
734 + report-settings-concurrency-subSetFetching-title=Fetch batches of columns in separate threads (potentially fetches faster for a large number of columns at the cost of memory and server load)
735 + report-settings-concurrency-subSetFetching-toggle-label=Enable multi-threading (columns)
736 + data-story-visualization-add-layout=Add layout group
737 + data-story-layout-tab-placeholder-header=Use this tab to manipulate selected elements and change layout options.
738 + data-story-layout-tab-clear-search-label=Clear search
739 + data-story-layout-tab-teaser=This feature is currently under development.
740 + data-story-layout-tab-select-widgets=Widgets
741 +
742 + #export type VisualizationType = 'text' | 'pieChart' | 'barChart' | 'columnChart' | 'lineChart' | 'table' | 'complexTable' | 'filterBar' | 'header' | 'footer' | 'layout' | 'scoreCard';
743 + canvas-widget-default-table-name=Table
744 + canvas-widget-default-columnChart-name=Column chart
745 + canvas-widget-default-barChart-name=Bar chart
746 + canvas-widget-default-pieChart-name=Pie chart
747 + canvas-widget-default-text-name=Text
748 + canvas-widget-default-filterBar-name=Filter control
749 + canvas-widget-default-scoreCard-name=Scorecard

750 + canvas-widget-default-layout-name=Layout group
751 + canvas-widget-default-lineChart-name=Line chart
752 +
753 + format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.
754 + format-tab-placeholder-line2=This feature is currently under development.
755 + data-story-format-tab-no-annotatable-columns=No annotatable columns found
756 + data-story-format-tab-placeholder-header=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.
757 + data-story-format-tab-create-new-annotation=Create new visual cue
758 + data-story-format-tab-select-element-to-display-options=Select data story element to change formatting
759 + data-story-format-tab-selected-element-does-not-support-formatting=Selected data story element does not support formatting
760 + data-story-format-tab-teaser=This feature is currently under development.
761 +
762 + confirm-revert-to-original-are-you-sure=Are you sure you want to replace the workspace "{name}" with the original version?
763 + confirm-revert-to-original-header=Replace workspace with original
764 + confirm-revert-cancel=Cancel
765 + confirm-revert-do-revert=Replace with original
766 +
767 + confirm-replace-header=Import and replace reporting workspace
768 + confirm-replace-select-json=Select a .json file to import an existing reporting workspace. Any changes to the current workspace will be lost. After the upload click 'reset sharing and import from file' to use the new workspace in place of existing one or cancel to keep the existing workspace.
769 + confirm-replace-are-you-sure=Clicking the button below will load a workspace from file into the editor. Once the new workspace is saved it will replace the previous version of workspace "{name}". Please note that any sharing setup will be removed.
770 + confirm-replace-upload-label=Reset sharing and import workspace from file
771 + confirm-replace-cancel-label=Cancel
772 +
773 + attribution-algorithm-header=Attribution algorithm
774 + algorithmInfoDialogTooltipText1=The Automated Attribution Algorithm helps you reach the highest possible GPA for a specific UoA, given the selected REF1s and the selected pool of outputs.
775 + algorithmInfoDialogTooltipText2=If you want to ensure that specific outputs are attributed to individuals, you can do so by locking the output manually on the page of the publication. The algorithm will then respect this lock and calculate the highest GPA under those circumstances.
776 + algorithmInfoDialogTooltipText3=The algorithm works as follows:
777 + algorithmInfoDialogTooltipText4=1. Researchers with only one output in the pool have their one output attributed to them and the output is removed from the pool.
778 + algorithmInfoDialogTooltipText5=2. Remaining researchers have their top graded output attributed to them. Where the grade is the same, single-authored outputs are prioritized over co-authored outputs.
779 + algorithmInfoDialogTooltipText6=3. Once each researcher has been attributed one output, the "best of the rest" is selected, starting with the strongest outputs where there is only one author to whom this output can be attributed. This includes outputs by former members of staff.

780

+ algorithmInfoDialogTooltipText7=4. When the number of remaining unattributed outputs is smaller than the number of outputs with the same grade, then the outputs are selected so that they optimize spread across Cat A staff within the UoA.

781 + attribution-algorithm-cancel=Cancel
782 + attribution-algorithm-reset=Reset
783 + attribution-algorithm-run=Run Attribution
784 + attribution-algorithm-last-run=Last run:
785 + attribution-algorithm-status=Status:
786 +
787 + attribution-cannot-run-algorithm=Cannot run attribution
788 + attribution-cannot-reset=Cannot reset attributions
789 + attribution-already-running=The attribution job is currently running.
790 + attribution-not-authorized=You are not authorized to perform this action.
791 + attribution-error=An error occured while running the job.
792 +
793 + attribution-algorithm-cancel-aria-label=Button that will cancel the attribution algorithm while it is running
794 + attribution-algorithm-reset-aria-label=Button that will reset the attribution runner, once it has been run
795 + attribution-algorithm-run-aria-label=Button that will run the attribution algorithm
796 +
797 + display-table-total-count=Total count
798 + display-table-total-in-percent=Total in %
799 + cancel-export=Cancel Export
800 + report-datatable-scroll-to-top=Scroll to top of the table
801 + logging=Logging
802 + download=download
803 + revert-to-original=Revert to original
804 + pinned-filter-icon=Start edit
805 + pinned-filter-trash-icon>Delete the filter
806 + themeAdjustment=Theme adjustment
807 + selectTargetColumn=Select target column
808 + filters=Filters
809 + legendExplanation=Legend explanation
810 + apply=Apply
811 + left=Left
812 + operator=Operator
813 + right=Right
814 + select-col-or-input-static-value=Select a column or a input a static value
815 + add-filters=Add filters
816 + widget-filters=Widget filters
817 + when-column=When column
818 + or-value=Or value
819 + navigate-up=Navigate up
820 + create=Create

821 +
 822 +
 823 + report-settings-subSetFetcherMergeInOrchestrator-title=Merge 'SubSetFetchers' in orchestrator (Enables some queries to run together in the same SubSetFetcher, it can boost performance when multiple when queries overlap and fetches information that is co-located)
 824 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Enable merging of queries with co-located information
 825 +
 826 + report-settings-enableDifferenceLoggingOrchestrator-title=Replaces the default orchestrator with a version that in addition to running the query, automatically runs a number of extra queries to determine if there is a difference in the output for isolated / non-isolated aggregations
 827 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Enable difference logging
 828 + plus-icon=Add a new column
 829 + confirm-workspace-delete=Delete workspace

pure-core/admin/client/components/modules/report/properties/report-resources_nl.properties CHANGED


112 - onboarding-tip-filterbar=Klik op de filterbalk om een inhoudstype te filteren. Voeg vervolgens filters toe aan het rechterpaneel.
 264 - filter-tab-placeholder-part-two=Selecteer de filterbalk boven een kolom om het filtertabblad te activeren.
 300 - filter-staffref2020-added={count} REF1a/c (2021) toegevoegd
 298 + filter-staffref2020-added={count} REF1 (2021) toegevoegd
 304 - filter-staffref2020-title=REF1a/c (2021)
 302 + filter-staffref2020-title=REF1 (2021)
 313 - filter-staffref2020-summary={count} REF1a/c (2021) toegevoegd
 311 + filter-staffref2020-summary={count} REF1 (2021) toegevoegd
 577 - content-id-filter-placeholder-text=Typ hier om te zoeken
 611 - data-story-visualization-add-filter-bar=Filterbalk
 627 - data-story-filter-tab-no-filters-on-other-elements-to-target=Voeg extra filters toe aan andere widgets voor gebruik in de filterbalk
 637 - data-story-filters-tab-panel-aria-label=Filterbalk - Filtertabbladen filteren individueel type inhoud
 639 - report-settings-features-title=Experimentele functies
 633 + report-settings-features-experimental-title=Experimentele functies
 650 + filter-tab-placeholder-part-two=Selecteer het filterbesturingselement boven een kolom om het tabblad Filter te activeren.
 651 + onboarding-tip-filterbar=Klik op het filterbesturingselement om een inhoudstype te filteren. Voeg vervolgens filters toe in het rechterpaneel.
 652 + data-story-visualization-preview-scoreCard-title=Scorekaart
 653 + content-id-filter-placeholder-multi-text=Typ hier om te zoeken
 654 + content-id-filter-placeholder-dropdown-text=Selecteer een filteritem
 655 + data-story-visualization-add-filter-bar=Filterbesturing
 656 + data-story-value-tab-selected-element-does-not-support-value-selection=Geen selecteerbare waarden
 657 + data-story-filter-tab-no-filters-on-other-elements-to-target=Voeg extra filters toe aan andere widgets voor gebruik in het filterbesturingselement

658 + data-story-filters-tab-panel-aria-label=Filterbesturingselement - Filtertabbladen filteren individueel type inhoud
659 + report-settings-features-stable-title=Stabiele eigenschappen
660 + validation-status-error-title=Kon werkruimte niet bevestigen
661 + validation-status-error-ok=Sluiten
662 + report-settings-concurrency-title=Prestatie
663 + report-settings-concurrency-itemIdBatching-title=Groepen rijen ophalen in afzonderlijke threads (exporteert mogelijk veel sneller voor grote gegevenssets ten koste van geheugen en serverbelasting)
664 + report-settings-concurrency-itemIdBatching-toggle-label=Multi-threading inschakelen (rijen)
665 + report-settings-concurrency-subSetFetching-title=Batches van kolommen in afzonderlijke threads ophalen (haalt mogelijk sneller op voor een groot aantal kolommen ten koste van geheugen en serverbelasting)
666 + report-settings-concurrency-subSetFetching-toggle-label=Multi-threading inschakelen (kolommen)
667 + data-story-visualization-add-layout=Indelingsgroep toevoegen
668 + data-story-layout-tab-placeholder-header=Gebbruik dit tabblad om geselecteerde elementen te bewerken en indelingsopties te wijzigen.
669 + data-story-layout-tab-clear-search-label=Zoekopdracht wissen
670 + data-story-layout-tab-teaser=Deze functie is momenteel in ontwikkeling.
671 + data-story-layout-tab-select-widgets=Widgets
672 + canvas-widget-default-table-name=Tabel
673 + canvas-widget-default-columnChart-name=Kolomdiagram
674 + canvas-widget-default-barChart-name=Kolomdiagram
675 + canvas-widget-default-pieChart-name=Cirkeldiagram
676 + canvas-widget-default-text-name=Tekst
677 + canvas-widget-default-filterBar-name=Filterbesturing
678 + canvas-widget-default-scoreCard-name=Scorekaart
679 + canvas-widget-default-layout-name=Indelingsgroep
680 + canvas-widget-default-lineChart-name=Lijndiagram
681 + data-story-format-tab-no-annotatable-columns=Geen annotateerbare kolommen gevonden
682 + data-story-format-tab-placeholder-header=Gebbruik dit tabblad om de indeling van uw gegevensverhaal te wijzigen, de weergavekleuren te wijzigen en voor tekstopmaak, zoals alinea's, uitlijning en opsommingen.
683 + data-story-format-tab-create-new-annotation=Maak een nieuwe visuele aanwijzing
684 + data-story-format-tab-select-element-to-display-options=Selecteer data story-element om de opmaak te wijzigen
685 + data-story-format-tab-selected-element-does-not-support-formatting=Geselecteerd data story-element ondersteunt geen opmaak
686 + data-story-format-tab-teaser=Deze functie is momenteel in ontwikkeling.
687 + confirm-revert-to-original-are-you-sure=Weet u zeker dat u de werkruimte wilt vervangen"{name}" door de originele versie?
688 + confirm-revert-to-original-header=Vervang werkruimte door origineel
689 + confirm-revert-cancel=Annuleren
690 + confirm-revert-do-revert=Vervangen door origineel
691 + confirm-replace-header=Rapportagewerkruimte importeren en vervangen
692 + confirm-replace-select-json=Selecteer een .json-bestand om een bestaande rapportage-werkruimte te importeren. Wijzigingen in de huidige werkruimte gaan verloren. Klik na het uploaden op 'reset delen en importeren uit bestand' om de nieuwe werkruimte te gebruiken in plaats van de bestaande of te annuleren om de bestaande werkruimte te behouden.
693


+ confirm-replace-are-you-sure=Als u op de onderstaande knop klikt, wordt een werkruimte uit het bestand in de editor geladen. Zodra de nieuwe werkruimte is opgeslagen, vervangt deze de vorige versie van de werkruimte "{name}". Houd er rekening mee dat eventuele instellingen voor delen worden verwijderd.

694 + confirm-replace-upload-label=Reset delen en werkruimte importeren uit bestand
695 + confirm-replace-cancel-label=Annuleren
696 + attribution-algorithm-header=Toewijzingsalgoritme
697 + algorithmInfoDialogTooltipText1=Het geautomatiseerde toewijzingsalgoritme helpt u de hoogst mogelijke GPA voor een specifieke UoA te bereiken, gezien de geselecteerde REF1's en de geselecteerde pool van uitgangen.
698 + algorithmInfoDialogTooltipText2=Als u er zeker van wilt zijn dat specifieke uitgangen aan personen worden toegewezen, kunt u dit doen door de uitvoer handmatig op de pagina van de publicatie te vergrendelen. Het algoritme zal dan deze vergrendeling respecteren en de hoogste GPA onder die omstandigheden berekenen.
699 + algorithmInfoDialogTooltipText3=Het algoritme werkt als volgt:
700 + algorithmInfoDialogTooltipText4=1. Aan onderzoekers met slechts één output in de pool wordt hun enige output toegewezen en de output wordt uit de pool verwijderd.
701 + algorithmInfoDialogTooltipText5=2. Aan de resterende onderzoekers wordt hun beste beoordeling toegeschreven. Wanneer het cijfer hetzelfde is, krijgen outputs met één auteur voorrang op co-auteursoutputs.
702 + algorithmInfoDialogTooltipText6=3. Nadat aan elke onderzoeker één output is toegewezen, wordt de "beste van de rest " geselecteerd, beginnend met de sterkste outputs waar er slechts één auteur is aan wie deze output kan worden toegeschreven. Dit omvat output van voormalige personeelsleden.
703 + algorithmInfoDialogTooltipText7=4. Wanneer het aantal resterende niet-toegekende outputs kleiner is dan het aantal outputs met dezelfde rang, worden de outputs zodanig geselecteerd dat ze de spreiding over Cat A-personeel binnen de UoA optimaliseren.
704 + attribution-algorithm-cancel=Annuleren
705 + attribution-algorithm-reset=Opnieuw instellen
706 + attribution-algorithm-run=Toewijzing uitvoeren
707 + attribution-algorithm-last-run=Laatste uitvoering:
708 + attribution-algorithm-status=Status:
709 + attribution-cannot-run-algorithm=Kan toewijzing niet uitvoeren
710 + attribution-cannot-reset=Kan toewijzing niet resetten
711 + attribution-already-running=De toewijzingstaak wordt momenteel uitgevoerd.
712 + attribution-not-authorized=U bent niet bevoegd om deze actie uit te voeren.
713 + attribution-error=Er is een fout opgetreden tijdens het uitvoeren van de taak.
714 + attribution-algorithm-cancel-aria-label=Knop die het toewijzingsalgoritme annuleert terwijl het actief is
715 + attribution-algorithm-reset-aria-label=Knop waarmee de toewijzingsuitvoerder opnieuw wordt ingesteld nadat deze is uitgevoerd
716 + attribution-algorithm-run-aria-label=Knop waarmee het toewijzingsalgoritme wordt uitgevoerd
717 + display-table-total-count=Totaal aantal
718 + display-table-total-in-percent=Totaal in %
719 + column-ignore-isolate-non-distinct-aggregation-on=Afgescheiden samenvoeging uitschakelen (sneller)
720 + column-ignore-isolate-non-distinct-aggregation-off=Afgescheiden samenvoeging inschakelen (langzamer)
721 + logging=Loggen
722 + download=download
723 + revert-to-original=Terugdraaien naar origineel
724 + pinned-filter-icon=Vastgepind filterpictogram
725 + pinned-filter-trash-icon=Vastgepind filter prullenbakpictogram


```
726 + themeAdjustment=Aanpassing van het thema
727 + selectTargetColumn=Selecteer de doelkolom
728 + filters=Filters
729 + legendExplanation=Verklaring van legenda
730 + apply=Toepassen
731 + left=Links
732 + operator=Gebruiker
733 + right=Rechts
734 + select-col-or-input-static-value=Selecteer een kolom of voer een statische waarde in
735 + add-filters=Filters toevoegen
736 + widget-filters=Widgetfilters
737 + when-column=Wanneer kolom
738 + or-value=Of waarde
739 + navigate-up=Navigeer omhoog
740 + create=Aanmaken
741 + report-settings-subSetFetcherMergeInOrchestrator-title=Voeg 'SubSetFetchers' samen in arrangeur (Zorgt ervoor dat sommige
zoekopdrachten samen in dezelfde SubSetFetcher kunnen worden uitgevoerd, dit kan de prestaties verbeteren wanneer meerdere
zoekopdrachten elkaar overlappen en haalt informatie op die zich op dezelfde locatie bevindt)
742 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Maak het samenvoegen mogelijk van zoekopdrachten met informatie
die zich op dezelfde locatie bevindt
743 + report-settings-enableDifferenceLoggingOrchestrator-title=Vervangt de standaard arrangeur met een versie die niet alleen de
zoekopdracht uitvoert, maar ook automatisch een aantal extra zoekopdrachten uitvoert om te bepalen of er een verschil is in de
uitvoer voor geïsoleerde/niet-geïsoleerde samenvoegingen
744 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Verschilregistratie mogelijk maken
```

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources_en.properties CHANGED

```
8 + timeline-dialog-title=Timeline
9 + timeline-dialog-description=Your window is too small to display an interactive timeline for your projects here. To view the
timeline, enlarge your window or click the button to open it in a popup.
10 + view-timeline=Open timeline
11 + timeline-dialog-close=Close dialog
```

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources_nl.properties CHANGED

```
6 - inventory-close-callout=Dialog sluiten
7 - inventory-show-more=Meer tonen
8 + timeline-dialog-title=Tijdlijn
9 + timeline-dialog-description=Uw venster is te klein om hier een interactieve tijdlijn voor uw projecten weer te geven. Vergroot
uw venster of klik op de knop om deze in een pop-up te openen om de tijdlijn te bekijken.
10 + view-timeline=Open tijdlijn
```


11 + timeline-dialog-close=Dialog sluiten

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources_en.properties CHANGED

8 + originalUser-as-user={originalName} as {name}

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources_nl.properties CHANGED

8 + originalUser-as-user={originalName} als {name}

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources_en.properties CHANGED

20 - Workflow-body-backward={fromUser} returned the workflow step to {workflowStep}:
20 + Workflow-body-created={fromUser} created new content in the workflow step {workflowStep}:
21 + Workflow-body-backward={fromUser} returned the workflow step to {workflowStep} for:
64 - MendeleyDataSet-body-singular={countAndContent} was found in Mendeley Data
65 - MendeleyDataSet-body-plural={countAndContent} were found in Mendeley Data
65 + DataSearchDataSet-body-singular={countAndContent} was found in DataSearch
66 + DataSearchDataSet-body-plural={countAndContent} were found in DataSearch
104 - newsflo-import-personal-user-added-message-notification=You have been added to a Newsflo content item:
105 + newsflo-import-personal-user-added-message-notification=You have been added to new Newsflo item(s)
110 +
111 + Application-deadline-inconsistency-message-body=The {application} submission deadline differs from the {fundingOpportunity} deadline for:
112 +
113 + dialog-close=Close dialog

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources_nl.properties CHANGED

56 - MendeleyDataSet-body-plural={countAndContent} zijn gevonden in Mendeley-gegevens
57 - MendeleyDataSet-body-singular={countAndContent} is gevonden in Mendeley-gegevens
85 - newsflo-import-personal-user-added-message-notification=U bent toegevoegd aan een Newsflo-inhoudsitem:
84 + DataSearchDataSet-body-singular={countAndContent} werd gevonden in DataSearch
85 + DataSearchDataSet-body-plural={countAndContent} werden gevonden in DataSearch
86 + newsflo-import-personal-user-added-message-notification=U bent toegevoegd aan een nieuw(e) Newsflo-item(s)
87 + Application-deadline-inconsistency-message-body=De {application} indieningstermijn verschilt van de {fundingOpportunity} deadline voor:
88 + dialog-close=Dialog sluiten
89 + Workflow-body-created={fromUser} heeft nieuwe inhoud aangemaakt in de werkstroomstap {workflowStep}:

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources_en.properties CHANGED

```
108 - cron.jobLegend=Name, User & Job:
108 + cron.jobLegend=Name, User and Job:
124 + cron.searchNoResult=No cron jobs match your search
163 - joblog.contentId=Content-ID:
164 + joblog.contentId=ContentID:
275 - logging.completed=Log session completed. Click button below to download results
276 + logging.completed=Log session completed. Click button below to download results.
290 - system-currency-country=System currency & country
291 + system-currency-country=System currency and country
300 - authentication-mechanism-test=Test
301 + authentication-mechanism-test=Check certificates
305 + authentication-mechanism-failure-help=The authentication configuration is invalid.
306 + authentication-mechanism-success-help=The authentication configuration is valid.
338 - ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ Authentication
339 - ElsevierIDPlusAuthenticationMechanism=Authenticates users byusing Elsevier's ID+
341 + ElsevierIDPlusAuthenticationMechanism.label=Elsevier Account Authentication
342 + ElsevierIDPlusAuthenticationMechanism=Authenticates users using theirElsevier account.
```


pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources_nl.properties CHANGED

```
253 - authentication-mechanism-test=Testen
575 - ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ verificatie
576 - ElsevierIDPlusAuthenticationMechanism=Verifieert gebruikers met behulp van Elsevier's ID+.
574 + cron.searchNoResult=Geen cron-banen komen overeen met uw zoekopdracht
575 + authentication-mechanism-test=Controleer certificaten
576 + authentication-mechanism-failure-help=De authenticatieconfiguratie is ongeldig.
577 + authentication-mechanism-success-help=De authenticatieconfiguratie is geldig.
578 + ElsevierIDPlusAuthenticationMechanism.label=Elsevier-accountverificatie
579 + ElsevierIDPlusAuthenticationMechanism=Verifieert gebruikers met behulp van hun Elsevier-account.
```

pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources_en.properties CHANGED

```
18 + personDataCleanup.operation.name=Data cleanup
19 + personDataCleanup.title=Clean up selected fields
20 + personDataCleanup.refine.title=Select fields for cleanup
21 + personDataCleanup.refine.title.description=Selected fields will be cleaned up or set to selected options. <br/> Configure pre-checked fields in Administrator > Persons > Data cleanup configuration.
22 + personDataCleanup.summary.warning=Important! The data will be permanently deleted and cannot be restored.
```

```
23 + personDataCleanup.error.updates.failed=Could not clean data on all selected persons
24 + personDataCleanup.error.content.update.failed=Error when cleaning fields on {content}
25 + personDataCleanup.error.content.update.skipped=No fields cleaned as there was nothing to clean - either the fields are
    synchronized or already clean
26 + personDataCleanup.set.to_lowercase=set to
27 + personDataCleanup.set.to_uppercase=Set to
28 + personDataCleanup.organisation.association.info=Only supplementary information will be deleted
29 + personDataCleanup.organisation.association.info.description=The link between persons and their associated organisations will
    be retained but information related to the organisation, e.g. telephone numbers, addresses, website URLs, will be deleted.
30 +
31 + exemptPersonFromDataCleanup.operation.name=Mark for data cleanup exemption
32 + exemptPersonFromDataCleanup.title=Mark for data cleanup exemption
33 + exemptPersonFromDataCleanup.refine.title=Specify data cleanup exemption period
34 + exemptPersonFromDataCleanup.refine.retention.period=Set exemption period of
35 + exemptPersonFromDataCleanup.refine.retention.period-hint=Person(s) marked for exemption will not be included in bulk data
    cleanup processes during this period (once the bulk action is completed). <br/> Exemption status can be found in: <br/> Person
    editor window > History and comments tab > Data cleanup policy section
36 + exemptPersonFromDataCleanup.error.updates.failed=Could not set exemption period on all selected persons
37 + exemptPersonFromDataCleanup.error.content.update.failed=Error when setting exemption period on {content}
38 +
```

 pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources_nl.properties CHANGED

```
1 - #Added translations
2 - #Tue May 15 10:51:05 CEST 2018
37 + personDataCleanup.operation.name=Gegevens opschonen
38 + personDataCleanup.title=Geselecteerde velden opschonen
39 + personDataCleanup.refine.title>Selecteer velden voor opschoning
40 + personDataCleanup.refine.title.description=Geselecteerde velden worden opgeschoond of ingesteld op geselecteerde opties. <br/>
    Configureer vooraf aangevinkte velden in Beheerder> Personen> Configuratie gegevens opschonen.
41 + personDataCleanup.summary.warning=Belangrijk! De gegevens worden permanent verwijderd en kunnen niet worden hersteld.
42 + personDataCleanup.error.updates.failed=Kan gegevens van alle geselecteerde personen niet opschonen
43 + personDataCleanup.error.content.update.failed=Fout bij het opschonen van velden aan {content}
44 + personDataCleanup.error.content.update.skipped=Geen velden opgeschoond omdat er niets te reinigen was - de velden zijn
    gesynchroniseerd of al opgeschoond
45 + personDataCleanup.set.to_lowercase=instellen op
46 + personDataCleanup.set.to_uppercase=Instellen op
47 + personDataCleanup.organisation.association.info=Alleen aanvullende informatie wordt verwijderd
48 + personDataCleanup.organisation.association.info.description=De link tussen personen en hun bijbehorende organisaties wordt
    behouden, maar informatie met betrekking tot de organisatie, bv. telefoonnummers, adressen, website-URL's worden verwijderd.
49 + exemptPersonFromDataCleanup.operation.name=Markering voor vrijstelling van gegevensopschoning
50 + exemptPersonFromDataCleanup.title=Markering voor vrijstelling van gegevensopschoning
```

```
51 + exemptPersonFromDataCleanup.refine.title=Geef de uitzonderingsperiode voor gegevensopruiming op
52 + exemptPersonFromDataCleanup.refine.retention.period=Stel de vrijstellingsperiode in van
53 + exemptPersonFromDataCleanup.refine.retention.period-hint=Personen die gemarkeerd zijn voor vrijstelling worden tijdens deze
    periode niet opgenomen in bulk-gegevensopruimingsprocessen (zodra de bulkactie is voltooid). <br/> De vrijstellingsstatus is te
    vinden in: <br/> Persoon-editorvenster> tabblad Geschiedenis en opmerkingen> gedeelte Gegevensopruimingsbeleid
54 + exemptPersonFromDataCleanup.error.updates.failed=Kon geen vrijstellingsperiode instellen voor alle geselecteerde personen
55 + exemptPersonFromDataCleanup.error.content.update.failed=Fout bij het instellen van de vrijstellingsperiode op {content}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... ADDED

```
1 + agreed-terms-group=Agreed terms
2 + agreed-terms-help=Terms that the user has agreed to
3 + agreed-terms-version=Version: {version}
4 + agreed-terms-lastlogin=Last login: {lastLogin}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... ADDED

```
1 + agreed-terms-group=Overeengekomen voorwaarden
2 + agreed-terms-help=Voorwaarden waarmee de gebruiker heeft ingestemd
3 + agreed-terms-version=Versie: {version}
4 + agreed-terms-lastlogin=Vorige login: {lastLogin}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

```
76 - correspondingauthor-button=Set corresponding author
77 - removecorrespondingauthor-button=Remove corresponding author
76 + correspondingauthornote-singular-text=Note: There is already 1 other person selected as a corresponding author.
77 + correspondingauthornote-plural-text=Note: There are already {count} other persons selected as corresponding authors.
78 + correspondingAuthor=Corresponding author
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

```
58 - correspondingauthor-button=Corresponderende auteur instellen
59 - removecorrespondingauthor-button=Corresponderende auteur verwijderen
58 + correspondingauthornote-singular-text=Opmerking: Er is al 1 persoon geselecteerd als bijbehorende auteur.
59 + correspondingauthornote-plural-text=Opmerking: Er zijn al {count} personen geselecteerd als bijbehorende auteur.
60 + correspondingAuthor=Corresponderende auteur
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... CHANGED

```
7 + unlinkUser=Unlink associated user
8 + cancelUnlinkUser=Cancel
9 + unlinkDisclaimer-confirm=Upon saving, this person will be unlinked from the associated user. If the user has roles in Pure in
addition to being a personal user, they will still be able to log into Pure and perform tasks according to those assigned roles.
10 + unlinkDisclaimer=If the user has roles in Pure in addition to being a personal user, they will still be able to log into Pure
and perform tasks according to those assigned roles.
11 + unlinkSyncedAssociation=You cannot manually unlink a user when the user information is synchronised from another system.
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... CHANGED

```
1 - #Added translations
2 - #Fri Sep 29 08:55:20 CEST 2017
7 + unlinkUser=Ontkoppel geassocieerde gebruiker
8 + cancelUnlinkUser=Annuleren
9 + unlinkDisclaimer-confirm=Bij het opslaan wordt deze persoon ontkoppeld van de geassocieerde gebruiker. Als de gebruiker niet
alleen rollen in Pure heeft, maar ook een persoonlijke gebruiker is, kan hij/zij nog steeds inloggen op Pure en taken uitvoeren
volgens de toegewezen rollen.
10 + unlinkDisclaimer=Als de gebruiker niet alleen rollen in Pure heeft, maar ook een persoonlijke gebruiker is, kan hij/zij nog
steeds inloggen op Pure en taken uitvoeren volgens de toegewezen rollen.
11 + unlinkSyncedAssociation=U kunt een gebruiker niet handmatig ontkoppelen wanneer de gebruikersinformatie is gesynchroniseerd
vanuit een ander systeem.
```

 pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources_en.p... CHANGED

```
54 - select-bulk-action=Select the bulkaction you will performfor the files
54 + select-bulk-action=Select the action you want toperform
```

 pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources_nl.pr... CHANGED

```
1 - #Added translations
2 - #Fri Sep 29 08:55:20 CEST 2017
44 - select-bulk-action>Selecteer de bulkactie die u zult uitvoeren voor de bestanden
73 + select-bulk-action>Selecteer de actie die u wilt uitvoeren
```

 pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources_en.pr... CHANGED

```
6 + agreed-terms-tab=Agreed terms
7 +
```

```
8 + #AGREED TERMS
9 + agreed-terms=Agreed terms
18 - idplus-group=ID+ configuration
19 - idplus-group-help=Configuration of user access to ID+. <ul><li>This ID is used for matching a user in pure with a user
from ID+</li></ul>
22 + idplus-group=Elsevier accountconfiguration
23 + idplus-group-help=Configuration of user access to Elsevier account authentication.<ul><li>This ID is used for matching a user
in Pure with an Elsevier user account.</li></ul>
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources_nl.pr... CHANGED

```
32 - idplus-group=ID+-configuratie
33 - idplus-group-help=Configuratie
van gebruikerstoegang tot ID+. <ul><li>Deze ID wordt gebruikt voor het matchen van een gebruiker in Pure met een gebruiker van
ID+</li></ul>
32 + agreed-terms-tab=Overeengekomen voorwaarden
33 + agreed-terms=Overeengekomen voorwaarden
34 + idplus-group=Elsevier-accountconfiguratie
35 + idplus-group-help=Configuratie van gebruikerstoegang tot Elsevier-accountverificatie. <ul><li>Deze ID wordt gebruikt voor het
matchen van een gebruiker in Pure met een Elsevier-gebruikersaccount.</li></ul>
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsofagreement/model/editor/termso... CHANGED

```
15 + termsOfAgreement.information=Note: You cannot edit the text of a Terms of Agreement after it has been saved.
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsofagreement/model/editor/termso... CHANGED

```
1 - #Added translations
2 - #Thu Jan 05 13:18:15 CET 2017
11 + termsOfAgreement.information=Opmerking: U kunt de tekst van de Algemene voorwaarden niet meer bewerken nadat deze is
opgeslagen.
```

pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_en.properties CHANGED

```
135 + inconsistentworkflow.title=Inconsistent workflow for {path} ID {id}
136 + inconsistentworkflow.message=The content you requested cannot be edited at this time
137 + inconsistentworkflow.why=Why was this page displayed?
138 + inconsistentworkflow.why.update.required=The workflow configuration for {path} is being modified by an administrator and is
not completed yet
139 + inconsistentworkflow.whatnow=Now what?
```

```
140 + inconsistentworkflow.whatnow.support=Contact support
141 + inconsistentworkflow.whatnow.close=Close this window
142 +
```

pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_nl.properties CHANGED

```
266 + inconsistentworkflow.title=Inconsistente workflow voor {path} ID {id}
267 + inconsistentworkflow.message=De gevraagde inhoud kan momenteel niet worden bewerkt
268 + inconsistentworkflow.why=Waarom werd deze pagina getoond?
269 + inconsistentworkflow.why.update.required=De workflowconfiguratie voor {path} wordt gewijzigd door een beheerder en is nog niet voltooid
270 + inconsistentworkflow.whatnow=Wat nu?
271 + inconsistentworkflow.whatnow.support=Contacteer support
272 + inconsistentworkflow.whatnow.close=Sluit dit venster
```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_en.properties CHANGED

```
1 - ssofail_title=Single Sign-On failed
2 - ssofail=Single Sign-On failed
3 - ssofail_description=You could not be logged into this service. In order to login with Single Sign-On it is necessary for the service to know your username. Please contact IT support. <br/>If enabled for your user you can use <a href="{login}">direct login</a>
1 + ssofail_title=Login Failed for Pure at {institutionname}
2 + ssofail=Login Failed for Pure at {institutionname}
3 + ssofail_description=You may be able to <a href="{login}">log in to Pure directly</a> if your username and password are configured manually. <br/>Please contact your institution's local IT support if this problem persists.
4 + ssofail_footer=Pure version {versionnumber} at {institutionname}, {dateandtime}
5 - login_error_SAMLProcessingException=Communication with Single Sign-On server failed
6 - login_error_ProcessingException=Communication with Single Sign-on server failed
7 - login_error_LockedException=The account is locked
8 - login_error_UsernameNotFoundException=The user is not present in Pure
9 - login_error_BadCredentialsException=Bad credentials
10 - login_error_InsufficientAuthenticationException=User has insufficient rights to login
11 - login_error_InternallyAuthenticatedAccountStatusException=The account cannot be used for external authentication
12 - login_error_AuthenticationServiceException=An unknown system error occurred when processing the authentication request.
6 + login_error_SAMLProcessingException=Pure could not connect with your institution's single sign-on server.
7 + login_error_ProcessingException=Pure could not connect with your institution's single sign-on server.
8 + login_error_LockedException=Your user account is unable to access Pure.
9 + login_error_UsernameNotFoundException=Your user was not found in Pure.
10 + login_error_BadCredentialsException=Your username or password were not entered correctly.
11 + login_error_InsufficientAuthenticationException=You do not have permission to log into Pure.
```



```
12 + login_error_InternallyAuthenticatedAccountStatusException=Your useraccount cannot be used to log into Pure.
13 + login_error_AuthenticationServiceException=An error occurred while logging in using your institution's single sign-on system.
```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_nl.properties CHANGED

```
1 - #Added translations
2 - #Thu Jan 05 13:18:15 CET 2017
3 - ssofail_title=Single-Signon mislukt
4 - ssofail=Single-Signon mislukt
5 - ssofail_description=You could not be logged in to this service. In order to login with Single Sign-On it is
  necessary for the service to know your username.
  Please contact <a href="mailto:support@somewhere.com">support@somewhere.com</a>.<br/>If enabled for your user you can use <a
  href="/admin/login.xhtml">direct login</a>
6 - login_error_SAMLProcessingException=Communicatie met Single-Signonserver mislukt
7 - login_error_ProcessingException=Communicatie met Single-Signon server mislukt
8 - login_error_LockedException=De account is vergrendeld
9 - login_error_UsernameNotFoundException=De gebruiker is niet aanwezig in Pure
10 - login_error_BadCredentialsException=Slechte aanbevelingen
11 - login_error_InsufficientAuthenticationException=Gebruiker heeft niet genoeg rechten om in te loggen
12 - login_error_InternallyAuthenticatedAccountStatusException=De account kan niet worden gebruikt voor externe authenticatie
1 + ssofail_title=Inloggen mislukt voor Pure bij {institutionname}
2 + ssofail=Inloggen mislukt voor Pure bij {institutionname}
3 + ssofail_description=
  Mogelijk kunt u zich <a href="{login}">rechtstreeks bij Pure aanmelden</a> als uw gebruikersnaam en wachtwoord handmatig worden
  geconfigureerd. </br>Neem contact op met de lokale IT
  -ondersteuning van uw instelling als dit probleem zich blijft voordoen.
4 + ssofail_footer=Pure-versie {versionnumber} op {institutionname}, {dateandtime}
5 + login_error_SAMLProcessingException=Pure kan geen verbinding maken met de single sign-on-server van uw instelling.
6 + login_error_ProcessingException=Pure kan geen verbinding maken met de single sign-on-server van uw instelling.
7 + login_error_LockedException=Uw gebruikersaccount heeft geen toegang tot Pure.
8 + login_error_UsernameNotFoundException=Uw gebruiker is niet gevonden in Pure.
9 + login_error_BadCredentialsException=Uw gebruikersnaam of wachtwoord zijn niet correct ingevoerd.
10 + login_error_InsufficientAuthenticationException=U hebt geen toestemming om in te loggen op Pure.
11 + login_error_InternallyAuthenticatedAccountStatusException=Uw gebruikersaccount kan niet worden gebruikt om in te loggen op Pure.
12 + login_error_AuthenticationServiceException=Er is een fout opgetreden tijdens het inloggen met het systeem voor eenmalige
  aanmelding van uw instelling.
13 - login_error_AuthenticationServiceException=Er is een onbekende systeemfout opgetreden tijdens het verwerken van het
  authenticatieverzoek.
```

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources_en.properties CHANGED

53	- suggestedaction-message.digest_listing=View all ({count}) >
53	+ suggestedaction-message.digest_listing=View all ({count}) >
74	- workflow-message.digest_listing=View all ({count}) >
74	+ workflow-message.digest_listing=View all ({count}) >
97	- plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of technical limitations, such as large file (larger than 25 MB), password protected file, the file is not readable or file type is not supported by the anti-plagiarism system Ephorus.
97	+ plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of technical limitations, such as large file (larger than 25MB), password protected file, the file is not readable or file type is not supported by the anti-plagiarism system Ephorus.
115	- newsflo-message.velocity_title=You have been added to a Newsflo contentitem: {title}
116	- newsflo-message.velocity_subject=You have been added to aNewsflo content item: {title}
115	+ newsflo-message.velocity_title=You have been added to new Newsflo item(s)
116	+ newsflo-message.velocity_subject=Newsflo content created

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources_nl.properties **CHANGED**

78	- newsflo-message.velocity_title=U bent aan een item van Newsflo-inhoud toegevoegd\: {title}
79	- newsflo-message.velocity_subject=U bent aan een item van Newsflo-inhoud toegevoegd\: {title}
85	+ newsflo-message.velocity_title=U bent toegevoegd aan nieuwe Newsflo-item(s)
86	+ newsflo-message.velocity_subject=Newsflo-inhoud gecreëerd

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources_en.properties **ADDED**

1	+ uptodate-subject=Pure is up to date
2	+ uptodate-body=Good news, your Pure ({currentVersion}) is up to date.\nStaying up to date helps us best support you. Check out the highlights of the release.
3	+ onebehind-subject=Pure is ready to update
4	+ onebehind-body=A new Pure version ({latestVersion}) is available, check out the highlights of the new release and consider updating.\nRight now you're running {currentVersion} - this will be supported until version {endOfLifeVersion} is released.
5	+ twobehind-subject=It's time to update your Pure
6	+ twobehind-body=A new Pure version ({latestVersion}) is available, please check out the highlights of the new release and consider updating soon.\nYour current version {currentVersion} will no longer be supported once the next version {endOfLifeVersion} is released.
7	+ threebehind-subject=Pure version out of date
8	+ threebehind-body=Your current version ({currentVersion}) is no longer fully supported and no further issues relating to this version will be resolved.\nOnce you upgrade to version {minimumSupportedVersion} or higher, you can again benefit from full support.\nPlease contact the Pure Support Team to notify us which version you wish to upgrade to, or in case you have any questions about Elsevier's Release Policy.

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources_nl.properties ADDED

```
1 + uptodate-subject=Pure is bijgewerkt
2 + uptodate-body=Goed nieuws, uw Pure ({currentVersion}) is bijgewerkt. Door op de hoogte te blijven, kunnen wij u het beste
  ondersteunen. Bekijk de <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">hoogtepunten van de release.</a>
3 + onebehind-subject=Pure is gereed om bij te werken
4 + onebehind-body=Er is een nieuwe Pure-versie ({latestVersion}) beschikbaar, bekijk de <a
  href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">hoogtepunten van de nieuwe release</a> en overweeg om bij
  te werken. Op dit moment voert u {currentVersion} uit - dit wordt ondersteund tot de versie{endOfLifeVersion} wordt uitgegeven.
5 + twobehind-subject=Het is tijd om u Pure bij te werken
6 + twobehind-body=Er is een nieuwe Pure-versie ({latestVersion}) beschikbaar, bekijk de <a
  href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">hoogtepunten van de nieuwe release</a> en overweeg om
  binnenkort bij te werken. Uw huidige versie {currentVersion} wordt niet meer ondersteund zodra de volgende versie
  {endOfLifeVersion} is uitgebracht.
7 + threebehind-subject=Pure-versie vervallen
8 + threebehind-body=Uw huidige versie ({currentVersion}) wordt niet langer volledig ondersteund en er worden geen verdere
  problemen met deze versie opgelost. Nadat u een upgrade naar versie {minimumSupportedVersion} of hoger hebt uitgevoerd, kunt u
  opnieuw profiteren van volledige ondersteuning. Neem contact op met het <a href="mailto: pure-support@elsevier.com">Pure Support
  Team</a> om ons te laten weten naar welke versie u wilt upgraden, of als u vragen hebt over het vrijgavebeleid van Elsevier.
```

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources_en.properties CHANGED

```
100 - support_manual=Manual
100 + support_manual=PureManual
```

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources_nl.properties CHANGED

```
76 - support_manual=Handleiding
160 + support_manual=Pure Handleiding
```

pure-core/admin/src/main/resources/renderer/dk/atira/pure/api/shared/editor/renderers/insufficientrolesexceptionrenderer-resources_nl.pro... CHANGED

```
5 - error.systemdesc.header=Systembericht
5 + error.systemdesc.header=
  You do not have the correct permissions to modify/save this record.\n This could be due to a "Managing organisational unit" that
  you do not have the right to modify managed content for.\n Try selecting a different "Managing organisational unit".
```


pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources_en.properties CHANGED

```
4 - Scopus.authentication.apiKey-label=API Key
```

```

4 + Scopus.authentication.apiKey-label=API key
42 + Scopus.use.approximated.publication.date-label=Use approximated publication date
43 + Scopus.use.approximated.publication.date-description=When set to True, Pure will import and use the Scopus-provided
approximated publication date. When set to False, Pure will parse the date which Scopus has received from the journal and set the
date accordingly. In some cases letting Pure handle the date parsing (configuration set to False) may yield better results. In
the rare case that only the approximated date is available, Pure will use the approximated date.
44 - enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID - Notice by enabling
this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles
will be removed.
46 + enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID. Note: By enabling
this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles
will be removed.
120 - crossref.pid-description=
122 + crossref.pid-description=Email address or credentials used in the 'pid' parameter of Crossref's OpenURL request.
192 - pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster
response and import. An API Key is not mandatory, but recommended. Information can be found here:
https://www.ncbi.nlm.nih.gov/books/NBK25497
193 -
194 + pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster
response and import. An API key is not mandatory, but recommended. Information can be found here:
https://www.ncbi.nlm.nih.gov/books/NBK25497
195 + pubmed.content.api.esearch.url=URL to ESearch
196 + pubmed.content.api.efetch.url=URL to EFetch
197 + pubmed.content.api.epost.url=URL to EPost
198 + pubmed.content.api.etool.url=URL to ID converter tool
198 - EMBASE.authentication.apiKey-label=API Key
203 + EMBASE.authentication.apiKey-label=API key


```

 pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources_nl.properties CHANGED

```

235 + Scopus.use.approximated.publication.date-label=Gebruik geschatte publicatiedatum
236 + Scopus.use.approximated.publication.date-description=Indien ingesteld op True, importeert en gebruikt Pure de door Scopus
verstrekke geschatte publicatiedatum. Indien ingesteld op False, zal Pure de datum analyseren die Scopus heeft ontvangen uit het
dagboek en de datum dienovereenkomstig instellen. In sommige gevallen kan het laten verwerken van de datum door parseren
(configuration ingesteld op False) betere resultaten opleveren. In het zeldzame geval dat alleen de geschatte datum beschikbaar
is, gebruikt Pure de geschatte datum.
237 + pubmed.content.api.esearch.url=URL naar ESearch
238 + pubmed.content.api.efetch.url=URL naar EFetch
239 + pubmed.content.api.epost.url=URL naar EPost
240 + pubmed.content.api.etool.url=URL naar ID convertertool

```

 pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources_en.properties CHANGED

241	+ DataSearch.label=DataSearch
242	+
332	- authorScopus=Author & affiliations in Scopus
334	+ authorScopus=Author and affiliations in Scopus
364	- authorScielo=Author & affiliations in SciELO
366	+ authorScielo=Author and affiliations in SciELO
418	- authorPure=Author & affiliations in Pure
420	+ authorPure=Author and affiliations in Pure
513	- default-organisation-from-authors-hint=If there are no information regarding affiliations for internal authors from the source, then the most relevant organisations from Pure are added. The strategy is as follows\: >1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added. >2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added. >3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.
515	+ default-organisation-from-authors-hint=If there is no information regarding affiliations for internal authors from the source, then the most relevant organisations from Pure are added. The strategy is as follows\: >1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added. >2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added. >3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.
614	+
615	+ researchoutputwizard.label=Research output import wizard

pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources_nl.properties CHANGED

535	+ researchoutputwizard.label=Wizard voor importeren onderzoeksoutput
536	+ DataSearch.label=DataSearch

pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources_en.properties CHANGED

7	- RoMEO_apiKey-label=SHERPA/RoMEO API key
7	+ RoMEO_apiKey-label=SHERPA/RoMEO API key
35	- limitToLastStepWCSF-description=Filter content based on the current workflowstep so that only last step is allowed.
35	+ limitToLastStepWCSF-description=Filter content based on the current workflow step so that only last step is allowed.
43	- aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from. Eg. {"entityId1" : "Description 1", "entityId2" : "Description 2"}
43	+ aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from, e.g. {"entityId1" : "Description 1", "entityId2" : "Description 2"}
45	- aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes Eg. ELS_eduPersonPrincipalName
45	

	+ aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes e.g. ELS_eduPersonPrincipalName
69	- elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth base URL
69	+ elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier account OAuth base URL
71	- elsevieridplusauthenticationmechanism.failure-text-label=ID+ failure to authentication message
71	+ elsevieridplusauthenticationmechanism.failure-text-label=Elsevier account failure to authenticate message
73	- elsevieridplusauthenticationmechanism.original-username-label=ID+ original username constant
73	+ elsevieridplusauthenticationmechanism.original-username-label=Elsevier account original username constant
77	- elsevieridplusauthenticationmechanism.synchronize-label=Synchronize users with ID+
77	+ elsevieridplusauthenticationmechanism.synchronize-label=Synchronise users with Elsevier account
79	- elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from PURE. Contact ID+ for assistance correcting the issue.
79	+ elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier account original username constant (regex for post-processing of username)
80	+ elsevieridplusauthenticationmechanism.original-username-regex-description=E.g. (?!.*@)(.*) to only extract the part after @ in e.g. some@user
81	+ elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from Pure. Contact Elsevier for assistance correcting the issue.
106	+ saml2authenticationmechanism.sha256-signing-label=Use SHA-256 algorithm
107	+ saml2authenticationmechanism.sha256-signing-description=
123	- casauthenticationmechanism.extra_login_url_parameters-description=Any extra URL parameters that should be appended to the URL to which the user is redirected for authentication. Eg. '&p_logintype=ad&language=da'
127	+ casauthenticationmechanism.extra_login_url_parameters-description=Any extra URL parameters that should be appended to the URL that the user is redirected to for authentication, e.g. '&p_logintype=ad&language=da'
150	- ldapauthenticationmechanism.user-dn-patterns-description=Semicolon separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'
154	+ ldapauthenticationmechanism.user-dn-patterns-description=Semicolon separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'.
474	- syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ids references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.
478	+ syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ID references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.
555	- syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If there exists persons without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
559	+ syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If persons without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
580	-
584	+ syncjob.associationType.allowChange-label=Remove and replace organisation associations if the type has changed
585	+ syncjob.associationType.allowChange-description=Removes older association if matched with a new one of a different type. All data related to the old association is lost. A new association is made with new data from the input.

635	- syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If there exists students without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
640	+ syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If students without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
702	- syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any staffs without organisational unit associations. If there exists staffs without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
707	+ syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any staff members without organisational unit associations. If staff members without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
975	- e.g., http://scival.com/overview/summary?uri=Institution/315028
980	+ e.g. http://scival.com/overview/summary?uri=Institution/315028
1082	- pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails.
1083	- pure.mail.forced-recipient-of-all-email-excludes-description=The email addresses provided will receive an email even though the "Forces recipient of all emails" has been set. The list of email addresses must be comma-separated. E.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1087	+ pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails
1088	+ pure.mail.forced-recipient-of-all-email-excludes-description=These email addresses will receive emails even if the 'Force recipient of all emails' has been set. The list of email addresses must be comma-separated, e.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1085	- pure.mail.forced-recipient-exclude-internal-description=Enabling this option will ensure internally-managed users will receive emails even if the "Forces recipient of all emails" has been set. This option is complementary to the explicit email whitelist.
1090	+ pure.mail.forced-recipient-exclude-internal-description=Enabling this option ensures internally-managed users will receive emails even if the 'Forces recipient of all emails' has been set. This option is complementary to the explicit email whitelist.
1090	- pure.mail.from-description=This changes the from email address. This should not be changed, unless otherwise instructed by Elsevier.
1095	+ pure.mail.from-description=This changes the 'From' email address. This should not be changed, unless otherwise instructed by Elsevier.
1092	- pure.mail.reply-to-description=The reply email address on the emails sent from Pure
1097	+ pure.mail.reply-to-description=The 'Reply to' email address on the emails sent from Pure.
1097	- pure.mail.username-label=Mail host user name
1098	- pure.mail.username-description=The user name used with the mail host.
1102	+ pure.mail.username-label=Mail host username
1103	+ pure.mail.username-description=The username used with the mail host.
1101	- pure.mail.starttls.enable-label=Enable or disable STARTTLS command.
1106	+ pure.mail.starttls.enable-label=Enable or disable STARTTLS command
1103	- pure.mail.checkserveridentity-label=On will check the server identity.
1104	- pure.mail.checkserveridentity-description=If set to on, check the server identity as specified by RFC 2595.
1108	+ pure.mail.checkserveridentity-label=Check the server identity
1109	+ pure.mail.checkserveridentity-description=If set to On, check the server identity as specified by RFC 2595.
1106	- pure.mail.support-email-address-description=The support email address that appears in the Help and support section in the Pure admin.

1107	- pure.mail.connection.timeout.seconds-label=Mail connection timeout (In seconds)
1111	+ pure.mail.support-email-address-description=The support email address that appears in the 'Help and support' section in the Pure interface .
1112	+ pure.mail.connection.timeout.seconds-label=Mail connection timeout (in seconds)
1110	- pure.mail.require.logindate-label=Only send email messages to users that have been logged in to Pure
1115	+ pure.mail.require.logindate-label=Only send email messages to users that have logged into Pure
1113	- pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format - e.g. "mail.smtp.starttls.enable=true", separated with line breaks.
1118	+ pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format, e.g. "mail.smtp.starttls.enable=true", separated with line breaks.
1135	- mount.points.fullUrl.ws-label=Full URL for ws
1140	+ mount.points.fullUrl.ws-label=Full URL for WS
1145	- dspace.user-label= User name
1150	+ dspace.user-label= Username
1202	- researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advise against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.
1207	+ researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advise against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.

 pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources_nl.properties **CHANGED**

1310	- elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth base URL
1311	- elsevieridplusauthenticationmechanism.failure-text-label=ID+ bericht authenticeren mislukt
1312	- elsevieridplusauthenticationmechanism.original-username-label=ID+ originele gebruikersnaamconstante
1314	- elsevieridplusauthenticationmechanism.synchronize-label=Gebuykers met ID+ synchroniseren
1315	- elsevieridplusauthenticationmechanism.editor.clear-id-description=Als de ID verkeerd is, kunt u deze uit Pure verwijderen. Neem contact op met ID+ voor hulp bij het oplossen van het probleem.
1312	+ elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier-account OAuth-basis-URL
1313	+ elsevieridplusauthenticationmechanism.failure-text-label=Elsevier-account kan bericht niet verifiëren
1314	+ elsevieridplusauthenticationmechanism.original-username-label=Elsevier account originele gebruikersnaam constant
1315	+ elsevieridplusauthenticationmechanism.synchronize-label=Gebuykers synchroniseren met Elsevier-account
1316	+ elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier-account oorspronkelijke gebruikersnaamconstante (regex voor nabewerking van gebruikersnaam)

```
1317 + elsevieridplusauthenticationmechanism.original-username-regex-description=Bv. (?!.*@)(.*) om het deel na @ alleen te
    extraheren in bv. een@gebruiker
1318 + elsevieridplusauthenticationmechanism.editor.clear-id-description=Als de ID verkeerd is, kunt u deze uit Pure verwijderen.
    Neem contact op met Elsevier voor hulp bij het oplossen van het probleem.
1319 + saml2authenticationmechanism.sha256-signing-label=Gebruik SHA-256-algoritme
1320 + syncjob.associationType.allowChange-label=Verwijder en vervang organisatiekoppelingen als het type is gewijzigd
1321 + syncjob.associationType.allowChange-description=Verwijdert oudere associatie indien gekoppeld aan een nieuwe van een ander
    type. Alle gegevens met betrekking tot de oude koppeling zijn verloren gegaan. Er wordt een nieuwe koppeling gemaakt met nieuwe
    gegevens uit de invoer.
1322 + creatable-by-roles-ADMINISTRATORS_AND_EDITORS_AND_ASSISTING_EDITORS=Beheerders, editors en assistent-editors
```

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources_en.properties CHANGED

```
13 +
14 + originalUserNameAsUserName={originalUserName} as {userName}
```

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources_nl.properties CHANGED

```
1 - #Added translations
2 - #Thu Jan 05 13:18:15 CET 2017
11 + originalUserNameAsUserName={originalUserName} als {userName}
```

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources_en.properties CHANGED

```
13 + logger.grouping.elsevieridplus=Authentication - Elsevier account
```

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources_nl.properties CHANGED

```
13 + logger.grouping.elsevieridplus=Verificatie- Elsevier-account
```

pure-core/core/src/main/resources/security/security-resources_en.properties CHANGED

```
12 - idplusMarkerRole=ID+ user
12 + idplusMarkerRole=Elsevier account
```

pure-core/core/src/main/resources/security/security-resources_nl.properties CHANGED

```
28 - idplusMarkerRole=ID+-gebruiker
```

pure-core/model/src/main/resources/validation/validation-core-model-resources_en.properties CHANGED

```

9      - validation.text.defined-group=The following fields are required
9      + validation.text.defined-group=The following fields are required:
84     + statement.mimeType=The type of the uploaded file
143    - validation.issn.format-group=The following fields have ISSN numbers with invalid format. ISSN must be of the format: "nnnn-nnnn"
144    - validation.issn.format=The ISSN number is not correctly formatted, it must be of the format nnnn-nnnn
145    - validation.issn.checkdigit-group=The following fields have invalid ISSN numbers; modulus check has failed. Please check that the ISSN numbers have been entered correctly.
146    - validation.issn.checkdigit=The ISSN number is not correct, modulus check has failed. Please check that the ISSN number has been entered correctly.
144    + validation.issn.format-group=The following fields have ISSNs with an invalid format. ISSNs must have the format "nnnn-nnnn"
145    + validation.issn.format=The ISSN is not correctly formatted, it must have the format nnnn-nnnn.
146    + validation.issn.checkdigit-group=The following fields have invalid ISSNs; modulus check has failed. Please check that the ISSNs have been entered correctly.
147    + validation.issn.checkdigit=The ISSN is not correct, modulus check has failed. Please check that the ISSN has been entered correctly.
161    - validation.text.inStep=The current work flow step can only be {expectedStepName}, but is {currentStepName}
162    + validation.text.inStep=The current workflow step can only be {expectedStepName}, but is {currentStepName}
209    - validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour
210    + validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour:
225    - validation.text.definedonobjects-group=The following fields are required
226    + validation.text.definedonobjects-group=The following fields are required:
234    - validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps has been used more than once
235    + validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps have been used more than once
240    - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps has been used in the definition
241    - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps has been used in the definition
241    + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps have been used in the definition
242    + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps have been used in the definition
244    - validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps has been used more than once
245    + validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps have been used more than once
285    + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=The following fields contains an incorrect keyword configuration
286    + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} contains an incorrect keyword configuration, which is only usable by {differentFamily}
328    +

```

```
329 + validation.text.limitCollectionToNotContain-group=Cannot save due to duplicate relations
330 + validation.text.limitCollectionToNotContain=You cannot use the entity '{value}' as '{field:lowercase}' because it is already
used as '{referencedFieldName}'
```

pure-core/model/src/main/resources/validation/validation-core-model-resources_nl.properties CHANGED

```
242 + temporalCoverageStartDate.year=Startjaar tijdelijke dekking
243 + temporalCoverageEndDate.year=Eindjaar tijdelijke dekking
244 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=De volgende velden bevatten een
onjuiste trefwoordconfiguratie
245 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} bevat een onjuiste
trefwoordconfiguratie, die alleen kan worden gebruikt door {differentFamily}
246 + statement.mimeType=Het type van het geüploade bestand
247 + validation.text.limitCollectionToNotContain-group=Kan niet opslaan door dubbele relaties
248 + validation.text.limitCollectionToNotContain=U kunt de entiteit '{value}' niet als '{field:lowercase}' gebruiken omdat deze al
wordt gebruikt als '{referencedFieldName}'
```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources_en.properties CHANGED

```
6 +
7 + scheduledreport-failure-message.title=Failure to generate scheduled report
8 + scheduledreport-failure-message.velocity_subject=The report "{title}" failed to produce a result
9 + scheduledreport-failure-message.velocity_title=The report "{title}" failed to produce a result
10 + scheduledreport-failure-message.text=The scheduled report "{title}" executed by Pure on {date} failed to generate a result.
Contact your Pure Administrator to investigate why the scheduled report failed to produce a result. Further information can be
found in the job log (Pure > Administrator > Jobs > Job log). (You received this email because your user is the owner of the
scheduled report).
```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources_nl.properties CHANGED

```
1 - #Added translations
2 - #Thu Jan 05 13:18:15 CET 2017
5 + scheduledreport-failure-message.title=Kan geen gepland rapport genereren
6 + scheduledreport-failure-message.velocity_subject=Het rapport "{title}" heeft geen resultaat opgeleverd
7 + scheduledreport-failure-message.velocity_title=Het rapport "{title}" heeft geen resultaat opgeleverd
8 + scheduledreport-failure-message.text=Het geplande rapport "{title}" uitgevoerd door Pure op {date} kon geen resultaat
genereren. Neem contact op met uw Pure-beheerder om te onderzoeken waarom het geplande rapport geen resultaat heeft opgeleverd.
Meer informatie is te vinden in het takenlogboek (Pure> Beheerder> Taken> Takenlogboek). (U heeft deze e-mail ontvangen omdat uw
gebruiker de eigenaar is van het geplande rapport).
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources_en.properties [CHANGED]

```
39 - pivot-multiple-fields-help=Data will be expanded horizontally this means that based on the data this definition may span multiple fields and each of these fields will then be prefixed with aID.x where the x is the position of the element.
39 + pivot-multiple-fields-help=Data will be expanded horizontally -this means that based on the data this definition may span multiple fields and each of these fields will then be prefixed with ID.x where the x is the position of the element.
62 +
63 + exported-value-was-truncated=The value in row {rowNum} was truncated.
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources_nl.properties [CHANGED]

```
1 - #Added translations
2 - #Fri Sep 29 08:55:20 CEST 2017
45 + exported-value-was-truncated=De waarde in rij {rowNum} is afgekapt.
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources_en.properties [CHANGED]

```
481 + preferences.maxRowsInExcelExport.label=Max rows in Excel export
482 + preferences.maxRowsInExcelExportButton.label=Save 'max rows in Excel export'
583 - visibilityAndConfidentiality=Visibility & confidentiality
585 + visibilityAndConfidentiality=Visibility and confidentiality
722 + pure-report-unable-to-load-react-mount-point-description=If the mount point configuration does not match the server address: Ask your system administrator to check configuration of the mount point in the Administrator tab (workspace/administrator/category/settings/configuration/mount-points/). A Pure server must know where to find the generated Javascript to display this page. Either there is no configuration value or the server has been moved to another domain or perhaps the mount point configuration was not updated accordingly. Still not working? Accessing Pure directly from a localhost address will cause a mismatch in login cookies and some features will be unavailable. In this case you should go to log in to '{mount_point}/report/start.xhtml' instead.
723 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}
724 + pure-report-unable-to-load-react-mount-point-label=Mount point
725 + pure-report-unable-to-load-react-sub-header=If you see this message it means that Pure was unable to retrieve information needed to generate the page
726 + pure-report-unable-to-load-react-header=Failed to load Javascript files
727 +
728 +
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources_nl.properties [CHANGED]

```
568 + preferences.maxRowsInExcelExport.label=Max. rijen in Excel-export
569 + preferences.maxRowsInExcelExportButton.label=,Max. rijen in Excel-export' opslaan
570
```

+ pure-report-unable-to-load-react-mount-point-description=Als de koppelpuntconfiguratie niet overeenkomt met het serveradres: Vraag uw systeembeheerder om de configuratie van het koppelpunt te controleren op het tabblad Beheerder (werkruimte/beheerder/categorie/instellingen/configuratie/koppelpunten/). Een Pure-server moet weten waar hij de gegenereerde Javascript kan vinden om deze pagina weer te geven. Er is geen configuratiewaarde of de server is verplaatst naar een ander domein of misschien is de koppelpuntconfiguratie niet dienovereenkomstig bijgewerkt. Werkt het nog steeds niet? Toegang tot Pure rechtstreeks vanaf een localhost-adres zal leiden tot een verkeerde combinatie van inlogcookies en sommige functies zullen niet beschikbaar zijn. In dit geval moet u inloggen op '{mount_point}/report/start.xhtml'.

571 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}

572 + pure-report-unable-to-load-react-mount-point-label=Koppelingspunt

573 + pure-report-unable-to-load-react-sub-header=Als u dit bericht ziet, betekent dit dat Pure de informatie die nodig was om de pagina te genereren niet kon ophalen

574 + pure-report-unable-to-load-react-header=Kan Javascript-bestanden niet laden

pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

6 + personalInformationShown-hint=When this is enabled, the key exposes personal information, such as gender, nationality and date of birth.

16 + content-group=Access to personal information

17 + content-group-help=Choose what content you would like to expose

pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

15 + personalInformationShown-hint=Wanneer dit is ingeschakeld, geeft de sleutel persoonlijke informatie weer, zoals geslacht, nationaliteit en geboortedatum.

16 + content-group=Toegang tot persoonlijke informatie

17 + content-group-help=Kies welke inhoud u wilt onthullen

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

1 - type-name=API Key

2 - type-name-plural=API Keys

3 - family-name-plural=API Keys

4 - family-name=API Key

1 + type-name=API key

2 + type-name-plural=API keys

3 + family-name-plural=API keys

4 + family-name=API key

6 - apiKey=API Key

6 + apiKey=API key

14 + allowedProperties=Allow access to these fields

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

```
1 - #Added translations
2 - #Fri Sep 29 08:55:20 CEST 2017
13 + allowedProperties=Toegang tot deze velden toestaan
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
21 - submissiondate=Submission date
21 + submissiondate=Date submitted
22 + submissiondeadline=Submission deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
17 - submissiondate=Datum van indiening
23 + submissiondate=Datum ingediend
24 + submissiondeadline=Indieningsdeadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
45 + application-submission-deadline-period-legend=Application approaching submission deadline
46 + application-submission-deadline-period-hint=These settings configure the Application matrix view so that only Applications
that have a submission deadline within the chosen period are shown.
47 + application-submission-deadline-period=Submission deadline in next
48 + applicationSubmissionDeadlinePeriodOptions.ALL=All ranges
49 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=One week
50 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Two weeks
51 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=One month
52 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Three months
53 +
60 +
61 + application-submission-deadline-column=Approaching deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
40 + application-submission-deadline-period-legend=Aanvraag nadert indiening deadline
41 + application-submission-deadline-period-hint=Met deze instellingen wordt de applicatiematrixweergave zodanig geconfigureerd dat
alleen applicaties met een indieningstermijn binnen de gekozen periode worden weergegeven.
```



```
42 + application-submission-deadline-period=Indieningsdeadline in volgende
43 + applicationSubmissionDeadlinePeriodOptions.ALL=Alle reeksen
44 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=Een week
45 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS= Twee weken
46 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=Een maand
47 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Drie maanden
48 + application-submission-deadline-column=Naderende deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

```
1 + funderStatus-group=Funder status
2 + funderStatus-group-help=
3 +
4 + submissionDeadline-group=Submission deadline
5 + submissionDeadline-group-help=Enter the date that the application must be submitted by. If you associate a funding opportunity
with this application, the deadline from the funding opportunity will be used if this date has not already been set on the
application.
6 +
7 + same-submission-deadline-notification=Same as funding opportunity
8 + earlier-submission-deadline-notification=Earlier than funding opportunity ({fundingOpportunityDeadline})
9 + later-submission-deadline-notification=Later than funding opportunity ({fundingOpportunityDeadline})
10 + not-set-submission-deadline-notification=Defined on funding opportunity ({fundingOpportunityDeadline})
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

```
1 + funderStatus-group=Status van financierder
2 + submissionDeadline-group=Indieningsdeadline
3 + submissionDeadline-group-help=Voer de datum in waarop de aanvraag moet zijn ingediend. Als u een financieringsmogelijkheid aan
deze aanvraag koppelt, wordt de deadline van de financieringsmogelijkheid gebruikt als deze datum nog niet in de aanvraag is
vastgelegd.
4 + same-submission-deadline-notification=Hetzelfde als financieringsmogelijkheid
5 + earlier-submission-deadline-notification=Eerder dan financieringsmogelijkheid ({fundingOpportunityDeadline})
6 + later-submission-deadline-notification=Later dan financieringsmogelijkheid ({fundingOpportunityDeadline})
7 + not-set-submission-deadline-notification=Bepaald op financieringsmogelijkheid ({fundingOpportunityDeadline})
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
6 + create-new-ethical-review-no-save=Create ethical review...
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

7 + create-new-ethical-review-no-save=Maak ethische review aan...

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

1 - title=Submission date

1 + title=Date submitted

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

1 - #Added translations

2 - #Fri Sep 29 08:55:20 CEST 2017

3 - title=Datum van indiening

5 + title=Datum ingediend

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

1 + title=Submission deadline

2 + noLimit=All

3 + noSubmissionDeadline=No submission deadline

4 + submissionDeadline=Submission deadline in next

5 + submissionDeadlineCustom=Submission deadline in custom date range

6 + oneWeek=One week

7 + twoWeeks= Two weeks

8 + oneMonth= One month

9 + threeMonths= Three months

10 + all= All ranges

11 + from=From

12 + to=To

13 + date=Date

14 + arrow=>

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

1 + title=Indieningsdeadline

2 + noLimit=Altijd

3 + noSubmissionDeadline=Geen Indieningsdeadline

4 + submissionDeadline=Indieningsdeadline in volgende

```
5 + submissionDeadlineCustom=Indieningsdeadline in aangepast datumbereik
6 + oneWeek=Een week
7 + twoWeeks=Twee weken
8 + oneMonth=Een maand
9 + threeMonths=Drie maanden
10 + all=Alle reeksen
11 + from=Van
12 + to=Naar
13 + date=Datum
14 + arrow=>
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
31 +
32 + applicationdeadlineinconsistency.title=Inconsistent submission deadline dates
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
28 + applicationdeadlineinconsistency.title=Inconsistente indieningsdeadlines
```

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

```
1 - submissionDate=Submission date
1 + submissionDate=Date submitted
2 + submissionDeadline=Deadline
10 - funderStatus-group=Funder status
11 - funderStatus-group-help=
12 -
```

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

```
1 - submissionDate=Inlever datum
7 - funderStatus-group=Financierstatus
8 - funderStatus-group-help=
10 + submissionDate=Datum ingediend
11 + submissionDeadline=Deadline mijlpaal toekennen
```

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources_en.proper... CHANGED

1	- applicationOrderBySubmissionDate.label=Submission date
1	+ applicationOrderBySubmissionDate.label=Date submitted
2	+ applicationOrderByApproachingSubmissionDeadline.label=Approaching deadline

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources_nl.propert... CHANGED

1	- #Added translations
2	- #Fri Sep 29 08:55:20 CEST 2017
9	- applicationOrderBySubmissionDate.label=Datum van indiening
21	+ applicationOrderBySubmissionDate.label=Datum ingediend
22	+ applicationOrderByApproachingSubmissionDeadline.label=Naderende deadline

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... CHANGED

55	- newsflo.api.token-legend=Vendor configuration: Newsflo API Key
56	- newsflo.api.token-description=The API Key for use with the API.
55	+ newsflo.api.token-legend=Vendor configuration: Newsflo API key
56	+ newsflo.api.token-description=The API key for use with the API.
64	+
65	+ newsflo.api.clienttoken-legend=Vendor configuration: Newsflo Client Token
66	+ newsflo.api.clienttoken-description=The client token to use with the API.

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... CHANGED

1	- #Added translations
2	- #Mon Oct 08 10:54:26 CEST 2018
57	+ newsflo.api.clienttoken-legend=Configuratie verkoper: Newsflo-klanttoken
58	+ newsflo.api.clienttoken-description=Het klanttoken voor gebruik met de API.

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration... ADDED

1	+ datasearch-configuration-page=DataSearch
2	+ datasearch-configuration-header=DataSearch integration
3	+ datasearch-configuration-header-description=In this configuration page you can set up integration with DataSearch to automatically source Dataset content.
4	+ what-is-datasearch-disclosure-header=What is the DataSearch integration
5	

+ what-is-datasearch-disclosure=Enabling the integration with DataSearch will automatically create Dataset content (associated with relevant Persons and Organisations) in Pure. Relations with Research Outputs will also automatically be created, where available.</br></br><p>Enabling the DataSearch integration below will turn on the 'DataSearch: Import Datasets' job, and set it to run on a weekly basis. The settings can be changed in the 'Administrator > Jobs > Cron Job Scheduling' menu.</p>

6 + datasearch-integration-legend=DataSearch integration

7 + toggle-datasearch-hint=Turn on the DataSearch integration to source existing and future Dataset content.
Turn off the DataSearch integration to pause the integration and prevent new Dataset content being populated in Pure.

8 + datasearch-integration-label=DataSearch integration

9 + datasearch-configuration-save=Save

10 + datasearch-configuration-refresh=Refresh

11 + datasearch-institution-id-label=Institution IDs

12 + datasearch-institution-id-hint=Enter a comma-separated list of your institution's InstitutionID and ScopusID to find Datasets from DataSearch.

13 + datasearch-missing-institution-id-error-text=An institution ID is required before enabling the DataSearch integration

14 + datasearch-missing-default-managing-organisation-error-text=The default managing organisation is required before enabling the DataSearch integration

15 + datasearch-workflow-legend=Dataset workflow settings

16 + toggle-datasearch-workflow-hint=When the DataSearch integration is enabled, the Datasets imported automatically will be set in the workflow step configured below. Already imported Datasets will not be affected.

17 + clear-rejected-candidates-legend=Rejected candidates

18 + clear-rejected-candidates-hint=It is possible to clear any rejected candidates using the button below. Note: All previously rejected candidates will be cleared. The action is not reversible.

19 + rejected-candidates-will-be-cleared-message=rejected candidates will be cleared

20 + clear-rejected-candidates-label=Clear rejected candidates

21 + datasearch-default-organisation-legend=Default managing organisation

22 + datasearch-default-managing-organisation=Default managing organisation

23 + datasearch-default-managing-organisation-hint=This organisation will be used for candidates where a managing organisation could not be determined

24 + datasearch-enable-workflow-recommendation=It is recommended to enable workflow for datasets

25 + datasearch-clear-reject-candidate-dialogue-description=Are you sure you want to clear these rejected candidates?
 The action cannot be undone.

26 + datasearch-vendorfields-label=Specific fields only visible to the Elsevier vendor user

27 + datasearch-apiurl-label=API URL

28 + datasearch-apikey-label=API Key

29 + datasearch-apikey-description=Key for Elsevier DataSearch API.

30 + datasearch-pagesize-label=Page size

31 + datasearch-pagesize-description=Number of Datasets to include in each API request.

32 + datasearch-sources=DataSearch sources


33 + datasearch-sources-hint=A comma-separated list of sources to limit DataSearch to. Leave blank to not limit DataSearch sources. Source names must match the exact source names in DataSearch.

34 + datasearch-show-sources>Show available sources

35 + datasearch-available-sources=The following sources are available through DataSearch

36 + datasearch-invalid-source=One or more of the entered sources did not match a source in DataSearch.

```
37 + datasearch-failed-to-get-sources=Pure failed to get the list of sources from DataSearch and will therefore not validate the
    sources.
38 + delete-button=Confirm
39 + cancel-button=Cancel
```

 [pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration...](#) ADDED

```
1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=DataSearch-integratie
3 + datasearch-configuration-header-description=Op deze configuratiepagina kunt u de integratie met DataSearch instellen om
    automatisch Dataset-inhoud op te halen.
4 + what-is-datasearch-disclosure-header=Wat is de DataSearch-integratie
5 + what-is-datasearch-disclosure=Als u de integratie met DataSearch inschakelt, wordt automatisch Dataset-inhoud (gekoppeld aan
    relevante personen en organisaties) in Pure gemaakt. Relaties met onderzoeksoutputs worden ook automatisch gemaakt, indien
    beschikbaar.</br></br><p>Als u de onderstaande DataSearch-integratie inschakelt, wordt 'DataSearch aangezet: De taak van de
    datasets importeren en instellen dat deze wekelijks wordt uitgevoerd. De instellingen kunnen worden gewijzigd in het menu
    'Beheerder> Taken> Cron-taakplanning'.</p>
6 + datasearch-integration-legend=DataSearch-integratie
7 + toggle-datasearch-hint=<b>Schakel </b>de DataSearch-integratie in om bestaande en toekomstige Dataset-inhoud te vinden.<br/>
    <b>Schakel de DataSearch-integratie uit</b> om de integratie te onderbreken en te voorkomen dat nieuwe Dataset-inhoud in Pure
    wordt ingevuld.
8 + datasearch-integration-label=DataSearch-integratie
9 + datasearch-configuration-save=Opslaan
10 + datasearch-configuration-refresh=Vernieuw
11 + datasearch-institution-id-label=Instellingen-ID's
12 + datasearch-institution-id-hint=Voer een door komma's gescheiden lijst in van de InstitutionID en ScopusID van uw instelling om
    datasets van DataSearch te vinden.
13 + datasearch-missing-institution-id-error-text=Een instelling-ID is verplicht voordat de integratie van DataSearch wordt
    ingeschakeld
14 + datasearch-missing-default-managing-organisation-error-text=De standaard beheerorganisatie is verplicht voordat de integratie
    van DataSearch wordt ingeschakeld
15 + datasearch-workflow-legend=Instellingen Dataset-werkstroom
16 + toggle-datasearch-workflow-hint=Wanneer de DataSearch-integratie is ingeschakeld, worden de geïmporteerde Datasets automatisch
    ingesteld in de onderstaande workflowstap. Reeds geïmporteerde Datasets zullen niet worden beïnvloed.
17 + clear-rejected-candidates-legend=Afgewezen kandidaten
18 + clear-rejected-candidates-hint=Het is mogelijk om afgewezen kandidaten te wissen met behulp van de onderstaande knop.
    Opmerking: Alle eerder afgewezen kandidaten zullen worden gewist. De actie is niet omkeerbaar.
19 + rejected-candidates-will-be-cleared-message=afgewezen kandidaten zullen worden gewist
20 + clear-rejected-candidates-label=Afgewezen kandidaten wissen
21 + datasearch-default-organisation-legend=Standaard beheerorganisatie
22 + datasearch-default-managing-organisation=Standaard beheerorganisatie
23 + datasearch-default-managing-organisation-hint=Deze organisatie wordt gebruikt voor kandidaten waarvoor geen beheerorganisatie
    kon worden vastgesteld
```

24 + datasearch-enable-workflow-recommendation=Het wordt aanbevolen workflow voor datasets in te schakelen
25 + datasearch-clear-reject-candidate-dialogue-description=Weet u zeker dat u deze geweigerde kandidaten wilt verwijderen?

Deze actie kan u niet ongedaan maken
26 + datasearch-vendorfields-label=Specifieke velden alleen zichtbaar voor de Elsevier-leverancier
27 + datasearch-apiurl-label=API URL
28 + datasearch-apikey-label=API-sleutel
29 + datasearch-apikey-description=Sleutel voor Elsevier DataSearch API.
30 + datasearch-pagesize-label=Paginagrootte
31 + datasearch-pagesize-description=Aantal datasets dat in elk API-verzoek moet worden opgenomen.
32 + datasearch-sources=DataSearch-bronnen
33 + datasearch-sources-hint=Een door komma's gescheiden lijst met bronnen om DataSearch te beperken tot. Laat dit veld leeg om
DataSearch-bronnen niet te beperken. Bronnamen moeten overeenkomen met de exacte bronnamen in DataSearch.
34 + datasearch-show-sources=Toon beschikbare bronnen
35 + datasearch-available-sources=De volgende bronnen zijn beschikbaar via DataSearch
36 + datasearch-invalid-source=Een of meer van de ingevoerde bronnen komen niet overeen met een bron in DataSearch.
37 + datasearch-failed-to-get-sources=Pure heeft de bronnenlijst van DataSearch niet kunnen ontvangen en zal daarom de bronnen niet
valideren.
38 + delete-button=Bevestigen
39 + cancel-button=Annuleren

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

12 - mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found <a target="_blank"
href="https://data.mendeley.com/institutions">here (requires Mendeley Data Institutional Edition subscription)
12 + mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found <a target="_blank"
href="https://service.elsevier.com/app/contact/supporthub/mendeley/">here (requires Mendeley Data Institutional Edition
subscription)

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

1 - #Added translations
2 - #Fri Sep 08 10:29:26 CEST 2017
14 - mendeley-data-institution-id-hint=Voer uw instelling-ID van Mendeley in, welke u hier XXX kunt vinden
28 + mendeley-data-institution-id-hint=Voer uw instellings-ID van Mendeley in, die u <a target="_blank"
href="https://service.elsevier.com/app/contact/supporthub/mendeley/">hier kunt vinden (vereist Mendeley Data Institutional
Edition-abonnement)


pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

3 - header-dataset-mendeley-all=List of import candidates from Mendeley Datanot currently in Pure. \


```

4 - The datasets with the label Updated denotes datasets already in Pure, where the author(s) and/or the organisational unit have
changed in Mendeley Data. \
3 + header-dataset-datasearch-all=List of import candidates from DataSearch not currently in Pure. \
4 + The label 'Updated' denotes datasets already in Pure, where the author(s) and/or the organisational unit have changed in
DataSearch. \
6 - You can limit the result list using the drop down above to show either all, new import candidates or updated candidates
7 - mendeleyDataSetCandidateColumn=Import candidates
8 - mendeleyDataSetCandidateGroup=Mendeley import candidates for Dataset
9 - header-mendeley-dataset-text=Last Mendeley Data import occurred: {lastJobExecutionDate} {jobError} - the next import will
happen at: {nextJobExecutionDate}
10 - header-mendeley-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 - header-mendeley-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 - header-mendeley-dataset-date-not-available=N/A
13 - mendeley-dataset-task-group-name=Mendeley dataset candidates
6 + You can limit the result list using the drop down above to show either all, new import candidates or updated candidates.
7 + dataSearchDataSetCandidateColumn=Import candidates
8 + dataSearchDataSetCandidateGroup=DataSearch import candidates for Dataset
9 + header-datasearch-dataset-text=Last DataSearch import occurred: {lastJobExecutionDate} {jobError} - the next import will
happen at: {nextJobExecutionDate}
10 + header-datasearch-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 + header-datasearch-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 + header-datasearch-dataset-date-not-available=N/A
13 + datasearch-dataset-task-group-name=DataSearch dataset candidates
16 - datasetauthorMendeleyData=People in Mendeley Data
17 - datasetorganisationMendeleyData=Institutions in Mendeley Data
16 + datasetauthorDataSearch=People in DataSearch
17 + authorDataSearch=People in DataSearch
18 + datasetorganisationDataSearch=Institutions in DataSearch

```

 pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

```


1 - #Added translations
2 - #Tue May 30 14:32:15 CEST 2017
5 - mendeleyDataSetCandidateColumn=Kandidaten importeren
6 - mendeleyDataSetCandidateGroup=Mendeley importeert kandidaten voor Dataset
7 - header-mendeley-dataset-text=Laatste import van Mendeley-gegevens gebeurde\: {lastJobExecutionDate} {jobError} - de volgende
import vindt plaats op\: {nextJobExecutionDate}
8 - header-mendeley-dataset-job-error=(<span class="jobs_error">met fouten, zie logboek</span>)
9 - header-mendeley-dataset-date-not-available=N.v.t.
10 - mendeley-dataset-task-group-name=Mendeley-datasetkandidaten
13 - datasetauthorMendeleyData=Mensen in Mendeley-gegevens
14 - datasetorganisationMendeleyData=Instellingen in Mendeley-gegevens

```

```

19 - header-mendeley-dataset-job-warning=(


```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources_en.prop... CHANGED

```

1 - mendeleyDataSetImportJob-label=Mendeley Data: Import Datasets
2 - mendeleyDataSetImportJob-description=Imports Datasets from Mendeley Datafor the given institution.
    1 + dataSearchDataSetImportJob-label=DataSearch: Import Datasets
    2 + dataSearchDataSetImportJob-description=Imports Datasets from DataSearch for the given institution.

```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources_nl.prop... CHANGED

```

1 - #Added translations
2 - #Thu Jan 05 13:18:15 CET 2017
    1 + dataSearchDataSetImportJob-label=DataSearch: Importeer Datasets
    2 + dataSearchDataSetImportJob-description=Importeert Datasets van DataSearch naar de gegeven instelling
3 - mendeleyDataSetImportJob-label=Mendeley-gegevens\ : Datasets importeren
4 - mendeleyDataSetImportJob-description=Importeert Datasets van Mendeley-gegevens naar de gegeven instelling

```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

```

7 - widgetFactory.dataset_top_contributors.name=Top dataset contributors
    7 + widgetFactory.dataset_top_contributors.name=No. of datasets by employee

```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

```
1 - #Added translations
2 - #Thu Jan 05 13:18:15 CET 2017
7 - widgetFactory.dataset_top_contributors.name=Populairste datasetbijdragers
5 + widgetFactory.dataset_top_contributors.name=Aantal datasets per medewerker
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modul... CHANGED

```
3 - mendeleydataset-message.title=Dataset candidates from Mendeley
3 + dataSearchdataset-message.title=Dataset candidates from DataSearch
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modu... CHANGED

```
1 - #Added translations
2 - #Thu Jan 05 13:18:15 CET 2017
14 - mendeleydataset-message.title=Datasetkandidaten van Mendeley
12 + dataSearchdataset-message.title=Dataset-kandidaten van DataSearch
```

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... CHANGED

```
61 - mendeleycategories=Mendeley categories
61 + dataSearchcategories=DataSearch categories
```

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... CHANGED

```
1 - #Added translations
2 - #Thu Sep 27 12:42:36 CEST 2018
52 - mendeleycategories=Mendeley-categorieën
52 + dataSearchcategories=DataSearch-categorieën
```

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

```
3 + contactExpert-group=Contact Expert
12 - persons.personContactLink-hint=The portal will replace {id} with the person's ID and the {name} with the person's name.
13 + persons.personContactLink-hint=Note:The Pure will replace {id} with the person's ID and the {name} with the person's name.
25 + persons.enableContactExpert=Enable 'Contact Expert' button
```

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

24 + contactExpert-group=Contactexpert
25 + persons.enableContactExpert=Contactexpert inschakelen

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

12 - requestForCopyIncludingRestrictedDocuments-hint=!!If this is turned on, documents which have 'Restricted' status are included in the request for copy function.
12 + requestForCopyIncludingRestrictedDocuments-hint=Als dit is ingeschakeld, worden documenten met de status 'Beperkt' opgenomen in de kopieeropdracht.

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

88 - campus-ip-ranges=CampusIP ranges
88 + campus-ip-ranges=IP rangesfor campus network visibility
89 + campus-ip-ranges-help=Define one or more IP ranges for visibility of content for campus network. Multiple ranges must be comma-separated, e.g. x.x.x.x - x.x.x.x, x.x.x.x - x.x.x.x
92 - campus-ip-ranges-help=
103 + enableContactExpert=Enable 'Contact Expert' button
104 + contactByUrl=An external web link
105 + contactByForm=Pure's default 'Contact Expert' web form
106 + howToContactExperts='Contact expert' button opens:
107 + contactFormReceiver=Default recipient email address of contact requests via Pure's web form:
108 + contactFormOrganisations=The email address associated with the organisational unit itself (Organisational unit editor window > Metadata > Electronic addresses > Emails)
109 + contactFormResearchers=The email address associated with the organisational affiliation on the person (Person editor window > Metadata > Organisational affiliations)
110 + contactFormEmailHint=If the person does not have an email address available on the organisational affiliation, the email will be sent to the email address associated with the organisational unit.
111 + contactLink=Contact link URL
112 + contactLinkHint=Note: The Pure will replace {id} with the person's ID and the {name} with the person's name.

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

86 - campus-ip-ranges=IP-bereiken campus
86 + campus-ip-ranges=IP-bereiken voor zichtbaarheid van het campusnetwerk
109 + enableContactExpert=Contactexpert inschakelen
110 + contactByUrl=Een externe weblink

```

111 + contactByForm=Het standaard webformulier van contactexperts van Pure
112 + howToContactExperts=Knop 'Contact expert' wordt geopend:
113 + contactFormReceiver=Standaard e-mailadres van ontvanger van contactverzoeken via het webformulier van Pure:
114 + contactFormOrganisations=Het e-mailadres dat is gekoppeld aan de organisatie-eenheid zelf (editorvenster van organisatie-
    eenheid> metagegevens> elektronische adressen> e-mails)
115 + contactFormResearchers=Het e-mailadres dat is gekoppeld aan de organisatorische affiliatie van de persoon (venster
    Persoonseditor> Metagegevens> Organisatorische affiliaties)
116 + contactFormEmailHint=Als de persoon geen e-mailadres heeft dat beschikbaar is in de organisatie, wordt de e-mail verzonden
    naar het e-mailadres dat is gekoppeld aan de organisatie-eenheid.
117 + contactLink=URL Contactlink
118 + contactLinkHint=Opmerking: De Pure zal {id} vervangen met de persoon-ID en de {name} met de persoonsnaam.

```

pure-modules/ddp-module/templates/bundled/src/main/resources/renderer/portalng-rendering-resources_en.properties CHANGED

```

1772 - temporalissn/family-name-plural=ISSN numbers
1772 + temporalissn/family-name-plural=ISSNs
1776 - temporalissn/type-name-plural=ISSN numbers
1776 + temporalissn/type-name-plural=ISSNs
2728 - highlightedcontentconfiguration/description-body>Select some of your content to highlight (by default,the newest content is
    used). The list is shown on\
2728 + highlightedcontentconfiguration/description-body>Select some of your content to highlight (the newest content is used
    by default). The list is shown on\
2739 + dataset/dataSearchcategories=DataSearch categories
2740 + documentlinkextensionaccessrendererportal/render-format-embargoEndDate=\\!Embargo End Date
2741 + documentlinkextensionaccessrendererportal/render-format-file=\\!File
2742 + documentlinkextensionaccessrendererportal/render-format-license=\\!Licence
2743 + documentlinkextensionaccessrendererportal/render-format-type=\\!Type
2744 + documentsattachedportalrendererng/render-format-file=\\!File
2745 + journal/links=Journal website
2746 + organisationancestorsrendererportal/ended=\\!Former organisational unit
2747 + organisationancestorsrendererportal/taken-over=\\!Taken over by
2748 + person/dataCleanupExemptionEndDate=Data cleanup exemption end date
2749 + person/organisationAssociations.supervisedByRelations=Supervision
2750 + personcontactbuttonrendererportal/expert_contact_button=\\!Contact Expert
2751 + personexternalpositionsrendererdpportal/external_positions=\\!External positions
2752 + personorganisationcontactrendererportal/email=\\!Email
2753 + personorganisationcontactrendererportal/phone=\\!Phone
2754 + personorganisationcontactrendererportal/website=\\!Website
2755 + personsocialmediaorcidrendererportal/scopusProfile=\\!View Scopus Profile
2756 + personsocialmediarendererportal/scopusProfile=\\!View Scopus Profile
2757 + studentthesisdocument/show-documentLicense=Show licence
2758 + ueoexternalorganisation/contactAddress.subdivision=Subdivision

```

2759 + studentthesis/DOIs=DOIs
2760 + studentthesis/DOIs-type-name=DOI
2761 + studentthesis/ISMN=ISMN
2762 + studentthesis/abstract=Abstract
2763 + studentthesis/activityRelations=Activities
2764 + studentthesis/activityRelations-add=Add activity...
2765 + studentthesis/annualReportSelected=Selected for annual report
2766 + studentthesis/author=Author
2767 + studentthesis/awardDate=Date of Award
2768 + studentthesis/awardDate.year=Year of Award
2769 + studentthesis/awardingInstitution=Awarding Institution
2770 + studentthesis/bibliographicalNote=Bibliographical note
2771 + studentthesis/bibliometrics=Bibliometrics
2772 + studentthesis/claim-action=Mine - claim content
2773 + studentthesis/clippingRelations=Press/Media
2774 + studentthesis/clippingRelations-add=Add press/media...
2775 + studentthesis/clippingRelations-title=Find and select press/media
2776 + studentthesis/dateOfProcessingBibliometric=Date of bibliometric processing
2777 + studentthesis/disclaim-action=Not mine - disclaim content
2778 + studentthesis/displayInOthersPublicationList=Show in other persons' publication lists
2779 + studentthesis/documents=Documents
2780 + studentthesis/edition=Edition
2781 + studentthesis/electronicISBNs=ISBN (Electronic)
2782 + studentthesis/equipmentRelations=Facilities/Equipment
2783 + studentthesis/equipmentRelations-add=Add equipment...
2784 + studentthesis/family-count=Total
2785 + studentthesis/family-count-no-documents-sherpa=RoMEO colours without documents
2786 + studentthesis/family-count-with-documents=With documents
2787 + studentthesis/family-count-without-documents=Without documents
2788 + studentthesis/family-documents-visibility=Document visibility
2789 + studentthesis/family-name=Student thesis
2790 + studentthesis/family-name-plural=Student theses
2791 + studentthesis/family-with-documents={family} with documents
2792 + studentthesis/family-with-suggested-actions=Claimed/disclaimed publications
2793 + studentthesis/filter.family.mycontent=My student theses
2794 + studentthesis/generatePDF=Generate front page for uploaded PDF files
2795 + studentthesis/groupAuthor=Group author
2796 + studentthesis/handleNet=Handle.net
2797 + studentthesis/id=Internal-ID
2798 + studentthesis/impactRelations=Impacts
2799 + studentthesis/impactRelations-add=Add impact...
2800 + studentthesis/journal=Journal

2801 + studentthesis/journalNumber=Journal number
2802 + studentthesis/keywords=User-defined keywords
2803 + studentthesis/language=Original language
2804 + studentthesis/librarianKeywordContainers=Library Keywords
2805 + studentthesis/librarianKeywords=Keywords
2806 + studentthesis/links=URLs
2807 + studentthesis/links-type-name=URL
2808 + studentthesis/numberOfPages=Number of pages
2809 + studentthesis/organisations=Organisations
2810 + studentthesis/organisations-mark-as-primary=Set placement
2811 + studentthesis/organisations-primary=Placement
2812 + studentthesis/owner=Placement
2813 + studentthesis/pending-publication=Pending publications
2814 + studentthesis/pending-researchoutput=Pending research output
2815 + studentthesis/persons=Author
2816 + studentthesis/persons-singular=Author
2817 + studentthesis/persons.name=Author name
2818 + studentthesis/placeOfPublication=Place of Publication
2819 + studentthesis/printISBNs=ISBN (Print)
2820 + studentthesis/projectRelations=Projects
2821 + studentthesis/projects=Projects
2822 + studentthesis/publicationDate=Publication date
2823 + studentthesis/publicationDate.day=Day
2824 + studentthesis/publicationDate.month=Month
2825 + studentthesis/publicationDate.year=Year
2826 + studentthesis/publicationStatus=Publication status
2827 + studentthesis/publicationYear=Publication year
2828 + studentthesis/publisher=Publisher
2829 + studentthesis/qualification=Qualification name
2830 + studentthesis/relatedPublications=Research Outputs
2831 + studentthesis/researchOutputRelations=Research Outputs
2832 + studentthesis/researchOutputRelations-add=Add research output...
2833 + studentthesis/searchplaceholder=Search for student thesis...
2834 + studentthesis/sponsors=Sponsors
2835 + studentthesis/subTitle=Subtitle of the thesis in original language
2836 + studentthesis/supervisors=Supervisor
2837 + studentthesis/title=Title of the thesis in original language
2838 + studentthesis/translatedSubtitle=Translated subtitle of the thesis
2839 + studentthesis/translatedTitle=Translated title of the thesis
2840 + studentthesis/type-name=Student thesis
2841 + studentthesis/type-name-plural=Student theses
2842 + studentthesis/typeClassification=Qualification level

2843 + studentthesis/view-publications-by-action=View publications by
2844 + studentthesis/volume=Volume
2845 + studentthesis/yearSubmitted=Submission year
2846 + studentthesisdocument/embargoReason-label=Embargo reason
2847 + studentthesisrelationsrenderportal/clipping-relations=Press/Media
2848 + studentthesisrelationsrenderportal/researchoutput-relations=Research Outputs

pure-modules/ddp-module/templates/bundled/src/main/resources/renderportalng-rendering-resources_nl.properties CHANGED

2739 + dataset/dataSearchcategories=DataSearch-categorieën
2740 + documentlinkextensionaccessrenderportal/render-format-embargoEndDate=Embargo-einddatum
2741 + documentlinkextensionaccessrenderportal/render-format-file=Bestand
2742 + documentlinkextensionaccessrenderportal/render-format-license=Licentie
2743 + documentlinkextensionaccessrenderportal/render-format-type=Type
2744 + documentsattachedportalrenderportalng/render-format-file=Bestand
2745 + journal/links=Journal-website
2746 + organisationancestorsrenderportal/ended=Voormalige organisatie
2747 + organisationancestorsrenderportal/taken-over=Overgenomen door
2748 + person/dataCleanupExemptionEndDate=Einddatum vrijstelling gegevensopschoning
2749 + person/organisationAssociations.supervisedByRelations=Toezicht
2750 + personcontactbuttonrenderportal/expert_contact_button>Contactexpert
2751 + personexternalpositionsrenderportal/external_positions=Externe posities
2752 + personorganisationcontactrenderportal/email=E-mail
2753 + personorganisationcontactrenderportal/phone=Telefoon
2754 + personorganisationcontactrenderportal/website=Website
2755 + personsocialmediaorcidrenderportal/scopusProfile=Bekijk Scopus-profiel
2756 + personsocialmediarenderportal/scopusProfile=Bekijk Scopus-profiel
2757 + studentthesisdocument/show-documentLicense=Toon licentie
2758 + ueoexternalorganisation/contactAddress.subdivision=Subdivisie

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderportalng-rendering-resources_nl.properties ADDED

1 + render-format-license=Licentie
2 + render-format-type=Type
3 + render-format-file=File
4 + render-format-embargoEndDate=Embargo End Date

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderportalng-rendering-resources_nl.properties ADDED

```
1 + render-format-license=Licentie
2 + render-format-type=Type
3 + render-format-file=Bestand
4 + render-format-embargoEndDate=Embargo-einddatum
```

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderi... ADDED

```
1 + render-format-file=File
```

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderi... ADDED

```
1 + render-format-file=Bestand
```

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

```
5 + fingerprintSelectionModified=Fingerprint selection changed date
```

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

```
1 - #Added translations
2 - #Thu Jan 05 13:18:15 CET 2017
7 + fingerprintSelectionModified=Vingerafdrukselectie datum gewijzigd
```

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

```
1 + fundingDiscoveryProfiles=Funding profiles
```


pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

```
1 + fundingDiscoveryProfiles=Financieringsprofielen
```


pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources_en.prope... CHANGED

```
4 + configuration.authentication=Authentication
5 + configuration.login>Login
6 + configuration.logout=Logout
```


```
11 + client-key=Client Key
13 + login-failed=Login failed
14 + error-details=Details
15 + close=Close
16 + test-failed=Test failed
17 + test-success=Test successful
18 + status.test=Test connection
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources_nl.proper... CHANGED

```
9 + configuration.authentication=Authenticatie
10 + configuration.login=Aanmelden
11 + configuration.logout=Afmelden
12 + client-key=Client Key
13 + login-failed=Login mislukt
14 + error-details=Details
15 + close=Sluiten
16 + test-failed=Test mislukt
17 + test-success=Test geslaagd
18 + status.test=Test connectie
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

```
3 + authentication-configuration-label=Authentication configuration
4 -
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

```
4 + authentication-configuration-label=Verificatie configuratie
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

```
1 + oauth-group=OAuth
2 + oauthUrl=URL
3 + oauthClientId=Client ID
4 + oauthClientSecret=Secret
5 + cognito-group=Cognito
6 + cognitoPoolId=Pool ID
7 + cognitoRegion=Region
```

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

```
1 + oauth-group=OAuth
2 + oauthUrl=URL
3 + oauthClientId=Klant-ID
4 + oauthClientSecret=Geheim
5 + cognito-group=Cognito
6 + cognitoPoolId=Pool-ID
7 + cognitoRegion=Regio
```

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

```
166 + category-proposals=Proposals
171 - category-state.dates=Dates
173 + category-status.dates=Dates
174 + category-status.dates.fullDate=Full date
175 + category-status.dates.year=Year
176 + category-status.dates.month=Month
177 + category-status.dates.day=Day
343 + count-contributors-internal-person=Number of internal persons
539 + validation-dataset-annotation-is-missing-a-column-reference-id=Formatting of column with ref={annotationId} is missing a
reference column id, it uses value={value}
540 + validation-dataset-annotation-operator-no-longer-exists=Formatting of column with ref={annotationId} is using an unsupported
operator={operator} and will revert to default
542 - report.standard.user.assignable.roles-description=An overview of the user role assignment across organisational units
550 + report.standard.user.assignable.roles-description=An overview of the user role assignments across organisational units
```

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

```
236 - category-state.dates=Datums
498 + category-proposals=Voorstellen
499 + category-status.dates=Datums
500 + category-status.dates.fullDate=Volledige datum
501 + category-status.dates.year=Jaar
502 + category-status.dates.month=Maand
503 + category-status.dates.day=Dag
504 + count-contributors-internal-person=Aantal interne personen
505 + validation-dataset-failure-to-parse=Kan input-gegevensset niet parsen: '{message}'.
506 + validation-dataset-no-series=Geen reeks gedefinieerd in gegevensset.
507
```

- + validation-dataset-annotation-is-missing-a-column-reference-id=Opmaak van de kolom met ref={annotationId} ontbreekt een referentiekolom-ID, het gebruikt waarde={value}
- 508 + validation-dataset-annotation-operator-no-longer-exists=De opmaak van de kolom met ref={annotationId} gebruikt een niet-ondersteunde operator={operator} en keert terug naar de standaardwaarde

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

- 66 - project-series-names=Series names
- 66 + project-publication-series-names=Series name
- 67 + project-publication-series-no=Series number
- 92 - project-issn-(electronic)=ISSN (Electronic)
- 93 + project-publication-series-issn-electronic=ISSN (Electronic)
- 94 - project-issn-print=ISSN (print)
- 95 + project-publication-series-issn-print=ISSN (print)

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

- 118 - project-issn-(electronic)=ISSN (Elektronische versie)
- 118 + project-publication-series-issn-electronic=ISSN (Elektronische versie)
- 120 - project-issn-print=ISSN (drukversie)
- 120 + project-publication-series-issn-print=ISSN (drukversie)
- 165 - project-series-names=Serienamen
- 165 + project-publication-series-names=Serienamen
- 197 + filter-submission-year=Jaar van indiening
- 198 + project-publication-series-no=Serienummer
- 199 + project-submission-year=Jaar van indiening

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

- 28 -
- 28 + project-terms-of-agreement=Terms of agreement

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

- 29 + project-userrole=Gebuikersrollen (inclusief systeemrollen)
- 30 + project-terms-of-agreement=Algemene voorwaarden

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

95 + create-award-from-application-no-save=Create award...
99 + create-application-from-application-no-save=Create another application...
103 + create-upmproject-from-application-no-save=Create project...
112 + add-organisationassociation-button=Add co-managing organisation...
113 + new-organisationassociation-panel-title=Add co-managing organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

90 + create-award-from-application-no-save=Maak toekenning...
91 + create-application-from-application-no-save=Maak nog een aanvraag...
92 + create-upmproject-from-application-no-save=Project aanmaken...
93 + add-organisationassociation-button=Voeg medebeherende organisatie toe...
94 + new-organisationassociation-panel-title=Voeg medebeherende organisatie toe

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

78 + create-ethicalreview-from-award-no-save=Create ethical review...
126 + create-award-from-award-no-save=Create another award...
130 + create-award-from-application-no-save=Create award...
134 + create-application-from-award-no-save=Create application...
138 + create-upmproject-from-award-no-save=Create project...
147 + add-organisationassociation-button=Add co-managing organisation...
148 + new-organisationassociation-panel-title=Add co-managing organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

115 + create-ethicalreview-from-award-no-save=Maak ethische review aan...
116 + create-award-from-award-no-save=Maak nog een toekenning
117 + create-award-from-application-no-save=Maak toekenning...
118 + create-application-from-award-no-save=Maak aanvraag...
119 + create-upmproject-from-award-no-save=Project aanmaken...
120 + add-organisationassociation-button=Voeg medebeherende organisatie toe...
121 + new-organisationassociation-panel-title=Voeg medebeherende organisatie toe

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

70 + create-upmproject-from-project-no-save=Create another project...
80 + create-award-from-project-no-save=Create award...

```
84 + create-application-from-project-no-save=Create application...
101 +
102 + add-organisationassociation-button=Add co-managing organisation...
103 + new-organisationassociation-panel-title=Add co-managing organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
70 + create-upmproject-from-project-no-save=Nog een project aanmaken...
71 + create-award-from-project-no-save=Maak toekenning...
72 + create-application-from-project-no-save=Maak aanvraag...
73 + add-organisationassociation-button=Voeg medebeherende organisatie toe...
74 + new-organisationassociation-panel-title=Voeg medebeherende organisatie toe
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Co-managing organisational unit
2 + selected.organisations=Selected organisations
3 + please.select=Please select one or more organisations below to filter
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Medebeheren van organisatie-eenheid
2 + selected.organisations>Selecteer organisaties
3 + please.select>Selecteer a.u.b. één of meerdere van de onderstaande organisaties voor de filter
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Co-managing organisation associated
2 + yes=Co-managing organisation associated
3 + no=No co-managing organisation associated
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Medebeheren van geassocieerde organisatie
2 + yes=Medebeheren van geassocieerde organisatie
3 + no=Niet medebeheren van geassocieerde organisatie
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources_en.pr... CHANGED


```
145 + coManagingOrganisations-legend=Enable co-managing organisations
146 + coManagingOrganisations-enabled=Enable feature of co-managing organisations on applications, awards and projects. When a given
organisation is added as a 'co-managing' organisation to the content, editors and assisting editors from these organisations can
help maintain the information of the content. The helping editors can edit all properties but not move content back/forward in
workflow.
147 + coManagingOrganisations-enabled-true=Enabled
148 + coManagingOrganisations-enabled-false=Disabled
149 +
```

 [pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources_nl.pro...](#) CHANGED

```
235 + coManagingOrganisations-legend=Medebeheren van organisaties inschakelen
236 + coManagingOrganisations-enabled=Schakel functie voor medebeheren van organisaties in op aanvragen, toekenningen en projecten.
Wanneer een bepaalde organisatie als 'medebeherende' organisatie aan de inhoud wordt toegevoegd, kunnen redacteuren en assistent-
redacteuren van deze organisaties helpen de informatie te onderhouden. De helpende redacteuren kunnen alle eigenschappen
bewerken, maar de inhoud niet terug/vooruit verplaatsen in de werkstroom.
237 + coManagingOrganisations-enabled-true=Ingeschakeld
238 + coManagingOrganisations-enabled-false=Uitgeschakeld
```

 [pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul...](#) CHANGED

```
360 +
361 + syncjob.award.usingNIHAwardsService-label=Using NIH Awards Service.
362 + syncjob.award.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it
changes how the job processes the data.
363 + syncjob.upmproject.usingNIHAwardsService-label=Using NIH Awards Service.
364 + syncjob.upmproject.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it
changes how the job processes the data.
```

 [pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul...](#) CHANGED

```
321 +
322 + syncjob.award.usingNIHAwardsService-label=!!Using NIH Awards Service.
323 + syncjob.award.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it
changes how the job processes the data.
324 + syncjob.upmproject.usingNIHAwardsService-label=!!Using NIH Awards Service.
325 + syncjob.upmproject.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as
it changes how the job processes the data.
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

16 + overviewapplicationapprovalroute=My approver and checker tasks

54 + coManagingOrganisations=Co-managing organisational units

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

14 - classifiedSources=Aanvraag bronnen

14 + classifiedSources=ID

67 + overviewapplicationapprovalroute=Mijn goedkeurings- en controletaken

68 + coManagingOrganisations=Beheren van organisatie-eenheden

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

1 + coManagingOrganisations=Co-managing organisational units

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

1 + coManagingOrganisations=Beheren van organisatie-eenheden

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

3 + awardFunder=Funding Body

4 + choose=Select funding body...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

5 + awardFunder=Sponsorend instituut

6 + choose=Voeg financierende organisatie toe...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

3 + awardNatureOfActivityType=Nature of Activity

4 + choose=Select nature of activity...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

5 + awardNatureOfActivityType=Aard van activiteiten
6 + choose=Aard van activiteit aan het toevoegen...

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

43 + filter-co-managing-organisations=Co-managing organisational unit
44 + filter-has-co-managing-organisation=Co-managing organisation associated
45 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
46 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
47 +

62 -

67 + project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

82 + filter-co-managing-organisations=Medebeheren van organisatie-eenheid
83 + filter-has-co-managing-organisation=Medebeheren van geassocieerde organisatie
84 + filter-has-co-managing-organisation-TRUE=Medebeheren van geassocieerde organisatie
85 + filter-has-co-managing-organisation-FALSE=Niet medebeheren van geassocieerde organisatie
86 + project-co-managing-organisations=Medebeheren van organisaties

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

86 + filter-co-managing-organisations=Co-managing organisational unit
87 + filter-has-co-managing-organisation=Co-managing organisation associated
88 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
89 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
90 +
136 + project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

167 + filter-co-managing-organisations=Medebeheren van organisatie-eenheid
168 + filter-has-co-managing-organisation=Medebeheren van geassocieerde organisatie
169 + filter-has-co-managing-organisation-TRUE=Medebeheren van geassocieerde organisatie
170 + filter-has-co-managing-organisation-FALSE=Niet medebeheren van geassocieerde organisatie
171 + project-co-managing-organisations=Medebeheren van organisaties

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
53 + filter-co-managing-organisations=Co-managing organisational unit
54 + filter-has-co-managing-organisation=Co-managing organisation associated
55 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
56 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
57 +
116 + project-co-managing-organisations=Co-managing organisations
```

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
105 + filter-co-managing-organisations=Medebeheren van organisatie-eenheid
106 + filter-has-co-managing-organisation=Medebeheren van geassocieerde organisatie
107 + filter-has-co-managing-organisation-TRUE=Medebeheren van geassocieerde organisatie
108 + filter-has-co-managing-organisation-FALSE=Niet medebeheren van geassocieerde organisatie
109 + project-co-managing-organisations=Medebeheren van organisaties
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources_en.properties CHANGED

```
37 + summary-content-errors=Problems occurred while processing {count} pieces of content
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources_nl.properties CHANGED

```
1 - #Added translations
2 - #Fri Sep 29 08:55:21 CEST 2017
41 + summary-content-errors=Problemen opgetreden tijdens verwerken van {count} stukken inhoud
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED

```
69 + add-link-button=Add website...
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED

```
1 - #Added translations
2 - #Fri Sep 29 08:55:21 CEST 2017
55 + add-link-button=Website toevoegen...
```

CHANGED

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... [CHANGED]

```
106 + orcid-config-not-valid=Orcid is not configured correctly. Contact your local Pure Administrator to check the ORCID
    + configuration page and upload a valid output mapping XML file.
169 +
170 + dataRetentionPolicy-group=Data cleanup policy
171 + retainPersonalData=Exempt personal data from cleanup
172 + retainPersonalData=yes=Yes
173 + retainPersonalData=no=No
174 + retentionPeriod=Exempt from cleanup until
175 +
176 + highlighted-content-group=Highlighted content
177 + fundingprofiles-group=Funding profiles
178 + fingerprints-group=Fingerprints
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... [CHANGED]

```
144 + dataRetentionPolicy-group=Gegevensopruimingsbeleid
145 + retainPersonalData=Persoonsgegevens vrijgeven van opschonen
146 + retainPersonalData=yes=Ja
147 + retainPersonalData=no=Nee
148 + retentionPeriod=Vrijgesteld van opschonen tot
149 + highlighted-content-group=Gemarkeerde inhoud
150 + fundingprofiles-group=Financieringsprofielen
151 + fingerprints-group=Vingerafdrukken
152 + orcid-config-not-valid=Orcid is niet correct geconfigureerd. Neem contact op met uw lokale Pure-beheerder om de ORCID-
    + configuratiepagina te controleren en een geldig XML-bestand voor de output mapping te uploaden.
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... [CHANGED]

```
7 - info-group-help=Select original language; the language that the current contribution is written in. The Title field is
  + info-group-help=Select original language (the language that the current contribution is written in). The Title field is
  + required.
161 - corresponding-author-association-button=Set corresponding author
162 - remove-corresponding-author-association-button=Remove corresponding author
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... [CHANGED]

```
137 - corresponding-author-association-button=Corresponderende auteur instellen
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

- 1 + title=Exempted from data cleanup
- 2 + showDataCleanupExemptions=Only show exempted persons
- 3 + hideDataCleanupExemptions=Hide persons exempted from cleanup

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

- 1 + title=Vrijgesteld van gegevensopschoning
- 2 + showDataCleanupExemptions=Toon uitsluitend vrijgestelde personen
- 3 + hideDataCleanupExemptions=Personen verbergen die zijn vrijgesteld van opschoning

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

- 1 + time-since-former=Time since former
- 2 + former-for-at-least=Former for at least

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

- 1 + time-since-former=Tijd sinds voormalige
- 2 + former-for-at-least=Voormalig voor minstens

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources_en.properties CHANGED

- 27 + fundingopportunity-import-wizard=Funding opportunity

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources_nl.properties CHANGED

- 1 - #Added translations
- 2 - #Mon Jan 15 14:08:50 CET 2018
- 27 + fundingopportunity-import-wizard=Mogelijke financiering

pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources_en.properties ADDED

```
1 + person-access=Person access grace period
2 + person-access-legend=Grace period configuration
3 + person-access-hint=Institutions may require non-active persons/users to access Pure to fulfill policy requirements and ensure
  data is updated. Administrators can specify grace periods for staff and student persons/users that are no longer active. General
  access rights set by an institution's single sign-on (SSO) policies supersede any grace periods set below.
4 + person-access-note=Note: ALL staff and students will be affected.
5 + grace-period-days-staff=Staff grace period (in days)
6 + grace-period-days-staff-hint=This setting determines how many days staff will retain their Pure access rights after they are
  non-active
7 + grace-period-days-student=Student grace period (in days)
8 + grace-period-days-student-hint=This setting determines how many days students will retain their Pure access rights after they
  are non-active
9 + refresh=Refresh
10 + save=Save
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources_nl.properties ADDED

```
1 + refresh=Vernieuw
2 + save=Opslaan
3 + person-access=Persoon toegang respijtperiode
4 + person-access-legend=Respijtperiodeconfiguratie
5 + person-access-hint=Instellingen kunnen van niet-actieve personen/gebruikers verlangen dat ze Pure gebruiken om aan
  beleidsvereisten te voldoen en ervoor te zorgen dat gegevens worden bijgewerkt. Beheerders kunnen respijtperioden opgeven voor
  medewerkers en studenten/gebruikers die niet langer actief zijn. Algemene toegangsrechten ingesteld door het SSO-beleid (SSO) van
  een instelling vervangen de hieronder genoemde respijtperioden.
6 + person-access-note=Opmerking: ALLE medewerkers en studenten worden getroffen.
7 + grace-period-days-staff=Personeel respijtperiode (in dagen)
8 + grace-period-days-staff-hint=Deze instelling bepaalt hoeveel dagen medewerkers hun Pure-toegangsrechten behouden nadat ze niet
  actief zijn
9 + grace-period-days-student=Studenten respijtperiode (in dagen)
10 + grace-period-days-student-hint=Deze instelling bepaalt hoeveel dagen studenten hun Pure-toegangsrechten behouden nadat ze niet
  actief zijn
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources_en.properties ADDED

```
1 + persondatacleanupconfiguration=Data cleanup configuration
2 +
3 + savedfilter-legend=Default values for saved filter 'Personal data cleanup'
4 + savedfilter-hint=Select which default values to include in the filters that are part of the saved filter 'Personal data
  cleanup'.
5 + savedfilter-note=You must log out and log in again for the changes to appear.
```



```
6 +
7 + affiliationperiod-legend=Affiliation period
8 + exemptionperiod-label=All person affiliations must be former for at least
9 + exemptionperiod.ONE_MONTH=One month
10 + exemptionperiod.THREE_MONTHS=Three months
11 + exemptionperiod.SIX_MONTHS=Six months
12 + exemptionperiod.ONE_YEAR=One year
13 +
14 + employmenttype-legend=Type
15 + employmenttype-label=Include the following type of staff
16 + staff=Staff
17 + student=Student
18 + visitingScholar=Visiting scholar
19 +
20 + fieldstodelete-legend=Standard list of fields to delete
21 + fieldstodelete-hint=Select the default preset values to delete in the bulk action
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources_nl.properties ADDED

```
1 + persondatacleanupconfiguration=Gegevens opschonen-configuratie
2 + savedfilter-legend=Standaardwaarden voor opgeslagen filter 'Persoonsgegevens opschonen'
3 + savedfilter-hint>Selecteer welke standaardwaarden moeten worden opgenomen in de filters die deel uitmaken van het opgeslagen
  filter 'Persoonsgegevens opschonen'.
4 + affiliationperiod-legend=Affiliatieperiode
5 + exemptionperiod-label=Alle persoonsrelaties moeten minstens eerstgenoemde zijn
6 + exemptionperiod.ONE_MONTH=Een maand
7 + exemptionperiod.THREE_MONTHS=Drie maanden
8 + exemptionperiod.SIX_MONTHS=Zes maanden
9 + exemptionperiod.ONE_YEAR=Een jaar
10 + employmenttype-legend=Type
11 + employmenttype-label=Omvat het volgende type personeel
12 + staff=Staf
13 + student=Student
14 + visitingScholar=Gastonderzoeker
15 + fieldstodelete-legend=Standaardlijst met te verwijderen velden
16 + fieldstodelete-hint>Selecteer de standaard vooraf ingestelde waarden die u in de bulkactie wilt verwijderen
17 + savedfilter-note=!!You must log out and log in again for the changes to appear.
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources_en.proper... CHANGED

20	- upload-instruction.secondpart=Once the files has been uploaded you can proceed to the next step in the wizard where the data in the XML will be validated against the xsd files.
20	+ upload-instruction.secondpart=Once the files have been uploaded you can proceed to the next step in the wizard where the data in the XML will be validated against the XSD files.
98	- xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the mandatory elements are present verify if the ordering of the elements is as specified in the xsd .
98	+ xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the mandatory elements are present verify if the ordering of the elements is as specified in the XSD .
114	- supportedfile.errors=The import found files that it cannot import (See supported namespace in the xsd), please see the documentation on how to generate the files or remove them from the upload screen:
114	+ supportedfile.errors=The import found files that it cannot import (see supported namespace in the XSD), please see the documentation on how to generate the files or remove them from the upload screen:
248	+
249	+ FundingOpportunities=Funding opportunities
250	+ verify.header.type.FundingOpportunities=Funding opportunity type
251	+ verify.header.count.FundingOpportunities=Number of Funding opportunities

 pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources_nl.properti... CHANGED


225	+ FundingOpportunities=Mogelijke financieringen
226	+ verify.header.type.FundingOpportunities=Soorten financieringsmogelijkheden
227	+ verify.header.count.FundingOpportunities=Aantal financieringsmogelijkheden

 pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources_en.properties CHANGED

97	+ fundingopportunity.xsd.description=XML schema file (fundingopportunity.xsd)
98	+ fundingopportunity.simple.example.description=Simple examples file (fundingopportunity-simple-examples.xml)
99	+ fundingopportunity.advanced.example.description=Advanced example file (fundingopportunity-advanced-example.xml)
100	+

 pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources_nl.properties CHANGED

1	- #Added translations
2	- #Mon Jan 15 14:08:50 CET 2018
72	+ fundingopportunity.xsd.description=XML-schemabestand (fundingopportunity.xsd)
73	+ fundingopportunity.simple.example.description=Simpel voorbeeldenbestand (fundingopportunity-simple-examples.xml)
74	+ fundingopportunity.advanced.example.description=Geavanceerd voorbeeldenbestand (fundingopportunity-advanced-example.xml)

 pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources_en.properties CHANGED

```
27 + personal.overview.downloads.publication.tooltip={citations} downloads
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources_nl.properties CHANGED

```
22 + personal.overview.downloads.publication.tooltip={citations} downloads
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... CHANGED

```
50 +
51 + globalsyncimport-header=Global sync/import configurations
52 + integrations-global-sync-import-configuration=Global sync/import
53 + globalsyncimport.pureIdFallbackEnabled-label=Enable Pure ID match
54 + globalsyncimport.pureIdFallbackEnabled-legend=
55 + globalsyncimport.pureIdFallbackEnabled-description=Enabling this feature will make it possible for the synchronizations in
Pure to be able to match on Pure IDs on associations.\n This means that if you have manually added an association to a piece of
content in Pure and you provide the Pure ID as the association ID in the import data (view/xml), the synchronisation will take
ownership of it and update it accordingly. Use this feature with caution. \n Supported synchronizations: All synchronizations
prefaced with 'Configurable' except the Award, Project and Application synchronisation.
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... CHANGED

```
36 + globalsyncimport-header=Algemene synchronisatie-/importconfiguraties
37 + integrations-global-sync-import-configuration=Algemene synchronisatie/import
38 + globalsyncimport.pureIdFallbackEnabled-label=Pure-ID-match inschakelen
39 + globalsyncimport.pureIdFallbackEnabled-description=Door deze functie in te schakelen, kunnen de synchronisaties in Pure
overeenkomen met Pure ID's op koppelingen. Dit betekent dat als u handmatig een koppeling aan een deel van de inhoud in Pure hebt
toegevoegd en u de Pure ID als associatie-ID in de importgegevens (view/xml) opgeeft, de synchronisatie de eigendom ervan wordt
en dienovereenkomstig wordt bijgewerkt. Gebruik deze functie voorzichtig. Ondersteunde synchronisaties: Alle synchronisaties
voorafgegaan door 'Configureerbaar' behalve de synchronisatie van Award, Project en Applicatie.
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources_en.pro... CHANGED

```
37 - ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external
organisation. Separate each extension by ','
```

```
37 + ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external
organisations. Separate each extension by ','
```

```
58 + contentCorrection.correct.family.Person-label=Correct persons
```

```
59 + contentCorrection.correct.family.PreservedReportDefinition-label=Correct preserved report definitions
```

```
60 + contentCorrection.correct.family.ConferenceSeries-label=Correct conference series
```

```
61 + contentCorrection.correct.family.Publisher-label=Correct publishers
```

62 + contentCorrection.correct.family.Semester-label=Correct semesters
63 + contentCorrection.correct.family.StudentProject-label=Correct student projects
64 + contentCorrection.correct.family.StudentThesis-label=Correct student thesis
65 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Correct terms of agreement configurations
66 + contentCorrection.correct.family.MessageTemplate-label=Correct message templates
67 + contentCorrection.correct.family.User-label=Correct users
68 + contentCorrection.correct.family.EditableMessageBundle-label=Correct editable message bundles
69 + contentCorrection.correct.family.CurriculumVitae-label=Correct curriculum vitae
70 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Correct content import search definitions
71 + contentCorrection.correct.family.TermsOfAgreement-label=Correct terms of agreement
72 + contentCorrection.correct.family.Suggestion-label=Correct suggestions
73 + contentCorrection.correct.family.Project-label=Correct projects
74 + contentCorrection.correct.family.PreservedContent-label=Correct preserved content information objects
75 + contentCorrection.correct.family.Message-label=Correct message
76 + contentCorrection.correct.family.Organisation-label=Correct organisational units
77 + contentCorrection.correct.family.PublicationSuggestedAction-label=Correct research output claim/disclaims
78 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Correct permanent store collection configurations
79 + contentCorrection.correct.family.TemporaryFileInformation-label=Correct temporary file information objects
80 + contentCorrection.correct.family.ImportResult-label=Correct import result objects
81 + contentCorrection.correct.family.Clipping-label=Correct press/media
82 + contentCorrection.correct.family.Event-label=Correct events
83 + contentCorrection.correct.family.Publication-label=Correct research output
84 + contentCorrection.correct.family.UserFilterModel-label=Correct user filter models
85 + contentCorrection.correct.family.Activity-label=Correct activities
86 + contentCorrection.correct.family.ExternalOrganisation-label=Correct external organisations
87 + contentCorrection.correct.family.UserProfile-label=Correct user profiles
88 + contentCorrection.correct.family.Sticky-label=Correct stickies
89 + contentCorrection.correct.family.Journal-label=Correct journals
90 + contentCorrection.correct.family.ClassificationScheme-label=Correct classification schemes
91 + contentCorrection.correct.family.Education-label=Correct educations
92 + contentCorrection.correct.family.Award-label=Correct awards
93 + contentCorrection.correct.family.Thesauri-label=Correct thesauri
94 + contentCorrection.correct.family.EmailQueueEntry-label=Correct email queue entries
95 + contentCorrection.correct.family.PhDThesis-label=Correct PhD theses
96 + contentCorrection.correct.family.ExternalPerson-label=Correct external persons
97 + contentCorrection.correct.family.MeasurementMetrics-label=Correct measurement metrics
98 + contentCorrection.correct.family.Prize-label=Correct prizes
99 + contentCorrection.correct.family.EthicalReview-label=Correct ethical reviews
100 + contentCorrection.correct.family.AggregatedContentIdSet-label=Correct aggregated content ID sets
101 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Correct user supporter role configurations
102 + contentCorrection.correct.family.Fingerprint-label=Correct fingerprints
103 + contentCorrection.correct.family.FileHandle-label=Correct filehandles

```
104 + contentCorrection.correct.family.Course-label=Correct courses
105 + contentCorrection.correct.family.UEOExternalOrganisation-label=Correct external organisations
106 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Correct customer-defined workflow configurations
107 + contentCorrection.correct.family.AwardMilestone-label=Correct milestones
108 + contentCorrection.correct.family.Concept-label=Correct concepts
109 + contentCorrection.correct.family.UPMProject-label=Correct UPM projects
110 + contentCorrection.correct.family.SystemMessage-label=Correct system messages
111 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Correct preserved customer-defined workflow
    definitions
112 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Correct workflow step configurations
113 + contentCorrection.correct.family.Impact-label=Correct impacts
114 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Correct research performance indicators
115 + contentCorrection.correct.family.SemanticGroup-label=Correct semantic groups
116 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Correct keyword group configurations
117 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Correct organisation research performance
    objectives
118 + contentCorrection.correct.family.PreservedRendering-label=Correct preserved renderings
119 + contentCorrection.correct.family.ContentIdSet-label=Correct content ID sets
120 + contentCorrection.correct.family.AwardCluster-label=Correct award clusters
121 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Correct preserved report export configurations
122 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Correct milestones templates
123 + contentCorrection.correct.family.DataSet-label=Correct datasets
124 + contentCorrection.correct.family.FundingOpportunity-label=Correct funding opportunities
125 + contentCorrection.correct.family.ApplicationCluster-label=Correct application clusters
126 + contentCorrection.correct.family.BFIPublication-label=Correct BFI publications
127 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Correct preserved dashboard widgets
128 + contentCorrection.correct.family.Application-label=Correct applications
129 + contentCorrection.correct.family.Specialisation-label=Correct specialisation
130 + contentCorrection.correct.family.PersistentJobState-label=Correct persistent job states
```

 [pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources_nl.pro...](#) CHANGED


```
53 + contentCorrection.correct.family.Person-label=Corrigeer personen
54 + contentCorrection.correct.family.PreservedReportDefinition-label=Corrigeer bewaarde rapportdefinities
55 + contentCorrection.correct.family.ConferenceSeries-label=Corrigeer conferentieseries
56 + contentCorrection.correct.family.Publisher-label=Corrigeer uitgevers
57 + contentCorrection.correct.family.Semester-label=Corrigeer semesters
58 + contentCorrection.correct.family.StudentProject-label=Corrigeer studentenprojecten
59 + contentCorrection.correct.family.StudentThesis-label=Corrigeer scriptie/masterproef
60 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Corrigeer configuratie van algemene voorwaarden
61 + contentCorrection.correct.family.MessageTemplate-label=Corrigeer sjablonen voor berichten
```

62 + contentCorrection.correct.family.User-label=Corrigeer gebruikers
63 + contentCorrection.correct.family.EditableMessageBundle-label=Corrigeer bewerkbare berichtenbundels
64 + contentCorrection.correct.family.CurriculumVitae-label=Corrigeer curriculum vitae
65 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Corrigeer inhoudimport zoekdefinities
66 + contentCorrection.correct.family.TermsOfAgreement-label=Corrigeer algemene voorwaarden
67 + contentCorrection.correct.family.Suggestion-label=Corrigeer suggesties
68 + contentCorrection.correct.family.Project-label=Corrigeer projecten
69 + contentCorrection.correct.family.PreservedContent-label=Corrigeer bewaarde inhoudinformatie objecten
70 + contentCorrection.correct.family.Message-label=Corrigeer bericht
71 + contentCorrection.correct.family.Organisation-label=Corrigeer organisatie-eenheden
72 + contentCorrection.correct.family.PublicationSuggestedAction-label=Corrigeer publicatieclaim/ geen claims
73 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Corrigeer configuraties van permanente winkelcollectie
74 + contentCorrection.correct.family.TemporaryFileInformation-label=Corrigeer tijdelijke bestandsinformatie objecten
75 + contentCorrection.correct.family.ImportResult-label=Corrigeer importresultaat objecten
76 + contentCorrection.correct.family.Clipping-label=Corrigeer pers/media
77 + contentCorrection.correct.family.Event-label=Corrigeer gebeurtenissen
78 + contentCorrection.correct.family.Publication-label=Corrigeer onderzoeksoutput
79 + contentCorrection.correct.family.UserFilterModel-label=Corrigeer gebruikersfiltermodellen
80 + contentCorrection.correct.family.Activity-label=Corrigeer activiteiten
81 + contentCorrection.correct.family.ExternalOrganisation-label=Corrigeer externe organisaties
82 + contentCorrection.correct.family.UserProfile-label=Corrigeer gebruikersprofielen
83 + contentCorrection.correct.family.Sticky-label=Corrigeer stickies
84 + contentCorrection.correct.family.Journal-label=Corrigeer tijdschriften
85 + contentCorrection.correct.family.ClassificationScheme-label=Corrigeer classificatieschema's
86 + contentCorrection.correct.family.Education-label=Corrigeer opleidingen
87 + contentCorrection.correct.family.Award-label=Corrigeer toekenningen
88 + contentCorrection.correct.family.Thesauri-label=Corrigeer thesauri
89 + contentCorrection.correct.family.EmailQueueEntry-label=Corrigeer ingevoerde gegevens e-mailwachtrij
90 + contentCorrection.correct.family.PhDThesis-label=Corrigeer dissertaties
91 + contentCorrection.correct.family.ExternalPerson-label=Corrigeer externe personen
92 + contentCorrection.correct.family.MeasurementMetrics-label=Corrigeer meetgegevens
93 + contentCorrection.correct.family.Prize-label=Corrigeer prijzen
94 + contentCorrection.correct.family.EthicalReview-label=Corrigeer ethische beoordelingen
95 + contentCorrection.correct.family.AggregatedContentIdSet-label=Corrigeer samengevoegde inhoud-id-sets
96 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Corrigeer gebruikersondersteuning rol configuraties
97 + contentCorrection.correct.family.Fingerprint-label=Corrigeer vingerafdrukken
98 + contentCorrection.correct.family.FileHandle-label=Corrigeer filehandles
99 + contentCorrection.correct.family.Course-label=Corrigeer cursussen
100 + contentCorrection.correct.family.UEOExternalOrganisation-label=Corrigeer externe organisaties
101 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Corrigeer door klant gedefinieerde werkstroomconfiguraties

```
102 + contentCorrection.correct.family.AwardMilestone-label=Corrigeer mijlpalen
103 + contentCorrection.correct.family.Concept-label=Corrigeer concepten
104 + contentCorrection.correct.family.UPMProject-label=Corrigeer UPM-projecten
105 + contentCorrection.correct.family.SystemMessage-label=Corrigeer systeemmeldingen
106 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Corrigeer bewaarde door klant gedefinieerde
werkstroomdefinities
107 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Corrigeer configuraties werkstroomstap
108 + contentCorrection.correct.family.Impact-label=Corrigeer impacts
109 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Corrigeer onderzoeksprestatie-indicatoren
110 + contentCorrection.correct.family.SemanticGroup-label=Corrigeer semantische groepen
111 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Corrigeer trefwoordgroepsconfiguraties
112 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Corrigeer
organisatieonderzoeksprestatieobjectieven
113 + contentCorrection.correct.family.PreservedRendering-label=Corrigeer bewaarde weergaven
114 + contentCorrection.correct.family.ContentIdSet-label=Corrigeer inhoud-id-sets
115 + contentCorrection.correct.family.AwardCluster-label=Corrigeer toekenningsclusters
116 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Corrigeer bewaarde rapportexportconfiguraties
117 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Corrigeer mijlpalensjablonen
118 + contentCorrection.correct.family.DataSet-label=Corrigeer datasets
119 + contentCorrection.correct.family.FundingOpportunity-label=Corrigeer mogelijke financieringen
120 + contentCorrection.correct.family.ApplicationCluster-label=Corrigeer aanvraagclusters
121 + contentCorrection.correct.family.BFIPublication-label=Corrigeer BFI-publicaties
122 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Corrigeer bewaarde dashboard widgets
123 + contentCorrection.correct.family.Application-label=Corrigeer aanvragen
124 + contentCorrection.correct.family.Specialisation-label=Corrigeer specialisatie
125 + contentCorrection.correct.family.PersistentJobState-label=Corrigeer blijvende functiestatussen
```

 pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources_en.properties CHANGED

```
4 + former-persons-for-cleanup=Personal data cleanup
```

 pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources_nl.properties CHANGED

```
1 - #Added translations
```

```
2 - #Thu Sep 27 12:42:36 CEST 2018
```

```
4 + former-persons-for-cleanup=Persoonsgegevensopschoning
```

 pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources_en.properties CHANGED

```
38 + links=Journal website
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources_nl.properties CHANGED

1 - #Added translations
2 - #Fri Sep 29 08:55:22 CEST 2017
32 + links=Journal-website

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources_en.properties CHANGED

27 + organisationAssociations.supervisedByRelations=Supervision
103 +
104 + dataCleanupExemptionEndDate=Data cleanup exemption end date

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources_nl.properties CHANGED

86 + organisationAssociations.supervisedByRelations=Toezicht
87 + dataCleanupExemptionEndDate=Einddatum vrijstelling gegevensopschoning

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources_en.pro... CHANGED

140 + handleNet=Handle.net
141 +

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources_nl.prop... CHANGED

95 + handleNet=Handle.net

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... CHANGED

1 + show-documentLicense=Show licence
2 +

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... CHANGED

1 - #Added translations
2 - #Thu Jan 05 13:18:15 CET 2017
2 + show-documentLicense=Toon licentie

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... CHANGED

35 + contactAddress.subdivision=Subdivision

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... CHANGED

38 + contactAddress.subdivision=Subdivisie

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... ADDED

1 + links.journal.description=Types of links for Journal
2 + links.journal.website=Website
3 + links.journal.website.description=Link to the journal website

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... ADDED

1 + links.journal.description=Soorten links voor Journal
2 + links.journal.website=Website
3 + links.journal.website.description=Link naar journal-website

pure-templates/rendering/src/main/resources/renderer/renderer-resources_en.properties CHANGED

26 - render-format-others=~~others~~
26 + render-format-others=~~more~~
27 + render-format-show=Show
28 + render-format-hide=Show less
29 + render-show-all-authors-button=Show all related authors
30 + render-hide-all-authors-button=Hide all related authors
31 + render-format-authors-shown=Author list shown, click to hide author list
32 + render-format-authors-hidden=Authors list hidden, click to show author list
53 - render-event-title=~~Title~~
59 + render-event-title=~~Event title~~

pure-templates/rendering/src/main/resources/renderer/renderer-resources_nl.properties CHANGED

40 - render-event-title=~~Titel~~
40 + render-event-title=~~Evenementstitel~~

```
76 + render-format-show=Toon overzicht
77 + render-format-hide=Toon minder
78 + render-show-all-authors-button=Toon alle gerelateerde auteurs
79 + render-hide-all-authors-button=Verberg alle gerelateerde auteurs
80 + render-format-authors-shown=Auteurslijst getoond, klik om auteurslijst te verbergen
81 + render-format-authors-hidden=Auteurslijst verborgen, klik om auteurslijst te tonen
```