

# Text resource changes in Pure (backend)

This is an overview of the text additions and modifications to Pure's default text resources for the locale **da** between versions **5.15.0** and **5.16.0**.

This content is confidential and should not be shared or reproduced.

**Note:** It does not include text changes made for individual customer sites, and may include some texts that are not visible on your Pure instance (used for Elsevier supporter role, inactive modules or modules from other countries such as REF, or different system configurations).

The keys in the translations are not necessarily indicative of the functionality. Changes in key between releases will override any custom text resource changes in your Pure.

base-uk/admin/src/main/resources/META-INF/resources/configuration/configuration-base-resources\_da.properties **CHANGED**

209	- revalidation.ResearchOutput.enabled-label=Aktiver <b>revalidering</b> for forskningsresultat
210	- revalidation.ResearchOutput.enabled-description=Dette tillader personlige brugere, som er knyttet til et forskningsresultat, at fortsætte med at redigere metadata, selvom forskningsresultatet er i det godkendte workflow-trin. Ændringer af bestemte felter udløser en <b>revalideringsopgave</b> for relevante redaktører af forskningsresultater.
209	+ revalidation.ResearchOutput.enabled-label=Aktiver <b>genvalidering</b> for forskningsresultat
210	+ revalidation.ResearchOutput.enabled-description=Dette tillader personlige brugere, som er knyttet til et forskningsresultat, at fortsætte med at redigere metadata, selvom forskningsresultatet er i det godkendte workflow-trin. Ændringer af bestemte felter udløser en <b>genvalideringsopgave</b> for relevante redaktører af forskningsresultater.


base-uk/admin/src/main/resources/META-INF/resources/configuration/configuration-base-resources\_en.properties **CHANGED**

16	- person.qualifications.academic.enabled-description=When enabled the qualifications are available for editing in the Person editor and visible in the <b>portal</b> , CV and report module.
16	+ person.qualifications.academic.enabled-description=When enabled the qualifications are available for editing in the Person editor and visible in the <b>Portal</b> , CV and report module.
18	- person.qualifications.professional.enabled-description=When enabled the qualifications are available for editing in the Person editor and visible in the <b>portal</b> , CV and report module.
18	+ person.qualifications.professional.enabled-description=When enabled the qualifications are available for editing in the Person editor and visible in the <b>Portal</b> , CV and report module.
81	- syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any <b>person</b> without organisation associations. If <b>there exist</b> spersons without organisation associations, the synchronisation will not continue and a fatal error is logged.
81	+ syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any <b>persons</b> without organisation associations. If persons without organisation associations <b>exist</b> , the synchronisation will not continue and a fatal error is logged.


171	- workflowstate.updatejob.content.seperator-description=Separator used in the content ID file. For example semi-colon (;) or comma (,).
171	+ workflowstate.updatejob.content.seperator-description=Separator used in the content ID file, e.g. semi-colon (;) or comma (,).

 base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources\_da.properties CHANGED

12	- overviewimpactTemplateREF2020=Oversigt over effektundersøgelse
----	--

 base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources\_en.properties CHANGED

12	- overviewimpactTemplateREF2020=Impact case study overview
15	- overviewimpactCaseStudyREF2020=?Impact case study overview
14	+ overviewimpactCaseStudyREF2020=Impact case study overview

 pure-core/admin/client/components/modules/report/properties/report-resources\_da.properties CHANGED

111	- onboarding-tip-filterbar=Klik på filter-feltet for at filtrere en indholdstype. Tilføj derefter filtre fra panelet i højre side.
263	- filter-staffref2020-added={count} REF1a/c (2021) tilføjet
262	+ filter-staffref2020-added={count} REF1 (2021) tilføjet
267	- filter-staffref2020-title=REF1a/c (2021)
266	+ filter-staffref2020-title=REF1 (2021)
276	- filter-staffref2020-summary={count} REF1a/c (2021) tilføjet
275	+ filter-staffref2020-summary={count} REF1 (2021) tilføjet
327	- filter-tab-placeholder-part-two=Vælg filterlinjen over en kolonne for at aktivere filterfanen.
569	- series-filter-active-list-placeholder-text="Der er ikke nogen aktive filtre tilføjet denne kolonne. Prøv at tilføje en eller flere filtre i ""tilføj filter"" fanen."
567	+ series-filter-active-list-placeholder-text=Der er ikke nogen aktive filtre tilføjet denne kolonne. Prøv at tilføje en eller flere filtre i "tilføj filter" fanen.
577	- content-id-filter-placeholder-text=Indtast her for at søge
611	- data-story-visualization-add-filter-bar=Filterlinje
627	- data-story-filter-tab-no-filters-on-other-elements-to-target=Tilføj yderligere filtre til andre widgets til brug i filterlinjen
637	- data-story-filters-tab-panel-aria-label=Filterlinje - filterfaner til filtrering af individuel indholdstype
639	- report-settings-features-title=Ekperimentelle egenskaber
633	+ report-settings-features-experimental-title=Ekperimentelle egenskaber
650	+ filter-tab-placeholder-part-two=Vælg filterkontrol over en kolonne for at aktivere filterfanen.
651	+ onboarding-tip-filterbar=Klik på filterkontrol for at filtrere indholdstype. Tilføj derefter filtre i panelet til højre.
652	+ data-story-visualization-preview-scoreCard-title=Scorecard
653	+ content-id-filter-placeholder-multi-text=Indtast her for at søge

654 + content-id-filter-placeholder-dropdown-text=Vælg et filterelement  
655 + data-story-visualization-add-filter-bar=Filterkontrol  
656 + data-story-value-tab-selected-element-does-not-support-value-selection=Ingen valgbare værdier  
657 + data-story-filter-tab-no-filters-on-other-elements-to-target=Tilføj yderligere filtre til andre widgets til brug i filterkontrol  
658 + data-story-filters-tab-panel-aria-label=Filterkontrol - filterfaner til filtrering af individuel indholdstype  
659 + report-settings-features-stable-title=Stabile funktioner  
660 + validation-status-error-title=Kunne ikke validere workspace  
661 + validation-status-error-ok=Luk  
662 + report-settings-concurrency-title=Performance  
663 + report-settings-concurrency-itemIdBatching-title=Hent batches af rækker i separate tråde (potentielt eksporteres store datasæt hurtigere på bekostning af af hukommelse og serverload)  
664 + report-settings-concurrency-itemIdBatching-toggle-label=Aktiver multi-threading (rækker)  
665 + report-settings-concurrency-subSetFetching-title=Hent batches af kolonner i separate tråde (potentielt hentes et stort antal kolonner hurtigere på bekostning af af hukommelse og serverload)  
666 + report-settings-concurrency-subSetFetching-toggle-label=Aktiver multi-threading (kolonner)  
667 + data-story-visualization-add-layout=Tilføj layoutgruppe  
668 + data-story-layout-tab-placeholder-header=Brug denne fane til at manipulere valgte elementer og ændre layoutmuligheder.  
669 + data-story-layout-tab-clear-search-label=Ryd søgning  
670 + data-story-layout-tab-teaser=Denne funktion er under udvikling.  
671 + data-story-layout-tab-select-widgets=Blokke  
672 + canvas-widget-default-table-name=Tablel  
673 + canvas-widget-default-columnChart-name=Kolonnediagram  
674 + canvas-widget-default-barChart-name=Kolonnediagram  
675 + canvas-widget-default-pieChart-name=Lagkagediagram  
676 + canvas-widget-default-text-name=Fritekstfelter  
677 + canvas-widget-default-filterBar-name=Filterkontrol  
678 + canvas-widget-default-scoreCard-name=Scorecard  
679 + canvas-widget-default-layout-name=Layoutgruppe  
680 + canvas-widget-default-lineChart-name=Linjediagram  
681 + data-story-format-tab-no-annotatable-columns=Ingen annotatable kolonner fundet  
682 + data-story-format-tab-placeholder-header=Brug denne fane til at ændre layoutet af din datahistorie, ændre farverne i visualiseringer og formatere tekst, f.eks. afsnit, justering og punktlistor.  
683 + data-story-format-tab-create-new-annotation=Skabt nyt, visuelt stikord  
684 + data-story-format-tab-select-element-to-display-options=Vælg datahistorikelement til at ændre formattering  
685 + data-story-format-tab-selected-element-does-not-support-formatting=Det valgte datahistorikelement understøtter ikke formattering  
686 + data-story-format-tab-teaser=Denne funktion er under udvikling.  
687 + confirm-revert-to-original-header=Erstat workspace med originalt  
688 + confirm-revert-cancel=Annuller  
689 + confirm-revert-do-revert=Erstat med original  
690 + confirm-replace-header=Importer og erstat rapporterende workspace

691 + confirm-replace-select-json=Vælg en .json-fil til at importere en eksisterende rapporterende workspace. Alle ændringer i det aktuelle workspace vil gå tabt. Efter uploading klik da på 'nulstil deling og importering fra fil' for at anvende det nye workspace i stedet for det eksisterende eller annullere for at beholde det eksisterende workspace.

692 + confirm-replace-upload-label=Reset deling og importer workspace fra fil

693 + confirm-replace-cancel-label=Annuller

694 + attribution-algorithm-header=Attribution Algorithm

695 + algorithmInfoDialogTooltipText1=Automated Attribution Algorithm hjælper dig med at nå det højest mulige GPA til en specific UoA på grund af de valgte REF1er og den valgte pulje af outputs.

696 + algorithmInfoDialogTooltipText2=Hvis du vil sikre, at specifikke resultater tillægges enkeltpersoner, kan du gøre dette ved at låse outputtet manuelt på publikationens side. Algoritmen vil derefter respektere denne låsning og udregne det højeste GPA under disse omstændigheder.

697 + algorithmInfoDialogTooltipText3=Algoritmen fungerer som følgende:

698 + algorithmInfoDialogTooltipText4=1. Researchere med kun et output i puljen bliver tilskrevet deres ene output, og outputtet fjernes fra puljen.

699 + algorithmInfoDialogTooltipText5=2. Resterende researchere bliver tilskrevet deres højest graderede output. Hvor graderingen er den samme, vil enkeltskrevede outputs blive prioriteret over outputs, der har medforfatter.

700 + algorithmInfoDialogTooltipText7=4. Når antallet af resterende ikke-tilskrevne outputs er mindre end antallet af outputs med den samme gradering, så vælges outputs, så de optimerer på tværs af Cat A-personale i UoA.

701 + attribution-algorithm-cancel=Annuller

702 + attribution-algorithm-reset=Gendan fra gemt version

703 + attribution-algorithm-run=Kør Attribution

704 + attribution-algorithm-last-run=Sidste kørsel:

705 + attribution-algorithm-status=Status:

706 + attribution-cannot-run-algorithm=Kan ikke køre attribution

707 + attribution-cannot-reset=Kan ikke gendanne attributioner

708 + attribution-already-running=Dette attributionjob kører i øjeblikket.

709 + attribution-not-authorized=Du er ikke autoriseret til at udføre denne handling.

710 + attribution-error=Der opstod en fejl ved kørsel af dette job.

711 + attribution-algorithm-cancel-aria-label=Knap, der vil annullere attributionalgoritmen, mens den kører

712 + attribution-algorithm-reset-aria-label=Knap, der vil gendanne attribution-runneren, når den har kørt

713 + attribution-algorithm-run-aria-label=Knap, der vil køre attributionalgoritmen

714 + display-table-total-count=Samlet tælling

715 + display-table-total-in-percent=Samlet i %

716 + confirm-revert-to-original-are-you-sure=Er du sikker på, at du vil erstatte workspacet "{name}" med den originale version?

717 + confirm-replace-are-you-sure=Ved at klikke på knappen nedenfor vil et workspace blive indlæst fra fil til editor. Når det nye workspace gemmes, vil det erstatte den tidligere version af workspacet "{name}". Bemærk venligst, at enhver delingsopsætning vil blive fjernet.

718 + algorithmInfoDialogTooltipText6=3. Når hver researcher er blevet tilskrevet et output, bliver "best of the rest" valgt, og starter med de stærkeste outputs, hvor der kun er en forfatter, som dette output kan tilskrives. Dette inkluderer outputs fra tidligere personale.

719 + column-ignore-isolate-non-distinct-aggregation-on=Deaktiver distinkt aggregering (hurtigere)

720 + column-ignore-isolate-non-distinct-aggregation-off=Aktiver distinkt aggregering (langsommere)

721 + logging=Logføring

```

722 + download=hent
723 + revert-to-original=Vend tilbage til original
724 + pinned-filter-icon=Gemt filters ikon
725 + pinned-filter-trash-icon=Gemt filters papirkurv-ikon
726 + themeAdjustment=Temajustering
727 + selectTargetColumn=Vælg målkolonne
728 + filters=Filtre
729 + legendExplanation=Tegnforklaring
730 + apply=Opdater
731 + left=Venstre
732 + operator=Operatør
733 + right=Højre
734 + select-col-or-input-static-value=Vælg en kolonne, eller indtast en statisk værdi
735 + add-filters=Tilføj filtre
736 + widget-filters=Widget-filtre
737 + when-column=Når kolonne
738 + or-value=Eller værdi
739 + navigate-up=Naviger op
740 + create=Lav rapport
741 + report-settings-subSetFetcherMergeInOrchestrator-title=Sammenlæg 'SubSetFetcher' i Orchestrator (gør det muligt at køre visse
forespørgsler sammen i samme SubSetFetcher. Dette kan forbedre præstationen, når flere forespørgsler overlapper og henter
information, der er sam-placeret)
742 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Aktiver sammenlægning af forespørgsler med sam-placeret
information
743 + report-settings-enableDifferenceLoggingOrchestrator-title=Erstatter standardversionen af Orchestrator med en version, der ud
over at køre forespørgslen samtidigt kører et antal ekstra forespørgsler for at fastlægge, om der er en forskel i outputttet for
isolerede/ikke-isolerede aggregeringer
744 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Aktiver forskellig logføring

```

 pure-core/admin/client/components/modules/report/properties/report-resources\_en.properties CHANGED

```

22 + column-ignore-isolate-non-distinct-aggregation-on=Disable distinct aggregation (faster)
23 + column-ignore-isolate-non-distinct-aggregation-off=Enable distinct aggregation (slower)
70 - filter-tab-placeholder-part-two=Select the filter bar above a column to activate the Filter tab.
72 + filter-tab-placeholder-part-two=Select the filter control above a column to activate the Filter tab.
137 + aria-share-component-ok-label=Confirm share report
139 + aria-share-component-cancel-label=Cancel share report
161 - onboarding-tip-filterbar=Click the filter bar to filter a content type. Then add filters in the right-hand panel.
165 + onboarding-tip-filterbar=Click the filter control to filter a content type. Then add filters in the right-hand panel.
256 - number-of-subcolumns-has-been-added={count} of max {total} subcolumns has been added
260 + number-of-subcolumns-has-been-added={count} of max {total} subcolumns have been added
325 + data-story-visualization-preview-scoreCard-title=Scorecard

```

340 - format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.

341 - format-tab-placeholder-line2=This feature is currently under development.

650 - content-id-filter-placeholder-text=Type here to search

653 + content-id-filter-placeholder-multi-text=Type here to search

654 + content-id-filter-placeholder-dropdown-text=Select a filter item

677 - data-story-visualization-add-filter-bar=Filter bar

681 + data-story-visualization-add-filter-bar=Filter control

694 + data-story-value-tab-selected-element-does-not-support-value-selection=No selectable values

693 - data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter bar

698 + data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter control

704 - data-story-filters-tab-panel-aria-label=Filter bar - Filter tabs filtering individual content-type

709 + data-story-filters-tab-panel-aria-label=Filter control - Filter tabs filtering individual content-type

706 - report-settings-features-title=Experimental features

711 + report-settings-features-experimental-title=Experimental features

712 + report-settings-features-stable-title=Stable features

718 - upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Load and replace to use the new workspace or cancel to keep the existing workspace.

724 + upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Import existing workspace to use the new workspace or cancel to keep the existing workspace.

731 + report-settings-concurrency-title=Performance

732 + report-settings-concurrency-itemIdBatching-title=Fetch batches of rows in separate threads (potentially exports much faster for large datasets at the cost of memory and server load)

733 + report-settings-concurrency-itemIdBatching-toggle-label=Enable multi-threading (rows)

734 + report-settings-concurrency-subSetFetching-title=Fetch batches of columns in separate threads (potentially fetches faster for a large number of columns at the cost of memory and server load)

735 + report-settings-concurrency-subSetFetching-toggle-label=Enable multi-threading (columns)

736 + data-story-visualization-add-layout=Add layout group

737 + data-story-layout-tab-placeholder-header=Use this tab to manipulate selected elements and change layout options.

738 + data-story-layout-tab-clear-search-label=Clear search

739 + data-story-layout-tab-teaser=This feature is currently under development.

740 + data-story-layout-tab-select-widgets=Widgets

741 +

742 + #export type VisualizationType = 'text' | 'pieChart' | 'barChart' | 'columnChart' | 'lineChart' | 'table' | 'complexTable' | 'filterBar' | 'header' | 'footer' | 'layout' | 'scoreCard';

743 + canvas-widget-default-table-name=Table

744 + canvas-widget-default-columnChart-name=Column chart

745 + canvas-widget-default-barChart-name=Bar chart

746 + canvas-widget-default-pieChart-name=Pie chart

747 + canvas-widget-default-text-name=Text

748 + canvas-widget-default-filterBar-name=Filter control  
749 + canvas-widget-default-scoreCard-name=Scorecard  
750 + canvas-widget-default-layout-name=Layout group  
751 + canvas-widget-default-lineChart-name=Line chart  
752 +  
753 + format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.  
754 + format-tab-placeholder-line2=This feature is currently under development.  
755 + data-story-format-tab-no-annotatable-columns=No annotatable columns found  
756 + data-story-format-tab-placeholder-header=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.  
757 + data-story-format-tab-create-new-annotation=Create new visual cue  
758 + data-story-format-tab-select-element-to-display-options=Select data story element to change formatting  
759 + data-story-format-tab-selected-element-does-not-support-formatting=Selected data story element does not support formatting  
760 + data-story-format-tab-teaser=This feature is currently under development.  
761 +  
762 + confirm-revert-to-original-are-you-sure=Are you sure you want to replace the workspace "{name}" with the original version?  
763 + confirm-revert-to-original-header=Replace workspace with original  
764 + confirm-revert-cancel=Cancel  
765 + confirm-revert-do-revert=Replace with original  
766 +  
767 + confirm-replace-header=Import and replace reporting workspace  
768 + confirm-replace-select-json=Select a .json file to import an existing reporting workspace. Any changes to the current workspace will be lost. After the upload click 'reset sharing and import from file' to use the new workspace in place of existing one or cancel to keep the existing workspace.  
769 + confirm-replace-are-you-sure=Clicking the button below will load a workspace from file into the editor. Once the new workspace is saved it will replace the previous version of workspace "{name}". Please note that any sharing setup will be removed.  
770 + confirm-replace-upload-label=Reset sharing and import workspace from file  
771 + confirm-replace-cancel-label=Cancel  
772 +  
773 + attribution-algorithm-header=Attribution algorithm  
774 + algorithmInfoDialogTooltipText1=The Automated Attribution Algorithm helps you reach the highest possible GPA for a specific UoA, given the selected REF1s and the selected pool of outputs.  
775 + algorithmInfoDialogTooltipText2=If you want to ensure that specific outputs are attributed to individuals, you can do so by locking the output manually on the page of the publication. The algorithm will then respect this lock and calculate the highest GPA under those circumstances.  
776 + algorithmInfoDialogTooltipText3=The algorithm works as follows:  
777 + algorithmInfoDialogTooltipText4=1. Researchers with only one output in the pool have their one output attributed to them and the output is removed from the pool.  
778 + algorithmInfoDialogTooltipText5=2. Remaining researchers have their top graded output attributed to them. Where the grade is the same, single-authored outputs are prioritized over co-authored outputs.  
779

+ algorithmInfoDialogTooltipText6=3. Once each researcher has been attributed one output, the "best of the rest" is selected, starting with the strongest outputs where there is only one author to whom this output can be attributed. This includes outputs by former members of staff.

780 + algorithmInfoDialogTooltipText7=4. When the number of remaining unattributed outputs is smaller than the number of outputs with the same grade, then the outputs are selected so that they optimize spread across Cat A staff within the UoA.

781 + attribution-algorithm-cancel=Cancel

782 + attribution-algorithm-reset=Reset

783 + attribution-algorithm-run=Run Attribution

784 + attribution-algorithm-last-run=Last run:

785 + attribution-algorithm-status=Status:

786 +

787 + attribution-cannot-run-algorithm=Cannot run attribution

788 + attribution-cannot-reset=Cannot reset attributions

789 + attribution-already-running=The attribution job is currently running.

790 + attribution-not-authorized=You are not authorized to perform this action.

791 + attribution-error=An error occurred while running the job.

792 +

793 + attribution-algorithm-cancel-aria-label=Button that will cancel the attribution algorithm while it is running

794 + attribution-algorithm-reset-aria-label=Button that will reset the attribution runner, once it has been run

795 + attribution-algorithm-run-aria-label=Button that will run the attribution algorithm

796 +

797 + display-table-total-count=Total count

798 + display-table-total-in-percent=Total in %

799 + cancel-export=Cancel Export

800 + report-datatable-scroll-to-top=Scroll to top of the table

801 + logging=Logging

802 + download=download

803 + revert-to-original=Revert to original

804 + pinned-filter-icon=Start edit

805 + pinned-filter-trash-icon>Delete the filter

806 + themeAdjustment=Theme adjustment

807 + selectTargetColumn=Select target column

808 + filters=Filters

809 + legendExplanation=Legend explanation

810 + apply=Apply

811 + left=Left

812 + operator=Operator

813 + right=Right

814 + select-col-or-input-static-value=Select a column or a input a static value


815 + add-filters=Add filters

816 + widget-filters=Widget filters


817 + when-column=When column




```
818 + or-value=Or value
819 + navigate-up=Navigate up
820 + create=Create
821 +
822 +
823 + report-settings-subSetFetcherMergeInOrchestrator-title=Merge 'SubSetFetchers' in orchestrator (Enables some queries to run
together in the same SubSetFetcher, it can boost performance when multiple when queries overlap and fetches information that is
co-located)
824 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Enable merging of queries with co-located information
825 +
826 + report-settings-enableDifferenceLoggingOrchestrator-title=Replaces the default orchestrator with a version that in addition to
running the query, automatically runs a number of extra queries to determine if there is a difference in the output for
isolated / non-isolated aggregations
827 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Enable difference logging
828 + plus-icon=Add a new column
829 + confirm-workspace-delete>Delete workspace
```

 pure-core/admin/client/components/shared/pure-graphql-status-renderer/properties/PureGraphQLStatusRenderer-resources\_da.properties CHANGED

```
4 - user-unauthorized-please-login="Tryk på knappen 'Åbn Pure logon-side' og log på i den nye fane, der åbnes."
4 + user-unauthorized-please-login=Tryk på knappen 'Åbn Pure logon-side' og log på i den nye fane, der åbnes.
```

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources\_da.properties CHANGED

```
6 - inventory-close-callout=Luk dialog
7 - inventory-show-more=Vis mere
8 + timeline-dialog-title=Tidslinje
9 + timeline-dialog-description=Dit vindue er for lille til at vise en interaktiv tidslinje for dine projekter her. For at få vist
tidslinjen skal du forstørre vinduet eller klikke på knappen for at åbne den i et pop-op-vindue.
10 + view-timeline=Åbn tidslinje
11 + timeline-dialog-close=Luk dialog
```

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources\_en.properties CHANGED

```
8 + timeline-dialog-title=Timeline
9 + timeline-dialog-description>Your window is too small to display an interactive timeline for your projects here. To view the
timeline, enlarge your window or click the button to open it in a popup.
10 + view-timeline=Open timeline
11 + timeline-dialog-close=Close dialog
```

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources\_da.properties CHANGED

8 + originalUser-as-user={originalName} som {name}

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources\_en.properties CHANGED

8 + originalUser-as-user={originalName} as {name}

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources\_da.properties CHANGED

56 - MendeleyDataSet-body-plural={countAndContent} blev fundet i Mendeley Data  
57 - MendeleyDataSet-body-singular={countAndContent} blev fundet i Mendeley Data  
85 - newsflo-import-personal-user-added-message-notification=Du er blevet føjet til en Newsflo-indholdsartikel:  
84 + DataSearchDataSet-body-singular={countAndContent} blev fundet i DataSearch  
85 + DataSearchDataSet-body-plural={countAndContent} blev fundet i DataSearch  
86 + newsflo-import-personal-user-added-message-notification=Du er blevet føjet til nyt/nye Newsflo-elemente/r  
87 + Application-deadline-inconsistency-message-body={application}Indsendelsesdeadlinen adskiller sig fra {fundingOpportunity} deadline for:  
88 + dialog-close=Luk dialog  
89 + Workflow-body-created={fromUser} oprettede nyt indhold i workflowtrin {workflowStep}:

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources\_en.properties CHANGED

20 - Workflow-body-backward={fromUser} returned the workflow step to {workflowStep}:  
20 + Workflow-body-created={fromUser} created new content in the workflow step {workflowStep}:  
21 + Workflow-body-backward={fromUser} returned the workflow step to {workflowStep} for:  
64 - MendeleyDataSet-body-singular={countAndContent} was found in Mendeley Data  
65 - MendeleyDataSet-body-plural={countAndContent} were found in Mendeley Data  
65 + DataSearchDataSet-body-singular={countAndContent} was found in DataSearch  
66 + DataSearchDataSet-body-plural={countAndContent} were found in DataSearch  
104 - newsflo-import-personal-user-added-message-notification=You have been added to a Newsflo content item:  
105 + newsflo-import-personal-user-added-message-notification=You have been added to new Newsflo item(s)  
110 +  
111 + Application-deadline-inconsistency-message-body=The {application} submission deadline differs from the {fundingOpportunity} deadline for:  
112 +  
113 + dialog-close=Close dialog

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources\_da.properties CHANGED

262	- authentication-mechanism-test=Test
556	- oai-configuration-identifier-legend-hint="Udfyld informationen du ønsker, der skal vises i OAI-identifikationsformatet som del af <i>identify</i>-svaret. Se <a href="https://www.openarchives.org/OAI/2.0/guidelines-oai-identifier.htm">OAI-PMH implementeringsvejledninger</a> for yderligere information."
555	+ oai-configuration-identifier-legend-hint=Udfyld informationen du ønsker, der skal vises i OAI-identifikationsformatet som del af <i>identify</i>-svaret. Se <a href="https://www.openarchives.org/OAI/2.0/guidelines-oai-identifier.htm">OAI-PMH implementeringsvejledninger</a> for yderligere information.
575	- ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ godkendelse
576	- ElsevierIDPlusAuthenticationMechanism=Godkender brugere, der bruger Elsevier's ID+.
574	+ cron.searchNoResult=Ingen cron-jobs matcher din søgning
575	+ authentication-mechanism-test=Tjek certifikater
576	+ authentication-mechanism-failure-help=Autentificeringskonfigurationen er ugyldig.
577	+ authentication-mechanism-success-help=Autentificeringskonfigurationen er gyldig.
578	+ ElsevierIDPlusAuthenticationMechanism.label=Elsevier Account Authentication
579	+ ElsevierIDPlusAuthenticationMechanism=Autentificerer brugere, der bruger deres Elsevier-konto.

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources\_en.properties CHANGED

108	- cron.jobLegend=Name, User & Job:
108	+ cron.jobLegend=Name, User and Job:
124	+ cron.searchNoResult=No cron jobs match your search
163	- joblog.contentId=Content-ID:
164	+ joblog.contentId=ContentID:
275	- logging.completed=Log session completed. Click button below to download results
276	+ logging.completed=Log session completed. Click button below to download results.
290	- system-currency-country=System currency & country
291	+ system-currency-country=System currency and country
300	- authentication-mechanism-test=Test
301	+ authentication-mechanism-test=Check certificates
305	+ authentication-mechanism-failure-help=The authentication configuration is invalid.
306	+ authentication-mechanism-success-help=The authentication configuration is valid.
338	- ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ Authentication
339	- ElsevierIDPlusAuthenticationMechanism=Authenticates users byusing Elsevier's ID+
341	+ ElsevierIDPlusAuthenticationMechanism.label=Elsevier Account Authentication
342	+ ElsevierIDPlusAuthenticationMechanism=Authenticates users using theirElsevier account.

pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources\_da.properties CHANGED

1	- #Added translations
2	- #Tue May 15 10:44:07 CEST 2018

```
37 + personDataCleanup.operation.name=Dataoprydning
38 + personDataCleanup.title=Opryd valgte felter
39 + personDataCleanup.refine.title=Vælg felter til oprydning
40 + personDataCleanup.refine.title.description=Valgte felter vil blive ryddet eller indstillet til valgte løsninger. <br/>
Konfigurer pre-tjekkede felter i Administrator > Personer > Konfigurering af dataoprydning.
41 + personDataCleanup.summary.warning=Vigtigt! Dataene vil blive permanent slettet og kan ikke gendannes.
42 + personDataCleanup.error.updates.failed=Kunne ikke rydde op i data for alle valgte personer
43 + personDataCleanup.error.content.update.failed=Fejl ved oprydning af felter på {content}
44 + personDataCleanup.error.content.update.skipped=Ingen felter blev ryddet, da der ikke var noget at rydde op - enten er felterne
synkroniserede eller allerede ryddet
45 + personDataCleanup.set.to_lowercase=indstil til
46 + personDataCleanup.set.to_uppercase=Indstil til
47 + personDataCleanup.organisation.association.info=Kun supplerende information vil blive slettet
48 + personDataCleanup.organisation.association.info.description=Linket mellem personer og deres tilknyttede organisationer vil
blive bevaret, men informationer relateret til organisationen, fx telefonnumre, adresser og website URLer, vil blive slettet.
49 + exemptPersonFromDataCleanup.operation.name=Markér som undtagelse til dataoprydning
50 + exemptPersonFromDataCleanup.title=Markér som undtagelse til dataoprydning
51 + exemptPersonFromDataCleanup.refine.title=Specificer undtagelsesperiode for dataoprydning
52 + exemptPersonFromDataCleanup.refine.retention.period=Indstil undtagelsesperiode til
53 + exemptPersonFromDataCleanup.refine.retention.period-hint=Person(er) markeret som undtagelse vil ikke blive inkluderet i de
store dataoprydningsprocesser i denne periode (når den store aktion er gennemført). <br/> Status for undtagelse kan findes i:
<br/> Person editorvindue > Historik- og kommentarfanen > Dataoprydningspolitik
54 + exemptPersonFromDataCleanup.error.updates.failed=Kunne ikke indstille undtagelsesperiode for alle valgte personer
55 + exemptPersonFromDataCleanup.error.content.update.failed=Fejl ved indstilling af undtagelsesperiode på {content}
```

 pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources\_en.properties CHANGED

```
18 + personDataCleanup.operation.name=Data cleanup
19 + personDataCleanup.title=Clean up selected fields
20 + personDataCleanup.refine.title=Select fields for cleanup
21 + personDataCleanup.refine.title.description=Selected fields will be cleaned up or set to selected options. <br/> Configure pre-
checked fields in Administrator > Persons > Data cleanup configuration.
22 + personDataCleanup.summary.warning=Important! The data will be permanently deleted and cannot be restored.
23 + personDataCleanup.error.updates.failed=Could not clean data on all selected persons
24 + personDataCleanup.error.content.update.failed=Error when cleaning fields on {content}
25 + personDataCleanup.error.content.update.skipped=No fields cleaned as there was nothing to clean - either the fields are
synchronized or already clean
26 + personDataCleanup.set.to_lowercase=set to
27 + personDataCleanup.set.to_uppercase=Set to
28 + personDataCleanup.organisation.association.info=Only supplementary information will be deleted
29 + personDataCleanup.organisation.association.info.description=The link between persons and their associated organisations will
be retained but information related to the organisation, e.g. telephone numbers, addresses, website URLs, will be deleted.
```

```
30 +
31 + exemptPersonFromDataCleanup.operation.name=Mark for data cleanup exemption
32 + exemptPersonFromDataCleanup.title=Mark for data cleanup exemption
33 + exemptPersonFromDataCleanup.refine.title=Specify data cleanup exemption period
34 + exemptPersonFromDataCleanup.refine.retention.period=Set exemption period of
35 + exemptPersonFromDataCleanup.refine.retention.period-hint=Person(s) marked for exemption will not be included in bulk data
  cleanup processes during this period (once the bulk action is completed). <br/> Exemption status can be found in: <br/> Person
  editor window > History and comments tab > Data cleanup policy section
36 + exemptPersonFromDataCleanup.error.updates.failed=Could not set exemption period on all selected persons
37 + exemptPersonFromDataCleanup.error.content.update.failed=Error when setting exemption period on {content}
38 +
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... ADDED

```
1 + agreed-terms-group=Accepterede betingelser
2 + agreed-terms-help=Betingelser, som brugeren har accepteret
3 + agreed-terms-version=Version: {version}
4 + agreed-terms-lastlogin=Sidste login: {lastLogin}
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... ADDED

```
1 + agreed-terms-group=Agreed terms
2 + agreed-terms-help=Terms that the user has agreed to
3 + agreed-terms-version=Version: {version}
4 + agreed-terms-lastlogin=Last login: {lastLogin}
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

```
58 - correspondingauthor-button=Indstil kontaktforfatter
59 - removecorrespondingauthor-button=Fjern kontaktforfatter
58 + correspondingauthornote-singular-text=Bemærk: Der er allerede en person, som er valgt somkontaktforfatter.
59 + correspondingauthornote-plural-text=Bemærk: Der er allerede {count} personer, som er valgt som kontaktforfattere.
60 + correspondingAuthor=Kontaktforfatter
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

```
76 - correspondingauthor-button=Set corresponding author
77 - removecorrespondingauthor-button=Remove corresponding author
76 + correspondingauthornote-singular-text=Note: There is already 1 other person selected as a corresponding author.
```

77 + correspondingauthornote-plural-text=Note: There are already {count} other persons selected as corresponding authors.  
78 + correspondingAuthor=Corresponding author

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... [CHANGED]

1 - #Added translations  
2 - #Sun Jan 29 14:08:01 CET 2017  
7 + unlinkUser=Fjern link til tilknyttet bruger  
8 + cancelUnlinkUser=Annuller  
9 + unlinkDisclaimer-confirm=Når du har gemt, vil linket til denne person blive fjernet fra den tilknyttede bruger. Hvis brugeren har roller i Pure ud over at være personlig bruger, kan vedkommende stadig logge ind i Pure og udføre opgaver iht. disse tildelte roller.  
10 + unlinkDisclaimer=Hvis brugeren har roller i Pure ud over at være personlig bruger, kan vedkommende stadig logge ind i Pure og udføre opgaver iht. disse tildelte roller.  
11 + unlinkSyncedAssociation=Du kan ikke manuelt fjerne link til en bruger, når brugerinformationen er synkroniseret fra et andet system.

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... [CHANGED]

7 + unlinkUser=Unlink associated user  
8 + cancelUnlinkUser=Cancel  
9 + unlinkDisclaimer-confirm=Upon saving, this person will be unlinked from the associated user. If the user has roles in Pure in addition to being a personal user, they will still be able to log into Pure and perform tasks according to those assigned roles.  
10 + unlinkDisclaimer=If the user has roles in Pure in addition to being a personal user, they will still be able to log into Pure and perform tasks according to those assigned roles.  
11 + unlinkSyncedAssociation=You cannot manually unlink a user when the user information is synchronised from another system.

pure-core/admin/src/main/resources/META-INF/resources/documentation/documentation-resources\_da.properties [CHANGED]

17 - revalidation.label=Understøtter revalidering  
17 + revalidation.label=Understøtter genvalidering  
28 - revalidation.header=Igangsætter revalidering  
28 + revalidation.header=Igangsætter genvalidering

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources\_da.p... [CHANGED]

1 - #Added translations  
2 - #Thu Sep 28 10:07:29 CEST 2017  
44 - select-bulk-action=Vælg den handling, du vil udføre på alle filerne.

73 + select-bulk-action=Vælg den handling, du ønsker at udføre

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources\_en.p... [CHANGED]

54 - select-bulk-action=Select the bulkaction you will performfor the files

54 + select-bulk-action=Select the action you want toperform

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources\_da.pr... [CHANGED]

32 - idplus-group=ID+ konfiguration

33 - idplus-group-help=Konfiguration

af brugeradgang til ID+. <ul><li>Dette ID bruges til at matche en bruger i Pure med en bruger fra ID+</li></ul>

32 + agreed-terms-tab=Accepterede betingelser

33 + agreed-terms=Accepterede betingelser

34 + idplus-group=Konfiguration af Elsevier-konto

35 + idplus-group-help=Konfiguration af brugeradgang til Elsevier-kontoautenticering. <ul><li>Dette ID bruges til at matche en bruger i Pure med en Elsevier-brugerkonto.</li></ul>

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources\_en.pr... [CHANGED]

6 + agreed-terms-tab=Agreed terms

7 +

8 + #AGREED TERMS

9 + agreed-terms=Agreed terms

18 - idplus-group=ID+ configuration

19 - idplus-group-help=Configuration of user access to ID+. <ul><li>This ID is used for matching a user in pure with a user from ID+</li></ul>

22 + idplus-group=Elsevier accountconfiguration

23 + idplus-group-help=Configuration of user access to Elsevier account authentication.<ul><li>This ID is used for matching a user in Pure with an Elsevieruser account.</li></ul>

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsOfAgreement/model/editor/termsO... [CHANGED]

1 - #Added translations

2 - #Sun Jan 29 14:08:01 CET 2017

11 + termsOfAgreement.information=Bemærk: Du kan ikke redigere teksten i et aftalevilkår, når det er gemt.

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsOfAgreement/model/editor/termsO... [CHANGED]

```
15 + termsOfAgreement.information=Note: You cannot edit the text of a Terms of Agreement after it has been saved.
```

```
pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_da.properties CHANGED
```

```
266 + inconsistentworkflow.title=Inkonsistent workflow for {path} ID {id}
267 + inconsistentworkflow.message=Indholdet, som du anmodede om, kan ikke redigeres på nuværende tidspunkt
268 + inconsistentworkflow.why=Hvorfor fik jeg vist denne side?
269 + inconsistentworkflow.why.update.required=Konfigurationen af workflowet for {path} bliver modificeret af en administrator og
kan ikke gennemføres endnu
270 + inconsistentworkflow.whatnow=Hvad gør jeg nu?
271 + inconsistentworkflow.whatnow.support=Kontakt support
272 + inconsistentworkflow.whatnow.close=Luk dette vindue
```

```
pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_en.properties CHANGED
```

```
135 + inconsistentworkflow.title=Inconsistent workflow for {path} ID {id}
136 + inconsistentworkflow.message=The content you requested cannot be edited at this time
137 + inconsistentworkflow.why=Why was this page displayed?
138 + inconsistentworkflow.why.update.required=The workflow configuration for {path} is being modified by an administrator and is
not completed yet
139 + inconsistentworkflow.whatnow=Now what?
140 + inconsistentworkflow.whatnow.support=Contact support
141 + inconsistentworkflow.whatnow.close=Close this window
142 +
```

```
pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_da.properties CHANGED
```

```
1 - #Added translations
2 - #Sun Jan 29 14:08:01 CET 2017
3 - ssofail_title=Single-Signon login fejlede
4 - ssofail=Single-Signon login fejlede
5 - ssofail_description=Årsagen kan være at du ikke er oprettet i systemet. For at kunne logge ind med Single-Signon
er det nødvendigt at Pure kender dit brugernavn og dine roller.Kontakt support@TODO.dk
6 - login_error_SAMLProcessingException=Kommunikation med Single-Signon serverfejlede
7 - login_error_ProcessingException=Kommunikation med Single-Signon server fejlede
8 - login_error_LockedException=Brugerkontoen er låst
9 - login_error_UsernameNotFoundException=Brugeren findes ikke i Pure
10 - login_error_BadCredentialsException=Ugyldig bruger eller kodeord
11 - login_error_InsufficientAuthenticationException=Brugeren har ikke tilstrækkelige rettigheder
12 - login_error_InternallyAuthenticatedAccountStatusException=Brugeren kan ikke autentikeres eksternt
```



```

1 + ssofail_title=Login mislykkedes for Pure {institutionname}
2 + ssofail=Login mislykkedes for Pure {institutionname}
3 + ssofail_description=Du kan <a href="{login}">logge
ind i Pure direkte</a>, hvis dit brugernavn og din adgangskode er konfigureret manuelt.</br>Kontakt venligst din institutions
lokale IT-support, hvis dette problem fortsætter.
4 + ssofail_footer=Pure version {versionnumber} {institutionname}, {dateandtime}
5 + login_error_SAMLProcessingException=Pure kunne ikke forbindes til din institutions single sign-on server.
6 + login_error_ProcessingException=Pure kunne ikke forbindes til din institutions single sign-on server.
7 + login_error_LockedException=Din brugerkonto kan ikke tilgå Pure.
8 + login_error_UsernameNotFoundException=Din bruger blev ikke fundet i Pure.
9 + login_error_BadCredentialsException=Dit brugernavn eller din adgangskode blev ikke indtastet korrekt.
10 + login_error_InsufficientAuthenticationException=Du har ikke tilladelse til at logge ind i Pure.
11 + login_error_InternallyAuthenticatedAccountStatusException=Din brugerkonto kan ikke bruges til at logge ind i Pure.
12 + login_error_AuthenticationServiceException=Der opstod en fejl under login ved brug af din institutions single sign-on-system.
13 - login_error_AuthenticationServiceException=Systemfejl under login

```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources\_en.properties CHANGED

```

1 - ssofail_title=Single Sign-On failed
2 - ssofail=Single Sign-On failed
3 - ssofail_description=You could not be logged into this service. In order to login with Single Sign-On it is necessary for the
service to know your username. Please contact IT support.<br/>If enabled for your
user you can use <a href="{login}">direct login</a>
1 + ssofail_title=Login Failed for Pure at {institutionname}
2 + ssofail=Login Failed for Pure at {institutionname}
3 + ssofail_description=You may be able to <a href="{login}">log in to Pure directly</a> if your username and password are
configured manually.</br>Please contact your institution's local IT support if this problem persists.
4 + ssofail_footer=Pure version {versionnumber} at {institutionname}, {dateandtime}
5 - login_error_SAMLProcessingException=Communication with Single Sign-On server failed
6 - login_error_ProcessingException=Communication with Single Sign-on server failed
7 - login_error_LockedException=The account is locked
8 - login_error_UsernameNotFoundException=The user is not present in Pure
9 - login_error_BadCredentialsException=Bad credentials
10 - login_error_InsufficientAuthenticationException=User has insufficient rights to login
11 - login_error_InternallyAuthenticatedAccountStatusException=The account cannot be used for external authentication
12 - login_error_AuthenticationServiceException=An unknown system error occurred when processing the authentication request.
6 + login_error_SAMLProcessingException=Pure could not connect with your institution's single sign-on server.
7 + login_error_ProcessingException=Pure could not connect with your institution's single sign-on server.
8 + login_error_LockedException>Your user account is unable to access Pure.
9 + login_error_UsernameNotFoundException>Your user was not found in Pure.
10 + login_error_BadCredentialsException>Your username or password were not entered correctly.
11 + login_error_InsufficientAuthenticationException=You do not have permission to log into Pure.

```

12 + login\_error\_InternallyAuthenticatedAccountStatusException=Your useraccount cannot be used to log into Pure.  
13 + login\_error\_AuthenticationServiceException=An error occurred while logging in using your institution's single sign-on system.

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources\_da.properties CHANGED

78 - newsflo-message.velocity\_title=Du er blevet tilknyttet en Newsflo indholdsartikel\: {title}  
79 - newsflo-message.velocity\_subject=Du er blevet tilknyttet en Newsflo indholdsartikel\: {title}  
85 + newsflo-message.velocity\_title=Du er blevet føjet til nyt/nye Newsflo-element/er.  
86 + newsflo-message.velocity\_subject=Newsflo-indhold oprettet

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources\_en.properties CHANGED

53 - suggestedaction-message.digest\_listing=<a href="{link}">View all ({count}) </a>  
53 + suggestedaction-message.digest\_listing=<a href="{link}">View all ({count}) </a>  
74 - workflow-message.digest\_listing=<a href="{link}">View all ({count}) </a>  
74 + workflow-message.digest\_listing=<a href="{link}">View all ({count}) </a>  
97 - plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of technical limitations, such as large file (larger than 25 MB), password protected file, the file is not readable or file type is not supported by the anti-plagiarism system Ephorus.  
97 + plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of technical limitations, such as large file (larger than 25MB), password protected file, the file is not readable or file type is not supported by the anti-plagiarism system Ephorus.  
115 - newsflo-message.velocity\_title=You have been added to a Newsflo contentitem: {title}  
116 - newsflo-message.velocity\_subject=You have been added to aNewsflo content item: {title}  
115 + newsflo-message.velocity\_title=You have been added to new Newsflo item(s)  
116 + newsflo-message.velocity\_subject=Newsflo content created

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources\_da.properties ADDED

1 + uptodate-subject=Pure er opdateret  
2 + uptodate-body=Gode nyheder, din Pure ({currentVersion}) er opdateret. At holde sig opdateret hjælper os til at yde den bedste support. Tjek <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">højdepunkterne for udgivelsen ud.</a>  
3 + onebehind-subject=Pure er klar til opdatering  
4 + onebehind-body=En ny Pure-version ({latestVersion}) er tilgængelig, tjek <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">højdepunkterne for udgivelsen</a> ud, og overvej opdatering. Lige nu kører du {currentVersion} - dette vil blive understøttet, indtil version {endOfLifeVersion} bliver udgivet.  
5 + twobehind-subject=Det er tid til at opdatere din Pure  
6 + twobehind-body=En ny Pure-version ({latestVersion}) er tilgængelig, tjek <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">højdepunkterne for udgivelsen</a> ud, og overvej at opdatere snart. Du nuværende version {currentVersion} vil ikke længere blive understøttet, når den næste version {endOfLifeVersion} bliver udgivet.

```
7 + threebehind-subject=Pure-version ikke opdateret
8 + threebehind-body=Din nuværende version ({currentVersion}) understøttes ikke længere fuldt ud, og yderligere problemer
relateret til denne version vil ikke blive løst. Når du opgraderer til version {minimumSupportedVersion} eller højere, kan du
igen drage fordel af fuld support. Kontakt venligst <a href="mailto: pure-support@elsevier.com">Pure Support Team</a> for at give
os besked om hvilken version, du ønsker at opgradere til, eller hvis du har spørgsmål til Elseviers udgivelsespolitik.
```

📄 pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources\_en.properties ADDED

```
1 + uptodate-subject=Pure is up to date
2 + uptodate-body=Good news, your Pure ({currentVersion}) is up to date.\nStaying up to date helps us best support you. Check out
the <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the release.</a>
3 + onebehind-subject=Pure is ready to update
4 + onebehind-body=A new Pure version ({latestVersion}) is available, check out the <a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the new release</a> and consider
updating.\nRight now you're running {currentVersion} - this will be supported until version {endOfLifeVersion} is released.
5 + twobehind-subject=It's time to update your Pure
6 + twobehind-body=A new Pure version ({latestVersion}) is available, please check out the <a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the new release</a> and consider updating
soon.\nYour current version {currentVersion} will no longer be supported once the next version {endOfLifeVersion} is released.
7 + threebehind-subject=Pure version out of date
8 + threebehind-body=Your current version ({currentVersion}) is no longer fully supported and no further issues relating to this
version will be resolved.\nOnce you upgrade to version {minimumSupportedVersion} or higher, you can again benefit from full
support.\nPlease contact the <a href="mailto: pure-support@elsevier.com">Pure Support Team</a> to notify us which version you
wish to upgrade to, or in case you have any questions about Elsevier's Release Policy.
```

📄 pure-core/admin/src/main/resources/META-INF/resources/search/search-resources\_da.properties CHANGED

```
112 - merge-preview-button=Forhåndsvisning af sammenlægning
112 + merge-preview-button=Vis forhåndsvisningaf sammenlægning
```

📄 pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources\_da.properties CHANGED

```
73 - support_manual=Manual
160 + support_manual=Pure brugervejledning
```

📄 pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources\_en.properties CHANGED

```
100 - support_manual=Manual
100 + support_manual=PureManual
```

pure-core/admin/src/main/resources/renderer/dk/atira/pure/api/shared/editor/renderers/insufficientrolesexceptionrenderer-resources\_da.pro... CHANGED

```
5 - error.systemdesc.header=Systembesked
5 + error.systemdesc.header=
You do not have the correct permissions to modify/save this record.\n This could be due to a "Managing organisational unit" that
you do not have the right to modify managed content for.\n Try selecting a different "Managing organisational unit".
```

pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources\_da.properties CHANGED

```
235 + Scopus.use.approximated.publication.date-label=Anvend estimeret udgivelsesdato
236 + Scopus.use.approximated.publication.date-description=Ved indstilling til True vil Pure importere og anvende den Scopus-
estimerede udgivelsesdato. Ved indstilling til False vil Pure fortolke datoen, som Scopus har modtaget fra journalen, og
indstille datoen herudfra. I nogle tilfælde kan det give et bedre resultat, hvis du lader Pure håndtere datofortolkning
(konfiguration sat til False). I det sjældne tilfælde, at kun den estimerede dato er tilgængelig, vil Pure anvende den estimerede
dato.
237 + pubmed.content.api.esearch.url=URL til ESearch
238 + pubmed.content.api.efetch.url=URL til EFetch
239 + pubmed.content.api.epost.url=URL til EPost
240 + pubmed.content.api.etool.url=URL til ID converter tool
```

pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources\_en.properties CHANGED

```
4 - Scopus.authentication.apiKey-label=API Key
4 + Scopus.authentication.apiKey-label=API key
42 + Scopus.use.approximated.publication.date-label=Use approximated publication date
43 + Scopus.use.approximated.publication.date-description=When set to True, Pure will import and use the Scopus-provided
approximated publication date. When set to False, Pure will parse the date which Scopus has received from the journal and set the
date accordingly. In some cases letting Pure handle the date parsing (configuration set to False) may yield better results. In
the rare case that only the approximated date is available, Pure will use the approximated date.
44 - enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID - Notice byenabling
this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles
will be removed.
46 + enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID. Note: By enabling
this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles
will be removed.
120 - crossref.pid-description=
122 + crossref.pid-description=Email address or credentials used in the 'pid' parameter of Crossref's OpenURL request.
192 - pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster
response and import. An API Key is not mandatory, but recommended. Information can be found here:
https://www.ncbi.nlm.nih.gov/books/NBK25497
193 -
194
```

+ pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster response and import. An API key is not mandatory, but recommended. Information can be found here:  
<https://www.ncbi.nlm.nih.gov/books/NBK25497>

```
195 + pubmed.content.api.esearch.url=URL to ESearch
196 + pubmed.content.api.efetch.url=URL to EFetch
197 + pubmed.content.api.epost.url=URL to EPost
198 + pubmed.content.api.etool.url=URL to ID converter tool
198 - EMBASE.authentication.apiKey-label=API Key
203 + EMBASE.authentication.apiKey-label=API key
```

pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources\_da.properties CHANGED

```
535 + researchoutputwizard.label=Guide til søgning i output/import
536 + DataSearch.label=DataSearch
```

pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources\_en.properties CHANGED

```
241 + DataSearch.label=DataSearch
242 +
332 - authorScopus=Author & affiliations in Scopus
334 + authorScopus=Author and affiliations in Scopus
364 - authorScielo=Author & affiliations in SciELO
366 + authorScielo=Author and affiliations in SciELO
418 - authorPure=Author & affiliations in Pure
420 + authorPure=Author and affiliations in Pure
513 - default-organisation-from-authors-hint=If there are no information regarding affiliations for internal authors from the
source, then the most relevant organisations from Pure are added. The strategy is as follows\:  
<br/>1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added.<br/>2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added.<br/>3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.
515 + default-organisation-from-authors-hint=If there is no information regarding affiliations for internal authors from the source,
then the most relevant organisations from Pure are added. The strategy is as follows\:  
<br/>1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added.<br/>2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added.<br/>3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.
614 +
615 + researchoutputwizard.label=Research output import wizard
```

pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources\_da.properties CHANGED

1310	- elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth base URL
1311	- elsevieridplusauthenticationmechanism.failure-text-label=ID+ kunne ikke godkende meddelelse
1312	- elsevieridplusauthenticationmechanism.original-username-label=ID+ originalt brugernavn konstant
1314	- elsevieridplusauthenticationmechanism.synchronize-label=Synkroniser brugere med ID+
1315	- elsevieridplusauthenticationmechanism.editor.clear-id-description=Hvis ID'et er forkert, kan du fjerne det fra Pure. Kontakt ID+ for hjælp til at rette problemet.
1312	+ elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier-konto OAuth base URL
1313	+ elsevieridplusauthenticationmechanism.failure-text-label=Elsevier-konto kunne ikke autentificere meddelelse
1314	+ elsevieridplusauthenticationmechanism.original-username-label=Elsevier-konto originalt brugernavn fast
1315	+ elsevieridplusauthenticationmechanism.synchronize-label=Synkroniser brugere med Elsevier-konto
1316	+ elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier-konto originalt brugernavn fast (regex til post-processing af brugernavn)
1317	+ elsevieridplusauthenticationmechanism.original-username-regex-description=F.eks. (?!.*@)(.*) kun til at udtrække delen efter @ i fx some@user
1318	+ elsevieridplusauthenticationmechanism.editor.clear-id-description=Hvis ID'et er forkert, kan du fjerne det fra Pure. Kontakt Elsevier for hjælp til at rette problemet.
1319	+ saml2authenticationmechanism.sha256-signing-label=Brug SHA-256-algoritmen
1320	+ syncjob.associationType.allowChange-label=Fjern og erstæt organisationsassociationer, hvis typen har ændret sig
1321	+ syncjob.associationType.allowChange-description=Fjerner ældre association, hvis den matches med en ny eller anden type. Al data relateret til den gamle association er tabt. En ny association er lavet med nye data fra inputtet.
1322	+ creatable-by-roles-ADMINISTRATORS_AND_EDITORS_AND_ASSISTING_EDITORS=Administratorer, editorer og assisterende editorer

pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources\_en.properties CHANGED

7	- RoMEO_apiKey-label=SHERPA/RoMEO API Key
7	+ RoMEO_apiKey-label=SHERPA/RoMEO API key
35	- limitToLastStepWCSF-description=Filter content based on the current work flowstep so that only last step is allowed.
35	+ limitToLastStepWCSF-description=Filter content based on the current workflow step so that only last step is allowed.
43	- aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from. Eg. {"entityId1" : "Description 1", "entityId2" : "Description 2"}
43	+ aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from, e.g. {"entityId1" : "Description 1", "entityId2" : "Description 2"}
45	- aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes Eg. ELS_eduPersonPrincipalName
45	+ aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes e.g. ELS_eduPersonPrincipalName
69	- elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth base URL
69	+ elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier account OAuth base URL
71	- elsevieridplusauthenticationmechanism.failure-text-label=ID+ failure to authentication message
71	+ elsevieridplusauthenticationmechanism.failure-text-label=Elsevier account failure to authenticate message
73	- elsevieridplusauthenticationmechanism.original-username-label=ID+ original username constant

73 + elsevieridplusauthenticationmechanism.original-username-label=Elsevier account original username constant

77 - elsevieridplusauthenticationmechanism.synchronize-label=Synchronize users with ID+

77 + elsevieridplusauthenticationmechanism.synchronize-label=Synchronise users with Elsevier account

79 - elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from PURE. Contact ID+ for assistance correcting the issue.

79 + elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier account original username constant (regex for post-processing of username)

80 + elsevieridplusauthenticationmechanism.original-username-regex-description=E.g. (?!.\*@)(.\*) to only extract the part after @ in e.g. some@user

81 + elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from Pure. Contact Elsevier for assistance correcting the issue.

106 + saml2authenticationmechanism.sha256-signing-label=Use SHA-256 algorithm

107 + saml2authenticationmechanism.sha256-signing-description=

123 - casauthenticationmechanism.extra\_login\_url\_parameters-description=Any extra URL parameters that should be appended to the URL to which the user is redirected for authentication. Eg. '&p\_logintype=ad&language=da'

127 + casauthenticationmechanism.extra\_login\_url\_parameters-description=Any extra URL parameters that should be appended to the URL that the user is redirected to for authentication, e.g. '&p\_logintype=ad&language=da'

150 - ldapauthenticationmechanism.user-dn-patterns-description=Semicolon separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'

154 + ldapauthenticationmechanism.user-dn-patterns-description=Semicolon-separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'.

474 - syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ids references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.

478 + syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ID references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.

555 - syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If there exist persons without organisational unit associations, the synchronisation will not continue and a fatal error is logged.

559 + syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If persons without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.

580 -

584 + syncjob.associationType.allowChange-label=Remove and replace organisation associations if the type has changed

585 + syncjob.associationType.allowChange-description=Removes older association if matched with a new one of a different type. All data related to the old association is lost. A new association is made with new data from the input.

635 - syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If there exist students without organisational unit associations, the synchronisation will not continue and a fatal error is logged.

640 + syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If students without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.

702

	- syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any <b>staffs</b> without organisational unit associations. If <b>there exists staffs</b> without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
707	+ syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any <b>Staff members</b> without organisational unit associations. If <b>staff members</b> without organisational unit associations <b>exist</b> , the synchronisation will not continue and a fatal error is logged.
975	- e.g., <a href="http://scival.com/overview/summary?uri=Institution/315028">http://scival.com/overview/summary?uri=Institution/315028</a>
980	+ e.g. <a href="http://scival.com/overview/summary?uri=Institution/315028">http://scival.com/overview/summary?uri=Institution/315028</a>
1082	- pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails.
1083	- pure.mail.forced-recipient-of-all-email-excludes-description=The email addresses <b>provided</b> will receive <b>an email</b> even <b>though</b> the <b>"Forces recipient of all emails"</b> has been set. The list of email addresses must be comma-separated. E.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1087	+ pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails
1088	+ pure.mail.forced-recipient-of-all-email-excludes-description=These email addresses will receive <b>emails</b> even if the <b>'Force recipient of all emails'</b> has been set. The list of email addresses must be comma-separated, e.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1085	- pure.mail.forced-recipient-exclude-internal-description=Enabling this option <b>will ensure</b> internally-managed users will receive emails even if the <b>"Forces recipient of all emails"</b> has been set. This option is complementary to the explicit email whitelist.
1090	+ pure.mail.forced-recipient-exclude-internal-description=Enabling this option <b>ensures</b> internally-managed users will receive emails even if the <b>'Forces recipient of all emails'</b> has been set. This option is complementary to the explicit email whitelist.
1090	- pure.mail.from-description=This changes the <b>from</b> email address. This should not be changed, unless otherwise instructed by Elsevier.
1095	+ pure.mail.from-description=This changes the <b>'From'</b> email address. This should not be changed, unless otherwise instructed by Elsevier.
1092	- pure.mail.reply-to-description=The <b>reply</b> email address on the emails sent from Pure
1097	+ pure.mail.reply-to-description=The <b>'Reply to'</b> email address on the emails sent from Pure.
1097	- pure.mail.username-label=Mail host <b>user name</b>
1098	- pure.mail.username-description=The <b>user name</b> used with the mail host.
1102	+ pure.mail.username-label=Mail host <b>username</b>
1103	+ pure.mail.username-description=The <b>username</b> used with the mail host.
1101	- pure.mail.starttls.enable-label=Enable or disable STARTTLS command.
1106	+ pure.mail.starttls.enable-label=Enable or disable STARTTLS command
1103	- pure.mail.checkserveridentity-label= <b>On</b> <b>will check</b> the server identity.
1104	- pure.mail.checkserveridentity-description=If set to <b>on</b> , check the server identity as specified by RFC 2595.
1108	+ pure.mail.checkserveridentity-label= <b>Check</b> the server identity
1109	+ pure.mail.checkserveridentity-description=If set to <b>On</b> , check the server identity as specified by RFC 2595.
1106	- pure.mail.support-email-address-description=The support email address that appears in the Help and support section in the Pure <b>admin</b> .
1107	- pure.mail.connection.timeout.seconds-label=Mail connection timeout ( <b>In</b> seconds)
1111	+ pure.mail.support-email-address-description=The support email address that appears in the <b>'Help and support'</b> section in the Pure <b>interface</b> .
1112	+ pure.mail.connection.timeout.seconds-label=Mail connection timeout ( <b>in</b> seconds)
1110	- pure.mail.require.logindate-label=Only send email messages to users that have <b>been logged in</b> to Pure



1115	+ pure.mail.require.logindate-label=Only send email messages to users that have logged into Pure
1113	- pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format -e.g. "mail.smtp.starttls.enable=true", separated with line breaks.
1118	+ pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format, e.g. "mail.smtp.starttls.enable=true", separated with line breaks.
1135	- mount.points.fullUrl.ws-label=Full URL for ws
1140	+ mount.points.fullUrl.ws-label=Full URL for WS
1145	- dspace.user-label=User name
1150	+ dspace.user-label=Username
1202	- researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advice against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.
1207	+ researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advise against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources\_da.properties CHANGED

```

1 - #Added translations
2 - #Thu Sep 28 10:07:29 CEST 2017
6 - linkingStrategy.portal=Generér links til en Pure Portal
4 + linkingStrategy.portal=Generér links til en Pure Portal
11 + originalUserNameAsUserName={originalUserName} som {userName}

```

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources\_en.properties CHANGED

```

13 +
14 + originalUserNameAsUserName={originalUserName} as {userName}

```

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources\_da.properties CHANGED

```

13 + logger.grouping.elsevieridplus=Autentificering - Elsevier-konto

```

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources\_en.properties CHANGED

13 + logger.grouping.elsevieridplus=Authentication - Elsevier account

pure-core/core/src/main/resources/security/security-resources\_da.properties CHANGED

28 - idplusMarkerRole=ID+ bruger

28 + idplusMarkerRole=Elsevier-konto

pure-core/core/src/main/resources/security/security-resources\_en.properties CHANGED

12 - idplusMarkerRole=ID+ user

12 + idplusMarkerRole=Elsevier account

pure-core/model/src/main/resources/model/dk/atira/pure/api/shared/model/workflow/workflowstatusconfiguration-resources\_da.properties CHANGED

6 - workflowDescriptionSteps=Workflow-indstillinger ændres her. Hvis workflow er aktiveret, kan du vælge mellem et 3-trins eller 4-trins workflow afhængigt af det centraliseringsniveau, organisationen har behov for. Du kan også vælge at konfigurere workflow for eksterne publikationer og til sidst konfigurere revalidering

6 + workflowDescriptionSteps=Workflow-indstillinger ændres her. Hvis workflow er aktiveret, kan du vælge mellem et 3-trins eller 4-trins workflow afhængigt af det centraliseringsniveau, organisationen har behov for. Du kan også vælge at konfigurere workflow for eksterne publikationer og til sidst konfigurere genvalidering

28 - revalidationEnabled=Revalidering aktiveret

28 + revalidationEnabled=Genvalidering aktiveret

34 - workflow-status-reValidation=Revalidering

34 + workflow-status-reValidation=Genvalidering

pure-core/model/src/main/resources/model/dk/atira/pure/api/shared/model/workflow/workflowstatusconfiguration-resources\_en.properties CHANGED

7 - workflow-settings-status=Workflow settings has been changed from a 4-step to a 3-step workflow. Please use the button below, which will guide you through moving content from the disabled 4th step to a workflow step in the 'Centralised' 3-step workflow. OR you can go back and change the workflow back to a 'Decentralised' 4-step workflow pressing 'Change workflow settings'.

7 + workflow-settings-status=Workflow settings have been changed from a 4-step to a 3-step workflow. Please use the button below, which will guide you through moving content from the disabled 4th step to a workflow step in the 'Centralised' 3-step workflow. OR you can go back and change the workflow back to a 'Decentralised' 4-step workflow pressing 'Change workflow settings'.

14 - <li>If you have any content currently in the 4th 'Decentralised' workflow step you will be prompted to bulk move that content to another workflow step in the 'Centralised' workflow. The system will help you to do so and it is strongly recommended that you complete this bulk action immediately once prompted.</li>\

14

+ <li>If you have any content currently in the 4th 'Decentralised' workflow step you will be prompted to bulk move that content to another workflow step in the 'Centralised' workflow. The system will help you to do so and it is strongly recommended that you complete this bulk action immediately once prompted.</li>\

pure-core/model/src/main/resources/validation/validation-core-model-resources\_da.properties **CHANGED**

```
242 -
242 + temporalCoverageStartDate.year=Tidsmæssig dækning startår
243 + temporalCoverageEndDate.year=Tidsmæssig dækning slutår
244 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=De følgende felter indeholder ukorrekt nøgleordskonfiguration
245 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} indeholder en ukorrekt nøgleordskonfiguration, som kun kan bruges af {differentFamily}
246 + statement.mimeType=Typen af uploadet fil
247 + validation.text.limitCollectionToNotContain-group=Kan ikke gemme pga. duplikerede relationer
248 + validation.text.limitCollectionToNotContain=Du kan ikke bruge entiteten '{value}' som '{field:lowercase}', da den allerede bruges som '{referencedFieldName}'
```

pure-core/model/src/main/resources/validation/validation-core-model-resources\_en.properties **CHANGED**

```
9 - validation.text.defined-group=The following fields are required
9 + validation.text.defined-group=The following fields are required:
84 + statement.mimeType=The type of the uploaded file
143 - validation.issn.format-group=The following fields have ISSN numbers with invalid format. ISSN must be of the format: "nnnn-nnnn"
144 - validation.issn.format=The ISSN number is not correctly formatted, it must be of the format nnnn-nnnn
145 - validation.issn.checkdigit-group=The following fields have invalid ISSN numbers; modulus check has failed. Please check that the ISSN numbers have been entered correctly.
146 - validation.issn.checkdigit=The ISSN number is not correct, modulus check has failed. Please check that the ISSN number has been entered correctly.
144 + validation.issn.format-group=The following fields have ISSNs with an invalid format. ISSNs must have the format "nnnn-nnnn"
145 + validation.issn.format=The ISSN is not correctly formatted, it must have the format nnnn-nnnn.
146 + validation.issn.checkdigit-group=The following fields have invalid ISSNs; modulus check has failed. Please check that the ISSNs have been entered correctly.
147 + validation.issn.checkdigit=The ISSN is not correct, modulus check has failed. Please check that the ISSN has been entered correctly.
161 - validation.text.inStep=The current work flowstep can only be {expectedStepName}, but is {currentStepName}
162 + validation.text.inStep=The current workflow step can only be {expectedStepName}, but is {currentStepName}
209 - validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour
210 + validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour:
225 - validation.text.definedonobjects-group=The following fields are required
226 + validation.text.definedonobjects-group=The following fields are required:
```

234	- validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps <b>has</b> been used more than once
235	+ validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps <b>have</b> been used more than once
240	- validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps <b>has</b> been used in the definition
241	- validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps <b>has</b> been used in the definition
241	+ validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps <b>have</b> been used in the definition
242	+ validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps <b>have</b> been used in the definition
244	- validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps <b>has</b> been used more than once
245	+ validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps <b>have</b> been used more than once
285	+ validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=The following fields contains an incorrect keyword configuration
286	+ validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} contains an incorrect keyword configuration, which is only usable by {differentFamily}
328	+
329	+ validation.text.limitCollectionToNotContain-group=Cannot save due to duplicate relations
330	+ validation.text.limitCollectionToNotContain=You cannot use the entity '{value}' as '{field:lowercase}' because it is already used as '{referencedFieldName}'

 pure-core/model/src/main/resources/workflows/workflows-resources\_da.properties CHANGED

100	- workflow_revalidation_status=Revalidering
100	+ workflow_revalidation_status=Genvalidering

 pure-core/model/src/main/resources/workflows/workflows-resources\_en.properties CHANGED

114	- workflow-content-in-wrong-step-warning=Workflow settings <b>has</b> been changed from a 4-step to a 3-step workflow. Please use the button below, which will guide you through moving content from the disabled 4th step to a workflow step in the 'Centralised' 3-step workflow. OR you can go back and change the workflow back to a 'Decentralised' 4-step workflow pressing 'Change workflow settings'
114	+ workflow-content-in-wrong-step-warning=Workflow settings <b>have</b> been changed from a 4-step to a 3-step workflow. Please use the button below, which will guide you through moving content from the disabled 4th step to a workflow step in the 'Centralised' 3-step workflow. OR you can go back and change the workflow back to a 'Decentralised' 4-step workflow pressing 'Change workflow settings'

 pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources\_da.properties CHANGED

7	+
8	+ scheduledreport-failure-message.title=Fejl i kørsel af planlagt rapport

```
9 + scheduledreport-failure-message.velocity_subject=Rapporten "{title}" fejlede
10 + scheduledreport-failure-message.velocity_title=Rapporten "{title}" fejlede
11 + scheduledreport-failure-message.text=Rapporten "{title}" afviklet af Pure {date} fejlede under kørsel. Kontakt din
systemadministrator for at undersøge hvorfor rapporten fejlede. Yderligere information kan findes i jobloggen under
administrationsoversigten i Pure. (Du modtager denne mail fordi din bruger er sat som ejer af den planlagte rapport).
```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources\_en.properties CHANGED

```
6 +
7 + scheduledreport-failure-message.title=Failure to generate scheduled report
8 + scheduledreport-failure-message.velocity_subject=The report "{title}" failed to produce a result
9 + scheduledreport-failure-message.velocity_title=The report "{title}" failed to produce a result
10 + scheduledreport-failure-message.text=The scheduled report "{title}" executed by Pure on {date} failed to generate a result.
Contact your Pure Administrator to investigate why the scheduled report failed to produce a result. Further information can be
found in the job log (Pure > Administrator > Jobs > Job log). (You received this email because your user is the owner of the
scheduled report).
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources\_da.properties CHANGED

```
1 - #Added translations
2 - #Mon Oct 08 10:53:33 CEST 2018
45 + exported-value-was-truncated=Værdien i række {rowNum} blev trunkeret.
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources\_en.properties CHANGED

```
39 - pivot-multiple-fields-help=Data will be expanded horizontally this means that based on the data this definition may span
multiple fields and each of these fields will then be prefixed with aID.x where the x is the position of the element.
39 + pivot-multiple-fields-help=Data will be expanded horizontally -this means that based on the data this definition may span
multiple fields and each of these fields will then be prefixed with ID.x where the x is the position of the element.
62 +
63 + exported-value-was-truncated=The value in row {rowNum} was truncated.
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources\_da.properties CHANGED

```
568 + preferences.maxRowsInExcelExport.label=Maks. rækker i Excel-eksport
569 + preferences.maxRowsInExcelExportButton.label=Gem 'maks. rækker i Excel-eksport'
570
```

+ pure-report-unable-to-load-react-mount-point-description=Hvis mount point konfigurationen ikke matcher serveradressen: Bed din systemadministrator om at kontrollere konfigurationen af mount point under fanen Administration (workspace/administrator/kategori/indstillinger/konfiguration/mount points/). En Pure-server skal vide, hvor den kan finde det genererede javascript til at vise denne side. Enten er der ingen konfigurationsværdi, eller serveren er blevet flyttet til et andet domæne, eller måske blev mount point ikke opdateret i overensstemmelse hermed. Fungerer det stadig ikke? Direkte adgang til Pure via en localhost-adresse vil føre til uoverensstemmelser i logon-cookies, og nogle funktioner vil ikke være tilgængelige. Hvis det er tilfældet, skal du gå til logon til '{mount\_point}/report/start.xhtml' i stedet.

571 + pure-report-unable-to-load-react-mount-point-configuration={mount\_point}

572 + pure-report-unable-to-load-react-mount-point-label=Mount point

573 + pure-report-unable-to-load-react-sub-header=Hvis du ser denne meddelelse, betyder det, at Pure ikke kunne hente information, som er nødvendig for at generere siden.

574 + pure-report-unable-to-load-react-header=Det mislykkedes at indlæse Javascript-filer

📄 pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources\_en.properties CHANGED

481 + preferences.maxRowsInExcelExport.label=Max rows in Excel export

482 + preferences.maxRowsInExcelExportButton.label=Save 'max rows in Excel export'

583 - visibilityAndConfidentiality=Visibility & confidentiality

585 + visibilityAndConfidentiality=Visibility and confidentiality

722 + pure-report-unable-to-load-react-mount-point-description=If the mount point configuration does not match the server address: Ask your system administrator to check configuration of the mount point in the Administrator tab (workspace/administrator/category/settings/configuration/mount-points/). A Pure server must know where to find the generated Javascript to display this page. Either there is no configuration value or the server has been moved to another domain or perhaps the mount point configuration was not updated accordingly. Still not working? Accessing Pure directly from a localhost address will cause a mismatch in login cookies and some features will be unavailable. In this case you should go to log in to '{mount\_point}/report/start.xhtml' instead.

723 + pure-report-unable-to-load-react-mount-point-configuration={mount\_point}

724 + pure-report-unable-to-load-react-mount-point-label=Mount point

725 + pure-report-unable-to-load-react-sub-header=If you see this message it means that Pure was unable to retrieve information needed to generate the page

726 + pure-report-unable-to-load-react-header=Failed to load Javascript files

727 +

728 +

📄 pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

15 + personalInformationShown-hint=Når denne er aktiveret, eksponerer nøglen personoplysninger, som fx køn, nationalitet og fødselsdato.

16 + content-group=Adgang til personoplysninger

17 + content-group-help=Vælg det indhold, du ønsker at eksponere

📄 pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

```
6 + personalInformationShown-hint=When this is enabled, the key exposes personal information, such as gender, nationality and date of birth.
16 + content-group=Access to personal information
17 + content-group-help=Choose what content you would like to expose
```

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

```
1 - #Added translations
2 - #Tue May 30 14:33:24 CEST 2017
13 + allowedProperties=Tillad adgang til disse felter
```

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

```
1 - type-name=API Key
2 - type-name-plural=API Keys
3 - family-name-plural=API Keys
4 - family-name=API Key
1 + type-name=API key
2 + type-name-plural=API keys
3 + family-name-plural=API keys
4 + family-name=API key
6 - apiKey=API Key
6 + apiKey=API key
14 + allowedProperties=Allow access to these fields
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
17 - submissiondate=Ansøgnings dato
23 + submissiondate=Dato indsendt
24 + submissiondeadline=Indsendelsesdeadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
21 - submissiondate=Submission date
21 + submissiondate=Date submitted
22 + submissiondeadline=Submission deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
40 + application-submission-deadline-period-legend=Applikation nærmer sig indsendelsesdeadline
41 + application-submission-deadline-period-hint=Disse indstillinger konfigurerer applikationsmatrixvisningen, så kun
    applikationer, der har en indsendelsesdeadline inden for den valgte periode, vises.
42 + application-submission-deadline-period=Indsendelsesdeadline inden for
43 + applicationSubmissionDeadlinePeriodOptions.ALL=Alle
44 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=En uge
45 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=To uger
46 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=En måned
47 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Tre måneder
48 + application-submission-deadline-column=Deadline nærmer sig
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
45 + application-submission-deadline-period-legend=Application approaching submission deadline
46 + application-submission-deadline-period-hint=These settings configure the Application matrix view so that only Applications
    that have a submission deadline within the chosen period are shown.
47 + application-submission-deadline-period=Submission deadline in next
48 + applicationSubmissionDeadlinePeriodOptions.ALL=All ranges
49 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=One week
50 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Two weeks
51 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=One month
52 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Three months
53 +
60 +
61 + application-submission-deadline-column=Approaching deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

```
1 + funderStatus-group=Status fra bevillingsgiver
2 + submissionDeadline-group=Indsendelsesdeadline
3 + submissionDeadline-group-help=Indtast den dato, hvor applikationen skal indsendes inden. Hvis denne ansøgning knyttes til en
    finansieringsmulighed, vil deadline fra finansieringsmuligheden blive anvendt, hvis datoen ikke allerede er sat på ansøgningen.
4 + same-submission-deadline-notification=Samme som finansieringsmulighed
5 + earlier-submission-deadline-notification=Tidligere end finansieringsmulighed ({fundingOpportunityDeadline})
6 + later-submission-deadline-notification=Senere end finansieringsmulighed ({fundingOpportunityDeadline})
7 + not-set-submission-deadline-notification=Defineret på finansieringsmulighed ({fundingOpportunityDeadline})
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED



```
1 + funderStatus-group=Funder status
2 + funderStatus-group-help=
3 +
4 + submissionDeadline-group=Submission deadline
5 + submissionDeadline-group-help=Enter the date that the application must be submitted by. If you associate a funding opportunity
  with this application, the deadline from the funding opportunity will be used if this date has not already been set on the
  application.
6 +
7 + same-submission-deadline-notification=Same as funding opportunity
8 + earlier-submission-deadline-notification=Earlier than funding opportunity ({fundingOpportunityDeadline})
9 + later-submission-deadline-notification=Later than funding opportunity ({fundingOpportunityDeadline})
10 + not-set-submission-deadline-notification=Defined on funding opportunity ({fundingOpportunityDeadline})
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
7 + create-new-ethical-review-no-save=Opret etisk vurdering...
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
6 + create-new-ethical-review-no-save=Create ethical review...
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/externalerm/externalerm-re... CHANGED

```
7 - externalerm-display-name-hint="Indsæt navnet, der skal bruges, når status vises. F.eks. "Infonetica ERM"."
```

```
7 + externalerm-display-name-hint=Indsæt navnet, der skal bruges, når status vises. F.eks. "Infonetica ERM".
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:08:01 CET 2017
3 - title=Dato for indsendelse
5 + title=Dato indsendt
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

```
1 - title=Submission date
1 + title=Date submitted
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

```
1 + title=Indsendelsesdeadline
2 + noLimit=Alt
3 + noSubmissionDeadline=Ingen indsendelsesdeadline
4 + submissionDeadline=Indsendelsesdeadline inden for
5 + submissionDeadlineCustom=Indsendelsesdeadline i tilpasset datoperiode
6 + oneWeek=En uge
7 + twoWeeks=To uger
8 + oneMonth=En måned
9 + threeMonths=Tre måneder
10 + all=Alle
11 + from=Fra
12 + to=Til
13 + date=Dato
14 + arrow=>
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

```
1 + title=Submission deadline
2 + noLimit=All
3 + noSubmissionDeadline=No submission deadline
4 + submissionDeadline=Submission deadline in next
5 + submissionDeadlineCustom=Submission deadline in custom date range
6 + oneWeek=One week
7 + twoWeeks= Two weeks
8 + oneMonth= One month
9 + threeMonths= Three months
10 + all= All ranges
11 + from=From
12 + to=To
13 + date=Date
14 + arrow=>
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
28 + applicationdeadlineinconsistency.title=Inkonsistente datoer for indsendelsesdeadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
31 +  
32 + applicationdeadlineinconsistency.title=Inconsistent submission deadline dates
```

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

```
1 - submissionDate=Dato for indsendelse  
7 - funderStatus-group=Status fra bevillingsgiver  
8 - funderStatus-group-help=  
10 + submissionDate=Dato indsendt  
11 + submissionDeadline=Frist
```

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

```
1 - submissionDate=Submission date  
1 + submissionDate=Date submitted  
2 + submissionDeadline=Deadline  
10 - funderStatus-group=Funder status  
11 - funderStatus-group-help=  
12 -
```

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

```
20 - yesterday=forgårs  
20 + yesterday=i går
```

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources\_da.proper... CHANGED

```
1 - #Added translations  
2 - #Tue May 30 14:33:24 CEST 2017  
9 - applicationOrderBySubmissionDate.label=Dato for indsendelse  
21 + applicationOrderBySubmissionDate.label=Dato indsendt  
22 + applicationOrderByApproachingSubmissionDeadline.label=Deadline nærmer sig
```

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources\_en.proper... CHANGED

```
1 - applicationOrderBySubmissionDate.label=Submission date  
1 + applicationOrderBySubmissionDate.label=Date submitted
```

2 + applicationOrderByApproachingSubmissionDeadline.label=Approaching deadline

pure-modules/bfi-module/base-dk/admin-runtime/src/main/resources/META-INF/resources/admin/admin-base-resources\_da.properties CHANGED

```
1 - #Added translations
2 - #Thu Sep 28 10:07:29 CEST 2017
30 - bfi-oai-debug-log=!!BFI OAI Debug log. This is only visible to vendor users.
31 - start-debug=!!Start
32 - stop-debug=!!Stop
33 - logging.entries.display=!!Show
34 - download=!!Download log-file
35 - logging.entries=!!Entries
36 - logging.duration.remaining=!!Remaining time
28 + bfi-oai-debug-log=BFI OAI Debug log. Dette er kun synligt for sælger-brugere.
29 + start-debug=Fra
30 + stop-debug=Stop
31 + logging.entries.display=Vist
32 + download=Download log-fil
33 + logging.entries=Log posteringer
34 + logging.duration.remaining=Tilbageværende tid
```

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... CHANGED

```
1 - #Added translations
2 - #Mon Oct 08 10:53:34 CEST 2018
57 + newsflo.api.clienttoken-legend=Udbyderkonfiguration: Newsflo Client Token
58 + newsflo.api.clienttoken-description=Client Token til brug med API.
```

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... CHANGED

```
55 - newsflo.api.token-legend=Vendor configuration: Newsflo API Key
56 - newsflo.api.token-description=The API Key for use with the API.
55 + newsflo.api.token-legend=Vendor configuration: Newsflo API key
56 + newsflo.api.token-description=The API key for use with the API.
64 +
65 + newsflo.api.clienttoken-legend=Vendor configuration: Newsflo Client Token
66 + newsflo.api.clienttoken-description=The client token to use with the API.
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration... ADDED

```
1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=DataSearch-integration
3 + datasearch-configuration-header-description=På denne konfigurationsside kan du oprette integration med DataSearch til
  automatisk at finde datasætindhold.
4 + what-is-datasearch-disclosure-header=Hvad er DataSearch-integration
5 + what-is-datasearch-disclosure=Aktivering af integration med DataSearch vil automatisk oprette Dataset-indhold (forbundet med
  relevante personer og organisationer) i Pure. Relationer med Research Outputs vil også automatisk blive oprettet, hvor de er
  tilgængelige.</br></br><p>Aktivering af DataSearch-integration nedenfor vil starte 'DataSearch: Importér Datasets'-jobbet, og
  indstil den til at køre på ugentlig basis. Indstillingerne kan ændres i 'Administrator > Jobs > Cron Job Scheduling'-menuen.</p>
6 + datasearch-integration-legend=DataSearch-integration
7 + toggle-datasearch-hint=<b>Tænd</b> DataSearch-dataintegration for at finde eksisterende og fremtidigt datasætindhold.<br/>
  <b>Sluk</b> DataSearch-integration for at sætte integrationen på pause og forhindre nyt datasætindhold i at trænge ind i Pure.
8 + datasearch-integration-label=DataSearch-integration
9 + datasearch-configuration-save=Gem
10 + datasearch-configuration-refresh=Nulstil
11 + datasearch-institution-id-label=Institutions-ID'er
12 + datasearch-institution-id-hint=Indtast en kommasepareret liste over din institutions InstitutionID og ScopusID for at finde
  Datasets fra DataSearch.
13 + datasearch-missing-institution-id-error-text=Et institution-ID er påkrævet, før du aktiverer DataSearch-dataintegrationen
14 + datasearch-missing-default-managing-organisation-error-text=En standard administrerende organisation er påkrævet, før du
  aktiverer DataSearch-dataintegrationen
15 + datasearch-workflow-legend=Indstillinger for arbejdsstrøm af datasæt
16 + toggle-datasearch-workflow-hint=De importerede Datasæt vil automatisk blive indstillet i workflowtrinet, der er konfigureret
  nedenfor, når DataSearch-integration er aktiveret. Allerede importerede Datasæt påvirkes ikke.
17 + clear-rejected-candidates-legend=Afviste kandidater
18 + clear-rejected-candidates-hint=Det er muligt at rydde afviste kandidater ved at bruge knappen nedenfor. Bemærk: Alle tidligere
  afviste kandidater vil blive slettet. Handlingen kan ikke fortrydes.
19 + rejected-candidates-will-be-cleared-message=afviste kandidater vil blive slettet
20 + clear-rejected-candidates-label=Slet afviste kandidater
21 + datasearch-default-organisation-legend=Standard administrerende organisation
22 + datasearch-default-managing-organisation=Standard administrerende organisation
23 + datasearch-default-managing-organisation-hint=Denne organisation vil blive anvendt til kandidater, hvor en administrerende
  organisation ikke kunne fastslås
24 + datasearch-enable-workflow-recommendation=Det anbefales at aktivere arbejdsflowet for datasæt
25 + datasearch-clear-reject-candidate-dialogue-description=Er du sikker på du, at vil slette disse afviste kandidater? <br>
  Handlingen kan ikke fortrydes.
26 + datasearch-vendorfields-label=Specifikke felter er kun synlige for Elsevier-leverandørbrugeren
27 + datasearch-apiurl-label=API-URL
28 + datasearch-apikey-label=API nøgle
29 + datasearch-apikey-description=Key til Elsevier DataSearch API.
30 + datasearch-pagesize-label=Pr. side
31 + datasearch-pagesize-description=Antal Datasæt der skal inkluderes i hver API-forespørgsel.
```

```
32 + datasearch-sources=DataSearch-kilder
33 + datasearch-sources-hint=En kommasepareret liste over kilder DataSearch skal begrænses til. Lad være blank for ikke at begrænse
DataSearch-kilder. Kildenavne skal matche de eksakte kildenavne i DataSearch.
34 + datasearch-show-sources=Vis tilgængelige kilder
35 + datasearch-available-sources=De følgende kilder er tilgængelige gennem DataSearch
36 + datasearch-invalid-source=En eller flere af de indtastede kilder matchede ikke en kilde i DataSearch.
37 + datasearch-failed-to-get-sources=Det mislykkedes for Pure at finde listen over kilder fra DataSearch, og Pure vil derfor ikke
validere kilderne.
38 + delete-button=Bekræft
39 + cancel-button=Annuller
```

 [pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration...](#) ADDED

```
1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=DataSearch integration
3 + datasearch-configuration-header-description=In this configuration page you can set up integration with DataSearch to
automatically source Dataset content.
4 + what-is-datasearch-disclosure-header=What is the DataSearch integration
5 + what-is-datasearch-disclosure=Enabling the integration with DataSearch will automatically create Dataset content (associated
with relevant Persons and Organisations) in Pure. Relations with Research Outputs will also automatically be created, where
available.<br><br><p>Enabling the DataSearch integration below will turn on the 'DataSearch: Import Datasets' job, and set it
to run on a weekly basis. The settings can be changed in the 'Administrator > Jobs > Cron Job Scheduling' menu.</p>
6 + datasearch-integration-legend=DataSearch integration
7 + toggle-datasearch-hint=<b>Turn on</b> the DataSearch integration to source existing and future Dataset content.<br><b>Turn
off</b> the DataSearch integration to pause the integration and prevent new Dataset content being populated in Pure.
8 + datasearch-integration-label=DataSearch integration
9 + datasearch-configuration-save=Save
10 + datasearch-configuration-refresh=Refresh
11 + datasearch-institution-id-label=Institution IDs
12 + datasearch-institution-id-hint=Enter a comma-separated list of your institution's InstitutionID and ScopusID to find Datasets
from DataSearch.
13 + datasearch-missing-institution-id-error-text=An institution ID is required before enabling the DataSearch integration
14 + datasearch-missing-default-managing-organisation-error-text=The default managing organisation is required before enabling the
DataSearch integration
15 + datasearch-workflow-legend=Dataset workflow settings
16 + toggle-datasearch-workflow-hint=When the DataSearch integration is enabled, the Datasets imported automatically will be set in
the workflow step configured below. Already imported Datasets will not be affected.
17 + clear-rejected-candidates-legend=Rejected candidates
18 + clear-rejected-candidates-hint=It is possible to clear any rejected candidates using the button below. Note: All previously
rejected candidates will be cleared. The action is not reversible.
19 + rejected-candidates-will-be-cleared-message=rejected candidates will be cleared
20 + clear-rejected-candidates-label=Clear rejected candidates
```

```
21 + datasearch-default-organisation-legend=Default managing organisation
22 + datasearch-default-managing-organisation=Default managing organisation
23 + datasearch-default-managing-organisation-hint=This organisation will be used for candidates where a managing organisation
    could not be determined
24 + datasearch-enable-workflow-recommendation=It is recommended to enable workflow for datasets
25 + datasearch-clear-reject-candidate-dialogue-description=Are you sure you want to clear these rejected candidates? <br> The
    action cannot be undone.
26 + datasearch-vendorfields-label=Specific fields only visible to the Elsevier vendor user
27 + datasearch-apiurl-label=API URL
28 + datasearch-apikey-label=API Key
29 + datasearch-apikey-description=Key for Elsevier DataSearch API.
30 + datasearch-pagesize-label=Page size
31 + datasearch-pagesize-description=Number of Datasets to include in each API request.
32 + datasearch-sources=DataSearch sources
33 + datasearch-sources-hint=A comma-separated list of sources to limit DataSearch to. Leave blank to not limit DataSearch sources.
    Source names must match the exact source names in DataSearch.
34 + datasearch-show-sources=Show available sources
35 + datasearch-available-sources=The following sources are available through DataSearch
36 + datasearch-invalid-source=One or more of the entered sources did not match a source in DataSearch.
37 + datasearch-failed-to-get-sources=Pure failed to get the list of sources from DataSearch and will therefore not validate the
    sources.
38 + delete-button=Confirm
39 + cancel-button=Cancel
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

```
14 - mendeley-data-institution-id-hint=Indtast dit institutions-id fra Mendeley, som kan findes her XXX
30 + mendeley-data-institution-id-hint=Indtast dit institutions-ID fra Mendeley, der kan findes <a target="_blank"
    href="https://service.elsevier.com/app/contact/supporthub/mendeley/">her</a> (kræver abonnement på Mendeley Data Institutional
    Edition)
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

```
12 - mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found <a target="_blank"
    href="https://data.mendeley.com/institutions">here</a> (requires Mendeley Data Institutional Edition subscription)
12 + mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found <a target="_blank"
    href="https://service.elsevier.com/app/contact/supporthub/mendeley/">here</a> (requires Mendeley Data Institutional Edition
    subscription)
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

```

1 - #Added translations
2 - #Sun Jan 29 14:08:01 CET 2017
5 - mendeleyDataSetCandidateColumn=Importer kandidater
6 - mendeleyDataSetCandidateGroup=Mendeley-importer kandidater til datasæt
7 - header-mendeley-dataset-text=Seneste import af Mendeley-data\: {lastJobExecutionDate} {jobError} - næste import vil ske\:
  {nextJobExecutionDate}
8 - header-mendeley-dataset-job-error=(<span class="jobs_error">med fejl, se log</span>)
9 - header-mendeley-dataset-date-not-available=---
10 - mendeley-dataset-task-group-name=Mendeley-datasætkandidater
13 - datasetauthorMendeleyData=Personer i Mendeley-data
14 - datasetorganisationMendeleyData=Institutioner i Mendeley-data
19 - header-mendeley-dataset-job-warning=(<span class="jobs_warn">med advarsler, se log</span>)
20 - header-dataset-mendeley-all=
  Listen over importkandidater fra Mendeley Data findes aktuelt ikke i Pure. Datasæt med mærket Opdateret angiver datasæt, der
  allerede findes i Pure, hvor forfatteren/forfatterne og/eller deres organisation er ændret i Mendeley Data. Det er vigtigt at
  importere de opdaterede datasæt, da disse fortsat vil optræde på listen over importkandidater, til dette er gjort. Du kan
  begrænse resultatlisten med rullemenuen ovenfor, så den enten viser alle, nye importkandidater eller opdaterede kandidater
9 + header-dataset-datasearch-all=Liste over importkandidater fra DataSearch ikke i Pure i øjeblikket.
10 + searchDataSetCandidateColumn=Importkandidater
11 + searchDataSetCandidateGroup=DataSearch importkandidater til Datasæt
12 + header-datasearch-dataset-text=Sidste DataSearch-import skete: {lastJobExecutionDate} {jobError} - den næste import vil ske
  den: {nextJobExecutionDate}
13 + header-datasearch-dataset-date-not-available=---
14 + datasearch-dataset-task-group-name=DataSearch datasætkandidater
15 + datasetauthorDataSearch=Personer i DataSearch
16 + authorDataSearch=Personer i DataSearch
17 + datasetorganisationDataSearch=Institutioner i DataSearch
18 + header-datasearch-dataset-job-error=(<span class="jobs_error">med fejl, se log</span>)
19 + header-datasearch-dataset-job-warning=(<span class="jobs_warn">med advarsler, se log</span>)

```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

```

3 - header-dataset-mendeley-all=List of import candidates from Mendeley Datanot currently in Pure. \
4 - The datasets with thelabel Updated denotes datasets already in Pure, where the author(s) and/or the organisational unit have
  changed in Mendeley Data. \
3 + header-dataset-datasearch-all=List of import candidates from DataSearch not currently in Pure. \
4 + The label 'Updated' denotes datasets already in Pure, where the author(s) and/or the organisational unit have changed in
  DataSearch. \
6 - You can limit the result list using the drop down above to show either all, new import candidates or updated candidates
7 - mendeleyDataSetCandidateColumn=Import candidates
8 - mendeleyDataSetCandidateGroup=Mendeley import candidates for Dataset
9

```



```

- header-mendeley-dataset-text=Last Mendeley Dataimport occurred: {lastJobExecutionDate} {jobError} - the next import will
happen at: {nextJobExecutionDate}
10 - header-mendeley-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 - header-mendeley-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 - header-mendeley-dataset-date-not-available=N/A
13 - mendeley-dataset-task-group-name=Mendeley dataset candidates
6 + You can limit the result list using the drop down above to show either all, new import candidates or updated candidates.
7 + dataSearchDataSetCandidateColumn=Import candidates
8 + dataSearchDataSetCandidateGroup=DataSearch import candidates for Dataset
9 + header-datasearch-dataset-text=Last DataSearch import occurred: {lastJobExecutionDate} {jobError} - the next import will
happen at: {nextJobExecutionDate}
10 + header-datasearch-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 + header-datasearch-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 + header-datasearch-dataset-date-not-available=N/A
13 + datasearch-dataset-task-group-name=DataSearch dataset candidates
16 - datasetauthorMendeleyData=People in Mendeley Data
17 - datasetorganisationMendeleyData=Institutions in Mendeley Data
16 + datasetauthorDataSearch=People in DataSearch
17 + authorDataSearch=People in DataSearch
18 + datasetorganisationDataSearch=Institutions in DataSearch


```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources\_da.prop... CHANGED

```

1 - #Added translations
2 - #Sun Jan 29 14:08:01 CET 2017
1 + dataSearchDataSetImportJob-label=DataSearch: Importer Datasæt
2 + dataSearchDataSetImportJob-description=Importer datasæt fra DataSearch for den givne institution.
3 - mendeleyDataSetImportJob-label=Mendeley-data\ : Importer datasæt
4 - mendeleyDataSetImportJob-description=Importer datasæt fra Mendeley for den givne institution

```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources\_en.prop... CHANGED

```

1 - mendeleyDataSetImportJob-label=Mendeley Data: Import Datasets
2 - mendeleyDataSetImportJob-description=Imports Datasets from Mendeley Datafor the given institution.
1 + dataSearchDataSetImportJob-label=DataSearch: Import Datasets
2 + dataSearchDataSetImportJob-description=Imports Datasets from DataSearch for the given institution.

```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

```

1 - #Added translations

```

2 - #Sun Jan 29 14:08:01 CET 2017  
7 - widgetFactory.dataset\_top\_contributors.name=Bidragere til dataset  
5 + widgetFactory.dataset\_top\_contributors.name=Antal af datasæt efter medarbejder

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

7 - widgetFactory.dataset\_top\_contributors.name=Top dataset contributors  
7 + widgetFactory.dataset\_top\_contributors.name=No. of datasets by employee

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modul... CHANGED

1 - #Added translations  
2 - #Sun Jan 29 14:08:01 CET 2017  
14 - mendeleydataset-message.title=Datasætkandidater fra Mendeley  
12 + dataSearchdataset-message.title=Dataset-kandidater fra DataSearch

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modul... CHANGED

3 - mendeleydataset-message.title=Dataset candidates from Mendeley  
3 + dataSearchdataset-message.title=Dataset candidates from DataSearch

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... CHANGED

1 - #Added translations  
2 - #Tue Nov 28 13:33:59 CET 2017  
52 - mendeleycategories=Mendeley-kategorier  
52 + dataSearchcategories=DataSearch-kategorier

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... CHANGED

61 - mendeleycategories=Mendeley categories  
61 + dataSearchcategories=DataSearch categories

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

24 + contactExpert-group=Kontakt  
25 + persons.enableContactExpert=Aktiver kontakt

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

```
3 + contactExpert-group=Contact Expert
12 - persons.personContactLink-hint=The portal will replace {id} with the person's ID and the {name} with the person's name.
13 + persons.personContactLink-hint=Note:The Pure will replace {id} with the person's ID and the {name} with the person's name.
25 + persons.enableContactExpert=Enable 'Contact Expert' button
```

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

```
86 - campus-ip-ranges=IP-intervaller for campus
86 + campus-ip-ranges=IP-Adresser for Campus-synlighed
90 - campus-ip-ranges-help=
90 + campus-ip-ranges-help=
Definér en eller flere IP-adresser for Campus-synligheden. Flere adresser kan adskilles med , For eksempel: x.x.x.x - x.x.x.x,
x.x.x.x - x.x.x.x
109 + enableContactExpert=Aktiver kontakt
110 + contactByUrl=Et eksternt weblink
111 + contactByForm=Pures standardformular til kontakt
112 + howToContactExperts=Kontakt-knap åbner:
113 + contactFormReceiver=Standard modtager-e-mailadresse for kontaktforespørgsler via Pures webformular:
114 + contactFormOrganisations=E-mailadressen tilknyttet selve den organisatoriske enhed (Organisatorisk enhed editor-vindue >
Metadata > Elektroniske adresser > E-mails)
115 + contactFormResearchers=E-mailadressen tilknyttet den organisatoriske tilknytning for personen (Person editor-vindue > Metadata
> Organisatoriske tilknytninger)
116 + contactFormEmailHint=Hvis personen ikke har en e-mailadresse, der er tilgængelig på den organisatoriske tilknytning, vil e-
mailen blive sendt til den e-mailadresse, der er tilknyttet den organisatoriske enhed.
117 + contactLink=URL for kontaktlink
118 + contactLinkHint=Bemærk: Pure vil erstatte {id} med person-ID'et og {name} med personens navn.
```

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

```
88 - campus-ip-ranges=CampusIP ranges
88 + campus-ip-ranges=IP rangesfor campus network visibility
89 + campus-ip-ranges-help=Define one or more IP ranges for visibility of content for campus network. Multiple ranges must be
comma-separated, e.g. x.x.x.x - x.x.x.x, x.x.x.x - x.x.x.x
92 - campus-ip-ranges-help=
103 + enableContactExpert=Enable 'Contact Expert' button
104 + contactByUrl=An external web link
105 + contactByForm=Pure's default 'Contact Expert' web form
106 + howToContactExperts='Contact expert' button opens:
```

107 + contactFormReceiver=Default recipient email address of contact requests via Pure's web form:  
 108 + contactFormOrganisations=The email address associated with the organisational unit itself (Organisational unit editor window > Metadata > Electronic addresses > Emails)  
 109 + contactFormResearchers=The email address associated with the organisational affiliation on the person (Person editor window > Metadata > Organisational affiliations)  
 110 + contactFormEmailHint=If the person does not have an email address available on the organisational affiliation, the email will be sent to the email address associated with the organisational unit.  
 111 + contactLink=Contact link URL  
 112 + contactLinkHint=Note: The Pure will replace {id} with the person's ID and the {name} with the person's name.

pure-modules/ddp-module/templates/bundled/src/main/resources/renderer/portalng-rendering-resources\_da.properties CHANGED

1969 - abstractclassifiedauthorassociation/correspondingAuthor=Tilsvarende forfatter  
 1969 + abstractclassifiedauthorassociation/correspondingAuthor=Kontaktforfatter  
 2739 + dataset/dataSearchcategories=DataSearch-kategorier  
 2740 + documentlinkextensionaccessrenderportal/render-format-embargoEndDate=Embargo-slutdato  
 2741 + documentlinkextensionaccessrenderportal/render-format-file=Fil  
 2742 + documentlinkextensionaccessrenderportal/render-format-license=Licens  
 2743 + documentlinkextensionaccessrenderportal/render-format-type=Type  
 2744 + documentsattachedportalrenderportal/render-format-file=Fil  
 2745 + journal/links=Journalwebsite  
 2746 + organisationancestorsrenderportal/ended=Tidligere organisation  
 2747 + organisationancestorsrenderportal/taken-over=Overtaget af  
 2748 + person/dataCleanupExemptionEndDate=Slutdato for fritagelse af dataoprydning  
 2749 + person/organisationAssociations.supervisedByRelations=Vejledning  
 2750 + personcontactbuttonrenderportal/expert\_contact\_button=Kontakt  
 2751 + personexternalpositionsrenderportal/external\_positions=Eksterne stillinger  
 2752 + personorganisationcontactrenderportal/email=E-mail  
 2753 + personorganisationcontactrenderportal/phone=Fastnet  
 2754 + personorganisationcontactrenderportal/website=Websted  
 2755 + personsocialmediaorcidrenderportal/scopusProfile=Vis Scopus-profil  
 2756 + personsocialmediarenderportal/scopusProfile=Vis Scopus-profil  
 2757 + studentthesisdocument/show-documentLicense=Vis licens  
 2758 + ueoexternalorganisation/contactAddress.subdivision=Region

pure-modules/ddp-module/templates/bundled/src/main/resources/renderer/portalng-rendering-resources\_en.properties CHANGED

1772 - temporalissn/family-name-plural=ISSN numbers  
 1772 + temporalissn/family-name-plural=ISSNs  
 1776 - temporalissn/type-name-plural=ISSN numbers  
 1776 + temporalissn/type-name-plural=ISSNs

2728 - highlightedcontentconfiguration/description-body=Select some of your content to highlight (by default,the newest content is used). The list is shown on\:

2728 + highlightedcontentconfiguration/description-body=Select some of your content to highlight (the newest content is used by default). The list is shown on\:

2739 + dataset/dataSearchcategories=DataSearch categories

2740 + documentlinkextensionaccessrenderportal/render-format-embargoEndDate=\\!Embargo End Date

2741 + documentlinkextensionaccessrenderportal/render-format-file=\\!File

2742 + documentlinkextensionaccessrenderportal/render-format-license=\\!Licence

2743 + documentlinkextensionaccessrenderportal/render-format-type=\\!Type

2744 + documentsattachedportalrenderportal/render-format-file=\\!File

2745 + journal/links=Journal website

2746 + organisationancestorsrenderportal/ended=\\!Former organisational unit

2747 + organisationancestorsrenderportal/taken-over=\\!Taken over by

2748 + person/dataCleanupExemptionEndDate=Data cleanup exemption end date

2749 + person/organisationAssociations.supervisedByRelations=Supervision

2750 + personcontactbuttonrenderportal/expert\_contact\_button=\\!Contact Expert

2751 + personexternalpositionsrenderportal/external\_positions=\\!External positions

2752 + personorganisationcontactrenderportal/email=\\!Email

2753 + personorganisationcontactrenderportal/phone=\\!Phone

2754 + personorganisationcontactrenderportal/website=\\!Website

2755 + personsocialmediaorcidrenderportal/scopusProfile=\\!View Scopus Profile

2756 + personsocialmediarenderportal/scopusProfile=\\!View Scopus Profile

2757 + studentthesisdocument/show-documentLicense=Show licence

2758 + ueoexternalorganisation/contactAddress.subdivision=Subdivision

2759 + studentthesis/DOIs=DOIs

2760 + studentthesis/DOIs-type-name=DOI

2761 + studentthesis/ISMN=ISMN

2762 + studentthesis/abstract=Abstract

2763 + studentthesis/activityRelations=Activities

2764 + studentthesis/activityRelations-add=Add activity...

2765 + studentthesis/annualReportSelected=Selected for annual report

2766 + studentthesis/author=Author

2767 + studentthesis/awardDate=Date of Award

2768 + studentthesis/awardDate.year=Year of Award

2769 + studentthesis/awardingInstitution=Awarding Institution

2770 + studentthesis/bibliographicalNote=Bibliographical note

2771 + studentthesis/bibliometrics=Bibliometrics

2772 + studentthesis/claim-action=Mine - claim content

2773 + studentthesis/clippingRelations=Press/Media

2774 + studentthesis/clippingRelations-add=Add press/media...

2775 + studentthesis/clippingRelations-title=Find and select press/media

2776 + studentthesis/dateOfProcessingBibliometric=Date of bibliometric processing

2777 + studentthesis/disclaim-action=Not mine - disclaim content  
2778 + studentthesis/displayInOthersPublicationList=Show in other persons' publication lists  
2779 + studentthesis/documents=Documents  
2780 + studentthesis/edition=Edition  
2781 + studentthesis/electronicISBNs=ISBN (Electronic)  
2782 + studentthesis/equipmentRelations=Facilities/Equipment  
2783 + studentthesis/equipmentRelations-add=Add equipment...  
2784 + studentthesis/family-count=Total  
2785 + studentthesis/family-count-no-documents-sherpa=RoMEO colours without documents  
2786 + studentthesis/family-count-with-documents=With documents  
2787 + studentthesis/family-count-without-documents=Without documents  
2788 + studentthesis/family-documents-visibility=Document visibility  
2789 + studentthesis/family-name=Student thesis  
2790 + studentthesis/family-name-plural=Student theses  
2791 + studentthesis/family-with-documents={family} with documents  
2792 + studentthesis/family-with-suggested-actions=Claimed/disclaimed publications  
2793 + studentthesis/filter.family.mycontent=My student theses  
2794 + studentthesis/generatePDF=Generate front page for uploaded PDF files  
2795 + studentthesis/groupAuthor=Group author  
2796 + studentthesis/handleNet=Handle.net  
2797 + studentthesis/id=Internal-ID  
2798 + studentthesis/impactRelations=Impacts  
2799 + studentthesis/impactRelations-add=Add impact...  
2800 + studentthesis/journal=Journal  
2801 + studentthesis/journalNumber=Journal number  
2802 + studentthesis/keywords=User-defined keywords  
2803 + studentthesis/language=Original language  
2804 + studentthesis/librarianKeywordContainers=Library Keywords  
2805 + studentthesis/librarianKeywords=Keywords  
2806 + studentthesis/links=URLs  
2807 + studentthesis/links-type-name=URL  
2808 + studentthesis/numberOfPages=Number of pages  
2809 + studentthesis/organisations=Organisations  
2810 + studentthesis/organisations-mark-as-primary=Set placement  
2811 + studentthesis/organisations-primary=Placement  
2812 + studentthesis/owner=Placement  
2813 + studentthesis/pending-publication=Pending publications  
2814 + studentthesis/pending-researchoutput=Pending research output  
2815 + studentthesis/persons=Author  
2816 + studentthesis/persons-singular=Author  
2817 + studentthesis/persons.name=Author name  
2818 + studentthesis/placeOfPublication=Place of Publication

2819 + studentthesis/printISBNs=ISBN (Print)  
2820 + studentthesis/projectRelations=Projects  
2821 + studentthesis/projects=Projects  
2822 + studentthesis/publicationDate=Publication date  
2823 + studentthesis/publicationDate.day=Day  
2824 + studentthesis/publicationDate.month=Month  
2825 + studentthesis/publicationDate.year=Year  
2826 + studentthesis/publicationStatus=Publication status  
2827 + studentthesis/publicationYear=Publication year  
2828 + studentthesis/publisher=Publisher  
2829 + studentthesis/qualification=Qualification name  
2830 + studentthesis/relatedPublications=Research Outputs  
2831 + studentthesis/researchOutputRelations=Research Outputs  
2832 + studentthesis/researchOutputRelations-add=Add research output...  
2833 + studentthesis/searchplaceholder=Search for student thesis...  
2834 + studentthesis/sponsors=Sponsors  
2835 + studentthesis/subTitle=Subtitle of the thesis in original language  
2836 + studentthesis/supervisors=Supervisor  
2837 + studentthesis/title=Title of the thesis in original language  
2838 + studentthesis/translatedSubtitle=Translated subtitle of the thesis  
2839 + studentthesis/translatedTitle=Translated title of the thesis  
2840 + studentthesis/type-name=Student thesis  
2841 + studentthesis/type-name-plural=Student theses  
2842 + studentthesis/typeClassification=Qualification level  
2843 + studentthesis/view-publications-by-action=View publications by  
2844 + studentthesis/volume=Volume  
2845 + studentthesis/yearSubmitted=Submission year  
2846 + studentthesisdocument/embargoReason-label=Embargo reason  
2847 + studentthesisrelationsrenderportal/clipping-relations=Press/Media  
2848 + studentthesisrelationsrenderportal/researchoutput-relations=Research Outputs

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/render/dk/atira/pure/modules/experts/internal/renderin... ADDED

1 + render-format-license=Licens  
2 + render-format-type=Type  
3 + render-format-file=Fil  
4 + render-format-embargoEndDate=Embargo-slutdato

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/render/dk/atira/pure/modules/experts/internal/renderin... ADDED

```
1 + render-format-license=Licence
2 + render-format-type=Type
3 + render-format-file=File
4 + render-format-embargoEndDate=Embargo End Date
```

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderi... ADDED

```
1 + render-format-file=Fil
2 +
```

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderi... ADDED

```
1 + render-format-file=File
```

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:08:01 CET 2017
7 + fingerprintSelectionModified=Ændret dato med fingeraftryk
```

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

```
5 + fingerprintSelectionModified=Fingerprint selection changed date
```

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

```
1 + fundingDiscoveryProfiles=Finansieringsprofiler
```

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED


```
1 + fundingDiscoveryProfiles=Funding profiles
```

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources\_da.prope... CHANGED


```
9 + configuration.authentication=Autentificering
10 + configuration.login=Logon
```




```
11 + configuration.logout=Log ud
12 + client-key=Klient Nøgle
13 + login-failed=Login fejlede
14 + error-details=Detaljer
15 + close=Luk
16 + test-failed=Test fejlede
17 + test-success=Test succes
18 + status.test=Test forbindelse
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources\_en.prope... CHANGED

```
4 + configuration.authentication=Authentication
5 + configuration.login=Login
6 + configuration.logout=Logout
11 + client-key=Client Key
13 + login-failed=Login failed
14 + error-details=Details
15 + close=Close
16 + test-failed=Test failed
17 + test-success=Test successful
18 + status.test=Test connection
```


 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

```
4 + authentication-configuration-label=Autentificeringskonfiguration
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

```
3 + authentication-configuration-label=Authentication configuration
```

```
4 -
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

```
1 + oauth-group=OAuth
2 + oauthUrl=URL
3 + oauthClientId=Klient-ID
4 + oauthClientSecret=Hemmeligt
5 + cognito-group=Cognito
6 + cognitoPoolId=Pool ID
```

7 + cognitoRegion=Region

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

1 + oauth-group=OAuth  
2 + oauthUrl=URL  
3 + oauthClientId=Client ID  
4 + oauthClientSecret=Secret  
5 + cognito-group=Cognito  
6 + cognitoPoolId=Pool ID  
7 + cognitoRegion=Region

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

236 - category-state.dates=Datoer  
295 - filter-has-corresponding-author=Har tilsvarende forfatter  
296 - filter-has-corresponding-author-HAS\_CORRESPONDING\_AUTHOR\_SET=Har en bidragsyder markeret som tilsvarende forfatter  
297 - filter-has-corresponding-author-NO\_CORRESPONDING\_AUTHOR\_SET=Ingen bidragsyder markeret som tilsvarende forfatter  
294 + filter-has-corresponding-author=Har kontaktforfatter  
295 + filter-has-corresponding-author-HAS\_CORRESPONDING\_AUTHOR\_SET=Har en bidragsyder markeret som kontaktforfatter  
296 + filter-has-corresponding-author-NO\_CORRESPONDING\_AUTHOR\_SET=Ingen bidragsyder ermarkeret som kontaktforfatter  
345 - project-is-corresponding-author=Tilsvarende forfatter  
344 + project-is-corresponding-author=Kontaktforfatter  
491 -  
492 - #Standard workspaces  
495 -  
498 -  
501 -  
498 + category-proposals=Projektforslag  
499 + category-status.dates=Datoer  
500 + category-status.dates.fullDate=Fuld dato  
501 + category-status.dates.year=Publikationsår  
502 + category-status.dates.month=Måned(er)  
503 + category-status.dates.day=Dag(e)  
504 + count-contributors-internal-person=Antal interne personer  
505 + validation-dataset-failure-to-parse=Kunne ikke fortolke datasæt: '{message}'.  
506 + validation-dataset-no-series=Ingen serier defineret i datasæt.  
507 + validation-dataset-annotation-is-missing-a-column-reference-id=Formattering af kolonne med ref={annotationId} mangler et referencekolonne-ID, den anvender værdi={value}  
508

+ validation-dataset-annotation-operator-no-longer-exists=Formattering af kolonne med ref={annotationId} anvender en ikke-understøttet operator={operator} og vil vende tilbage til standard

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

166	+ category-proposals=Proposals
171	- category-state.dates=Dates
173	+ category-status.dates=Dates
174	+ category-status.dates.fullDate=Full date
175	+ category-status.dates.year=Year
176	+ category-status.dates.month=Month
177	+ category-status.dates.day=Day
343	+ count-contributors-internal-person=Number of internal persons
539	+ validation-dataset-annotation-is-missing-a-column-reference-id=Formatting of column with ref={annotationId} is missing a reference column id, it uses value={value}
540	+ validation-dataset-annotation-operator-no-longer-exists=Formatting of column with ref={annotationId} is using an unsupported operator={operator} and will revert to default
542	- report.standard.user.assignable.roles-description=An overview of the user role <b>assignment</b> across organisational units
550	+ report.standard.user.assignable.roles-description=An overview of the user role <b>assignments</b> across organisational units

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

118	- project-issn-(electronic)=ISSN (Elektronisk)
118	+ project-publication-series-issn-electronic=ISSN (Elektronisk)
120	- project-issn-print=ISSN (trykt)
120	+ project-publication-series-issn-print=ISSN (trykt)
165	- project-series-names=Serienavne
165	+ project-publication-series-names=Serienavne
184	- relation-corresponding-authors=Tilsvarende forfattere
184	+ relation-corresponding-authors=Kontaktforfattere
197	+ filter-submission-year=Indsendelsesår
198	+ project-publication-series-no=Serienummer
199	+ project-submission-year=Indsendelsesår

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

66	- project-series-names=Series <b>names</b>
66	+ project-publication-series-names=Series <b>name</b>
67	+ project-publication-series-no=Series number
92	- project-issn-(electronic)=ISSN (Electronic)

93	+ project-publication-series-issn-electronic=ISSN (Electronic)
94	- project-issn-print=ISSN (print)
95	+ project-publication-series-issn-print=ISSN (print)

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

29	+ project-userrole=Brugerroller (inkl. systemroller)
30	+ project-terms-of-agreement=Aftalevilkårene

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

28	-
28	+ project-terms-of-agreement=Terms of agreement

pure-modules/studentproject-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/studentproject/external/model/st... CHANGED

63	+
64	+ handleNet=Handle.net

pure-modules/studentproject-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/studentproject/external/model/st... CHANGED

74	+
75	+ handleNet=Handle.net

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

90	+ create-award-from-application-no-save=Opret bevilling...
91	+ create-application-from-application-no-save=Opret en ny ansøgning..
92	+ create-upmproject-from-application-no-save=Opret projekt...
93	+ add-organisationassociation-button=Tilføj co-administrerende organisation..
94	+ new-organisationassociation-panel-title=Tilføj co-administrerende organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

95	+ create-award-from-application-no-save=Create award...
99	+ create-application-from-application-no-save=Create another application...
103	+ create-upmproject-from-application-no-save=Create project...

112 + add-organisationassociation-button=Add co-managing organisation...  
113 + new-organisationassociation-panel-title=Add co-managing organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

115 + create-ethicalreview-from-award-no-save=Opret etisk vurdering...  
116 + create-award-from-award-no-save=Opret en ny bevilling...  
117 + create-award-from-application-no-save=Opret bevilling...  
118 + create-application-from-award-no-save=Opret ansøgning...  
119 + create-upmproject-from-award-no-save=Opret projekt...  
120 + add-organisationassociation-button=Tilføj co-administrerende organisation...  
121 + new-organisationassociation-panel-title=Tilføj co-administrerende organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

78 + create-ethicalreview-from-award-no-save=Create ethical review...  
126 + create-award-from-award-no-save=Create another award...  
130 + create-award-from-application-no-save=Create award...  
134 + create-application-from-award-no-save=Create application...  
138 + create-upmproject-from-award-no-save=Create project...  
147 + add-organisationassociation-button=Add co-managing organisation...  
148 + new-organisationassociation-panel-title=Add co-managing organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

70 + create-upmproject-from-project-no-save=Opret nyt projekt...  
71 + create-award-from-project-no-save=Opret bevilling...  
72 + create-application-from-project-no-save=Opret ansøgning...  
73 + add-organisationassociation-button=Tilføj co-administrerende organisation...  
74 + new-organisationassociation-panel-title=Tilføj co-administrerende organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

70 + create-upmproject-from-project-no-save=Create another project...  
80 + create-award-from-project-no-save=Create award...  
84 + create-application-from-project-no-save=Create application...  
101 +  
102 + add-organisationassociation-button=Add co-managing organisation...  
103 + new-organisationassociation-panel-title=Add co-managing organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

- 1 + title=Co-administrerende organisatorisk enhed
- 2 + selected.organisations=Valgte organisationer
- 3 + please.select=Vælg en eller flere organisationer for at filtrere

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

- 1 + title=Co-managing organisational unit
- 2 + selected.organisations=Selected organisations
- 3 + please.select=Please select one or more organisations below to filter

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

- 1 + title=Co-administrerende organisation tilknyttet
- 2 + yes=Co-administrerende organisation tilknyttet
- 3 + no=Ingen co-administrerende organisation tilknyttet

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

- 1 + title=Co-managing organisation associated
- 2 + yes=Co-managing organisation associated
- 3 + no=No co-managing organisation associated

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources\_da.pr... CHANGED

- 235 + coManagingOrganisations-legend=Aktiver co-administrerende organisationer
- 236 + coManagingOrganisations-enabled=Aktiver funktionen co-administrerende organisationer i ansøgninger, bevillinger og projekter. Når en given organisation tilføjes som en 'co-administrerende' organisation af indholdet, kan redaktører og assisterende redaktører fra disse organisationer hjælpe med at vedligeholde indholdets information. Assisterende redaktører kan redigere alle egenskaber men ikke flytte indhold tilbage/frem i workflowet.
- 237 + coManagingOrganisations-enabled-true=Aktiveret
- 238 + coManagingOrganisations-enabled-false=Deaktiveret

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources\_en.pr... CHANGED

- 145 + coManagingOrganisations-legend=Enable co-managing organisations

146 + coManagingOrganisations-enabled=Enable feature of co-managing organisations on applications, awards and projects. When a given organisation is added as a 'co-managing' organisation to the content, editors and assisting editors from these organisations can help maintain the information of the content. The helping editors can edit all properties but not move content back/forward in workflow.  
147 + coManagingOrganisations-enabled-true=Enabled  
148 + coManagingOrganisations-enabled-false=Disabled  
149 +

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul... CHANGED

321 +  
322 + syncjob.award.usingNIHAwardsService-label=!!Using NIH Awards Service.  
323 + syncjob.award.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.  
324 + syncjob.upmproject.usingNIHAwardsService-label=!!Using NIH Awards Service.  
325 + syncjob.upmproject.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul... CHANGED

360 +  
361 + syncjob.award.usingNIHAwardsService-label=Using NIH Awards Service.  
362 + syncjob.award.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.  
363 + syncjob.upmproject.usingNIHAwardsService-label=Using NIH Awards Service.  
364 + syncjob.upmproject.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

67 + overviewapplicationapprovalroute=Mine godkender- og tjekopgaver  
68 + coManagingOrganisations=Co-administrerende organisatoriske enheder

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

16 + overviewapplicationapprovalroute=My approver and checker tasks  
54 + coManagingOrganisations=Co-managing organisational units

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

1 + coManagingOrganisations=Co-administrerende organisatoriske enheder

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

1 + coManagingOrganisations=Co-managing organisational units

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

5 + awardFunder=Finansiell organisation

6 + choose=Vælg finansiell organisation...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

3 + awardFunder=Funding Body

4 + choose=Select funding body...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

1 - #Added translations

2 - #Sun Jan 29 14:08:01 CET 2017

3 + choose=Vælg arten af aktivitet...

4 + awardNatureOfActivityType=Arten af aktivitet

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

3 + awardNatureOfActivityType=Nature of Activity

4 + choose=Select nature of activity...

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

82 + filter-co-managing-organisations=Co-administrerende organisatorisk enhed

83 + filter-has-co-managing-organisation=Co-administrerende organisation tilknyttet

84 + filter-has-co-managing-organisation-TRUE=Co-administrerende organisation tilknyttet

85 + filter-has-co-managing-organisation-FALSE=Ingen co-administrerende organisation tilknyttet

86 + project-co-managing-organisations=Co-administrerende organisationer



pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
43 + filter-co-managing-organisations=Co-managing organisational unit
44 + filter-has-co-managing-organisation=Co-managing organisation associated
45 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
46 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
47 +
62 -
67 + project-co-managing-organisations=Co-managing organisations
```

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
167 + filter-co-managing-organisations=Co-administrerende organisatorisk enhed
168 + filter-has-co-managing-organisation=Co-administrerende organisation tilknyttet
169 + filter-has-co-managing-organisation-TRUE=Co-administrerende organisation tilknyttet
170 + filter-has-co-managing-organisation-FALSE=Ingen co-administreret organisation tilknyttet
171 + project-co-managing-organisations=Co-administrerende organisationer
```

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
86 + filter-co-managing-organisations=Co-managing organisational unit
87 + filter-has-co-managing-organisation=Co-managing organisation associated
88 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
89 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
90 +
136 + project-co-managing-organisations=Co-managing organisations
```

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
105 + filter-co-managing-organisations=Co-administrerende organisatorisk enhed
106 + filter-has-co-managing-organisation=Co-administrerende organisation tilknyttet
107 + filter-has-co-managing-organisation-TRUE=Co-administrerende organisation tilknyttet
108 + filter-has-co-managing-organisation-FALSE=Ingen co-administrerende organisation tilknyttet
109 + project-co-managing-organisations=Co-administrerende organisationer
```

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
53 + filter-co-managing-organisations=Co-managing organisational unit
54 + filter-has-co-managing-organisation=Co-managing organisation associated
```

```
55 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
56 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
57 +
116 + project-co-managing-organisations=Co-managing organisations
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/automaticimportupdateconfiguration-resources\_da.properties CHANGED

```
15 - available-updates-configuration-locked="Konfiguration er aktuelt låst for evaluering af ny og/eller ændrede regler og, hvis påkrævet, behandling af data. Naviger til <i>Administrator > Jobs > Job-log</i> for at tjekke status for jobbet. Når det er udført, kan du tilføje eller ændre regler."
```

```
15 + available-updates-configuration-locked=Konfiguration er aktuelt låst for evaluering af ny og/eller ændrede regler og, hvis påkrævet, behandling af data. Naviger til <i>Administrator > Jobs > Job-log</i> for at tjekke status for jobbet. Når det er udført, kan du tilføje eller ændre regler.
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/automaticimportupdateconfiguration-resources\_en.properties CHANGED

```
3 - enable-search-for-import-candidates-headline=Search for import candidates
4 - enable-search-for-import-candidates-label=Enable Search for import candidates job
5 - enable-search-for-import-candidates-description=Enable Search for import candidates job
```

```
3 + enable-search-for-import-candidates-headline=Search for Import Candidates
4 + enable-search-for-import-candidates-label=Enable Search for Import Candidates
5 + enable-search-for-import-candidates-description=Enable Search for Import Candidates job
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/configuration/configuration-admin-templates-resources\_da.pro... CHANGED

```
445 - publication.enableCorrespondingAuthor-description=Om hvor vidt det er muligt at markere en forfatter som en tilsvarende forfatter
```

```
445 + publication.enableCorrespondingAuthor-description=Om hvorvidt det er muligt at markere en forfatter som en kontaktforfatter
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/configuration/configuration-admin-templates-resources\_en.pro... CHANGED

```
507 - PrettyUrlCronJob.PrettyUrlCronJobPersonUsernameStrategy.isEnabled-description=When this is enabled, all persons with associated users will have added their user name as pretty url (perma-link).
```

```
508 - PrettyUrlCronJob.PrettyUrlCronJobPersonUsernameStrategy.deleteUrls-label=Person username strategy: delete pretty urls (vendor-restricted)
```

```
507 + PrettyUrlCronJob.PrettyUrlCronJobPersonUsernameStrategy.isEnabled-description=When this is enabled, all persons with associated users will have their username added as a pretty URL (perma-link).
```

```
508 + PrettyUrlCronJob.PrettyUrlCronJobPersonUsernameStrategy.deleteUrls-label=Person username strategy: delete pretty URLs (vendor-restricted)
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources\_da.properties CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:08:01 CET 2017
41 + summary-content-errors=Problemer, der opstod under behandling af {count} dele af indhold
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources\_en.properties CHANGED

```
37 + summary-content-errors=Problems occurred while processing {count} pieces of content
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:08:01 CET 2017
55 + add-link-button=Tilføj website...
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED

```
69 + add-link-button=Add website...
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... CHANGED

```
2 - PERSONEXPORTPUBLICATIONS-tab=Importér og exportér publikationer
2 + PERSONEXPORTPUBLICATIONS-tab=Importér og eksportér publikationer
144 + dataRetentionPolicy-group=Politik for dataoprydning
145 + retainPersonalData=Fritag persondata fra oprydning
146 + retainPersonalData=yes=Ja
147 + retainPersonalData=no=Nej
148 + retentionPeriod=Fritag fra oprydning indtil
149 + highlighted-content-group=Fremhævet indhold
150 + fundingprofiles-group=Finansieringsprofiler
151 + fingerprints-group=Fingeraftryk
152 + orcid-config-not-valid=Orcid er ikke konfigureret korrekt. Kontakt din lokale Pure-administrator for at tjekke ORCID konfigurationssiden og uploade en gyldig XML-fil med konverteringsregler.
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... CHANGED

106 + orcid-config-not-valid=Orcid is not configured correctly. Contact your local Pure Administrator to check the ORCID configuration page and upload a valid output mapping XML file.  
169 +  
170 + dataRetentionPolicy-group=Data cleanup policy  
171 + retainPersonalData=Exempt personal data from cleanup  
172 + retainPersonalData-yes=Yes  
173 + retainPersonalData-no=No  
174 + retentionPeriod=Exempt from cleanup until  
175 +  
176 + highlighted-content-group=Highlighted content  
177 + fundingprofiles-group=Funding profiles  
178 + fingerprints-group=Fingerprints

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... CHANGED

137 - corresponding-author-association-button=Indstil kontaktforfatter  
138 - remove-corresponding-author-association-button=Fjern kontaktforfatter

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... CHANGED

7 - info-group-help=Select original language; the language that the current contribution is written in. The Title field is required.  
7 + info-group-help=Select original language (the language that the current contribution is written in). The Title field is required.  
161 - corresponding-author-association-button=Set corresponding author  
162 - remove-corresponding-author-association-button=Remove corresponding author

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

1 + title=Fritaget fra dataoprydning  
2 + showDataCleanupExemptions=Vis kun fritagede personer  
3 + hideDataCleanupExemptions=Skjul personer, der er fritaget for oprydning

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

1 + title=Exempted from data cleanup  
2 + showDataCleanupExemptions=Only show exempted persons  
3 + hideDataCleanupExemptions=Hide persons exempted from cleanup

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

```
1 + time-since-former=Tid siden tidligere
2 + former-for-at-least=Tidligere i mindst
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

```
1 + time-since-former=Time since former
2 + former-for-at-least=Former for at least
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/researchoutput/filter/corres... CHANGED

```
1 - no=Uden tilsvarende forfatter
2 - title=Tilsvarende forfatter
3 - yes=Med tilsvarende forfatter
1 + no=Uden kontaktforfatter
2 + title=Kontaktforfatter
3 + yes=Med kontaktforfatter
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources\_da.properties CHANGED

```
1 - #Added translations
2 - #Mon Jan 15 14:00:59 CET 2018
27 + fundingopportunity-import-wizard=Finansiell mulighed
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources\_en.properties CHANGED

```
27 + fundingopportunity-import-wizard=Funding opportunity
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources\_da.properties ADDED

```
1 + refresh=Opdater
2 + save=Gem
3 + person-access=Fristperiode for personadgang
4 + person-access-legend=Konfiguration af fristperiode
5
```

```
+ person-access-hint=Institutioner kan kræve at ikke-aktive personer/brugere skal tilgå Pure for at opfylde politikkrav og sikre, at dataene er opdaterede. Administratorer kan specificere fristperioder for personale og studerende personer/brugere, der ikke længere er aktive. Generelle adgangsrettigheder, der er indstillet med institutionens single sign-on (SSO)-politikker, erstatter fristperioder indstillet indenfor.  
6 + person-access-note=Bemærk: ALT personale og alle studerende vil blive påvirket.  
7 + grace-period-days-staff=Fristperiode for personale (i dage)  
8 + grace-period-days-staff-hint=Denne indstilling bestemmer, hvor mange dage personalet vil bevare deres Pure-adgangsrettigheder, efter de ikke er længere aktive  
9 + grace-period-days-student=Fristperiode for studerende(i dage)  
10 + grace-period-days-student-hint=Denne indstilling bestemmer, hvor mange dage studerende vil bevare deres Pure-adgangsrettigheder, efter de ikke længere er aktive
```


 pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources\_en.properties ADDED

```
1 + person-access=Person access grace period  
2 + person-access-legend=Grace period configuration  
3 + person-access-hint=Institutions may require non-active persons/users to access Pure to fulfill policy requirements and ensure data is updated. Administrators can specify grace periods for staff and student persons/users that are no longer active. General access rights set by an institution's single sign-on (SSO) policies supersede any grace periods set below.  
4 + person-access-note=Note: ALL staff and students will be affected.  
5 + grace-period-days-staff=Staff grace period (in days)  
6 + grace-period-days-staff-hint=This setting determines how many days staff will retain their Pure access rights after they are non-active  
7 + grace-period-days-student=Student grace period (in days)  
8 + grace-period-days-student-hint=This setting determines how many days students will retain their Pure access rights after they are non-active  
9 + refresh=Refresh  
10 + save=Save
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources\_da.properties ADDED

```
1 + persondatacleanupconfiguration=Konfiguration af dataoprydning  
2 + savedfilter-legend=Standardværdier for det gemte filter 'Personlig dataoprydning'  
3 + savedfilter-hint=Vælg, hvilke standardværdier der skal inkludere filtre, der er del af det gemte filter 'Personlig dataoprydning'.  
4 + affiliationperiod-legend=Ansættelsesperiode  
5 + exemptionperiod-label=Alle personlige ansættelser skal være tidligere i mindst  
6 + exemptionperiod.ONE_MONTH=En måned  
7 + exemptionperiod.THREE_MONTHS=Tre måneder  
8 + exemptionperiod.SIX_MONTHS=Seks måneder  
9 + exemptionperiod.ONE_YEAR=Et år
```

```
10 + employmenttype-legend=Type
11 + employmenttype-label=Inkluder den følgende type af personale
12 + staff=Ansættelsestype
13 + student=Elev
14 + visitingScholar=Gæsteforsker
15 + fieldstodelete-legend=Standardliste over felter, der skal slettes
16 + fieldstodelete-hint=Vælg de standard-forudindstillede værdier, der skal slettes i den samlede handling
17 + savedfilter-note=!!You must log out and log in again for the changes to appear.
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources\_en.properties ADDED

```
1 + persondatacleanupconfiguration=Data cleanup configuration
2 +
3 + savedfilter-legend=Default values for saved filter 'Personal data cleanup'
4 + savedfilter-hint=Select which default values to include in the filters that are part of the saved filter 'Personal data cleanup'.
5 + savedfilter-note=You must log out and log in again for the changes to appear.
6 +
7 + affiliationperiod-legend=Affiliation period
8 + exemptionperiod-label=All person affiliations must be former for at least
9 + exemptionperiod.ONE_MONTH=One month
10 + exemptionperiod.THREE_MONTHS=Three months
11 + exemptionperiod.SIX_MONTHS=Six months
12 + exemptionperiod.ONE_YEAR=One year
13 +
14 + employmenttype-legend=Type
15 + employmenttype-label=Include the following type of staff
16 + staff=Staff
17 + student=Student
18 + visitingScholar=Visiting scholar
19 +
20 + fieldstodelete-legend=Standard list of fields to delete
21 + fieldstodelete-hint=Select the default preset values to delete in the bulk action
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources\_da.proper... CHANGED

```
225 + FundingOpportunities=Overblik
226 + verify.header.type.FundingOpportunities=Bevillingsmulighed type
227 + verify.header.count.FundingOpportunities=Antal af finansieringsmuligheder
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources\_en.properties CHANGED

20	- upload-instruction.secondpart=Once the files has been uploaded you can proceed to the next step in the wizard where the data in the XML will be validated against the xsd files.
20	+ upload-instruction.secondpart=Once the files have been uploaded you can proceed to the next step in the wizard where the data in the XML will be validated against the XSD files.
98	- xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the mandatory elements are present verify if the ordering of the elements is as specified in the xsd.
98	+ xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the mandatory elements are present verify if the ordering of the elements is as specified in the XSD.
114	- supportedfile.errors=The import found files that it cannot import (See supported namespace in the xsd), please see the documentation on how to generate the files or remove them from the upload screen:
114	+ supportedfile.errors=The import found files that it cannot import (see supported namespace in the XSD), please see the documentation on how to generate the files or remove them from the upload screen:
248	+
249	+ FundingOpportunities=Funding opportunities
250	+ verify.header.type.FundingOpportunities=Funding opportunity type
251	+ verify.header.count.FundingOpportunities=Number of Funding opportunities

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources\_da.properties CHANGED

1	- #Added translations
2	- #Mon Jan 15 14:00:59 CET 2018
72	+ fundingopportunity.xsd.description=XML schema file (fundingopportunity.xsd)
73	+ fundingopportunity.simple.example.description=Simple eksempel file (fundingopportunity-simple-examples.xml)
74	+ fundingopportunity.advanced.example.description=Avanceret eksempel fil (fundingopportunity-advanced-example.xml)

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources\_en.properties CHANGED

97	+ fundingopportunity.xsd.description=XML schema file (fundingopportunity.xsd)
98	+ fundingopportunity.simple.example.description=Simple examples file (fundingopportunity-simple-examples.xml)
99	+ fundingopportunity.advanced.example.description=Advanced example file (fundingopportunity-advanced-example.xml)
100	+

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources\_da.properties CHANGED

22	+ personal.overview.downloads.publication.tooltip={citations} downloads
----	---

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources\_en.properties CHANGED



27 + personal.overview.downloads.publication.tooltip={citations} downloads

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... CHANGED

```
36 + globalsyncimport-header=Globale sync/import-konfigurationer
37 + integrations-global-sync-import-configuration=Global sync/import
38 + globalsyncimport.pureIdFallbackEnabled-label=Aktiver Pure ID-match
39 + globalsyncimport.pureIdFallbackEnabled-description=Aktivering af denne funktion vil gøre det muligt for synkroniseringerne i
Pure at matche Pure ID'er med tilknytninger. Det betyder, at hvis du manuelt har tilføjet en tilknytning til et stykke indhold i
Pure, og du angiver Pure ID'et som tilknytnings-ID'et i importdata (view/xml), vil synkroniseringen tage ejerskab deraf og
opdatere i overensstemmelse hermed. Anvend funktion med forbehold. Understøttede synkroniseringer: All synkroniseringer indledt
med 'Konfigurerbar' undtagen synkronisering af bevillingen, projektet og applikationen.
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... CHANGED

```
50 +
51 + globalsyncimport-header=Global sync/import configurations
52 + integrations-global-sync-import-configuration=Global sync/import
53 + globalsyncimport.pureIdFallbackEnabled-label=Enable Pure ID match
54 + globalsyncimport.pureIdFallbackEnabled-legend=
55 + globalsyncimport.pureIdFallbackEnabled-description=Enabling this feature will make it possible for the synchronizations in
Pure to be able to match on Pure IDs on associations.\n This means that if you have manually added an association to a piece of
content in Pure and you provide the Pure ID as the association ID in the import data (view/xml), the synchronisation will take
ownership of it and update it accordingly. Use this feature with caution. \n Supported synchronizations: All synchronizations
prefaced with 'Configurable' except the Award, Project and Application synchronisation.
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources\_da.pro... CHANGED

```
53 + contentCorrection.correct.family.Person-label=Korriger personer
54 + contentCorrection.correct.family.PreservedReportDefinition-label=Korriger gemte rapportdefinitioner
55 + contentCorrection.correct.family.ConferenceSeries-label=Korriger konferenceserier
56 + contentCorrection.correct.family.Publisher-label=Korriger forlag
57 + contentCorrection.correct.family.Semester-label=Korriger semestre
58 + contentCorrection.correct.family.StudentProject-label=Korriger studenterprojekter
59 + contentCorrection.correct.family.StudentThesis-label=Korriger studenterafhandlinger
60 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Korriger konfigurationer af aftalevilkår
61 + contentCorrection.correct.family.MessageTemplate-label=Korriger beskedskabeloner
62 + contentCorrection.correct.family.User-label=Korriger brugere
63 + contentCorrection.correct.family.EditableMessageBundle-label=Korriger redigerbare besked-samlinger
64 + contentCorrection.correct.family.CurriculumVitae-label=Korriger curriculum vitae
```

65 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Korriger søgedefinitioner for indholdsimport  
66 + contentCorrection.correct.family.TermsOfAgreement-label=Korriger aftalevilkår  
67 + contentCorrection.correct.family.Suggestion-label=Korriger forslag  
68 + contentCorrection.correct.family.Project-label=Korriger projekter  
69 + contentCorrection.correct.family.PreservedContent-label=Korriger gemte indholdsinformationsobjekter  
70 + contentCorrection.correct.family.Message-label=Korriger besked  
71 + contentCorrection.correct.family.Organisation-label=Korriger organisatoriske enheder  
72 + contentCorrection.correct.family.PublicationSuggestedAction-label=Korriger publikationstilknytninger/fjernelser  
73 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Korriger konfigurationer af permanente lagersamlinger  
74 + contentCorrection.correct.family.TemporaryFileInformation-label=Korriger informationsobjekter for midlertidige filer  
75 + contentCorrection.correct.family.ImportResult-label=Korriger importresultatobjekter  
76 + contentCorrection.correct.family.Clipping-label=Korriger presse/medier  
77 + contentCorrection.correct.family.Event-label=Korriger begivenheder  
78 + contentCorrection.correct.family.Publication-label=Korriger publikationer  
79 + contentCorrection.correct.family.UserFilterModel-label=Korriger brugerfiltermodeller  
80 + contentCorrection.correct.family.Activity-label=Korriger aktiviteter  
81 + contentCorrection.correct.family.ExternalOrganisation-label=Korriger eksterne organisationer  
82 + contentCorrection.correct.family.UserProfile-label=Korriger brugerprofiler  
83 + contentCorrection.correct.family.Sticky-label=Korriger stickies  
84 + contentCorrection.correct.family.Journal-label=Korriger journaler  
85 + contentCorrection.correct.family.ClassificationScheme-label=Korriger klassifikationseskemaer  
86 + contentCorrection.correct.family.Education-label=Korriger uddannelser  
87 + contentCorrection.correct.family.Award-label=Korriger bevillinger  
88 + contentCorrection.correct.family.Thesauri-label=Korriger synonymordbøger  
89 + contentCorrection.correct.family.EmailQueueEntry-label=Korriger e-mailkø  
90 + contentCorrection.correct.family.PhdThesis-label=Korriger PhD-afhandlinger  
91 + contentCorrection.correct.family.ExternalPerson-label=Korriger eksterne personer  
92 + contentCorrection.correct.family.MeasurementMetrics-label=Korriger målingsmetrikker  
93 + contentCorrection.correct.family.Prize-label=Korriger priser  
94 + contentCorrection.correct.family.EthicalReview-label=Korriger etiske vurderinger  
95 + contentCorrection.correct.family.AggregatedContentIdSet-label=Korriger aggregerede id-sæt for indhold  
96 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Korriger konfigurationer af brugersupportrolle  
97 + contentCorrection.correct.family.Fingerprint-label=Korriger fingeraftryk  
98 + contentCorrection.correct.family.FileHandle-label=Korriger filreferencer  
99 + contentCorrection.correct.family.Course-label=Korriger kurser  
100 + contentCorrection.correct.family.UEOExternalOrganisation-label=Korriger eksterne organisationer  
101 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Korriger kundedefinerede workflow-konfigurationer  
102 + contentCorrection.correct.family.AwardMilestone-label=Korriger milepæle  
103 + contentCorrection.correct.family.Concept-label=Korriger koncepter  
104 + contentCorrection.correct.family.UPMProject-label=Korriger UPM-projekter  
105 + contentCorrection.correct.family.SystemMessage-label=Korriger systembeskeder

```
106 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Korriger gemte kundedefinerede workflow-
definitioner
107 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Korriger workflowtrin-konfigurationer
108 + contentCorrection.correct.family.Impact-label=Korriger effekter
109 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Korriger forskningsindikatorer
110 + contentCorrection.correct.family.SemanticGroup-label=Korriger semantiske grupper
111 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Korriger konfigurationer for emneordsgrupper
112 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Korriger objektiver for organisationsresearch
113 + contentCorrection.correct.family.PreservedRendering-label=Korriger gemte renderinger
114 + contentCorrection.correct.family.ContentIdSet-label=Korriger id-sæt for indhold
115 + contentCorrection.correct.family.AwardCluster-label=Korriger bevillingsklynger
116 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Korriger gemte konfigurationer for rapporteksport
117 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Korriger skabeloner for milepæle
118 + contentCorrection.correct.family.DataSet-label=Korriger datasæt
119 + contentCorrection.correct.family.FundingOpportunity-label=Korriger bevillingsmuligheder
120 + contentCorrection.correct.family.ApplicationCluster-label=Korriger ansøgningsklynger
121 + contentCorrection.correct.family.BFIPublication-label=Korriger BFI-publikationer
122 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Korriger gemte kontrolpanel-widgets
123 + contentCorrection.correct.family.Application-label=Korriger ansøgninger
124 + contentCorrection.correct.family.Specialisation-label=Korriger speciale
125 + contentCorrection.correct.family.PersistentJobState-label=Korriger vedvarende jobtilstande
```

 pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources\_en.pro... CHANGED

```
37 - ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external
organisation. Separate each extension by ','
37 + ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external
organisations. Separate each extension by ','
58 + contentCorrection.correct.family.Person-label=Correct persons
59 + contentCorrection.correct.family.PreservedReportDefinition-label=Correct preserved report definitions
60 + contentCorrection.correct.family.ConferenceSeries-label=Correct conference series
61 + contentCorrection.correct.family.Publisher-label=Correct publishers
62 + contentCorrection.correct.family.Semester-label=Correct semesters
63 + contentCorrection.correct.family.StudentProject-label=Correct student projects
64 + contentCorrection.correct.family.StudentThesis-label=Correct student thesis
65 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Correct terms of agreement configurations
66 + contentCorrection.correct.family.MessageTemplate-label=Correct message templates
67 + contentCorrection.correct.family.User-label=Correct users
68 + contentCorrection.correct.family.EditableMessageBundle-label=Correct editable message bundles
69 + contentCorrection.correct.family.CurriculumVitae-label=Correct curriculum vitae
70 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Correct content import search definitions
```

71 + contentCorrection.correct.family.TermsOfAgreement-label=Correct terms of agreement  
72 + contentCorrection.correct.family.Suggestion-label=Correct suggestions  
73 + contentCorrection.correct.family.Project-label=Correct projects  
74 + contentCorrection.correct.family.PreservedContent-label=Correct preserved content information objects  
75 + contentCorrection.correct.family.Message-label=Correct message  
76 + contentCorrection.correct.family.Organisation-label=Correct organisational units  
77 + contentCorrection.correct.family.PublicationSuggestedAction-label=Correct research output claim/disclaims  
78 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Correct permanent store collection configurations  
79 + contentCorrection.correct.family.TemporaryFileInformation-label=Correct temporary file information objects  
80 + contentCorrection.correct.family.ImportResult-label=Correct import result objects  
81 + contentCorrection.correct.family.Clipping-label=Correct press/media  
82 + contentCorrection.correct.family.Event-label=Correct events  
83 + contentCorrection.correct.family.Publication-label=Correct research output  
84 + contentCorrection.correct.family.UserFilterModel-label=Correct user filter models  
85 + contentCorrection.correct.family.Activity-label=Correct activities  
86 + contentCorrection.correct.family.ExternalOrganisation-label=Correct external organisations  
87 + contentCorrection.correct.family.UserProfile-label=Correct user profiles  
88 + contentCorrection.correct.family.Sticky-label=Correct stickies  
89 + contentCorrection.correct.family.Journal-label=Correct journals  
90 + contentCorrection.correct.family.ClassificationScheme-label=Correct classification schemes  
91 + contentCorrection.correct.family.Education-label=Correct educations  
92 + contentCorrection.correct.family.Award-label=Correct awards  
93 + contentCorrection.correct.family.Thesauri-label=Correct thesauri  
94 + contentCorrection.correct.family.EmailQueueEntry-label=Correct email queue entries  
95 + contentCorrection.correct.family.PhDThesis-label=Correct PhD theses  
96 + contentCorrection.correct.family.ExternalPerson-label=Correct external persons  
97 + contentCorrection.correct.family.MeasurementMetrics-label=Correct measurement metrics  
98 + contentCorrection.correct.family.Prize-label=Correct prizes  
99 + contentCorrection.correct.family.EthicalReview-label=Correct ethical reviews  
100 + contentCorrection.correct.family.AggregatedContentIdSet-label=Correct aggregated content ID sets  
101 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Correct user supporter role configurations  
102 + contentCorrection.correct.family.Fingerprint-label=Correct fingerprints  
103 + contentCorrection.correct.family.FileHandle-label=Correct filehandles  
104 + contentCorrection.correct.family.Course-label=Correct courses  
105 + contentCorrection.correct.family.UEOExternalOrganisation-label=Correct external organisations  
106 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Correct customer-defined workflow configurations  
107 + contentCorrection.correct.family.AwardMilestone-label=Correct milestones  
108 + contentCorrection.correct.family.Concept-label=Correct concepts  
109 + contentCorrection.correct.family.UPMProject-label=Correct UPM projects  
110 + contentCorrection.correct.family.SystemMessage-label=Correct system messages  
111 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Correct preserved customer-defined workflow definitions

112 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Correct workflow step configurations  
113 + contentCorrection.correct.family.Impact-label=Correct impacts  
114 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Correct research performance indicators  
115 + contentCorrection.correct.family.SemanticGroup-label=Correct semantic groups  
116 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Correct keyword group configurations  
117 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Correct organisation research performance objectives  
118 + contentCorrection.correct.family.PreservedRendering-label=Correct preserved renderings  
119 + contentCorrection.correct.family.ContentIdSet-label=Correct content ID sets  
120 + contentCorrection.correct.family.AwardCluster-label=Correct award clusters  
121 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Correct preserved report export configurations  
122 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Correct milestones templates  
123 + contentCorrection.correct.family.DataSet-label=Correct datasets  
124 + contentCorrection.correct.family.FundingOpportunity-label=Correct funding opportunities  
125 + contentCorrection.correct.family.ApplicationCluster-label=Correct application clusters  
126 + contentCorrection.correct.family.BFIPublication-label=Correct BFI publications  
127 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Correct preserved dashboard widgets  
128 + contentCorrection.correct.family.Application-label=Correct applications  
129 + contentCorrection.correct.family.Specialisation-label=Correct specialisation  
130 + contentCorrection.correct.family.PersistentJobState-label=Correct persistent job states

 pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources\_da.properties CHANGED

6 + former-persons-for-cleanup=Personlig dataoprydning

 pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources\_en.properties CHANGED

4 + former-persons-for-cleanup=Personal data cleanup

 pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources\_da.properties CHANGED

34 + links=Journalwebsite

 pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources\_en.properties CHANGED

38 + links=Journal website

 pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources\_da.properties CHANGED

86 + organisationAssociations.supervisedByRelations=Vejlledning  
87 + dataCleanupExemptionEndDate=Slutdato for fritagelse af dataoprydning

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources\_en.properties CHANGED

27 + organisationAssociations.supervisedByRelations=Supervision  
103 +  
104 + dataCleanupExemptionEndDate=Data cleanup exemption end date

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources\_da.pro... CHANGED

95 + handleNet=Handle.net

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources\_en.pro... CHANGED

140 + handleNet=Handle.net  
141 +

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... CHANGED

4 + show-documentLicense=Vis licens

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... CHANGED

1 + show-documentLicense=Show licence  
2 +

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... CHANGED

38 + contactAddress.subdivision=Region

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... CHANGED

35 + contactAddress.subdivision=Subdivision

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... ADDED

```
1 + links.journal.description=Tipos de enlaces para revista
2 + links.journal.website=Sitio web
3 + links.journal.website.description=Enlace al sitio web de la revista
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... ADDED

```
1 + links.journal.description=Types of links for Journal
2 + links.journal.website=Website
3 + links.journal.website.description=Link to the journal website
```

pure-templates/rendering/src/main/resources/renderer/renderer-resources\_da.properties CHANGED

```
40 - render-event-title=Titel
40 + render-event-title=Begivenhedstitel
75 - render-corresponding-author-info=Tilsvarende forfatteraf dette arbejde
75 + render-corresponding-author-info=Kontaktforfatter af dette arbejde
76 + render-format-show=Vis
77 + render-format-hide=Vis mindre
78 + render-show-all-authors-button=Vis alle relaterede forfattere
79 + render-hide-all-authors-button=Skjul alle relaterede forfattere
80 + render-format-authors-shown=Forfatterliste vises. Klik for at skjule forfatterliste
81 + render-format-authors-hidden=Forfatterliste skjules. Klik for at vise forfatterliste
```

pure-templates/rendering/src/main/resources/renderer/renderer-resources\_en.properties CHANGED

```
26 - render-format-others=others
26 + render-format-others=more
27 + render-format-show>Show
28 + render-format-hide>Show less
29 + render-show-all-authors-button>Show all related authors
30 + render-hide-all-authors-button=Hide all related authors
31 + render-format-authors-shown=Author list shown, click to hide author list
32 + render-format-authors-hidden=Authors list hidden, click to show author list
53 - render-event-title=Title
59 + render-event-title=Event title
```