

Text resource changes in Pure (backend)

This is an overview of the text additions and modifications to Pure's default text resources for the locale **fi** between versions **5.15.0** and **5.16.0**.

This content is confidential and should not be shared or reproduced.

Note: It does not include text changes made for individual customer sites, and may include some texts that are not visible on your Pure instance (used for Elsevier supporter role, inactive modules or modules from other countries such as REF, or different system configurations).

The keys in the translations are not necessarily indicative of the functionality. Changes in key between releases will override any custom text resource changes in your Pure.

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources_en.properties **CHANGED**

12	- overviewimpactTemplateREF2020=Impact case study overview
15	- overviewimpactCaseStudyREF2020=?Impact case study overview
14	+ overviewimpactCaseStudyREF2020=Impact case study overview

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources_fi.properties **CHANGED**

12	- overviewimpactTemplateREF2020=Vaikutuksen tapaustutkimuksen yleiskatsaus
----	--

pure-core/admin/client/components/modules/report/properties/report-resources_en.properties **CHANGED**

22	+ column-ignore-isolate-non-distinct-aggregation-on=Disable distinct aggregation (faster)
23	+ column-ignore-isolate-non-distinct-aggregation-off=Enable distinct aggregation (slower)
70	- filter-tab-placeholder-part-two=Select the filter bar above a column to activate the Filter tab.
72	+ filter-tab-placeholder-part-two=Select the filter control above a column to activate the Filter tab.
137	+ aria-share-component-ok-label=Confirm share report
139	+ aria-share-component-cancel-label=Cancel share report
161	- onboarding-tip-filterbar=Click the filter bar to filter a content type. Then add filters in the right-hand panel.
165	+ onboarding-tip-filterbar=Click the filter control to filter a content type. Then add filters in the right-hand panel.
256	- number-of-subcolumns-has-been-added={count} of max {total} subcolumns has been added
260	+ number-of-subcolumns-has-been-added={count} of max {total} subcolumns have been added
325	+ data-story-visualization-preview-scoreCard-title=Scorecard
340	- format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.

341 - format-tab-placeholder-line2=This feature is currently under development.
650 - content-id-filter-placeholder-text=Type here to search
653 + content-id-filter-placeholder-multi-text=Type here to search
654 + content-id-filter-placeholder-dropdown-text=Select a filter item
677 - data-story-visualization-add-filter-bar=Filter bar
681 + data-story-visualization-add-filter-bar=Filter control
694 + data-story-value-tab-selected-element-does-not-support-value-selection=No selectable values
693 - data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter bar
698 + data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter control
704 - data-story-filters-tab-panel-aria-label=Filter bar - Filter tabs filtering individual content-type
709 + data-story-filters-tab-panel-aria-label=Filter control - Filter tabs filtering individual content-type
706 - report-settings-features-title=Experimental features
711 + report-settings-features-experimental-title=Experimental features
712 + report-settings-features-stable-title=Stable features
718 - upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Load and replace to use the new workspace or cancel to keep the existing workspace.
724 + upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Import existing workspace to use the new workspace or cancel to keep the existing workspace.
731 + report-settings-concurrency-title=Performance
732 + report-settings-concurrency-itemIdBatching-title=Fetch batches of rows in separate threads (potentially exports much faster for large datasets at the cost of memory and server load)
733 + report-settings-concurrency-itemIdBatching-toggle-label=Enable multi-threading (rows)
734 + report-settings-concurrency-subSetFetching-title=Fetch batches of columns in separate threads (potentially fetches faster for a large number of columns at the cost of memory and server load)
735 + report-settings-concurrency-subSetFetching-toggle-label=Enable multi-threading (columns)
736 + data-story-visualization-add-layout=Add layout group
737 + data-story-layout-tab-placeholder-header=Use this tab to manipulate selected elements and change layout options.
738 + data-story-layout-tab-clear-search-label=Clear search
739 + data-story-layout-tab-teaser=This feature is currently under development.
740 + data-story-layout-tab-select-widgets=Widgets
741 +
742 + #export type VisualizationType = 'text' | 'pieChart' | 'barChart' | 'columnChart' | 'lineChart' | 'table' | 'complexTable' | 'filterBar' | 'header' | 'footer' | 'layout' | 'scoreCard';
743 + canvas-widget-default-table-name=Table
744 + canvas-widget-default-columnChart-name=Column chart
745 + canvas-widget-default-barChart-name=Bar chart
746 + canvas-widget-default-pieChart-name=Pie chart
747 + canvas-widget-default-text-name=Text
748 + canvas-widget-default-filterBar-name=Filter control
749 + canvas-widget-default-scoreCard-name=Scorecard

750 + canvas-widget-default-layout-name=Layout group
751 + canvas-widget-default-lineChart-name=Line chart
752 +
753 + format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.
754 + format-tab-placeholder-line2=This feature is currently under development.
755 + data-story-format-tab-no-annotatable-columns=No annotatable columns found
756 + data-story-format-tab-placeholder-header=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.
757 + data-story-format-tab-create-new-annotation=Create new visual cue
758 + data-story-format-tab-select-element-to-display-options=Select data story element to change formatting
759 + data-story-format-tab-selected-element-does-not-support-formatting=Selected data story element does not support formatting
760 + data-story-format-tab-teaser=This feature is currently under development.
761 +
762 + confirm-revert-to-original-are-you-sure=Are you sure you want to replace the workspace "{name}" with the original version?
763 + confirm-revert-to-original-header=Replace workspace with original
764 + confirm-revert-cancel=Cancel
765 + confirm-revert-do-revert=Replace with original
766 +
767 + confirm-replace-header=Import and replace reporting workspace
768 + confirm-replace-select-json=Select a .json file to import an existing reporting workspace. Any changes to the current workspace will be lost. After the upload click 'reset sharing and import from file' to use the new workspace in place of existing one or cancel to keep the existing workspace.
769 + confirm-replace-are-you-sure=Clicking the button below will load a workspace from file into the editor. Once the new workspace is saved it will replace the previous version of workspace "{name}". Please note that any sharing setup will be removed.
770 + confirm-replace-upload-label=Reset sharing and import workspace from file
771 + confirm-replace-cancel-label=Cancel
772 +
773 + attribution-algorithm-header=Attribution algorithm
774 + algorithmInfoDialogTooltipText1=The Automated Attribution Algorithm helps you reach the highest possible GPA for a specific UoA, given the selected REF1s and the selected pool of outputs.
775 + algorithmInfoDialogTooltipText2=If you want to ensure that specific outputs are attributed to individuals, you can do so by locking the output manually on the page of the publication. The algorithm will then respect this lock and calculate the highest GPA under those circumstances.
776 + algorithmInfoDialogTooltipText3=The algorithm works as follows:
777 + algorithmInfoDialogTooltipText4=1. Researchers with only one output in the pool have their one output attributed to them and the output is removed from the pool.
778 + algorithmInfoDialogTooltipText5=2. Remaining researchers have their top graded output attributed to them. Where the grade is the same, single-authored outputs are prioritized over co-authored outputs.
779 + algorithmInfoDialogTooltipText6=3. Once each researcher has been attributed one output, the "best of the rest" is selected, starting with the strongest outputs where there is only one author to whom this output can be attributed. This includes outputs by former members of staff.
780

+ algorithmInfoDialogTooltipText7=4. When the number of remaining unattributed outputs is smaller than the number of outputs with the same grade, then the outputs are selected so that they optimize spread across Cat A staff within the UoA.

781 + attribution-algorithm-cancel=Cancel
782 + attribution-algorithm-reset=Reset
783 + attribution-algorithm-run=Run Attribution
784 + attribution-algorithm-last-run=Last run:
785 + attribution-algorithm-status=Status:
786 +
787 + attribution-cannot-run-algorithm=Cannot run attribution
788 + attribution-cannot-reset=Cannot reset attributions
789 + attribution-already-running=The attribution job is currently running.
790 + attribution-not-authorized=You are not authorized to perform this action.
791 + attribution-error=An error occurred while running the job.
792 +
793 + attribution-algorithm-cancel-aria-label=Button that will cancel the attribution algorithm while it is running
794 + attribution-algorithm-reset-aria-label=Button that will reset the attribution runner, once it has been run
795 + attribution-algorithm-run-aria-label=Button that will run the attribution algorithm
796 +
797 + display-table-total-count=Total count
798 + display-table-total-in-percent=Total in %
799 + cancel-export=Cancel Export
800 + report-datatable-scroll-to-top=Scroll to top of the table
801 + logging=Logging
802 + download=download
803 + revert-to-original=Revert to original
804 + pinned-filter-icon=Start edit
805 + pinned-filter-trash-icon>Delete the filter
806 + themeAdjustment=Theme adjustment
807 + selectTargetColumn=Select target column
808 + filters=Filters
809 + legendExplanation=Legend explanation
810 + apply=Apply
811 + left=Left
812 + operator=Operator
813 + right=Right
814 + select-col-or-input-static-value=Select a column or a input a static value
815 + add-filters=Add filters
816 + widget-filters=Widget filters
817 + when-column=When column
818 + or-value=Or value
819 + navigate-up=Navigate up
820 + create=Create

821 +
 822 +
 823 + report-settings-subSetFetcherMergeInOrchestrator-title=Merge 'SubSetFetchers' in orchestrator (Enables some queries to run together in the same SubSetFetcher, it can boost performance when multiple when queries overlap and fetches information that is co-located)
 824 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Enable merging of queries with co-located information
 825 +
 826 + report-settings-enableDifferenceLoggingOrchestrator-title=Replaces the default orchestrator with a version that in addition to running the query, automatically runs a number of extra queries to determine if there is a difference in the output for isolated / non-isolated aggregations
 827 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Enable difference logging
 828 + plus-icon=Add a new column
 829 + confirm-workspace-delete=Delete workspace


pure-core/admin/client/components/modules/report/properties/report-resources_fi.properties CHANGED

112 - onboarding-tip-filterbar=Jos haluat suodattaa sisältötyypin perusteella, napsauta suodatinpalkkia. Lisää sitten suodattimet oikeanpuoleisesta paneelista.
 264 - filter-tab-placeholder-part-two=Aktivoi suodatinvälilehti valitsemalla suodatinpalkki sarakkeen yläpuolelta.
 300 - filter-staffref2020-added={count} REF1a/c (2021) lisätty
 298 + filter-staffref2020-added={count} REF1 (2021) lisätty
 304 - filter-staffref2020-title=REF1a/c (2021)
 302 + filter-staffref2020-title=REF1 (2021)
 313 - filter-staffref2020-summary={count} REF1a/c (2021) lisätty
 311 + filter-staffref2020-summary={count} REF1 (2021) lisätty
 569 - series-filter-active-list-placeholder-text="Tähän sarakkeeseen ei käytetä aktiivisia suodattimia. Yritä yhden tai useamman suodattimen lisäämistä "Lisää suodatin" -välilehdellä."
 567 + series-filter-active-list-placeholder-text="Tähän sarakkeeseen ei käytetä aktiivisia suodattimia. Yritä yhden tai useamman suodattimen lisäämistä "Lisää suodatin" -välilehdellä."
 577 - content-id-filter-placeholder-text=Kirjoita hakusi tähän
 611 - data-story-visualization-add-filter-bar=Suodatinpalkki
 627 - data-story-filter-tab-no-filters-on-other-elements-to-target=Lisää muita suodattimia suodatinpalkissa käytettäville widgeteille
 637 - data-story-filters-tab-panel-aria-label=Suodatinpalkki - suodattimen välilehdet, jotka suodattavat yksittäistä sisältöä
 639 - report-settings-features-title=Kokeelliset ominaisuudet
 633 + report-settings-features-experimental-title=Kokeelliset ominaisuudet
 650 + filter-tab-placeholder-part-two=Aktivoi Filter tab (suodatin-välilehti) valitsemalla suodattimen ohjauksen sarakkeen yläpuolella.
 651 + onboarding-tip-filterbar=Jos haluat suodattaa sisältötyypin perusteella, napsauta suodatinpalkkia. Lisää sitten suodattimet oikeanpuoleisesta paneelista.
 652 + data-story-visualization-preview-scoreCard-title=Tuloskortti
 653 + content-id-filter-placeholder-multi-text=Kirjoita hakusi tähän


654 + content-id-filter-placeholder-dropdown-text=Valitse suodatettava sisältö
655 + data-story-visualization-add-filter-bar=Suodatinpalkki
656 + data-story-value-tab-selected-element-does-not-support-value-selection=Ei valittavissa olevia arvoja
657 + data-story-filter-tab-no-filters-on-other-elements-to-target=Lisää muita suodattimia suodatinpalkissa käytettäville widgeteille
658 + data-story-filters-tab-panel-aria-label=Suodatinpalkki - suodattimen välilehdet, jotka suodattavat yksittäistä sisältöä
659 + report-settings-features-stable-title=Vakaat ominaisuudet
660 + validation-status-error-title=Työtilaa ei voitu vahvistaa
661 + validation-status-error-ok=Sulje
662 + report-settings-concurrency-title=Suorituskyky
663 + report-settings-concurrency-itemIdBatching-title=Hae rivien erät erillisissä ketjuissa (mahdollisesti vie paljon nopeammin suuriin tietojoukkoihin, vaikkakin muistin ja palvelimen kuormituksen kustannuksella)
664 + report-settings-concurrency-itemIdBatching-toggle-label=Ota käyttöön moniketjuiset (rivit)
665 + report-settings-concurrency-subSetFetching-title=Hae sarake-erät erillisissä ketjuissa (noutaa mahdollisesti nopeammin suuret määrät sarakkeita, vaikkakin muistin ja palvelimen kuormituksen kustannuksella)
666 + report-settings-concurrency-subSetFetching-toggle-label=Ota käyttöön moniketjuiset (sarakkeet)
667 + data-story-visualization-add-layout=Lisää taittoryhmä
668 + data-story-layout-tab-placeholder-header=Tällä välilehdellä voit käsitellä valittuja elementtejä ja muuttaa taittovaihtoehtoja.
669 + data-story-layout-tab-clear-search-label=Tyhjennä haku
670 + data-story-layout-tab-teaser=Tämä ominaisuus on kehittäilyvaiheessa.
671 + data-story-layout-tab-select-widgets=Pienoisohjelmat
672 + canvas-widget-default-table-name=Taulukko
673 + canvas-widget-default-columnChart-name=Pylväsdiagrammi
674 + canvas-widget-default-barChart-name=Pylväsdiagrammi
675 + canvas-widget-default-pieChart-name=Ympyrädiagrammi
676 + canvas-widget-default-text-name=Teksti
677 + canvas-widget-default-filterBar-name=Suodatinohjaus
678 + canvas-widget-default-scoreCard-name=Laskutaulukko
679 + canvas-widget-default-layout-name=Taittoryhmä
680 + canvas-widget-default-lineChart-name=Viivadiagrammi
681 + data-story-format-tab-no-annotatable-columns=Kommentoitavia sarakkeita ei löytynyt
682 + data-story-format-tab-placeholder-header=Käytä tätä välilehteä muuttaaksesi datatarinasi taittoa, visualisointien värejä ja järjestelläksesi tekstiä, kuten kappaleita, kohdistusta ja luettelointia.
683 + data-story-format-tab-create-new-annotation=Luo uusi visuaalinen vihje
684 + data-story-format-tab-select-element-to-display-options=Valitse datatarinan elementti muuttaaksesi muotoilua
685 + data-story-format-tab-selected-element-does-not-support-formatting=Valittu datatarinaelementti ei tue muotoilua
686 + data-story-format-tab-teaser=Tämä ominaisuus on kehittäilyvaiheessa.
687 + confirm-revert-to-original-are-you-sure=Haluatko varmasti korvata työtilan "{name}" alkuperäisellä versiolla?
688 + confirm-revert-to-original-header=Korvaa työtila alkuperäisellä
689 + confirm-revert-cancel=Peruuta
690 + confirm-revert-do-revert=Korvaa alkuperäisellä

691 + confirm-replace-header=Tuo ja korvaa raportointityötila
692 + confirm-replace-select-json=Valitse jokin .json-tiedosto tuodaksesi olemassa olevan raportointityötilan. Kaikki muutokset nykyiseen työtilaan menetetään. Lataamisen jälkeen napsauta ”nollaa jakaminen ja tuominen tiedostosta”, jos haluat käyttää uutta työtilaa nykyisen tilalla tai peruuttaa säilyttääksesi nykyisen työtilan.
693 + confirm-replace-are-you-sure=Kun napsautat alla olevaa painiketta, työtila ladataan tiedostosta editoriin. Kun uusi työtila on tallennettu, se korvaa aiemman työtilan version "{name}". Huomaa, että kaikki jakamisasetukset poistetaan.
694 + confirm-replace-upload-label=Palauta jakaminen ja tuo työtila tiedostosta
695 + confirm-replace-cancel-label=Peruuta
696 + attribution-algorithm-header=Nimeämisalgoritmi
697 + algorithmInfoDialogTooltipText1=Automatisoitu nimeämisalgoritmi auttaa saavuttamaan korkeimman mahdollisen GPA:n määrätyle UoA:lle, ottaen huomioon valitut REF1:t ja valittu tuotoskokonaisuus (pool of outputs).
698 + algorithmInfoDialogTooltipText2=Jos haluat varmistaa, että määrätutokset osoitetaan henkilöille, voit tehdä niin lukitsemalla tuotoksen manuaalisesti julkaisun sivulle. Algoritmi ottaa sitten huomioon tämän lukon ja laskee korkeimman GPA:n näissä olosuhteissa.
699 + algorithmInfoDialogTooltipText3=Algoritmi toimii seuraavasti:
700 + algorithmInfoDialogTooltipText4=1. Tutkijoilla, joilla on vain yksi tuotos kokonaisuudessa, tämä yksi tuotos osoitetaan heille, ja tuotos poistetaan kokonaisuudesta.
701 + algorithmInfoDialogTooltipText5=2. Jäljelle jääneillä tutkijoilla on ylin luokiteltu tuotos, joka on heille osoitettu. Jos luokka on sama, yhden kirjoittajan tuotokset ovat etusijalla useamman kirjoittajan tuotoksiin nähden.
702 + algorithmInfoDialogTooltipText6=3. Kun kullekin tutkijalle on osoitettu yksi tulos, paras jäljelle jääneistä" valitaan vahvimista tuotoksista, joissa on vain yksi kirjoittaja, jolle tämä tulos voidaan luokitella. Tämä sisältää entisten henkilöstön jäsenten tuotokset."
703 + algorithmInfoDialogTooltipText7=4. Kun jäljellä olevien nimeämättömien tuotostenen lukumäärä on pienempi kuin saman luokan tuotosten lukumäärä, valitaan tuotokset siten, että ne optimoivat jakautumisen Cat A -henkilöstön välillä UoA:n sisällä.
704 + attribution-algorithm-cancel=Peruuta
705 + attribution-algorithm-reset=Nollaa
706 + attribution-algorithm-run=Suorita nimeäminen
707 + attribution-algorithm-last-run=Viimeinen ajo:
708 + attribution-algorithm-status=Tila:
709 + attribution-cannot-run-algorithm=Nimeämistä ei voi suorittaa
710 + attribution-cannot-reset=Nimeämistä ei voi nollata
711 + attribution-already-running=Nimeämistyö on parhaillaan käynnissä.
712 + attribution-not-authorized=Sinulla ei ole valtuuksia suorittaa tätä toimenpidettä.
713 + attribution-error=Työtä suoritettaessa tapahtui virhe.
714 + attribution-algorithm-cancel-aria-label=Painike, joka peruuttaa nimeämisalgoritmin sen ollessa käynnissä
715 + attribution-algorithm-reset-aria-label=Painike, joka nollaa nimeämisen ajajan heti, kun ajo on suoritettu
716 + attribution-algorithm-run-aria-label=Painike, joka suorittaa nimeämisalgoritmin
717 + display-table-total-count=Lopullinen määrä
718 + display-table-total-in-percent=Lopullinen määrä %
719 + column-ignore-isolate-non-distinct-aggregation-on=Poista erillinen yhdistäminen käytöstä (nopeammin)
720 + column-ignore-isolate-non-distinct-aggregation-off=Ota erillinen yhdistäminen käyttöön (hitaammin)
721 + logging=Lokittaminen
722 + download=Lataa

```
723 + revert-to-original=Palauta alkuperäiseen
724 + pinned-filter-icon=Kiinnitetty suodattimen kuvake
725 + pinned-filter-trash-icon=Kiinnitetty suodattimen roskakorikuvake
726 + themeAdjustment=Teeman järjestely
727 + selectTargetColumn=Valitse kohdesarake
728 + filters=Suodattimet
729 + legendExplanation=Tekstin selitys
730 + apply=Käytä
731 + left=Vasen
732 + operator=Operaattori
733 + right=Oikea
734 + select-col-or-input-static-value=Valitse sarake tai syötä staattinen arvo
735 + add-filters=Lisää suodattimia
736 + widget-filters=Widget-suodattimet
737 + when-column=Kun-sarake
738 + or-value=Tai-arvo
739 + navigate-up=Navigoi ylös
740 + create=Tallenna
741 + report-settings-subSetFetcherMergeInOrchestrator-title=Yhdistä ”SubSetFetchers” orkestraattorissa (mahdollistaa joidenkin
kyselyjen suorittamisen yhdessä samassa SubSetFetcherissa, ja se voi parantaa suorituskykyä, kun on useita päällekkäisiä kyselyjä
ja samasta sijainnista haetaan tietoa)
742 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Ota käyttöön kyselyjen yhdistäminen samassa sijainnissa olevaan
tietoon
743 + report-settings-enableDifferenceLoggingOrchestrator-title=Korvaa oletusorkestraattorin versiolla, joka kyselyn suorittamisen
lisäksi suorittaa automaattisesti joukon ylimääräisiä kyselyjä, jotta selvitetäisiin, onko eristettyjen / ei-eristettyjen
yhdistelmien tuotoksessa eroa
744 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Ota erojen kirjaaminen käyttöön
```

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources_en.properties CHANGED

```
8 + timeline-dialog-title=Timeline
9 + timeline-dialog-description=Your window is too small to display an interactive timeline for your projects here. To view the
timeline, enlarge your window or click the button to open it in a popup.
10 + view-timeline=Open timeline
11 + timeline-dialog-close=Close dialog
```

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources_fi.properties CHANGED

```
6 - inventory-close-callout=Sulje dialogi
7 - inventory-show-more=Näytä lisää
8 + timeline-dialog-title=Aikajana
```



```
9 + timeline-dialog-description=Ikkunasi on liian pieni näyttääkseen tässä projektiesi vuorovaikutteisen aikajanan. Jos haluat
10 nähdä aikajanan, suurena ikkunaasi tai napsauta painiketta avataksesi sen ponnausikkunassa.
11 + view-timeline=Avaa aikajana
+ timeline-dialog-close=Sulje dialogi
```

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources_en.properties CHANGED

```
8 + originalUser-as-user={originalName} as {name}
```

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources_fi.properties CHANGED

```
8 + originalUser-as-user={originalName} käyttäjänä {name}
```

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources_en.properties CHANGED

```
20 - Workflow-body-backward={fromUser} returned the workflow step to{workflowStep}:
20 + Workflow-body-created={fromUser} created new content inthe workflow step {workflowStep}:
21 + Workflow-body-backward={fromUser} returned the workflow step to {workflowStep} for:
64 - MendeleyDataSet-body-singular={countAndContent} was found in Mendeley Data
65 - MendeleyDataSet-body-plural={countAndContent} were found in Mendeley Data
65 + DataSearchDataSet-body-singular={countAndContent} was found in DataSearch
66 + DataSearchDataSet-body-plural={countAndContent} were found in DataSearch
104 - newsflo-import-personal-user-added-message-notification=You have been added to a Newsflo contentitem:
105 + newsflo-import-personal-user-added-message-notification=You have been added to new Newsflo item(s)
110 +
111 + Application-deadline-inconsistency-message-body=The {application} submission deadline differs from the {fundingOpportunity}
deadline for:
112 +
113 + dialog-close=Close dialog
```

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources_fi.properties CHANGED

```
56 - MendeleyDataSet-body-plural={countAndContent} löydettiin Mendeleyyn tiedoista
57 - MendeleyDataSet-body-singular={countAndContent} löydettiin Mendeleyyn tiedoista
85 - newsflo-import-personal-user-added-message-notification=Sinut on lisätty Newsflo-sisältökohteeseen:
84 + DataSearchDataSet-body-singular={countAndContent} löytyi DataSearchissä
85 + DataSearchDataSet-body-plural={countAndContent} löytyivät DataSearchissä
86 + newsflo-import-personal-user-added-message-notification=Sinut on lisätty uusiin Newsflo-sisältöihin:
87 + Application-deadline-inconsistency-message-body=Jätön {application} määräaika eroaa {fundingOpportunity} määräajasta:
```


88 + dialog-close=Sulje dialogi
89 + Workflow-body-created={fromUser} luonut uuden sisällön työnkulun vaiheessa {workflowStep}:

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources_en.properties CHANGED


108 - cron.jobLegend=Name, User & Job:
108 + cron.jobLegend=Name, User and Job:
124 + cron.searchNoResult=No cron jobs match your search
163 - joblog.contentId=Content-ID:
164 + joblog.contentId=ContentID:
275 - logging.completed=Log session completed. Click button below to download results
276 + logging.completed=Log session completed. Click button below to download results.
290 - system-currency-country=System currency & country
291 + system-currency-country=System currency and country
300 - authentication-mechanism-test=Test
301 + authentication-mechanism-test=Check certificates
305 + authentication-mechanism-failure-help=The authentication configuration is invalid.
306 + authentication-mechanism-success-help=The authentication configuration is valid.
338 - ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ Authentication
339 - ElsevierIDPlusAuthenticationMechanism=Authenticates users byusing Elsevier's ID+
341 + ElsevierIDPlusAuthenticationMechanism.label=Elsevier Account Authentication
342 + ElsevierIDPlusAuthenticationMechanism=Authenticates users using theirElsevier account.

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources_fi.properties CHANGED

254 - authentication-mechanism-test=Testi
555 - oai-configuration-identifier-legend-hint="Täytä tiedot, jotka haluat esittää OAI-tunnistemuodossa osana <i>tunnistusvastausta</i>. Katso lisätietoja OAI-PMH:n käyttöönoton ohjeista.”
554 + oai-configuration-identifier-legend-hint=Täytä tiedot, jotka haluat esittää OAI-tunnistemuodossa osana <i>tunnistusvastausta</i>. Katso lisätietoja OAI-PMH:n käyttöönoton ohjeista.
561 - oai-configuration-identifier-delimiter-hint="Esimerkki: "".""""
560 + oai-configuration-identifier-delimiter-hint=Esimerkki: ":"
575 - ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ -autentikointi
576 - ElsevierIDPlusAuthenticationMechanism=Todentaa Elsevierin ID+-palvelun käyttäjät.
574 + cron.searchNoResult=Mikään cron-työ ei vastaa hakuasi
575 + authentication-mechanism-test=Tarkista sertifikaatit
576 + authentication-mechanism-failure-help=Todennusmääritykset ovat virheelliset.
577 + authentication-mechanism-success-help=Todennuskonfiguraatio on kelpuutettu.
578 + ElsevierIDPlusAuthenticationMechanism.label=Elsevier-tilin todentaminen

 pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources_en.properties CHANGED

```
18 + personDataCleanup.operation.name=Data cleanup
19 + personDataCleanup.title=Clean up selected fields
20 + personDataCleanup.refine.title=Select fields for cleanup
21 + personDataCleanup.refine.title.description=Selected fields will be cleaned up or set to selected options. <br/> Configure pre-
checked fields in Administrator > Persons > Data cleanup configuration.
22 + personDataCleanup.summary.warning=Important! The data will be permanently deleted and cannot be restored.
23 + personDataCleanup.error.updates.failed=Could not clean data on all selected persons
24 + personDataCleanup.error.content.update.failed=Error when cleaning fields on {content}
25 + personDataCleanup.error.content.update.skipped=No fields cleaned as there was nothing to clean - either the fields are
synchronized or already clean
26 + personDataCleanup.set.to_lowercase=set to
27 + personDataCleanup.set.to_uppercase=Set to
28 + personDataCleanup.organisation.association.info=Only supplementary information will be deleted
29 + personDataCleanup.organisation.association.info.description=The link between persons and their associated organisations will
be retained but information related to the organisation, e.g. telephone numbers, addresses, website URLs, will be deleted.
30 +
31 + exemptPersonFromDataCleanup.operation.name=Mark for data cleanup exemption
32 + exemptPersonFromDataCleanup.title=Mark for data cleanup exemption
33 + exemptPersonFromDataCleanup.refine.title=Specify data cleanup exemption period
34 + exemptPersonFromDataCleanup.refine.retention.period=Set exemption period of
35 + exemptPersonFromDataCleanup.refine.retention.period-hint=Person(s) marked for exemption will not be included in bulk data
cleanup processes during this period (once the bulk action is completed). <br/> Exemption status can be found in: <br/> Person
editor window > History and comments tab > Data cleanup policy section
36 + exemptPersonFromDataCleanup.error.updates.failed=Could not set exemption period on all selected persons
37 + exemptPersonFromDataCleanup.error.content.update.failed=Error when setting exemption period on {content}
38 +
```

 pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources_fi.properties CHANGED

```
1 - #Added translations
2 - #Tue May 15 10:53:26 CEST 2018
37 + personDataCleanup.operation.name=Tiedon siivous
38 + personDataCleanup.title=Siivoa valitut kentät
39 + personDataCleanup.refine.title=Valitse siivottavat kentät
40 + personDataCleanup.refine.title.description=Valitut kentät siivotaan tai asetetaan valittuihin vaihtoehtoihin. <br/> Määritä
ennalta tarkistettut kentät Järjestelmänvalvoja> Henkilöt> Tietojen siivous -määrityksessä.
41 + personDataCleanup.summary.warning=Tärkeää! Tiedot poistetaan pysyvästi, eikä niitä voi palauttaa.
```

```
42 + personDataCleanup.error.updates.failed=Kaikkien valittujen henkilöiden tietoja ei voitu puhdistaa
43 + personDataCleanup.error.content.update.failed=Virhe siivottaessa kenttiä {content}
44 + personDataCleanup.error.content.update.skipped=Kenttää ei siivottu, koska ei ollut mitään siivottavaa - kentät ovat joko
    synkronoituja tai jo puhtaita
45 + personDataCleanup.set.to_lowercase=aseta tilaan
46 + personDataCleanup.set.to_uppercase=aseta tilaan
47 + personDataCleanup.organisation.association.info=Vain lisätiedot poistetaan
48 + personDataCleanup.organisation.association.info.description=Yhteys henkilöiden ja heihin liittyvien organisaatioidensa välillä
    säilyy, mutta organisaatioon liittyvät tiedot, esim. puhelinnumerot, osoitteet, verkkosivustojen URL-osoitteet poistetaan.
49 + exemptPersonFromDataCleanup.operation.name=Merkitse tietojen siivousta koskevalle poikkeus
50 + exemptPersonFromDataCleanup.title=Merkitse tietojen siivousta koskevalle poikkeus
51 + exemptPersonFromDataCleanup.refine.title=Määritä tietojen siivousta koskeva poikkeusjakso
52 + exemptPersonFromDataCleanup.refine.retention.period=Aseta poikkeusjaksoksi
53 + exemptPersonFromDataCleanup.refine.retention.period-hint=Henkilöä, jolle / henkilöitä, joille on myönnetty poikkeus, ei
    sisällytetä massatietojen siivousprosesseihin tänä aikana (kun massatoiminto on suoritettu). <br/> Poikkeustila löytyy: <br/>
    Henkilöeditori-ikkuna > Historia ja kommentit -välilehti > Tietojen siivousskäytäntöosasto
54 + exemptPersonFromDataCleanup.error.updates.failed=Kaikille valituille henkilöille ei voitu asettaa poikkeusjaksoa
55 + exemptPersonFromDataCleanup.error.content.update.failed=Virhe asetettaessa poikkeusjaksoa {content}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... ADDED

```
1 + agreed-terms-group=Agreed terms
2 + agreed-terms-help=Terms that the user has agreed to
3 + agreed-terms-version=Version: {version}
4 + agreed-terms-lastlogin=Last login: {lastLogin}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... ADDED

```
1 + agreed-terms-group=Sovitut ehdot
2 + agreed-terms-help=Ehdot, jotka käyttäjä on hyväksynyt
3 + agreed-terms-version=Versio {version}
4 + agreed-terms-lastlogin=Viimeisin sisäänkirjautuminen {lastLogin}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

```
76 - correspondingauthor-button=Set corresponding author
77 - removecorrespondingauthor-button=Remove corresponding author
76 + correspondingauthornote-singular-text=Note: There is already 1 other person selected as a corresponding author.
77 + correspondingauthornote-plural-text=Note: There are already {count} other persons selected as corresponding authors.
78 + correspondingAuthor=Corresponding author
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

```
58 - correspondingauthor-button=Aseta vastaava kirjoittaja
59 - removecorrespondingauthor-button=Poista vastaava kirjoittaja
58 + correspondingauthornote-singular-text=Huomautus: Vastaavaksi kirjoittajaksi on jo valittu 1 henkilö.
59 + correspondingauthornote-plural-text=Huomautus: Useita henkilöitä on jo {count} valittu vastaaviksi kirjailijoiksi.
60 + correspondingAuthor=Vastaava kirjailija
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... CHANGED

```
7 + unlinkUser=Unlink associated user
8 + cancelUnlinkUser=Cancel
9 + unlinkDisclaimer-confirm=Upon saving, this person will be unlinked from the associated user. If the user has roles in Pure in addition to being a personal user, they will still be able to log into Pure and perform tasks according to those assigned roles.
10 + unlinkDisclaimer=If the user has roles in Pure in addition to being a personal user, they will still be able to log into Pure and perform tasks according to those assigned roles.
11 + unlinkSyncedAssociation=You cannot manually unlink a user when the user information is synchronised from another system.
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
7 + unlinkUser=Poista linkitys liittyvästä käyttäjästä
8 + cancelUnlinkUser=Peruuta
9 + unlinkDisclaimer-confirm=Tallennettaessa tämän henkilön linkki poistetaan liittyvästä käyttäjästä. Jos käyttäjällä on henkilökohtaisen käyttäjäroolin lisäksi rooleja Puressa, hän voi silti kirjautua Pureen ja suorittaa tehtäviä osoitettujen roolien mukaisesti.
10 + unlinkDisclaimer=Jos käyttäjällä on henkilökohtaisen käyttäjäroolin lisäksi rooleja Puressa, hän voi silti kirjautua Pureen ja suorittaa tehtäviä osoitettujen roolien mukaisesti.
11 + unlinkSyncedAssociation=Et voi irrottaa käyttäjää manuaalisesti, kun käyttäjän tiedot on synkronoitu toisesta järjestelmästä.
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources_en.p... CHANGED

```
54 - select-bulk-action>Select the bulkaction you will performfor the files
54 + select-bulk-action>Select the action you want toperform
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources_fi.pr... CHANGED

```
1 - #Added translations
2 - #Thu Sep 28 10:08:30 CEST 2017
44 - select-bulk-action=Valitse joukkotoiminto, jonka suoritat tiedostoille
73 + select-bulk-action=Valitse toiminto, jonka haluat suorittaa
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources_en.pr... CHANGED

```
6 + agreed-terms-tab=Agreed terms
7 +
8 + #AGREED TERMS
9 + agreed-terms=Agreed terms
18 - idplus-group=ID+ configuration
19 - idplus-group-help=Configuration of user access to ID+. <ul><li>This ID is used for matching a user in pure with a user
from ID+</li></ul>
22 + idplus-group=Elsevier accountconfiguration
23 + idplus-group-help=Configuration of user access to Elsevier account authentication.<ul><li>This ID is used for matching a user
in Pure with an Elsevier user account.</li></ul>
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources_fi.pro... CHANGED

```
32 - idplus-group=ID+-konfiguraatio
33 - idplus-group-help=ID+:n
käyttöoikeuden konfiguraatio. <ul><li>Tätä tunnistetta käytetään Puressa olevan käyttäjän yhdistämiseen ID+:ssa olevaan
käyttäjään</li></ul>
32 + agreed-terms-tab=Sovitut ehdot
33 + agreed-terms=Sovitut ehdot
34 + idplus-group=Elsevier-tilimäärittäminen
35 + idplus-group-help=Käyttäjän Elsevier-tilille pääsyn todentamisen määrittäminen. <ul><li>Tätä tunnusta käytetään Pure-käyttäjän
yhdistämiseen Elsevier-käyttäjätiliin.</li></ul>
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsOfAgreement/model/editor/termsOfAgreement_fi.pr... CHANGED

```
15 + termsOfAgreement.information=Note: You cannot edit the text of a Terms of Agreement after it has been saved.
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsOfAgreement/model/editor/termsOfAgreement_en.pr... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
11 + termsOfAgreement.information=Huomautus: Et voi muokata sopimusehtojen tekstiä sen jälkeen, kun se on tallennettu.
```

pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_en.properties CHANGED

```
135 + inconsistentworkflow.title=Inconsistent workflow for {path} ID {id}
136 + inconsistentworkflow.message=The content you requested cannot be edited at this time
137 + inconsistentworkflow.why=Why was this page displayed?
138 + inconsistentworkflow.why.update.required=The workflow configuration for {path} is being modified by an administrator and is
not completed yet
139 + inconsistentworkflow.whatnow=Now what?
140 + inconsistentworkflow.whatnow.support=Contact support
141 + inconsistentworkflow.whatnow.close=Close this window
142 +
```

pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_fi.properties CHANGED

```
266 + inconsistentworkflow.title=Epäjohdonmukainen työkulku {path} tunnukselle {id}
267 + inconsistentworkflow.message=Pyydettyä sisältöä ei voi muokata tällä hetkellä
268 + inconsistentworkflow.why=Miksi tämä sivu tuli näkyviin?
269 + inconsistentworkflow.why.update.required=Työnkulun määrityksiä {path} muokataan juuri järjestelmänvalvojan toimesta, eivätkä
ne ole vielä valmiit
270 + inconsistentworkflow.whatnow=Mitä nyt?
271 + inconsistentworkflow.whatnow.support=Ota yhteyttä käyttäjätukeen.
272 + inconsistentworkflow.whatnow.close=Sulje tämä ikkuna
```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_en.properties CHANGED

```
1 - ssofail_title=Single Sign-On failed
2 - ssofail=Single Sign-On failed
3 - ssofail_description=You could not be logged into this service. In order to login with Single Sign-On it is necessary for the
service to know your username. Please contact IT support.<br/>If enabled for your
user you can use <a href="{login}">direct login</a>
1 + ssofail_title=Login Failed for Pure at {institutionname}
2 + ssofail=Login Failed for Pure at {institutionname}
3 + ssofail_description=You may be able to <a href="{login}">log in to Pure directly</a> if your username and password are
configured manually.<br/>Please contact your institution's local IT support if this problem persists.
4 + ssofail_footer=Pure version {versionnumber} at {institutionname}, {dateandtime}
5 - login_error_SAMLProcessingException=Communication with Single Sign-On server failed
6 - login_error_ProcessingException=Communication with Single Sign-on server failed
7 - login_error_LockedException=The account is locked
8 - login_error_UsernameNotFoundException=The user is not present in Pure
9 - login_error_BadCredentialsException=Bad credentials
```

```

10 - login_error_InsufficientAuthenticationException=User has insufficient rights to login
11 - login_error_InternallyAuthenticatedAccountStatusException=The account cannot be used for external authentication
12 - login_error_AuthenticationServiceException=An unknown systemerror occurred when processing the authentication request.
6 + login_error_SAMLProcessingException=Pure could not connectwith your institution's single sign-on server.
7 + login_error_ProcessingException=Pure could not connectwith your institution's single sign-on server.
8 + login_error_LockedException=Your useraccount is unable to access Pure.
9 + login_error_UsernameNotFoundException=Your user was not found in Pure.
10 + login_error_BadCredentialsException=Your username or password were not entered correctly.
11 + login_error_InsufficientAuthenticationException=You do not have permissionto log into Pure.
12 + login_error_InternallyAuthenticatedAccountStatusException=Your useraccount cannot be used to log into Pure.
13 + login_error_AuthenticationServiceException=An error occurred while logging in using your institution's single sign-on system.

```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_fi.properties CHANGED

```

1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
3 - ssofail_title=kirjautuminen epäonnistui.
4 - ssofail=Kirjautuminen epäonnistui.
5 - ssofail_description=Et voi kirjautua tähän järjestelmään, koska järjestelmäei tunnistanut käyttäjätunnustasi. Ota yhteyttä <a href="mailto:tuhat-info@helsinki.fi">tuhat-info@helsinki.fi</a>.<br/>
6 - login_error_SAMLProcessingException=Yhteys käyttäjätunnuspalvelimeen katkesi.
7 - login_error_ProcessingException=Yhteys käyttäjätunnuspalvelimeen katkesi.
8 - login_error_LockedException=Käyttöoikeus on lukittu
9 - login_error_UsernameNotFoundException=Käyttäjä ei ole Tuhatissa
10 - login_error_BadCredentialsException=Ei oikeuksia
11 - login_error_InsufficientAuthenticationException=Käyttäjällä ei ole oikeuksia kirjautua järjestelmään
12 - login_error_InternallyAuthenticatedAccountStatusException=Tunnusta ei voi käyttää ulkoiseen tunnistamiseen
1 + ssofail_title=Sisäänkirjautuminen epäonnistui Pure-sivustolle {institutionname}
2 + ssofail=Sisäänkirjautuminen epäonnistui Pure-sivustolle {institutionname}
3 + ssofail_description=Saatat pystyä <a href="{login}">kirjautumaan suoraan Pureen</a>, jos käyttäjänimesi ja salasanasi on määritetty manuaalisesti.<br>Ota yhteyttä laitoksenssi paikalliseen IT-tukeen, jos tämä ongelma jatkuu
.
4 + ssofail_footer=Pure-versio {versionnumber} sivulla {institutionname}, {dateandtime}
5 + login_error_SAMLProcessingException=Pure ei voinut muodostaa yhteyttä laitoksen kertakirjautumispalvelimeen.
6 + login_error_ProcessingException=Pure ei voinut muodostaa yhteyttä laitoksen kertakirjautumispalvelimeen.
7 + login_error_LockedException=Käyttäjätilitäsi ei pääse Pure-palveluun.
8 + login_error_UsernameNotFoundException=Käyttäjääsi ei löytynyt Puresta.
9 + login_error_BadCredentialsException=Käyttäjätunnustasi tai salasanaasiei annettu oikein.
10 + login_error_InsufficientAuthenticationException=Sinulla ei ole lupaa kirjautua sisään Pureen.
11 + login_error_InternallyAuthenticatedAccountStatusException=Käyttäjätiliäsi ei voi käyttää sisäänkirjautumiseen Pure-palveluun.
12 + login_error_AuthenticationServiceException=Kirjautumalla sisään oppilaitoksen kertakirjautumisjärjestelmällä tapahtui virhe.

```


13 - login_error_AuthenticationServiceException=Tuntematon systeemivirhe tunnistautumispyynnön käsittelyssä

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources_en.properties CHANGED

```
53 - suggestedaction-message.digest_listing=<a href="{link}">View all ({count}) </a>
53 + suggestedaction-message.digest_listing=<a href="{link}">View all ({count}) </a>
74 - workflow-message.digest_listing=<a href="{link}">View all ({count}) </a>
74 + workflow-message.digest_listing=<a href="{link}">View all ({count}) </a>
97 - plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of
technical limitations, such as large file (larger than 25 MB), password protected file, the file is not readable or file type is
not supported by the anti-plagiarism system Ephorus.
97 + plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of
technical limitations, such as large file (larger than 25MB), password protected file, the file is not readable or file type is
not supported by the anti-plagiarism system Ephorus.
115 - newsflo-message.velocity_title=You have been added to a Newsflo contentitem: {title}
116 - newsflo-message.velocity_subject=You have been added to aNewsflo content item: {title}
115 + newsflo-message.velocity_title=You have been added to new Newsflo item(s)
116 + newsflo-message.velocity_subject=Newsflo content created
```

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources_fi.properties CHANGED

```
78 - newsflo-message.velocity_title=Sinut on lisätty Newsflo-sisältökohteeseen\: {title}
79 - newsflo-message.velocity_subject=Sinut on lisätty Newsflo-sisältökohteeseen\: {title}
85 + newsflo-message.velocity_title=Sinut on lisätty uuteen Newsflo-sisältökohteeseen:
86 + newsflo-message.velocity_subject=Newsflo-sisältö luotiin
```

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources_en.properties ADDED

```
1 + uptodate-subject=Pure is up to date
2 + uptodate-body=Good news, your Pure ({currentVersion}) is up to date.\nStaying up to date helps us best support you. Check out
the <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the release.</a>
3 + onebehind-subject=Pure is ready to update
4 + onebehind-body=A new Pure version ({latestVersion}) is available, check out the <a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the new release</a> and consider
updating.\nRight now you're running {currentVersion} - this will be supported until version {endOfLifeVersion} is released.
5 + twobehind-subject=It's time to update your Pure
6 + twobehind-body=A new Pure version ({latestVersion}) is available, please check out the <a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the new release</a> and consider updating
soon.\nYour current version {currentVersion} will no longer be supported once the next version {endOfLifeVersion} is released.
7 + threebehind-subject=Pure version out of date
```

```
8 + threebehind-body=Your current version ({currentVersion}) is no longer fully supported and no further issues relating to this version will be resolved.\nOnce you upgrade to version {minimumSupportedVersion} or higher, you can again benefit from full support.\nPlease contact the <a href="mailto: pure-support@elsevier.com">Pure Support Team</a> to notify us which version you wish to upgrade to, or in case you have any questions about Elsevier's Release Policy.
```

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources_fi.properties **ADDED**

```
1 + uptodate-subject=Pure on ajan tasalla
2 + uptodate-body=Hyviä uutisia, sinun Puresi ({currentVersion}) on ajan tasalla. Pysymällä ajan tasalla autamme meitä parhaiten tukemaan sinua. Tarkista <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">julkaisun kohokohtat.</a>
3 + onebehind-subject=Pure on valmis päivitykseen
4 + onebehind-body=Uusi Pure-versio ({latestVersion}) on saatavana, tutustu <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">uuden julkaisun kohokohtiin</a> ja harkitse päivitystä. Juuri nyt käytät {currentVersion} - tätä tuetaan, kunnes versio {endOfLifeVersion} on julkaistu.
5 + twobehind-subject=On aika päivittää Pure
6 + twobehind-body=Uusi Pure-versio ({latestVersion}) on saatavana, tarkista <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">uuden julkaisun kohokohtat</a> ja harkitse pian päivitystä. Nykyistä versiotasi {currentVersion} ei enää tueta, kun seuraava versio {endOfLifeVersion} on julkaistu.
7 + threebehind-subject=Pure-versio vanhentunut
8 + threebehind-body=Nykyistä versiota ({currentVersion}) ei enää tueta kokonaan, eikä mitään tähän versioon liittyviä ongelmia ratkaista. Kun olet päivittänyt versioon {minimumSupportedVersion} tai sitä uudempaan versioon, voit jälleen hyötyä täydestä tuesta. Ota yhteyttä<a href="mailto: pure-support@elsevier.com">Pure-tukitiimiin</a> ilmoittaaksesi meille, mihin versioon haluat päivittää, tai jos sinulla on kysyttävää Elsevierin julkaisukäytännöstä.
```

pure-core/admin/src/main/resources/META-INF/resources/search/search-resources_fi.properties **CHANGED**

```
122 - mergeDuplicatesValidationFailed=Valittua sisältöä ei voitu yhdistää kohteen "{content}" validointivirheiden vuoksi:
122 + mergeDuplicatesValidationFailed=Valittua sisältöä ei voitu yhdistää kohteen "{content}" validointivirheiden vuoksi:
```

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources_en.properties **CHANGED**

```
100 - support_manual=Manual
100 + support_manual=PureManual
```

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources_fi.properties **CHANGED**

```
73 - support_manual=Käyttöohjeet
160 + support_manual=Pure-käyttöopas
```

pure-core/admin/src/main/resources/renderer/dk/atira/pure/api/shared/editor/renderers/insufficientrolesexceptionrenderer-resources_fi.prop... **CHANGED**

```
5 - error.systemdesc.header=Järjestelmällmoitus
5 + error.systemdesc.header=
You do not have the correct permissions to modify/save this record.\n This could be due to a "Managing organisational unit" that
you do not have the right to modify managed content for.\n Try selecting a different "Managing organisational unit".
```

pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources_en.properties CHANGED

```
4 - Scopus.authentication.apiKey-label=API Key
4 + Scopus.authentication.apiKey-label=API key
42 + Scopus.use.approximated.publication.date-label=Use approximated publication date
43 + Scopus.use.approximated.publication.date-description=When set to True, Pure will import and use the Scopus-provided
approximated publication date. When set to False, Pure will parse the date which Scopus has received from the journal and set the
date accordingly. In some cases letting Pure handle the date parsing (configuration set to False) may yield better results. In
the rare case that only the approximated date is available, Pure will use the approximated date.
44 - enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID - Notice byenabling
this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles
will be removed.
46 + enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID. Note: By enabling
this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles
will be removed.
120 - crossref.pid-description=
122 + crossref.pid-description=Email address or credentials used in the 'pid' parameter of Crossref's OpenURL request.
192 - pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster
response and import. An API Key is not mandatory, but recommended. Information can be found here:
https://www.ncbi.nlm.nih.gov/books/NBK25497
193 -
194 + pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster
response and import. An API key is not mandatory, but recommended. Information can be found here:
https://www.ncbi.nlm.nih.gov/books/NBK25497
195 + pubmed.content.api.esearch.url=URL to ESearch
196 + pubmed.content.api.efetch.url=URL to EFetch
197 + pubmed.content.api.epost.url=URL to EPost
198 + pubmed.content.api.etoold.url=URL to ID converter tool
198 - EMBASE.authentication.apiKey-label=API Key
203 + EMBASE.authentication.apiKey-label=API key
```

pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources_fi.properties CHANGED

```
235 + Scopus.use.approximated.publication.date-label=Käytä arvioitua julkaisupäivää
236
```

+ Scopus.use.approximated.publication.date-description=Kun asetus on True (tosi), Pure tuo ja käyttää Scopusen toimittamaa arvioitua julkaisupäivää. Kun asetus on False (väärä), Pure jäsentää päivämäärän, jonka Scopus on saanut päiväkirjasta, ja asettaa päivämäärän vastaavasti. Joissakin tapauksissa päivämäärän jäsentämisen antaminen Puren käsittelyä varten (määritysasetus Väärä) saattaa tuottaa parempia tuloksia. Siinä harvinaisessa tapauksessa, että käytettävissä on vain arvioitu päivämäärä, Pure käyttää likimääräistä päivämäärää.

237 + pubmed.content.api.esearch.url=URL to ESearch
238 + pubmed.content.api.efetch.url=URL to EFetch
239 + pubmed.content.api.epost.url=URL to EPost
240 + pubmed.content.api.etool.url=URL ID-muunnostyökalulle

pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources_en.properties CHANGED

241 + DataSearch.label=DataSearch
242 +
332 - authorScopus=Author & affiliations in Scopus
334 + authorScopus=Author and affiliations in Scopus
364 - authorScielo=Author & affiliations in SciELO
366 + authorScielo=Author and affiliations in SciELO
418 - authorPure=Author & affiliations in Pure
420 + authorPure=Author and affiliations in Pure
513 - default-organisation-from-authors-hint=If there are no information regarding affiliations for internal authors from the source, then the most relevant organisations from Pure are added. The strategy is as follows\
>1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added.\
2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added.\
3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.
515 + default-organisation-from-authors-hint=If there is no information regarding affiliations for internal authors from the source, then the most relevant organisations from Pure are added. The strategy is as follows\
>1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added.\
2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added.\
3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.
614 +
615 + researchoutputwizard.label=Research output import wizard

pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources_fi.properties CHANGED

535 + researchoutputwizard.label=Tutkimustuotosten importointi wizardi
536 + DataSearch.label=DataSearch

pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources_en.properties CHANGED

7	- RoMEO_apiKey-label=SHERPA/RoMEO API Key
7	+ RoMEO_apiKey-label=SHERPA/RoMEO API key
35	- limitToLastStepWCSF-description=Filter content based on the current workflow step so that only last step is allowed.
35	+ limitToLastStepWCSF-description=Filter content based on the current workflow step so that only last step is allowed.
43	- aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from. Eg. {"entityId1" : "Description 1", "entityId2" : "Description 2"}
43	+ aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from, e.g. {"entityId1" : "Description 1", "entityId2" : "Description 2"}
45	- aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes Eg. ELS_eduPersonPrincipalName
45	+ aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes e.g. ELS_eduPersonPrincipalName
69	- elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth base URL
69	+ elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier account OAuth base URL
71	- elsevieridplusauthenticationmechanism.failure-text-label=ID+ failure to authentication message
71	+ elsevieridplusauthenticationmechanism.failure-text-label=Elsevier account failure to authenticate message
73	- elsevieridplusauthenticationmechanism.original-username-label=ID+ original username constant
73	+ elsevieridplusauthenticationmechanism.original-username-label=Elsevier account original username constant
77	- elsevieridplusauthenticationmechanism.synchronize-label=Synchronise users with ID+
77	+ elsevieridplusauthenticationmechanism.synchronize-label=Synchronise users with Elsevier account
79	- elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from PURE. Contact ID+ for assistance correcting the issue.
79	+ elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier account original username constant (regex for post-processing of username)
80	+ elsevieridplusauthenticationmechanism.original-username-regex-description=E.g. (?!.*@)(.*) to only extract the part after @ in e.g. some@user
81	+ elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from Pure. Contact Elsevier for assistance correcting the issue.
106	+ saml2authenticationmechanism.sha256-signing-label=Use SHA-256 algorithm
107	+ saml2authenticationmechanism.sha256-signing-description=
123	- casauthenticationmechanism.extra_login_url_parameters-description=Any extra URL parameters that should be appended to the URL to which the user is redirected for authentication. Eg. '&p_logintype=ad&language=da'
127	+ casauthenticationmechanism.extra_login_url_parameters-description=Any extra URL parameters that should be appended to the URL that the user is redirected to for authentication, e.g. '&p_logintype=ad&language=da'
150	- ldapauthenticationmechanism.user-dn-patterns-description=Semicolonseparated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'
154	+ ldapauthenticationmechanism.user-dn-patterns-description=Semicolon-separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'.
474	- syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ids references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.
478	

	+ syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ID references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.
555	- syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If there exist persons without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
559	+ syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If persons without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
580	-
584	+ syncjob.associationType.allowChange-label=Remove and replace organisation associations if the type has changed
585	+ syncjob.associationType.allowChange-description=Removes older association if matched with a new one of a different type. All data related to the old association is lost. A new association is made with new data from the input.
635	- syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If there exist students without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
640	+ syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If students without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
702	- syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any staffs without organisational unit associations. If there exist staffs without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
707	+ syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any staff members without organisational unit associations. If staff members without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
975	- e.g., http://scival.com/overview/summary?uri=Institution/315028
980	+ e.g., http://scival.com/overview/summary?uri=Institution/315028
1082	- pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails.
1083	- pure.mail.forced-recipient-of-all-email-excludes-description=The email addresses provided will receive an email even though the "Forces recipient of all emails" has been set. The list of email addresses must be comma-separated. E.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1087	+ pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails
1088	+ pure.mail.forced-recipient-of-all-email-excludes-description=These email addresses will receive emails even if the 'Force recipient of all emails' has been set. The list of email addresses must be comma-separated, e.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1085	- pure.mail.forced-recipient-exclude-internal-description=Enabling this option will ensure internally-managed users will receive emails even if the "Forces recipient of all emails" has been set. This option is complementary to the explicit email whitelist.
1090	+ pure.mail.forced-recipient-exclude-internal-description=Enabling this option ensures internally-managed users will receive emails even if the 'Forces recipient of all emails' has been set. This option is complementary to the explicit email whitelist.
1090	- pure.mail.from-description=This changes the from email address. This should not be changed, unless otherwise instructed by Elsevier.
1095	+ pure.mail.from-description=This changes the 'From' email address. This should not be changed, unless otherwise instructed by Elsevier.
1092	- pure.mail.reply-to-description=The reply email address on the emails sent from Pure

1097 + pure.mail.reply-to-description=The 'Reply to' email address on the emails sent from Pure.

1097 - pure.mail.username-label=Mail host user name

1098 - pure.mail.username-description=The user name used with the mail host.

1102 + pure.mail.username-label=Mail host username

1103 + pure.mail.username-description=The username used with the mail host.

1101 - pure.mail.starttls.enable-label=Enable or disable STARTTLS command.

1106 + pure.mail.starttls.enable-label=Enable or disable STARTTLS command

1103 - pure.mail.checkserveridentity-label=On will check the server identity.

1104 - pure.mail.checkserveridentity-description=If set to on, check the server identity as specified by RFC 2595.

1108 + pure.mail.checkserveridentity-label=Check the server identity

1109 + pure.mail.checkserveridentity-description=If set to On, check the server identity as specified by RFC 2595.

1106 - pure.mail.support-email-address-description=The support email address that appears in the Help and support section in the Pure admin.

1107 - pure.mail.connection.timeout.seconds-label=Mail connection timeout (In seconds)

1111 + pure.mail.support-email-address-description=The support email address that appears in the 'Help and support' section in the Pure interface.

1112 + pure.mail.connection.timeout.seconds-label=Mail connection timeout (in seconds)

1110 - pure.mail.require.logindate-label=Only send email messages to users that have been logged in to Pure

1115 + pure.mail.require.logindate-label=Only send email messages to users that have logged into Pure

1113 - pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format -e.g. "mail.smtp.starttls.enable=true", separated with line breaks.

1118 + pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format, e.g. "mail.smtp.starttls.enable=true", separated with line breaks.

1135 - mount.points.fullUrl.ws-label=Full URL for ws

1140 + mount.points.fullUrl.ws-label=Full URL for WS

1145 - dspace.user-label=User name

1150 + dspace.user-label=Username

1202 - researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advice against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.

1207 + researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advise against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.

1291	- bulkchangesourceidsapply.classified.entries.file.uuid-description=Taulukkolaskentasivu, jonka ensimmäiseen taulukkoon täytyy sisältyä kolme saraketta: 'CONTENT_PRIMARY_ID', 'ID_TO_UPDATE', 'TARGET_ID'. Jos haluat vaihtaa useita lähdetunnuksia yhtä sisältöä varten, sen Pure ID/UUID on toistettava kutakin muutosta varten. Tässä työssä tarkastellaan lähdetunnuksen sisältöä 'ID_TO_UPDATE' ja se muutetaan lähdetunnukseksi 'TARGET_ID'. Esimerkkirivi: "19006 NewID001". 'CONTENT_PRIMARY_ID' -sarakkeen täytyy olla joko sisällön Pure ID tai UUID. 'TARGET_ID' -tiedoston jättäminen tyhjäksi poistaa lähdetunnuksen ja avaa sen synkronoinnista."
1291	+ bulkchangesourceidsapply.classified.entries.file.uuid-description=Taulukkolaskentasivu, jonka ensimmäiseen taulukkoon täytyy sisältyä kolme saraketta: 'CONTENT_PRIMARY_ID', 'ID_TO_UPDATE', 'TARGET_ID'. Jos haluat vaihtaa useita lähdetunnuksia yhtä sisältöä varten, sen Pure ID/UUID on toistettava kutakin muutosta varten. Tässä työssä tarkastellaan lähdetunnuksen sisältöä 'ID_TO_UPDATE' ja se muutetaan lähdetunnukseksi 'TARGET_ID'. Esimerkkirivi: "19006 NewID001". 'CONTENT_PRIMARY_ID' -sarakkeen täytyy olla joko sisällön Pure ID tai UUID. 'TARGET_ID' -tiedoston jättäminen tyhjäksi poistaa lähdetunnuksen ja avaa sen synkronoinnista."
1310	- elsevieridplusauthenticationmechanism.oauthUrl-label=ID+ OAuth -palvelun perus-URL
1311	- elsevieridplusauthenticationmechanism.failure-text-label=ID+ ei voinut todentaa viestiä
1312	- elsevieridplusauthenticationmechanism.original-username-label=ID+-alkuperäiskäyttäjätunnus vakio
1314	- elsevieridplusauthenticationmechanism.synchronize-label=Synkronoi käyttäjät ID+:lla
1315	- elsevieridplusauthenticationmechanism.editor.clear-id-description=Jos tunnus on väärä, voit poistaa sen Puresta. Ota yhteyttä ID+:aan saadaksesi apua ongelman korjaamiseen.
1312	+ elsevieridplusauthenticationmechanism.oauthUrl-label=Elsevier-tilin OAuth-perus-URL-osoite
1313	+ elsevieridplusauthenticationmechanism.failure-text-label=Elsevier-tilin virhe viestin todennuksessa
1314	+ elsevieridplusauthenticationmechanism.original-username-label=Elsevier-tilin alkuperäisen käyttäjänimen vakio
1315	+ elsevieridplusauthenticationmechanism.synchronize-label=Synkronoi käyttäjät Elsevier-tilin kanssa
1316	+ elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier-tilin alkuperäisen käyttäjänimen vakio (regex käyttäjänimen jälkikäsitteilyä varten)
1317	+ elsevieridplusauthenticationmechanism.original-username-regex-description=Esim. (?!.*@)(.*) vain osan purkamiseksi merkin @ jälkeen, esim. some@user
1318	+ elsevieridplusauthenticationmechanism.editor.clear-id-description=Jos tunnus on väärä, voit poistaa sen Puresta. Ota yhteyttä Elsevieriin saadaksesi apua ongelman korjaamiseen.
1319	+ saml2authenticationmechanism.sha256-signing-label=Käytä SHA-256-algoritmia
1320	+ syncjob.associationType.allowChange-label=Poista ja korvaa organisaatioiden yhdistykset, jos tyyppi on muuttunut
1321	+ syncjob.associationType.allowChange-description=Poistaa vanhemman yhdistyksen, jos se sovitetaan uuteen erilaiseen tyyppiin. Kaikki vanhaan yhdistykseen liittyvät tiedot menetetään. Uusi yhdistys tehdään tulon uusilla tiedoilla.
1322	+ creatable-by-roles-ADMINISTRATORS_AND_EDITORS_AND_ASSISTING_EDITORS=Järjestelmänvalvojat, toimittajat ja avustavat toimittajat

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources_en.properties CHANGED

13 +

14 + originalUserNameAsUserName={originalUserName} as {userName}

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources_fi.properties CHANGED


```
1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
11 + originalUserNameAsUserName={originalUserName} käyttäjänä {userName}
```

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources_en.properties CHANGED

```
13 + logger.grouping.elsevieridplus=Authentication - Elsevier account
```

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources_fi.properties CHANGED

```
13 + logger.grouping.elsevieridplus=Todennus - Elsevier-tili
```

pure-core/core/src/main/resources/security/security-resources_en.properties CHANGED

```
12 - idplusMarkerRole=ID+ user
12 + idplusMarkerRole=Elsevier account
```

pure-core/core/src/main/resources/security/security-resources_fi.properties CHANGED

```
28 - idplusMarkerRole=ID+-käyttäjä
28 + idplusMarkerRole=Elsevier-tili
```


pure-core/model/src/main/resources/validation/validation-core-model-resources_en.properties CHANGED

```
9 - validation.text.defined-group=The following fields are required
9 + validation.text.defined-group=The following fields are required:
84 + statement.mimeType=The type of the uploaded file
143 - validation.issn.format-group=The following fields have ISSN numbers with invalid format. ISSN must be of the format: "nnnn-nnnn"
144 - validation.issn.format=The ISSN number is not correctly formatted, it must be of the format nnnn-nnnn
145 - validation.issn.checkdigit-group=The following fields have invalid ISSN numbers; modulus check has failed. Please check that the ISSN numbers have been entered correctly.
146 - validation.issn.checkdigit=The ISSN number is not correct, modulus check has failed. Please check that the ISSN number has been entered correctly.
144 + validation.issn.format-group=The following fields have ISSNs with an invalid format. ISSNs must have the format "nnnn-nnnn"
145 + validation.issn.format=The ISSN is not correctly formatted, it must have the format nnnn-nnnn.
146 + validation.issn.checkdigit-group=The following fields have invalid ISSNs; modulus check has failed. Please check that the ISSNs have been entered correctly.
147
```

```

+ validation.issn.checkdigit=The ISSN is not correct, modulus check has failed. Please check that the ISSN has been entered
correctly.
161 - validation.text.inStep=The current work flowstep can only be {expectedStepName}, but is {currentStepName}
162 + validation.text.inStep=The current workflow step can only be {expectedStepName}, but is {currentStepName}
209 - validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour
210 + validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour:
225 - validation.text.definedonobjects-group=The following fields are required
226 + validation.text.definedonobjects-group=The following fields are required:
234 - validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps has been used more than once
235 + validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps have been used more than once
240 - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps has been used in
the definition
241 - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps has been used in the
definition
241 + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps have been used
in the definition
242 + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps have been used in the
definition
244 - validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps has been used more than once
245 + validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps have been used more than once
285 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=The following fields contains an
incorrect keyword configuration
286 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} contains an incorrect keyword
configuration, which is only usable by {differentFamily}
328 +
329 + validation.text.limitCollectionToNotContain-group=Cannot save due to duplicate relations
330 + validation.text.limitCollectionToNotContain=You cannot use the entity '{value}' as '{field:lowercase}' because it is already
used as '{referencedFieldName}'

```

 pure-core/model/src/main/resources/validation/validation-core-model-resources_fi.properties CHANGED

```

242 + temporalCoverageStartDate.year=Ajallisen kattavuuden alkuvuosi
243 + temporalCoverageEndDate.year=Ajallisen kattavuuden loppuvuosi
244 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=Seuraavat kentät sisältävät väärän
avainsanakokoonpanon
245 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} sisältää väärän avainsanan
kokoonpanon, jota voi käyttää vain {differentFamily}
246 + statement.mimeType=Ladatun tiedoston tyyppi
247 + validation.text.limitCollectionToNotContain-group=Ei voi tallentaa kaksoiskappaleiden välisen suhteen vuoksi
248 + validation.text.limitCollectionToNotContain=Et voi käyttää yksikköä '{value}' '{field:lowercase}', koska se on jo
käytössä '{referencedFieldName}'

```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources_en.properties CHANGED

```
6 +
7 + scheduledreport-failure-message.title=Failure to generate scheduled report
8 + scheduledreport-failure-message.velocity_subject=The report "{title}" failed to produce a result
9 + scheduledreport-failure-message.velocity_title=The report "{title}" failed to produce a result
10 + scheduledreport-failure-message.text=The scheduled report "{title}" executed by Pure on {date} failed to generate a result.
    Contact your Pure Administrator to investigate why the scheduled report failed to produce a result. Further information can be
    found in the job log (Pure > Administrator > Jobs > Job log). (You received this email because your user is the owner of the
    scheduled report).
```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources_fi.properties CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
5 + scheduledreport-failure-message.title=Aikataulun mukaisen raportin luominen epäonnistui
6 + scheduledreport-failure-message.velocity_subject=Raportti "{title}" ei tuottanut tulosta
7 + scheduledreport-failure-message.velocity_title=Raportti "{title}" ei tuottanut tulosta
8 + scheduledreport-failure-message.text=Ajoitettu raportti "{title}", jonka Pure suoritti, {date} ei tuottanut tulosta. Ota
    yhteyttä Pure-järjestelmänvalvojaan selvittääksesi, miksi ajoitettu raportti ei tuottanut tulosta. Lisätietoa on työlokissa (Pure
    > järjestelmänvalvoja > työt > työloki). (Sait tämän sähköpostiviestin, koska käyttäjäsi on ajoitetun raportin omistaja).
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources_en.properties CHANGED

```
39 - pivot-multiple-fields-help=Data will be expanded horizontally this means that based on the data this definition may span
    multiple fields and each of these fields will then be prefixed with aID.x where the x is the position of the element.
39 + pivot-multiple-fields-help=Data will be expanded horizontally -this means that based on the data this definition may span
    multiple fields and each of these fields will then be prefixed with ID.x where the x is the position of the element.
62 +
63 + exported-value-was-truncated=The value in row {rowNum} was truncated.
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources_fi.properties CHANGED

```
1 - #Added translations
2 - #Thu Sep 28 10:08:30 CEST 2017
45 + exported-value-was-truncated=Rivin arvo {rowNum} katkaistiin.
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources_en.properties CHANGED

```
481 + preferences.maxRowsInExcelExport.label=Max rows in Excel export
482 + preferences.maxRowsInExcelExportButton.label=Save 'max rows in Excel export'
583 - visibilityAndConfidentiality=Visibility & confidentiality
585 + visibilityAndConfidentiality=Visibility and confidentiality
722 + pure-report-unable-to-load-react-mount-point-description=If the mount point configuration does not match the server address:
Ask your system administrator to check configuration of the mount point in the Administrator tab
(workspace/administrator/category/settings/configuration/mount-points/). A Pure server must know where to find the generated
Javascript to display this page. Either there is no configuration value or the server has been moved to another domain or perhaps
the mount point configuration was not updated accordingly. Still not working? Accessing Pure directly from a localhost address
will cause a mismatch in login cookies and some features will be unavailable. In this case you should go to log in to
'{mount_point}/report/start.xhtml' instead.
723 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}
724 + pure-report-unable-to-load-react-mount-point-label=Mount point
725 + pure-report-unable-to-load-react-sub-header=If you see this message it means that Pure was unable to retrieve information
needed to generate the page
726 + pure-report-unable-to-load-react-header=Failed to load Javascript files
727 +
728 +
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources_fi.properties CHANGED

```
568 + preferences.maxRowsInExcelExport.label=Enimmäisrivit Excel-viennissä
569 + preferences.maxRowsInExcelExportButton.label=Tallenna ”enimmäisrivit Excel-viennissä”
570 + pure-report-unable-to-load-react-mount-point-description=Jos liityntäkohdan määrittäminen ei vastaa palvelimen osoitetta: Pyydä
järjestelmänvalvojaa tarkistamaan liityntäkohdan määrittäminen Järjestelmänvalvoja-välilehdellä
(workspace/administrator/category/settings/configuration/mount-points/). Pure-palvelimen täytyy tietää luodun javascriptin
sijainti, jotta tämä sivu voitaisiin näyttää. Joko määrittämisarvoa ei ole, tai palvelin on siirretty toiseen verkkotunnukseen, tai
ehkä liityntäkohdan määrittämisestä ei päivitetty vastaavasti. Eikö toimi vielä? Puren käyttäminen suoraan localhost-osoitteesta
aiheuttaa kirjautumisevästeiden ristiriidan, ja jotkin ominaisuudet eivät ole käytettävissä. Kirjaudu sen sijaan tässä
tilanteessa kohteeseen ”{mount_point}/report/start.xhtml”
571 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}
572 + pure-report-unable-to-load-react-mount-point-label=Liityntäkohta
573 + pure-report-unable-to-load-react-sub-header=Jos näet tämän viestin, Pure ei pystynyt hakemaan sivun luomiseen tarvittavia
tietoja.
574 + pure-report-unable-to-load-react-header=Javascript-tiedostojen lataaminen epäonnistui
```

pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

```
6 + personalInformationShown-hint=When this is enabled, the key exposes personal information, such as gender, nationality and date
of birth.
16 + content-group=Access to personal information
17 + content-group-help=Choose what content you would like to expose
```

pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

```
15 + personalInformationShown-hint=Kun tämä on käytössä, avain paljastaa henkilökohtaiset tiedot, kuten sukupuolen, kansallisuuden
    ja syntymäajan.
16 + content-group=Pääsy henkilökohtaisiin tietoihin
17 + content-group-help=Valitse, mitä sisältöä haluat paljastaa
```

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

```
1 - type-name=API Key
2 - type-name-plural=API Keys
3 - family-name-plural=API Keys
4 - family-name=API Key
1 + type-name=API key
2 + type-name-plural=API keys
3 + family-name-plural=API keys
4 + family-name=API key
6 - apiKey=API Key
6 + apiKey=API key
14 + allowedProperties=Allow access to these fields
```

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

```
1 - #Added translations
2 - #Tue May 30 14:32:58 CEST 2017
13 + allowedProperties=Salli pääsy näihin kenttiin
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
21 - submissiondate=Submission date
21 + submissiondate=Date submitted
22 + submissiondeadline=Submission deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
17 - submissiondate=Lähetyspäivämäärä
23 + submissiondate=Jättöpäivä
24 + submissiondeadline=Jätön määräaika
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
45 + application-submission-deadline-period-legend=Application approaching submission deadline
46 + application-submission-deadline-period-hint=These settings configure the Application matrix view so that only Applications
    that have a submission deadline within the chosen period are shown.
47 + application-submission-deadline-period=Submission deadline in next
48 + applicationSubmissionDeadlinePeriodOptions.ALL=All ranges
49 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=One week
50 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Two weeks
51 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=One month
52 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Three months
53 +
60 +
61 + application-submission-deadline-column=Approaching deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
40 + application-submission-deadline-period-legend=Hakemuksen lähestymisaika päättyy
41 + application-submission-deadline-period-hint=Näillä asetuksilla määritetään sovellusmatriisinäkymä siten, että näytetään vain
    ne sovellukset, joiden lähetyspäivä on valitulla ajanjaksolla.
42 + application-submission-deadline-period=Jätön määräaika seuraavassa
43 + applicationSubmissionDeadlinePeriodOptions.ALL=Kaikki aikavälit
44 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=Yksi viikko
45 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Kaksi viikkoa
46 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=Yksi kuukausi
47 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Viimeiset kolme kuukautta
48 + application-submission-deadline-column=Lähestyvä määräaika
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

```
1 + funderStatus-group=Funder status
2 + funderStatus-group-help=
3 +
4 + submissionDeadline-group=Submission deadline
5 + submissionDeadline-group-help=Enter the date that the application must be submitted by. If you associate a funding opportunity
    with this application, the deadline from the funding opportunity will be used if this date has not already been set on the
    application.
6 +
7 + same-submission-deadline-notification=Same as funding opportunity
8 + earlier-submission-deadline-notification=Earlier than funding opportunity ({fundingOpportunityDeadline})
```

9 + later-submission-deadline-notification=Later than funding opportunity ({fundingOpportunityDeadline})
10 + not-set-submission-deadline-notification=Defined on funding opportunity ({fundingOpportunityDeadline})

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

1 + funderStatus-group=Rahoittajan tila
2 + submissionDeadline-group=Jätön määräaika
3 + submissionDeadline-group-help=Anna päivämäärä, jolloin hakemus on jätettävä. Jos liität rahoitusmahdollisuuden tähän hakemukseen, käytetään rahoitusmahdollisuuden määräaika, jos tätä päivämäärää ei ole asetettu hakemukseen.
4 + same-submission-deadline-notification=Sama kuin rahoitusmahdollisuus
5 + earlier-submission-deadline-notification=Aikaisemmin kuin rahoitusmahdollisuus ({fundingOpportunityDeadline})
6 + later-submission-deadline-notification=Myöhemmin kuin rahoitusmahdollisuus ({fundingOpportunityDeadline})
7 + not-set-submission-deadline-notification=Määriteltä rahoitusmahdollisuuden yhteydessä ({fundingOpportunityDeadline})

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

6 + create-new-ethical-review-no-save=Create ethical review...

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

7 + create-new-ethical-review-no-save=Luo eettinen arvio...

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

1 - title=Submission date

1 + title=Date submitted

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

1 - #Added translations

2 - #Thu Sep 28 10:08:30 CEST 2017

3 - title=Lähetyspäivämäärä

5 + title=Lähetyspäivä

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

1 + title=Submission deadline

```
2 + noLimit=All
3 + noSubmissionDeadline=No submission deadline
4 + submissionDeadline=Submission deadline in next
5 + submissionDeadlineCustom=Submission deadline in custom date range
6 + oneWeek=One week
7 + twoWeeks= Two weeks
8 + oneMonth= One month
9 + threeMonths= Three months
10 + all= All ranges
11 + from=From
12 + to=To
13 + date=Date
14 + arrow=>
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

```
1 + title=Jätön määräaika
2 + noLimit=Kaikki
3 + noSubmissionDeadline=Ei jätön määräaikka
4 + submissionDeadline=Jätön määräaika seuraavassa
5 + submissionDeadlineCustom=Jätön määräaika mukautetulla ajanjaksolla
6 + oneWeek=Yksi viikko
7 + twoWeeks=Kaksi viikkoa
8 + oneMonth=Yksi kuukausi
9 + threeMonths=Viimeiset kolme kuukautta
10 + all=Kaikki aikaävalit
11 + from=Alkaen
12 + to=Päättyen
13 + date=Päivämäärä
14 + arrow=>
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
31 +
32 + applicationdeadlineinconsistency.title=Inconsistent submission deadline dates
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
28 + applicationdeadlineinconsistency.title=Epäjohdonmukaiset määräaikojen päiväykset
```


pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

1	- submissionDate=Submission date
1	+ submissionDate=Date submitted
2	+ submissionDeadline=Deadline
10	- funderStatus-group=Funder status
11	- funderStatus-group-help=
12	-

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

1	- submissionDate=Lähetyspäivämäärä
7	- funderStatus-group=Rahoittajan tila
8	- funderStatus-group-help=
10	+ submissionDate=Jättöpäivä
11	+ submissionDeadline=Stipendin välitavoitteen määräaika

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources_en.proper... CHANGED

1	- applicationOrderBySubmissionDate.label=Submission date
1	+ applicationOrderBySubmissionDate.label=Date submitted
2	+ applicationOrderByApproachingSubmissionDeadline.label=Approaching deadline

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources_fi.properties CHANGED

1	- #Added translations
2	- #Tue May 30 14:32:58 CEST 2017
9	- applicationOrderBySubmissionDate.label=Lähetyspäivämäärä
21	+ applicationOrderBySubmissionDate.label=Jättöpäivä
22	+ applicationOrderByApproachingSubmissionDeadline.label=Lähestyvä määräaika

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... CHANGED

55	- newsflo.api.token-legend=Vendor configuration: Newsflo API Key
56	- newsflo.api.token-description=The API Key for use with the API.
55	+ newsflo.api.token-legend=Vendor configuration: Newsflo API key
56	+ newsflo.api.token-description=The API key for use with the API.
64	+

65 + newsflo.api.clienttoken-legend=Vendor configuration: Newsflo Client Token
66 + newsflo.api.clienttoken-description=The client token to use with the API.

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... CHANGED


1 - #Added translations
2 - #Mon Oct 08 10:55:32 CEST 2018
57 + newsflo.api.clienttoken-legend=Myyjän määrittys: Newsflo-asiakasmerkki
58 + newsflo.api.clienttoken-description=Sovellusliittymän kanssa käytettävä asiakasmerkki.

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration... ADDED

1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=DataSearch integration
3 + datasearch-configuration-header-description=In this configuration page you can set up integration with DataSearch to automatically source Dataset content.
4 + what-is-datasearch-disclosure-header=What is the DataSearch integration
5 + what-is-datasearch-disclosure=Enabling the integration with DataSearch will automatically create Dataset content (associated with relevant Persons and Organisations) in Pure. Relations with Research Outputs will also automatically be created, where available.


<p>Enabling the DataSearch integration below will turn on the 'DataSearch: Import Datasets' job, and set it to run on a weekly basis. The settings can be changed in the 'Administrator > Jobs > Cron Job Scheduling' menu.</p>
6 + datasearch-integration-legend=DataSearch integration
7 + toggle-datasearch-hint=Turn on the DataSearch integration to source existing and future Dataset content.
Turn off the DataSearch integration to pause the integration and prevent new Dataset content being populated in Pure.
8 + datasearch-integration-label=DataSearch integration
9 + datasearch-configuration-save=Save
10 + datasearch-configuration-refresh=Refresh
11 + datasearch-institution-id-label=Institution IDs
12 + datasearch-institution-id-hint=Enter a comma-separated list of your institution's InstitutionID and ScopusID to find Datasets from DataSearch.
13 + datasearch-missing-institution-id-error-text=An institution ID is required before enabling the DataSearch integration
14 + datasearch-missing-default-managing-organisation-error-text=The default managing organisation is required before enabling the DataSearch integration
15 + datasearch-workflow-legend=Dataset workflow settings
16 + toggle-datasearch-workflow-hint=When the DataSearch integration is enabled, the Datasets imported automatically will be set in the workflow step configured below. Already imported Datasets will not be affected.
17 + clear-rejected-candidates-legend=Rejected candidates
18 + clear-rejected-candidates-hint=It is possible to clear any rejected candidates using the button below. Note: All previously rejected candidates will be cleared. The action is not reversible.
19 + rejected-candidates-will-be-cleared-message=rejected candidates will be cleared
20 + clear-rejected-candidates-label=Clear rejected candidates

```
21 + datasearch-default-organisation-legend=Default managing organisation
22 + datasearch-default-managing-organisation=Default managing organisation
23 + datasearch-default-managing-organisation-hint=This organisation will be used for candidates where a managing organisation
    could not be determined
24 + datasearch-enable-workflow-recommendation=It is recommended to enable workflow for datasets
25 + datasearch-clear-reject-candidate-dialogue-description=Are you sure you want to clear these rejected candidates? <br> The
    action cannot be undone.
26 + datasearch-vendorfields-label=Specific fields only visible to the Elsevier vendor user
27 + datasearch-apiurl-label=API URL
28 + datasearch-apikey-label=API Key
29 + datasearch-apikey-description=Key for Elsevier DataSearch API.
30 + datasearch-pagesize-label=Page size
31 + datasearch-pagesize-description=Number of Datasets to include in each API request.
32 + datasearch-sources=DataSearch sources
33 + datasearch-sources-hint=A comma-separated list of sources to limit DataSearch to. Leave blank to not limit DataSearch sources.
    Source names must match the exact source names in DataSearch.
34 + datasearch-show-sources=Show available sources
35 + datasearch-available-sources=The following sources are available through DataSearch
36 + datasearch-invalid-source=One or more of the entered sources did not match a source in DataSearch.
37 + datasearch-failed-to-get-sources=Pure failed to get the list of sources from DataSearch and will therefore not validate the
    sources.
38 + delete-button=Confirm
39 + cancel-button=Cancel
```

 [pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration...](#) ADDED

```
1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=DataSearch-integronti
3 + datasearch-configuration-header-description=Tällä määrittämissivulla voit asettaa integroinnin DataSearchin kanssa tietojoukon
    sisällön automaattiseksi lähteeksi.
4 + what-is-datasearch-disclosure-header=Mitä DataSearch-integronti merkitsee
5 + what-is-datasearch-disclosure=Integroinnin salliminen DataSearchin kanssa luo automaattisesti tietojoukkosisällön (liitetty
    asiaan liittyviin henkilöihin ja organisaatioihin) Pure-sovelluksessa. Suhteet tutkimustuloksiin luodaan myös automaattisesti,
    jos ne ovat käytettävissä.</br></br><p>DataSearch-integroinnin aktivoiminen alla käynnistää ”DataSearchin: Tuo tietoaaineistojen
    työ ja aseta se toimimaan viikoittain. Asetuksia voidaan muuttaa ”Administrator > Työt > Cron Job Scheduling” -valikossa.</p>
6 + datasearch-integration-legend=DataSearch-integrointi
7 + toggle-datasearch-hint=<b>Käynnistä</b> DataSearch-integrointi olemassa olevan ja tulevan datajoukon sisällön hankkimiseksi.
    <br><b>Sammuta</b> DataSearch-integrointi pysäyttääksesi integroinnin ja estääksesi uuden dataset-sisällön asettamisen Puressa.
8 + datasearch-integration-label=DataSearch-integrointi
9 + datasearch-configuration-save=Tallenna
10 + datasearch-configuration-refresh=Päivitä
11 + datasearch-institution-id-label=Laitoksen tunnuks
```

```
12 + datasearch-institution-id-hint=Kirjoita pilkuilla erotettu luettelo laitoksen InstitutionID- ja ScopusID-tiedoista löytääksesi
tietojoukot DataSearchistä.
13 + datasearch-missing-institution-id-error-text=Laitoksen tunnus vaaditaan ennen DataSearch-integroinnin käyttöönottoa
14 + datasearch-missing-default-managing-organisation-error-text=Oletusorganisaatio vaaditaan ennen DataSearch-integroinnin
käyttöönottoa
15 + datasearch-workflow-legend=Tietosarjan työnkulkuasetukset
16 + toggle-datasearch-workflow-hint=Kun ulkoinen DataSearch-integrointi on käytössä, automaattisesti tuotavat tietojoukot
asetetaan jäljempänä olevaan työnkulun vaiheeseen. Ei vaikutusta jo tuotuihin eettisiin arvioihin.
17 + clear-rejected-candidates-legend=Torjutut ehdokkaat
18 + clear-rejected-candidates-hint=Voit tyhjentää hylätyt ehdokkaat alla olevalla painikkeella. Huomautus: Kaikki aiemmin hylätyt
ehdokkaat poistetaan. Toimenpidettä ei voi palauttaa.
19 + rejected-candidates-will-be-cleared-message=hylätyt ehdokkaat poistetaan
20 + clear-rejected-candidates-label=Poista torjutut ehdokkaat
21 + datasearch-default-organisation-legend=Oletusarvoinen hallintaorganisaatio
22 + datasearch-default-managing-organisation=Oletusarvoinen hallintaorganisaatio
23 + datasearch-default-managing-organisation-hint=Tätä organisaatiota käytetään ehdokkaille, joiden hallintaorganisaatiota ei
voitu määritellä
24 + datasearch-enable-workflow-recommendation=Suosittelemme ottamaan tietosarjojen työnkulun käyttöön.
25 + datasearch-clear-reject-candidate-dialogue-description=Haluatko varmasti poistaa nämä hylätyt ehdokkaat? <br> Toimenpidettä ei
voi peruuttaa
26 + datasearch-vendorfields-label=Erityiset kentät näkyvät vain käyttäjälle, joka on Elsevier-toimittaja
27 + datasearch-apiurl-label=API URL
28 + datasearch-apikey-label=API-avain
29 + datasearch-apikey-description=Elsevier DataSearch API -sovelluksen avain.
30 + datasearch-pagesize-label=Sivun koko
31 + datasearch-pagesize-description=Kuhunkin API-pyyntöön sisällytettävien tietojoukkojen määrä.
32 + datasearch-sources=Tietohaun lähteet
33 + datasearch-sources-hint=Pilkuilla eroteltu lähdeluettelo DataSearchin rajoittamiseksi.DataSearch-lähteisiin Jätä tyhjä tila,
jotta DataSearch-lähteet eivät rajoittuisi. Lähteiden nimien on vastattava täsmälleen lähteiden nimiä DataSearchissä.
34 + datasearch-show-sources=Näytä käytettävissä olevat lähteet
35 + datasearch-available-sources=Seuraavat lähteet ovat käytettävissä DataSearchin kautta
36 + datasearch-invalid-source=Yksi tai useampi annetiusta lähteistä ei vastannut lähdeitä DataSearchissa.
37 + datasearch-failed-to-get-sources=Pure ei onnistunut saamaan lähdeluetteloa DataSearchistä, joten se ei siksi vahvista
lähteitä.
38 + delete-button=Vahvista
39 + cancel-button=Peruuta
```

 pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

```
12 - mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found <a target="_blank"
href="https://data.mendeley.com/institutions">here</a> (requires Mendeley Data Institutional Edition subscription)
```

12

+ mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found [here](https://service.elsevier.com/app/contact/supporthub/mendeley/) (requires Mendeley Data Institutional Edition subscription)

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

```
1 - #Added translations
2 - #Fri Sep 08 10:33:12 CEST 2017
14 - mendeley-data-institution-id-hint=Anna laitoksen ID Mendeleystä. Löydät sen täältä XXX
28 + mendeley-data-institution-id-hint=Kirjoita laitoksen tunnuksesi Mendeleystä, joka löytyy täältä (vaatii Mendeley Data Institutional Edition -tilauksen)
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

```
3 - header-dataset-mendeley-all=List of import candidates from Mendeley Data not currently in Pure. \
4 - The datasets with the label Updated denotes datasets already in Pure, where the author(s) and/or the organisational unit have changed in Mendeley Data. \
3 + header-dataset-datasearch-all=List of import candidates from DataSearch not currently in Pure. \
4 + The label 'Updated' denotes datasets already in Pure, where the author(s) and/or the organisational unit have changed in DataSearch. \
6 - You can limit the result list using the drop down above to show either all, new import candidates or updated candidates
7 - mendeleyDataSetCandidateColumn=Import candidates
8 - mendeleyDataSetCandidateGroup=Mendeley import candidates for Dataset
9 - header-mendeley-dataset-text=Last Mendeley Data import occurred: {lastJobExecutionDate} {jobError} - the next import will happen at: {nextJobExecutionDate}
10 - header-mendeley-dataset-job-error=(with errors, see log)
11 - header-mendeley-dataset-job-warning=(with warnings, see log)
12 - header-mendeley-dataset-date-not-available=N/A
13 - mendeley-dataset-task-group-name=Mendeley dataset candidates
6 + You can limit the result list using the drop down above to show either all, new import candidates or updated candidates.
7 + dataSearchDataSetCandidateColumn=Import candidates
8 + dataSearchDataSetCandidateGroup=DataSearch import candidates for Dataset
9 + header-datasearch-dataset-text=Last DataSearch import occurred: {lastJobExecutionDate} {jobError} - the next import will happen at: {nextJobExecutionDate}
10 + header-datasearch-dataset-job-error=(with errors, see log)
11 + header-datasearch-dataset-job-warning=(with warnings, see log)
12 + header-datasearch-dataset-date-not-available=N/A
13 + datasearch-dataset-task-group-name=DataSearch dataset candidates
16 - datasetauthorMendeleyData=People in Mendeley Data
17 - datasetorganisationMendeleyData=Institutions in Mendeley Data
```

```
16 + datasetauthorDataSearch=People in DataSearch
17 + authorDataSearch=People in DataSearch
18 + datasetorganisationDataSearch=Institutions in DataSearch
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
5 - mendeleyDataSetCandidateColumn=Tuo ehdokkaita
6 - mendeleyDataSetCandidateGroup=Mendeley-tuontiehdokkaat tietosarjaan
7 - header-mendeley-dataset-text=Edellinen Mendeley-tietojen tuonti tapahtui\: {lastJobExecutionDate} {jobError} - seuraava tuonti
  suoritetaan\: {nextJobExecutionDate}
8 - header-mendeley-dataset-job-error=(<span class=\"jobs_error\">virheinen, katso loki</span>)
9 - header-mendeley-dataset-date-not-available=Ei sovellu
10 - mendeley-dataset-task-group-name=Mendeley-tietosarjan ehdokkaat
13 - datasetauthorMendeleyData=Mendeley-tietojen henkilöt
14 - datasetorganisationMendeleyData=Mendeley-tietojen laitokset
19 - header-mendeley-dataset-job-warning=(<span class=\"jobs_warn\">varoituksineen, katso loki</span>)
20 - header-dataset-mendeley-all=Luettelo
  tuontiehdotuksista Mendeley Datasta ei ole nyt Puressa. Tietosarjat, joiden merkintä on Päivitetty määrittävät jo Puressa olevat
  tietosarjat, joissa kirjoittajissa ja/tai organisaatioyksiköissä on tapahtunut muutoksia Mendeley Datassa. On tärkeää tuoda
  päivitettyt tietosarjat, koska ne näkyvät jatkuvasti tuontiehdotuksissa, kunnes tuonti on tehty. Voit rajoittaa tulosluetteloä
  käyttämällä pudotusvalikkoa näyttääksesi joko kaikki, uudet tuontiehdotukset tai päivitettyt ehdotukset.
9 + header-dataset-datasearch-all=Luettelo DataSearchista tuotavista ehdokkaista, jotka eivät tällä hetkellä ole Puressa.
10 + searchDataSetCandidateColumn=Tuo ehdotuksia
11 + searchDataSetCandidateGroup=DataSearchiin tuotavia ehdokkaita tietojoukon osalta
12 + header-datasearch-dataset-text=Viimeinen DataSearch-tuonti tapahtui: {lastJobExecutionDate} {jobError} - seuraavan tuonnin ajo
  on: {nextJobExecutionDate}
13 + header-datasearch-dataset-job-error=(<span class=\"jobs_error\">sisältää virheitä, katso loki</span>)
14 + header-datasearch-dataset-job-warning=(<span class=\"jobs_warn\">sisältää varoituksia, katso loki</span>)
15 + header-datasearch-dataset-date-not-available=Ei sovellu
16 + datasearch-dataset-task-group-name=DataSearch-tietojoukkoehdokkaat
17 + datasetauthorDataSearch=DataSearch-henkilöt
18 + authorDataSearch=DataSearch-henkilöt
19 + datasetorganisationDataSearch=DataSearch-laitokset
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources_en.prop... CHANGED

```
1 - mendeleyDataSetImportJob-label=Mendeley Data: Import Datasets
2 - mendeleyDataSetImportJob-description=Imports Datasets from Mendeley Datafor the given institution.
1 + searchDataSetImportJob-label=DataSearch: Import Datasets
```

2 + dataSearchDataSetImportJob-description=Imports Datasets from DataSearch for the given institution.

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources_fi.prope... CHANGED

1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
1 + dataSearchDataSetImportJob-label=DataSearch: Tuo tietojoukot
2 + dataSearchDataSetImportJob-description=Tuo annetun laitoksen datahaut DataSearchistä.
3 - mendeleyDataSetImportJob-label=Mendeley-tiedot Tuo tietosarjoja
4 - mendeleyDataSetImportJob-description=Tuo tietosarjoja Mendeley-tiedoista annetulle laitokselle

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

7 - widgetFactory.dataset_top_contributors.name=Top dataset contributors
7 + widgetFactory.dataset_top_contributors.name=No. of datasets by employee

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
7 - widgetFactory.dataset_top_contributors.name=Suosituimmat tietojoukkopanakset
5 + widgetFactory.dataset_top_contributors.name=Tietoaineistojen lukumäärä työntekijän mukaan

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modul... CHANGED

3 - mendeleydataset-message.title=Dataset candidates from Mendeley
3 + dataSearchdataset-message.title=Dataset candidates from DataSearch

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modu... CHANGED

1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
14 - mendeleydataset-message.title=Tietosarjan ehdokkaat Mendeleystä
12 + dataSearchdataset-message.title=Datajoukkoehdokkaat DataSearchistä

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... CHANGED

61 - mendeleycategories=Mendeley categories
61 + dataSearchcategories=DataSearch categories

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... CHANGED

1 - #Added translations
2 - #Wed Sep 26 12:11:42 CEST 2018
52 - mendeleycategories=Mendeley-luokat
52 + dataSearchcategories=DataSearch-luokat

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

3 + contactExpert-group=Contact Expert
12 - persons.personContactLink-hint=The portal will replace {id} with the person's ID and the {name} with the person's name.
13 + persons.personContactLink-hint=Note:The Pure will replace {id} with the person's ID and the {name} with the person's name.
25 + persons.enableContactExpert=Enable 'Contact Expert' button

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

24 + contactExpert-group=Asiantuntijan yhteystiedot
25 + persons.enableContactExpert=Ota käyttöön asiantuntijan yhteystiedot

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

11 - requestForCopyIncludingRestrictedDocuments=!!Include restricted documents
12 - requestForCopyIncludingRestrictedDocuments-hint=!!If this is turned on, documents which have 'Restricted' status are included in the request for copy function.
11 + requestForCopyIncludingRestrictedDocuments=Sisällytä rajoitetut asiakirjat
12 + requestForCopyIncludingRestrictedDocuments-hint=Jos tämä on päällä, asiakirjat, joilla on 'Rajoitettu'-tila, sisällytetään kopiaintipynnön toimintoon.

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

88 - campus-ip-ranges=CampusIP ranges
88 + campus-ip-ranges=IP rangesfor campus network visibility
89 + campus-ip-ranges-help=Define one or more IP ranges for visibility of content for campus network. Multiple ranges must be comma-separated, e.g. x.x.x.x - x.x.x.x, x.x.x.x - x.x.x.x
92 - campus-ip-ranges-help=


```
103 + enableContactExpert=Enable 'Contact Expert' button
104 + contactByUrl=An external web link
105 + contactByForm=Pure's default 'Contact Expert' web form
106 + howToContactExperts='Contact expert' button opens:
107 + contactFormReceiver=Default recipient email address of contact requests via Pure's web form:
108 + contactFormOrganisations=The email address associated with the organisational unit itself (Organisational unit editor window > Metadata > Electronic addresses > Emails)
109 + contactFormResearchers=The email address associated with the organisational affiliation on the person (Person editor window > Metadata > Organisational affiliations)
110 + contactFormEmailHint=If the person does not have an email address available on the organisational affiliation, the email will be sent to the email address associated with the organisational unit.
111 + contactLink=Contact link URL
112 + contactLinkHint=Note: The Pure will replace {id} with the person's ID and the {name} with the person's name.
```

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

```
86 - campus-ip-ranges=KampuksenIP-osoitealueet
86 + campus-ip-ranges=IP-alueet kampusen verkon näkyvyyttä varten
109 + enableContactExpert=Ota käyttöön asiantuntijan yhteystiedot
110 + contactByUrl=Ulkoinen verkkolinkki
111 + contactByForm=Puren oletusasiantuntijoiden verkkolomake
112 + howToContactExperts=Asiantuntijan yhteystiedot -painike avautuu:
113 + contactFormReceiver=Yhteyspyyntöjen oletusvastaanottajan sähköpostiosoite Pure-verkkosivun kautta:
114 + contactFormOrganisations=Itse organisaatioyksikköön liittyvä sähköpostiosoite (Organisaatioyksikön muokkausikkuna > Metatiedot > Sähköiset osoitteet > Sähköpostit)
115 + contactFormResearchers=Henkilön organisaatioyhteyteen liittyvä sähköpostiosoite (Henkilöeditori-ikkuna > Metatiedot > Organisaatioyhteydet)
116 + contactFormEmailHint=Jos henkilöllä ei ole käytettävissä sähköpostiosoitetta organisaation jäsenyydestä, sähköposti lähetetään organisaatioyksikköön liittyvään sähköpostiosoitteeseen.
117 + contactLink=Yhteystietolinkin URL-osoite
118 + contactLinkHint=Huomautus: Portaali korvaa muuttujan {id} henkilön tunnuksella ja {name} henkilön nimellä.
```

pure-modules/ddp-module/templates/bundled/src/main/resources/renderer/portalng-rendering-resources_en.properties CHANGED


```
1772 - temporalissn/family-name-plural=ISSN numbers
1772 + temporalissn/family-name-plural=ISSNs
1776 - temporalissn/type-name-plural=ISSN numbers
1776 + temporalissn/type-name-plural=ISSNs
2728 - highlightedcontentconfiguration/description-body=Select some of your content to highlight (by default, the newest content is used). The list is shown on\
2728
```

+ highlightedcontentconfiguration/description-body>Select some of your content to highlight (the newest content is used by default). The list is shown on\:

2739 + dataset/dataSearchcategories=DataSearch categories
2740 + documentlinkextensionaccessrenderportal/render-format-embargoEndDate=\\!\\Embargo End Date
2741 + documentlinkextensionaccessrenderportal/render-format-file=\\!\\File
2742 + documentlinkextensionaccessrenderportal/render-format-license=\\!\\Licence
2743 + documentlinkextensionaccessrenderportal/render-format-type=\\!\\Type
2744 + documentsattachedportalrenderportal/render-format-file=\\!\\File
2745 + journal/links=Journal website
2746 + organisationancestorsrenderportal/ended=\\!\\Former organisational unit
2747 + organisationancestorsrenderportal/taken-over=\\!\\Taken over by
2748 + person/dataCleanupExemptionEndDate=Data cleanup exemption end date
2749 + person/organisationAssociations.supervisedByRelations=Supervision
2750 + personcontactbuttonrenderportal/expert_contact_button=\\!\\Contact Expert
2751 + personexternalpositionsrenderportal/external_positions=\\!\\External positions
2752 + personorganisationcontactrenderportal/email=\\!\\Email
2753 + personorganisationcontactrenderportal/phone=\\!\\Phone
2754 + personorganisationcontactrenderportal/website=\\!\\Website
2755 + personsocialmediaorcidrenderportal/scopusProfile=\\!\\View Scopus Profile
2756 + personsocialmediarenderportal/scopusProfile=\\!\\View Scopus Profile
2757 + studentthesisdocument/show-documentLicense=Show licence
2758 + ueoexternalorganisation/contactAddress.subdivision=Subdivision
2759 + studentthesis/DOIs=DOIs
2760 + studentthesis/DOIs-type-name=DOI
2761 + studentthesis/ISMN=ISMN
2762 + studentthesis/abstract=Abstract
2763 + studentthesis/activityRelations=Activities
2764 + studentthesis/activityRelations-add=Add activity...
2765 + studentthesis/annualReportSelected=Selected for annual report
2766 + studentthesis/author=Author
2767 + studentthesis/awardDate=Date of Award
2768 + studentthesis/awardDate.year=Year of Award
2769 + studentthesis/awardingInstitution=Awarding Institution
2770 + studentthesis/bibliographicalNote=Bibliographical note
2771 + studentthesis/bibliometrics=Bibliometrics
2772 + studentthesis/claim-action=Mine - claim content
2773 + studentthesis/clippingRelations=Press/Media
2774 + studentthesis/clippingRelations-add=Add press/media...
2775 + studentthesis/clippingRelations-title=Find and select press/media
2776 + studentthesis/dateOfProcessingBibliometric=Date of bibliometric processing
2777 + studentthesis/disclaim-action=Not mine - disclaim content
2778 + studentthesis/displayInOthersPublicationList=Show in other persons' publication lists

2779 + studentthesis/documents=Documents
2780 + studentthesis/edition=Edition
2781 + studentthesis/electronicISBNs=ISBN (Electronic)
2782 + studentthesis/equipmentRelations=Facilities/Equipment
2783 + studentthesis/equipmentRelations-add=Add equipment...
2784 + studentthesis/family-count=Total
2785 + studentthesis/family-count-no-documents-sherpa=RoMEO colours without documents
2786 + studentthesis/family-count-with-documents=With documents
2787 + studentthesis/family-count-without-documents=Without documents
2788 + studentthesis/family-documents-visibility=Document visibility
2789 + studentthesis/family-name=Student thesis
2790 + studentthesis/family-name-plural=Student theses
2791 + studentthesis/family-with-documents={family} with documents
2792 + studentthesis/family-with-suggested-actions=Claimed/disclaimed publications
2793 + studentthesis/filter.family.mycontent=My student theses
2794 + studentthesis/generatePDF=Generate front page for uploaded PDF files
2795 + studentthesis/groupAuthor=Group author
2796 + studentthesis/handleNet=Handle.net
2797 + studentthesis/id=Internal-ID
2798 + studentthesis/impactRelations=Impacts
2799 + studentthesis/impactRelations-add=Add impact...
2800 + studentthesis/journal=Journal
2801 + studentthesis/journalNumber=Journal number
2802 + studentthesis/keywords=User-defined keywords
2803 + studentthesis/language=Original language
2804 + studentthesis/librarianKeywordContainers=Library Keywords
2805 + studentthesis/librarianKeywords=Keywords
2806 + studentthesis/links=URLs
2807 + studentthesis/links-type-name=URL
2808 + studentthesis/numberOfPages=Number of pages
2809 + studentthesis/organisations=Organisations
2810 + studentthesis/organisations-mark-as-primary=Set placement
2811 + studentthesis/organisations-primary=Placement
2812 + studentthesis/owner=Placement
2813 + studentthesis/pending-publication=Pending publications
2814 + studentthesis/pending-researchoutput=Pending research output
2815 + studentthesis/persons=Author
2816 + studentthesis/persons-singular=Author
2817 + studentthesis/persons.name=Author name
2818 + studentthesis/placeOfPublication=Place of Publication
2819 + studentthesis/printISBNs=ISBN (Print)
2820 + studentthesis/projectRelations=Projects

2821 + studentthesis/projects=Projects
2822 + studentthesis/publicationDate=Publication date
2823 + studentthesis/publicationDate.day=Day
2824 + studentthesis/publicationDate.month=Month
2825 + studentthesis/publicationDate.year=Year
2826 + studentthesis/publicationStatus=Publication status
2827 + studentthesis/publicationYear=Publication year
2828 + studentthesis/publisher=Publisher
2829 + studentthesis/qualification=Qualification name
2830 + studentthesis/relatedPublications=Research Outputs
2831 + studentthesis/researchOutputRelations=Research Outputs
2832 + studentthesis/researchOutputRelations-add=Add research output...
2833 + studentthesis/searchplaceholder=Search for student thesis...
2834 + studentthesis/sponsors=Sponsors
2835 + studentthesis/subTitle=Subtitle of the thesis in original language
2836 + studentthesis/supervisors=Supervisor
2837 + studentthesis/title=Title of the thesis in original language
2838 + studentthesis/translatedSubtitle=Translated subtitle of the thesis
2839 + studentthesis/translatedTitle=Translated title of the thesis
2840 + studentthesis/type-name=Student thesis
2841 + studentthesis/type-name-plural=Student theses
2842 + studentthesis/typeClassification=Qualification level
2843 + studentthesis/view-publications-by-action=View publications by
2844 + studentthesis/volume=Volume
2845 + studentthesis/yearSubmitted=Submission year
2846 + studentthesisdocument/embargoReason-label=Embargo reason
2847 + studentthesisrelationsrenderportal/clipping-relations=Press/Media
2848 + studentthesisrelationsrenderportal/researchoutput-relations=Research Outputs

 pure-modules/ddp-module/templates/bundled/src/main/resources/renderportalng-rendering-resources_fi.properties CHANGED

2739 + dataset/dataSearchcategories=DataSearch-luokat
2740 + documentlinkextensionaccessrenderportal/render-format-embargoEndDate=Kiellon loppupäivämäärä
2741 + documentlinkextensionaccessrenderportal/render-format-file=Tiedosto
2742 + documentlinkextensionaccessrenderportal/render-format-license=Lisenssi
2743 + documentlinkextensionaccessrenderportal/render-format-type=Tyyppi
2744 + documentsattachedportalrenderportalng/render-format-file=Tiedosto
2745 + journal/links=Päiväkirjan verkkosivusto
2746 + organisationancestorsrenderportal/ended=Aikaisempi organisaatioyksikkö
2747 + organisationancestorsrenderportal/taken-over=Jonka on korvannut:
2748 + person/dataCleanupExemptionEndDate=Tietojen siivouksesta vapauttamisen päättymispäivä

2749 + person/organisationAssociations.supervisedByRelations=Valvonta
2750 + personcontactbuttonrenderportal/expert_contact_button=Asiantuntijan yhteystiedot
2751 + personexternalpositionsrenderportal/external_positions=Ulkoiset asemat
2752 + personorganisationcontactrenderportal/email=Sähköposti
2753 + personorganisationcontactrenderportal/phone=Puhelin
2754 + personorganisationcontactrenderportal/website=Verkkosivusto
2755 + personsocialmediaorcidrenderportal/scopusProfile=Näytä Scopus-profiili
2756 + personsocialmediarenderportal/scopusProfile=Näytä Scopus-profiili
2757 + studentthesisdocument/show-documentLicense=Näytä lisenssi
2758 + ueoexternalorganisation/contactAddress.subdivision=Alayksikkö

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderportal/dk/atira/pure/modules/experts/internal/renderin... ADDED

1 + render-format-license=Licence
2 + render-format-type=Type
3 + render-format-file=File
4 + render-format-embargoEndDate=Embargo End Date

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderportal/dk/atira/pure/modules/experts/internal/renderi... ADDED

1 + render-format-license=Lisenssi
2 + render-format-type=Typpi
3 + render-format-file=Tiedosto
4 + render-format-embargoEndDate=Kiellon loppupäivämäärä

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderportal/dk/atira/pure/modules/experts/internal/renderi... ADDED

1 + render-format-file=File

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderportal/dk/atira/pure/modules/experts/internal/renderi... ADDED

1 + render-format-file=Tiedosto

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

5 + fingerprintSelectionModified=Fingerprint selection changed date

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
7 + fingerprintSelectionModified=Sortimenjalkivalinnan päivämäärä muuttui
```

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

```
1 + fundingDiscoveryProfiles=Funding profiles
```

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

```
1 + fundingDiscoveryProfiles=Rahoitusprofiilit
```

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources_en.prope... CHANGED

```
4 + configuration.authentication=Authentication
5 + configuration.login=Login
6 + configuration.logout=Logout
11 + client-key=Client Key
13 + login-failed=Login failed
14 + error-details=Details
15 + close=Close
16 + test-failed=Test failed
17 + test-success=Test successful
18 + status.test=Test connection
```

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources_fi.propert... CHANGED

```
9 + configuration.authentication=Tunnistaminen
10 + configuration.login=Sisäänkirjautuminen
11 + configuration.logout=Uloskirjautuminen
12 + client-key=Asiakasavain
13 + login-failed=Kirjautuminen ei onnistunut
14 + error-details=Lisätiedot
15 + close=Sulje
16 + test-failed=Testi epäonnistui
17 + test-success=Testi onnistui
18 + status.test=Testaa yhteys
```

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

3 + authentication-configuration-label=Authentication configuration

4 -

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

4 + authentication-configuration-label=Todentamismääritykset

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

1 + oauth-group=OAuth

2 + oauthUrl=URL

3 + oauthClientId=Client ID

4 + oauthClientSecret=Secret

5 + cognito-group=Cognito

6 + cognitoPoolId=Pool ID

7 + cognitoRegion=Region

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

1 + oauth-group=OAuth

2 + oauthUrl=URL-osoite

3 + oauthClientId=Asiakkaan tunniste

4 + oauthClientSecret=Salainen

5 + cognito-group=Cognito

6 + cognitoPoolId=Pool-tunnus

7 + cognitoRegion=Alue

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/internal/ui/... CHANGED

6 - badge-help-text-indeterminate="Ei vielä taltiointia tai pääsyä, mutta silti kelpoisuusikkunassa (ts. 3 kuukauden sisällä hyväksyntäpäivästä ja/tai 1 kuukauden sisällä taltiointipäivästä/sulun päättymispäivästä) JA REF-poikkeus on "Ei asetettu"."

7 - badge-help-text-compliant="OA:n tila OK (REF OA -käytännön mukaisesti) TAI REF-poikkeus on syötetty (ts. mikä tahansa muu arvo kuin "Ei asetettu" tai "Ei poikkeusta")."

8 - badge-help-text-notCompliant="OA:n tila ei OK (REF OA -käytännön mukaisesti) JA REF-poikkeus on "Ei asetettu"."

6 + badge-help-text-indeterminate="Ei vielä taltiointia tai pääsyä, mutta silti kelpoisuusikkunassa (ts. 3 kuukauden sisällä hyväksyntäpäivästä ja/tai 1 kuukauden sisällä taltiointipäivästä/sulun päättymispäivästä) JA REF-poikkeus on "Ei asetettu"."

- 7 + badge-help-text-compliant=OA:n tila OK (REF OA -käytännön mukaisesti) TAI REF-poikkeus on syötetty (ts. mikä tahansa muu arvo kuin "Ei asetettu" tai "Ei poikkeusta").
- 8 + badge-help-text-notCompliant=OA:n tila ei OK (REF OA -käytännön mukaisesti) JA REF-poikkeus on "Ei asetettu".

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

- 166 + category-proposals=Proposals
- 171 - category-state.dates=Dates
- 173 + category-status.dates=Dates
- 174 + category-status.dates.fullDate=Full date
- 175 + category-status.dates.year=Year
- 176 + category-status.dates.month=Month
- 177 + category-status.dates.day=Day
- 343 + count-contributors-internal-person=Number of internal persons
- 539 + validation-dataset-annotation-is-missing-a-column-reference-id=Formatting of column with ref={annotationId} is missing a reference column id, it uses value={value}
- 540 + validation-dataset-annotation-operator-no-longer-exists=Formatting of column with ref={annotationId} is using an unsupported operator={operator} and will revert to default
- 542 - report.standard.user.assignable.roles-description=An overview of the user role **assignment** across organisational units
- 550 + report.standard.user.assignable.roles-description=An overview of the user role **assignments** across organisational units

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

- 236 - category-state.dates=Päivämäärät
- 498 + category-proposals=Esitykset
- 499 + category-status.dates=Päivämäärät
- 500 + category-status.dates.fullDate=Täydellinen päivämäärä
- 501 + category-status.dates.year=Vuosi
- 502 + category-status.dates.month=Kuukausi
- 503 + category-status.dates.day=Päivämäärä
- 504 + count-contributors-internal-person=Sisäisten henkilöiden määrä
- 505 + validation-dataset-failure-to-parse=Syöttötietojoukon jäsentäminen epäonnistui: '{message}'.
- 506 + validation-dataset-no-series=Sarjaa ei määritelty tietojoukossa.
- 507 + validation-dataset-annotation-is-missing-a-column-reference-id=Sarakkeen muotoilu, kun ref = {annotationId} puuttuu viitesarakkeen tunnus, se käyttää arvoa = {value}
- 508 + validation-dataset-annotation-operator-no-longer-exists=Sarakkeen muotoilu, kun ref = {annotationId} ikäyttää operaattoria, jota ei tueta={operator} ja palaa oletukseen

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

66	- project-series-names=Series names
66	+ project-publication-series-names=Series name
67	+ project-publication-series-no=Series number
92	- project-issn-(electronic)=ISSN (Electronic)
93	+ project-publication-series-issn-electronic=ISSN (Electronic)
94	- project-issn-print=ISSN (print)
95	+ project-publication-series-issn-print=ISSN (print)

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

118	- project-issn-(electronic)=ISSN (sähköinen)
118	+ project-publication-series-issn-electronic=ISSN (sähköinen)
120	- project-issn-print=ISSN (painettu)
120	+ project-publication-series-issn-print=ISSN (painettu)
165	- project-series-names=Sarjanimi
165	+ project-publication-series-names=Sarjanimi
197	+ filter-submission-year=Jättövuosi
198	+ project-publication-series-no=Sarjanumero
199	+ project-submission-year=Jättövuosi

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

28	-
28	+ project-terms-of-agreement=Terms of agreement

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

29	+ project-userrole=Käyttäjäroolit (mukaan lukien järjestelmäroolit)
30	+ project-terms-of-agreement=Sopimusehdot

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

95	+ create-award-from-application-no-save=Create award...
99	+ create-application-from-application-no-save=Create another application...
103	+ create-upmproject-from-application-no-save=Create project...
112	+ add-organisationassociation-button=Add co-managing organisation...
113	+ new-organisationassociation-panel-title=Add co-managing organisation

... CHANGED

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
90 + create-award-from-application-no-save=Luo stipendi...
91 + create-application-from-application-no-save=Luo muu hakemus
92 + create-upmproject-from-application-no-save=Luo projekti...
93 + add-organisationassociation-button=Lisää yhteishallinnollinen organisaatio...
94 + new-organisationassociation-panel-title=Lisää yhteishallinnollinen organisaatio...
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
78 + create-ethicalreview-from-award-no-save=Create ethical review...
126 + create-award-from-award-no-save=Create another award...
130 + create-award-from-application-no-save=Create award...
134 + create-application-from-award-no-save=Create application...
138 + create-upmproject-from-award-no-save=Create project...
147 + add-organisationassociation-button=Add co-managing organisation...
148 + new-organisationassociation-panel-title=Add co-managing organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
115 + create-ethicalreview-from-award-no-save=Luo eettinen arvio...
116 + create-award-from-award-no-save=Luo muu stipendi...
117 + create-award-from-application-no-save=Luo stipendi...
118 + create-application-from-award-no-save=Luo hakemus...
119 + create-upmproject-from-award-no-save=Luo projekti...
120 + add-organisationassociation-button=Lisää yhteishallinnollinen organisaatio...
121 + new-organisationassociation-panel-title=Lisää yhteishallinnollinen organisaatio...
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
70 + create-upmproject-from-project-no-save=Create another project...
80 + create-award-from-project-no-save=Create award...
84 + create-application-from-project-no-save=Create application...
101 +
102 + add-organisationassociation-button=Add co-managing organisation...
103 + new-organisationassociation-panel-title=Add co-managing organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
70 + create-upmproject-from-project-no-save=Luo muu projekti...
71 + create-award-from-project-no-save=Luo stipendi...
72 + create-application-from-project-no-save=Luo hakemus...
73 + add-organisationassociation-button=Lisää yhteishallinnollinen organisaatio...
74 + new-organisationassociation-panel-title=Lisää yhteishallinnollinen organisaatio...
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Co-managing organisational unit
2 + selected.organisations=Selected organisations
3 + please.select=Please select one or more organisations below to filter
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Yhteishallinnollinen organisaatioyksikkö
2 + selected.organisations=Valitut organisaatiot
3 + please.select=Valitse yksi tai useampi yksikkö listalta
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Co-managing organisation associated
2 + yes=Co-managing organisation associated
3 + no=No co-managing organisation associated
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Yhteishallinnollinen liittyvä organisaatio
2 + yes=Yhteishallinnollinen liittyvä organisaatio
3 + no=Ei yhteishallinnollista liittyvää organisaatiota
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources_en.pr... CHANGED

```
145 + coManagingOrganisations-legend=Enable co-managing organisations
146 + coManagingOrganisations-enabled=Enable feature of co-managing organisations on applications, awards and projects. When a given
organisation is added as a 'co-managing' organisation to the content, editors and assisting editors from these organisations can
help maintain the information of the content. The helping editors can edit all properties but not move content back/forward in
workflow.
147 + coManagingOrganisations-enabled-true=Enabled
```

148 + coManagingOrganisations-enabled=false=Disabled

149 +

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources_fi.pro... CHANGED

235 + coManagingOrganisations-legend=Ota yhteishallinnolliset organisaatiot käyttöön

236 + coManagingOrganisations-enabled=Ota organisaatioiden yhteishallinnollinen ominaisuus käyttöön sovelluksissa, palkinnoissa ja projekteissa. Kun jokin tietty organisaatio lisätään sisällön "yhteishallinnollisena" organisaationa, näiden organisaatioiden toimittajat ja avustavat toimittajat voivat auttaa ylläpitämään sisällön tietoja. Avustavat toimittajat voivat muokata kaikkia ominaisuuksia, mutta eivät voi siirtää sisältöä takaisin/eteenpäin työkulussa.

237 + coManagingOrganisations-enabled=true=Asetettu päälle

238 + coManagingOrganisations-enabled=false=Poistettu käytöstä

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul... CHANGED

360 +

361 + syncjob.award.usingNIHAwardsService-label=Using NIH Awards Service.

362 + syncjob.award.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

363 + syncjob.upmproject.usingNIHAwardsService-label=Using NIH Awards Service.

364 + syncjob.upmproject.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul... CHANGED

321 +

322 + syncjob.award.usingNIHAwardsService-label=!!Using NIH Awards Service.

323 + syncjob.award.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

324 + syncjob.upmproject.usingNIHAwardsService-label=!!Using NIH Awards Service.

325 + syncjob.upmproject.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

16 + overviewapplicationapprovalroute=My approver and checker tasks

54 + coManagingOrganisations=Co-managing organisational units

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

67 + overviewapplicationapprovalroute=Hyväksyjäni ja tarkistustehtäväni
68 + coManagingOrganisations=Yhteishallinnolliset organisaatioyksiköt

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

1 + coManagingOrganisations=Co-managing organisational units

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

1 + coManagingOrganisations=Yhteishallinnolliset organisaatioyksiköt

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

3 + awardFunder=Funding Body
4 + choose=Select funding body...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

5 + awardFunder=Rahoittaja
6 + choose=Valitse rahoitusorganisaatio...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

3 + awardNatureOfActivityType=Nature of Activity
4 + choose=Select nature of activity...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

5 + awardNatureOfActivityType=Aktiviteetin luonne
6 + choose=Valitse aktiviteetin luonne...

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

43 + filter-co-managing-organisations=Co-managing organisational unit
44 + filter-has-co-managing-organisation=Co-managing organisation associated
45 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated

46	+ filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
47	+
62	-
67	+ project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

82	+ filter-co-managing-organisations=Yhteishallinnollinen organisaatioyksikkö
83	+ filter-has-co-managing-organisation=Yhteishallinnollinen liittyvä organisaatio
84	+ filter-has-co-managing-organisation-TRUE=Yhteishallinnollinen liittyvä organisaatio
85	+ filter-has-co-managing-organisation-FALSE= Ei yhteishallinnollista liittyvää organisaatiota
86	+ project-co-managing-organisations=Yhteishallinnolliset organisaatiot

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

86	+ filter-co-managing-organisations=Co-managing organisational unit
87	+ filter-has-co-managing-organisation=Co-managing organisation associated
88	+ filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
89	+ filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
90	+
136	+ project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

167	+ filter-co-managing-organisations=Yhteishallinnollinen organisaatioyksikkö
168	+ filter-has-co-managing-organisation=Yhteishallinnollinen liittyvä organisaatio
169	+ filter-has-co-managing-organisation-TRUE=Yhteishallinnollinen liittyvä organisaatio
170	+ filter-has-co-managing-organisation-FALSE= Ei yhteishallinnollista liittyvää organisaatiota
171	+ project-co-managing-organisations=Yhteishallinnolliset organisaatiot

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

53	+ filter-co-managing-organisations=Co-managing organisational unit
54	+ filter-has-co-managing-organisation=Co-managing organisation associated
55	+ filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
56	+ filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
57	+
116	+ project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
105 + filter-co-managing-organisations=Yhteishallinnollinen organisaatioyksikkö
106 + filter-has-co-managing-organisation=Yhteishallinnollinen liittyvä organisaatio
107 + filter-has-co-managing-organisation-TRUE=Yhteishallinnollinen liittyvä organisaatio
108 + filter-has-co-managing-organisation-FALSE=Ei yhteishallinnollista liittyvää organisaatiota
109 + project-co-managing-organisations=Yhteishallinnolliset organisaatiot
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources_en.properties CHANGED

```
37 + summary-content-errors=Problems occurred while processing {count} pieces of content
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources_fi.properties CHANGED

```
1 - #Added translations
2 - #Thu Sep 28 10:08:31 CEST 2017
41 + summary-content-errors=Ongelmia ilmeni {count} sisällön käsittelyssä
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED

```
69 + add-link-button=Add website...
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED

```
1 - #Added translations
2 - #Fri Sep 08 10:33:12 CEST 2017
55 + add-link-button=Lisää verkkosivusto...
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... CHANGED

```
106 + orcid-config-not-valid=Orcid is not configured correctly. Contact your local Pure Administrator to check the ORCID
    configuration page and upload a valid output mapping XML file.
169 +
170 + dataRetentionPolicy-group=Data cleanup policy
171 + retainPersonalData=Exempt personal data from cleanup
172 + retainPersonalData-yes=Yes
173 + retainPersonalData-no=No
```

```
174 + retentionPeriod=Exempt from cleanup until
175 +
176 + highlighted-content-group=Highlighted content
177 + fundingprofiles-group=Funding profiles
178 + fingerprints-group=Fingerprints
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... CHANGED

```
144 + dataRetentionPolicy-group=Tiedon siivouskäytäntö
145 + retainPersonalData=Vapauta henkilötiedot siivouksesta
146 + retainPersonalData-yes=Kyllä
147 + retainPersonalData-no=Ei
148 + retentionPeriod=Vapauta siivouksesta asti
149 + highlighted-content-group=Korostettu sisältö
150 + fundingprofiles-group=Rahoitusprofiilit
151 + fingerprints-group=Sormenjäljet
152 + orcid-config-not-valid=Orcidia ei ole määritetty oikein. Ota yhteyttä paikalliseen Pure-järjestelmänvalvojaan tarkistaaksesi
    ORCID-määrittämissivun ja lataaksesi kelpuutetun tulostettavan XML-tiedoston.
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... CHANGED

```
7 - info-group-help=Select original language; the language that the current contribution is written in. The Title field is
    required.
7 + info-group-help=Select original language (the language that the current contribution is written in). The Title field is
    required.
161 - corresponding-author-association-button=Set corresponding author
162 - remove-corresponding-author-association-button=Remove corresponding author
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... CHANGED

```
137 - corresponding-author-association-button=Aseta vastaava kirjoittaja
138 - remove-corresponding-author-association-button=Poista vastaava kirjoittaja
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

```
1 + title=Exempted from data cleanup
2 + showDataCleanupExemptions=Only show exempted persons
3 + hideDataCleanupExemptions=Hide persons exempted from cleanup
```


pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

- 1 + title=Vapautettu tietojen siivouksesta
- 2 + showDataCleanupExemptions=Näytä vain vapautetut henkilöt
- 3 + hideDataCleanupExemptions=Piilota siivouksesta vapautetut henkilöt

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

- 1 + time-since-former=Time since former
- 2 + former-for-at-least=Former for at least

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

- 1 + time-since-former=Aika edellisestä
- 2 + former-for-at-least=Edellinen ainakin

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources_en.properties CHANGED

- 27 + fundingopportunity-import-wizard=Funding opportunity

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources_fi.properties CHANGED

- 1 - #Added translations
- 2 - #Mon Jan 15 14:15:03 CET 2018
- 27 + fundingopportunity-import-wizard=Rahoitusmahdollisuus


pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources_en.properties ADDED

- 1 + person-access=Person access grace period
- 2 + person-access-legend=Grace period configuration
- 3 + person-access-hint=Institutions may require non-active persons/users to access Pure to fulfill policy requirements and ensure data is updated. Administrators can specify grace periods for staff and student persons/users that are no longer active. General access rights set by an institution's single sign-on (SSO) policies supersede any grace periods set below.
- 4 + person-access-note=Note: ALL staff and students will be affected.
- 5 + grace-period-days-staff=Staff grace period (in days)
- 6 + grace-period-days-staff-hint=This setting determines how many days staff will retain their Pure access rights after they are non-active
- 7 + grace-period-days-student=Student grace period (in days)

```
8 + grace-period-days-student-hint=This setting determines how many days students will retain their Pure access rights after they
are non-active
9 + refresh=Refresh
10 + save=Save
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources_fi.properties ADDED

```
1 + refresh=Päivitä
2 + save=Tallenna
3 + person-access=Henkilön käyttöoikeuden lisäaika
4 + person-access-legend=Lisääajan määrittäminen
5 + person-access-hint=Laitokset voivat vaatia muita kuin aktiivisia henkilöitä/käyttäjiä päästäkseen Pure-palveluun ja täyttämään
käytännön vaatimukset ja varmistamaan tietojen päivityksen. Järjestelmänvalvojat voivat määrätä lisäajat henkilöstölle ja
opiskelijoille/käyttäjille, jotka eivät ole enää aktiivisia. Laitoksen kertakirjautumiskäytännöissä asetetut yleiset
käyttöoikeudet korvaavat kaikki jäljempänä asetetut lisäajat.
6 + person-access-note=Huomautus: Sillä on vaikutusta kaikkeen henkilökuntaan ja opiskelijoihin.
7 + grace-period-days-staff=Henkilöstön lisäaika (päivinä)
8 + grace-period-days-staff-hint=Tällä asetuksella määrätään, kuinka monta päivää henkilökunta säilyttää Pure-käyttöoikeutensa,
kun he eivät ole aktiivisia
9 + grace-period-days-student=Opiskelijoiden lisäaika (päivinä)
10 + grace-period-days-student-hint=Tällä asetuksella määrätään, kuinka monta päivää opiskelijat säilyttävät Pure-käyttöoikeutensa,
kun he eivät ole aktiivisia
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources_en.properties ADDED

```
1 + persondatacleanupconfiguration=Data cleanup configuration
2 +
3 + savedfilter-legend=Default values for saved filter 'Personal data cleanup'
4 + savedfilter-hint=Select which default values to include in the filters that are part of the saved filter 'Personal data
cleanup'.
5 + savedfilter-note=You must log out and log in again for the changes to appear.
6 +
7 + affiliationperiod-legend=Affiliation period
8 + exemptionperiod-label=All person affiliations must be former for at least
9 + exemptionperiod.ONE_MONTH=One month
10 + exemptionperiod.THREE_MONTHS=Three months
11 + exemptionperiod.SIX_MONTHS=Six months
12 + exemptionperiod.ONE_YEAR=One year
13 +
14 + employmenttype-legend=Type
15 + employmenttype-label=Include the following type of staff
```

```
16 + staff=Staff
17 + student=Student
18 + visitingScholar=Visiting scholar
19 +
20 + fieldstodelete-legend=Standard list of fields to delete
21 + fieldstodelete-hint=Select the default preset values to delete in the bulk action
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources_fi.properties **ADDED**

```
1 + persondatacleanupconfiguration=Tietojen siivouksen määrittäminen
2 + savedfilter-legend=Tallennetun suodattimen ”Henkilökohtaisten tietojen siivous” oletusarvot
3 + savedfilter-hint=Valitse, mitkä oletusarvot sisällytetään suodattimiin, jotka kuuluvat tallennettuun 'Henkilökohtaisten tietojen siivous' -suodattimeen.
4 + affiliationperiod-legend=Affiliaatioajanjakso
5 + exemptionperiod-label=Kaikkien henkilöiden kytkösten on oltava ainakin entisiä
6 + exemptionperiod.ONE_MONTH=Yksi kuukausi
7 + exemptionperiod.THREE_MONTHS=Viimeiset kolme kuukautta
8 + exemptionperiod.SIX_MONTHS=Viimeiset kuusi kuukautta
9 + exemptionperiod.ONE_YEAR=Yksi vuosi
10 + employmenttype-legend=Tyyppi
11 + employmenttype-label=Lue mukaan seuraavan tyyppinen henkilöstö
12 + staff=Henkilökunta
13 + student=Opiskelija
14 + visitingScholar=Vieraileva tutkija
15 + fieldstodelete-legend=Poistettavien kenttien vakioluettelo
16 + fieldstodelete-hint=Valitse oletusasetukset, jotka poistetaan joukkotoimenpiteestä
17 + savedfilter-note=!!You must log out and log in again for the changes to appear.
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources_en.properties **CHANGED**

```
20 - upload-instruction.secondpart=Once the files has been uploaded you can proceed to the next step in the wizard where the data in the XML will be validated against the xsd files.
20 + upload-instruction.secondpart=Once the files have been uploaded you can proceed to the next step in the wizard where the data in the XML will be validated against the XSD files.
98 - xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the mandatory elements are present verify if the ordering of the elements is as specified in the xsd.
98 + xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the mandatory elements are present verify if the ordering of the elements is as specified in the XSD.
114 - supportedfile.errors=The import found files that it cannot import (See supported namespace in the xsd), please see the documentation on how to generate the files or remove them from the upload screen:
114
```

```
+ supportedfile.errors=The import found files that it cannot import (see supported namespace in the XSD), please see the
documentation on how to generate the files or remove them from the upload screen:
248 +
249 + FundingOpportunities=Funding opportunities
250 + verify.header.type.FundingOpportunities=Funding opportunity type
251 + verify.header.count.FundingOpportunities=Number of Funding opportunities
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources_fi.properties CHANGED

```
225 + FundingOpportunities=Rahoitusmahdollisuudet
226 + verify.header.type.FundingOpportunities=Rahoitusmahdollisuuden tyyppi
227 + verify.header.count.FundingOpportunities=Rahoitusmahdollisuuksien lukumäärä
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources_en.properties CHANGED

```
97 + fundingopportunity.xsd.description=XML schema file (fundingopportunity.xsd)
98 + fundingopportunity.simple.example.description=Simple examples file (fundingopportunity-simple-examples.xml)
99 + fundingopportunity.advanced.example.description=Advanced example file (fundingopportunity-advanced-example.xml)
100 +
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources_fi.properties CHANGED

```
1 - #Added translations
2 - #Mon Jan 15 14:15:03 CET 2018
72 + fundingopportunity.xsd.description=XML-mallitiedosto (financeopportunity.xsd)
73 + fundingopportunity.simple.example.description=Yksinkertainen esimerkitiedosto (fundingopportunity-simple-examples.xml)
74 + fundingopportunity.advanced.example.description=Kehittynyt esimerkitiedosto (fundingopportunity-advanced-example.xml)
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources_en.properties CHANGED

```
27 + personal.overview.downloads.publication.tooltip={citations} downloads
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources_fi.properties CHANGED

```
22 + personal.overview.downloads.publication.tooltip={citations} lataukset
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... CHANGED

```
50 +
51 + globalsyncimport-header=Global sync/import configurations
52 + integrations-global-sync-import-configuration=Global sync/import
53 + globalsyncimport.pureIdFallBackEnabled-label=Enable Pure ID match
54 + globalsyncimport.pureIdFallBackEnabled-legend=
55 + globalsyncimport.pureIdFallBackEnabled-description=Enabling this feature will make it possible for the synchronizations in Pure to be able to match on Pure IDs on associations.\n This means that if you have manually added an association to a piece of content in Pure and you provide the Pure ID as the association ID in the import data (view/xml), the synchronisation will take ownership of it and update it accordingly. Use this feature with caution. \n Supported synchronizations: All synchronizations prefaced with 'Configurable' except the Award, Project and Application synchronisation.
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... CHANGED

```
36 + globalsyncimport-header=Gloaalit synkronointi-/tuontimääritykset
37 + integrations-global-sync-import-configuration=Gloaali synkronointi/tuonti
38 + globalsyncimport.pureIdFallBackEnabled-label=Ota käyttöön Pure-tunnuksen vastaavuus
39 + globalsyncimport.pureIdFallBackEnabled-description=Tämän ominaisuuden ottaminen käyttöön antaa Puressa olevien synkronointien pystyä täsmäämään järjestöjen Pure ID -rekisteriin. Tämä tarkoittaa, että jos olet lisännyt yhdistyksen manuaalisesti Pure-sisällön osaan ja annat Pure-tunnuksen yhdistystunnuksena tuontitiedoissa (näkyvä/xml), synkronointi ottaa sen omistajuuden ja päivittää sen vastaavasti. Käytä tätä ominaisuutta huolella. Tuetut synkronoinnit: Kaikkea synkronointia edeltää 'konfiguroitava', lukuun ottamatta palkintojen, projektien ja sovellusten synkronointia.
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources_en.pro... CHANGED

```
37 - ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external organisation. Separate each extension by ','
37 + ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external organisations. Separate each extension by ','
58 + contentCorrection.correct.family.Person-label=Correct persons
59 + contentCorrection.correct.family.PreservedReportDefinition-label=Correct preserved report definitions
60 + contentCorrection.correct.family.ConferenceSeries-label=Correct conference series
61 + contentCorrection.correct.family.Publisher-label=Correct publishers
62 + contentCorrection.correct.family.Semester-label=Correct semesters
63 + contentCorrection.correct.family.StudentProject-label=Correct student projects
64 + contentCorrection.correct.family.StudentThesis-label=Correct student thesis
65 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Correct terms of agreement configurations
66 + contentCorrection.correct.family.MessageTemplate-label=Correct message templates
67 + contentCorrection.correct.family.User-label=Correct users
68 + contentCorrection.correct.family.EditableMessageBundle-label=Correct editable message bundles
69 + contentCorrection.correct.family.CurriculumVitae-label=Correct curriculum vitae
70 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Correct content import search definitions
```

71 + contentCorrection.correct.family.TermsOfAgreement-label=Correct terms of agreement
72 + contentCorrection.correct.family.Suggestion-label=Correct suggestions
73 + contentCorrection.correct.family.Project-label=Correct projects
74 + contentCorrection.correct.family.PreservedContent-label=Correct preserved content information objects
75 + contentCorrection.correct.family.Message-label=Correct message
76 + contentCorrection.correct.family.Organisation-label=Correct organisational units
77 + contentCorrection.correct.family.PublicationSuggestedAction-label=Correct research output claim/disclaims
78 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Correct permanent store collection configurations
79 + contentCorrection.correct.family.TemporaryFileInformation-label=Correct temporary file information objects
80 + contentCorrection.correct.family.ImportResult-label=Correct import result objects
81 + contentCorrection.correct.family.Clipping-label=Correct press/media
82 + contentCorrection.correct.family.Event-label=Correct events
83 + contentCorrection.correct.family.Publication-label=Correct research output
84 + contentCorrection.correct.family.UserFilterModel-label=Correct user filter models
85 + contentCorrection.correct.family.Activity-label=Correct activities
86 + contentCorrection.correct.family.ExternalOrganisation-label=Correct external organisations
87 + contentCorrection.correct.family.UserProfile-label=Correct user profiles
88 + contentCorrection.correct.family.Sticky-label=Correct stickies
89 + contentCorrection.correct.family.Journal-label=Correct journals
90 + contentCorrection.correct.family.ClassificationScheme-label=Correct classification schemes
91 + contentCorrection.correct.family.Education-label=Correct educations
92 + contentCorrection.correct.family.Award-label=Correct awards
93 + contentCorrection.correct.family.Thesauri-label=Correct thesauri
94 + contentCorrection.correct.family.EmailQueueEntry-label=Correct email queue entries
95 + contentCorrection.correct.family.PhDThesis-label=Correct PhD theses
96 + contentCorrection.correct.family.ExternalPerson-label=Correct external persons
97 + contentCorrection.correct.family.MeasurementMetrics-label=Correct measurement metrics
98 + contentCorrection.correct.family.Prize-label=Correct prizes
99 + contentCorrection.correct.family.EthicalReview-label=Correct ethical reviews
100 + contentCorrection.correct.family.AggregatedContentIdSet-label=Correct aggregated content ID sets
101 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Correct user supporter role configurations
102 + contentCorrection.correct.family.Fingerprint-label=Correct fingerprints
103 + contentCorrection.correct.family.FileHandle-label=Correct filehandles
104 + contentCorrection.correct.family.Course-label=Correct courses
105 + contentCorrection.correct.family.UEOExternalOrganisation-label=Correct external organisations
106 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Correct customer-defined workflow configurations
107 + contentCorrection.correct.family.AwardMilestone-label=Correct milestones
108 + contentCorrection.correct.family.Concept-label=Correct concepts
109 + contentCorrection.correct.family.UPMProject-label=Correct UPM projects
110 + contentCorrection.correct.family.SystemMessage-label=Correct system messages
111 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Correct preserved customer-defined workflow definitions

```
112 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Correct workflow step configurations
113 + contentCorrection.correct.family.Impact-label=Correct impacts
114 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Correct research performance indicators
115 + contentCorrection.correct.family.SemanticGroup-label=Correct semantic groups
116 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Correct keyword group configurations
117 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Correct organisation research performance
    objectives
118 + contentCorrection.correct.family.PreservedRendering-label=Correct preserved renderings
119 + contentCorrection.correct.family.ContentIdSet-label=Correct content ID sets
120 + contentCorrection.correct.family.AwardCluster-label=Correct award clusters
121 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Correct preserved report export configurations
122 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Correct milestones templates
123 + contentCorrection.correct.family.DataSet-label=Correct datasets
124 + contentCorrection.correct.family.FundingOpportunity-label=Correct funding opportunities
125 + contentCorrection.correct.family.ApplicationCluster-label=Correct application clusters
126 + contentCorrection.correct.family.BFIPublication-label=Correct BFI publications
127 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Correct preserved dashboard widgets
128 + contentCorrection.correct.family.Application-label=Correct applications
129 + contentCorrection.correct.family.Specialisation-label=Correct specialisation
130 + contentCorrection.correct.family.PersistentJobState-label=Correct persistent job states
```

 pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources_fi.prop... CHANGED

```
53 + contentCorrection.correct.family.Person-label=Oikeat henkilöt
54 + contentCorrection.correct.family.PreservedReportDefinition-label=Oikeat säilytetyt raporttien määritelmät
55 + contentCorrection.correct.family.ConferenceSeries-label=Oikeat konferenssisarjat
56 + contentCorrection.correct.family.Publisher-label=Oikeat kustantajat
57 + contentCorrection.correct.family.Semester-label=Oikeat lukukaudet
58 + contentCorrection.correct.family.StudentProject-label=Oikeat opiskelijaprojektit
59 + contentCorrection.correct.family.StudentThesis-label=Oikeat opinnäytteet
60 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Oikeat sopimusehtomäärittelyt
61 + contentCorrection.correct.family.MessageTemplate-label=Oikeat viestipohjat
62 + contentCorrection.correct.family.User-label=Oikeat käyttäjät
63 + contentCorrection.correct.family.EditableMessageBundle-label=Oikeat muokattavat viestipaketit
64 + contentCorrection.correct.family.CurriculumVitae-label=Oikeat ansioluettelot
65 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Oikeat sisällön tuonnin hakumäärittelyt
66 + contentCorrection.correct.family.TermsOfAgreement-label=Oikeat sopimusehdot
67 + contentCorrection.correct.family.Suggestion-label=Oikeat ehdotukset
68 + contentCorrection.correct.family.Project-label=Oikeat projektit
69 + contentCorrection.correct.family.PreservedContent-label=Tarkista säilytetyt sisältötieto-objektit
70 + contentCorrection.correct.family.Message-label=Oikea viesti
```

71 + contentCorrection.correct.family.Organisation-label=Korjaa organisaatioyksiköt
72 + contentCorrection.correct.family.PublicationSuggestedAction-label=Oikea tutkimustulosvaatimus/vastuuvapauslauseke
73 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Oikeat pysyvien myymäläkokoelmien kokoonpanot
74 + contentCorrection.correct.family.TemporaryFileInformation-label=Tarkista väliaikaisten tiedostojen tieto-objektit
75 + contentCorrection.correct.family.ImportResult-label=Oikeat tuontitulosten objektit
76 + contentCorrection.correct.family.Clipping-label=Oikea lehdistö/media
77 + contentCorrection.correct.family.Event-label=Oikeat tapahtumat
78 + contentCorrection.correct.family.Publication-label=Oikea tutkimustulos
79 + contentCorrection.correct.family.UserFilterModel-label=Oikeat käyttäjän suodatinmallit
80 + contentCorrection.correct.family.Activity-label=Oikea toiminta
81 + contentCorrection.correct.family.ExternalOrganisation-label=Oikeat ulkopuoliset organisaatiot
82 + contentCorrection.correct.family.UserProfile-label=Oikeat käyttäjäprofiilit
83 + contentCorrection.correct.family.Sticky-label=Oikeat muistilaput
84 + contentCorrection.correct.family.Journal-label=Oikeat lehdet
85 + contentCorrection.correct.family.ClassificationScheme-label=Oikeat luokittelujärjestelmät
86 + contentCorrection.correct.family.Education-label=Oikeat koulutukset
87 + contentCorrection.correct.family.Award-label=Oikeat palkinnot
88 + contentCorrection.correct.family.Thesauri-label=Oikea tesaaurukset
89 + contentCorrection.correct.family.EmailQueueEntry-label=Oikeat sähköpostijonot
90 + contentCorrection.correct.family.PhDThesis-label=Oikeat väitöskirjat
91 + contentCorrection.correct.family.ExternalPerson-label=Oikeat ulkoiset henkilöt
92 + contentCorrection.correct.family.MeasurementMetrics-label=Oikeat mittaustiedot
93 + contentCorrection.correct.family.Prize-label=Oikeat palkinnot
94 + contentCorrection.correct.family.EthicalReview-label=Oikeat eettiset arviot
95 + contentCorrection.correct.family.AggregatedContentIdSet-label=Oikeat kootut sisältötunnusjoukot
96 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Oikeat käyttäjää tukevan roolin (user supporter role) konfiguraatiot
97 + contentCorrection.correct.family.Fingerprint-label=Oikeat sormenjäljet
98 + contentCorrection.correct.family.FileHandle-label=Oikeat tiedostojen käsittelyt
99 + contentCorrection.correct.family.Course-label=Oikeat kurssit
100 + contentCorrection.correct.family.UEOExternalOrganisation-label=Oikeat ulkopuoliset organisaatiot
101 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Oikeat asiakkaan laatimat työnkulkumäärittelyt
102 + contentCorrection.correct.family.AwardMilestone-label=Oikeat välitavoitteet
103 + contentCorrection.correct.family.Concept-label=Oikeat käsitteet
104 + contentCorrection.correct.family.UPMProject-label=Oikeat UPM-projektit
105 + contentCorrection.correct.family.SystemMessage-label=Oikeat järjestelmäviestit
106 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Oikeat asiakkaan laatimat säilytetyt työnkulkumäärittelyt
107 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Oikeat työnkulkuvaiheiden määrittelyt
108 + contentCorrection.correct.family.Impact-label=Oikeat vaikutukset
109 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Oikeat tutkimuksen tulosindikaattorit
110 + contentCorrection.correct.family.SemanticGroup-label=Oikeat semanttiset ryhmät

111 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Oikeat avainsanaryhmän määrittelyt
112 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Oikeat järjestön tutkimussuorituskyvyn tavoitteet
113 + contentCorrection.correct.family.PreservedRendering-label=Oikein säilyneet renderoinnit
114 + contentCorrection.correct.family.ContentIdSet-label=Oikeat sisältötunnusjoukot
115 + contentCorrection.correct.family.AwardCluster-label=Oikeat palkintoklusterit
116 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Oikeat säilytetyn raportin vientimäärittelyt
117 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Oikeat välitavoitteiden mallit
118 + contentCorrection.correct.family.DataSet-label=Oikeat tietojoukot
119 + contentCorrection.correct.family.FundingOpportunity-label=Oikeat rahoitusmahdollisuudet
120 + contentCorrection.correct.family.ApplicationCluster-label=Oikeat sovellusryhmät
121 + contentCorrection.correct.family.BFIPublication-label=Oikeat BFI-julkaisut
122 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Oikein säilyneet kojelaudan widgetit
123 + contentCorrection.correct.family.Application-label=Oikeat sovellukset
124 + contentCorrection.correct.family.Specialisation-label=Oikea erikoistuminen
125 + contentCorrection.correct.family.PersistentJobState-label=Oikeat pysyvät työtilat

pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources_en.properties CHANGED

4 + former-persons-for-cleanup=Personal data cleanup

pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources_fi.properties CHANGED

1 - #Added translations

2 - #Wed Sep 26 12:11:42 CEST 2018

4 + former-persons-for-cleanup=Henkilötietojen järjestely

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources_en.properties CHANGED

38 + links=Journal website

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources_fi.properties CHANGED

1 - #Added translations

2 - #Thu Sep 28 10:08:31 CEST 2017

32 + links=Päiväkirjan verkkosivusto

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources_en.properties CHANGED

```
27 + organisationAssociations.supervisedByRelations=Supervision
103 +
104 + dataCleanupExemptionEndDate=Data cleanup exemption end date
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources_fi.properties CHANGED

```
86 + organisationAssociations.supervisedByRelations=Valvonta
87 + dataCleanupExemptionEndDate=Tietojen siivouksesta vapauttamisen päättymispäivä
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources_en.pro... CHANGED

```
140 + handleNet=Handle.net
141 +
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources_fi.prop... CHANGED

```
95 + handleNet=Handle.net
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... CHANGED

```
1 + show-documentLicense=Show licence
2 +
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:11:37 CET 2017
2 + show-documentLicense=Näytä lisenssi
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... CHANGED

```
35 + contactAddress.subdivision=Subdivision
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... CHANGED

```
38 + contactAddress.subdivision=Alayksikkö
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... ADDED

```
1 + links.journal.description=Types of links for Journal
2 + links.journal.website=Website
3 + links.journal.website.description=Link to the journal website
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... ADDED

```
1 + links.journal.description=Linkkityypit päiväkirjaa varten
2 + links.journal.website=Verkkosivusto
3 + links.journal.website.description=Linkki lehden verkkosivustolle
```

pure-templates/rendering/src/main/resources/renderer/renderer-resources_en.properties CHANGED

```
26 - render-format-others=others
26 + render-format-others=more
27 + render-format-show>Show
28 + render-format-hide>Show less
29 + render-show-all-authors-button>Show all related authors
30 + render-hide-all-authors-button=Hide all related authors
31 + render-format-authors-shown=Author list shown, click to hide author list
32 + render-format-authors-hidden=Authors list hidden, click to show author list
53 - render-event-title=Title
59 + render-event-title=Event title
```

pure-templates/rendering/src/main/resources/renderer/renderer-resources_fi.properties CHANGED

```
40 - render-event-title=Nimi
40 + render-event-title=Tapahtuman otsikko
76 + render-format-show=Näytä
77 + render-format-hide=Näytä vähemmän
78 + render-show-all-authors-button=Näytä kaikki liittyvät tekijät
79 + render-hide-all-authors-button=Piilota kaikki liittyvät tekijät
80 + render-format-authors-shown=Näytetty tekijäluettelo, piilota tekijäluettelo klikkaamalla
81 + render-format-authors-hidden=Tekijäluettelo piilotettu, klikkaa näyttääksesi tekijäluettelon
```