

Text resource changes in Pure (backend)

This is an overview of the text additions and modifications to Pure's default text resources for the locale **sv** between versions **5.15.0** and **5.16.0**.

This content is confidential and should not be shared or reproduced.

Note: It does not include text changes made for individual customer sites, and may include some texts that are not visible on your Pure instance (used for Elsevier supporter role, inactive modules or modules from other countries such as REF, or different system configurations).

The keys in the translations are not necessarily indicative of the functionality. Changes in key between releases will override any custom text resource changes in your Pure.

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources_en.properties **CHANGED**

12	- overviewimpactTemplateREF2020=Impact case study overview
15	- overviewimpactCaseStudyREF2020=?Impact case study overview
14	+ overviewimpactCaseStudyREF2020=Impact case study overview

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources_sv.properties **CHANGED**

12	- overviewimpactTemplateREF2020=Översikt över fallstudie om påverkan
----	--

pure-core/admin/client/components/modules/report/properties/report-resources_en.properties **CHANGED**

22	+ column-ignore-isolate-non-distinct-aggregation-on=Disable distinct aggregation (faster)
23	+ column-ignore-isolate-non-distinct-aggregation-off=Enable distinct aggregation (slower)
70	- filter-tab-placeholder-part-two=Select the filter bar above a column to activate the Filter tab.
72	+ filter-tab-placeholder-part-two=Select the filter control above a column to activate the Filter tab.
137	+ aria-share-component-ok-label=Confirm share report
139	+ aria-share-component-cancel-label=Cancel share report
161	- onboarding-tip-filterbar=Click the filter bar to filter a content type. Then add filters in the right-hand panel.
165	+ onboarding-tip-filterbar=Click the filter control to filter a content type. Then add filters in the right-hand panel.
256	- number-of-subcolumns-has-been-added={count} of max {total} subcolumns has been added
260	+ number-of-subcolumns-has-been-added={count} of max {total} subcolumns have been added
325	+ data-story-visualization-preview-scoreCard-title=Scorecard
340	- format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.

341 - format-tab-placeholder-line2=This feature is currently under development.
650 - content-id-filter-placeholder-text=Type here to search
653 + content-id-filter-placeholder-multi-text=Type here to search
654 + content-id-filter-placeholder-dropdown-text=Select a filter item
677 - data-story-visualization-add-filter-bar=Filter bar
681 + data-story-visualization-add-filter-bar=Filter control
694 + data-story-value-tab-selected-element-does-not-support-value-selection=No selectable values
693 - data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter bar
698 + data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter control
704 - data-story-filters-tab-panel-aria-label=Filter bar - Filter tabs filtering individual content-type
709 + data-story-filters-tab-panel-aria-label=Filter control - Filter tabs filtering individual content-type
706 - report-settings-features-title=Experimental features
711 + report-settings-features-experimental-title=Experimental features
712 + report-settings-features-stable-title=Stable features
718 - upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Load and replace to use the new workspace or cancel to keep the existing workspace.
724 + upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Import existing workspace to use the new workspace or cancel to keep the existing workspace.
731 + report-settings-concurrency-title=Performance
732 + report-settings-concurrency-itemIdBatching-title=Fetch batches of rows in separate threads (potentially exports much faster for large datasets at the cost of memory and server load)
733 + report-settings-concurrency-itemIdBatching-toggle-label=Enable multi-threading (rows)
734 + report-settings-concurrency-subSetFetching-title=Fetch batches of columns in separate threads (potentially fetches faster for a large number of columns at the cost of memory and server load)
735 + report-settings-concurrency-subSetFetching-toggle-label=Enable multi-threading (columns)
736 + data-story-visualization-add-layout=Add layout group
737 + data-story-layout-tab-placeholder-header=Use this tab to manipulate selected elements and change layout options.
738 + data-story-layout-tab-clear-search-label=Clear search
739 + data-story-layout-tab-teaser=This feature is currently under development.
740 + data-story-layout-tab-select-widgets=Widgets
741 +
742 + #export type VisualizationType = 'text' | 'pieChart' | 'barChart' | 'columnChart' | 'lineChart' | 'table' | 'complexTable' | 'filterBar' | 'header' | 'footer' | 'layout' | 'scoreCard';
743 + canvas-widget-default-table-name=Table
744 + canvas-widget-default-columnChart-name=Column chart
745 + canvas-widget-default-barChart-name=Bar chart
746 + canvas-widget-default-pieChart-name=Pie chart
747 + canvas-widget-default-text-name=Text
748 + canvas-widget-default-filterBar-name=Filter control
749 + canvas-widget-default-scoreCard-name=Scorecard

750 + canvas-widget-default-layout-name=Layout group
751 + canvas-widget-default-lineChart-name=Line chart
752 +
753 + format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.
754 + format-tab-placeholder-line2=This feature is currently under development.
755 + data-story-format-tab-no-annotatable-columns=No annotatable columns found
756 + data-story-format-tab-placeholder-header=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.
757 + data-story-format-tab-create-new-annotation=Create new visual cue
758 + data-story-format-tab-select-element-to-display-options=Select data story element to change formatting
759 + data-story-format-tab-selected-element-does-not-support-formatting=Selected data story element does not support formatting
760 + data-story-format-tab-teaser=This feature is currently under development.
761 +
762 + confirm-revert-to-original-are-you-sure=Are you sure you want to replace the workspace "{name}" with the original version?
763 + confirm-revert-to-original-header=Replace workspace with original
764 + confirm-revert-cancel=Cancel
765 + confirm-revert-do-revert=Replace with original
766 +
767 + confirm-replace-header=Import and replace reporting workspace
768 + confirm-replace-select-json=Select a .json file to import an existing reporting workspace. Any changes to the current workspace will be lost. After the upload click 'reset sharing and import from file' to use the new workspace in place of existing one or cancel to keep the existing workspace.
769 + confirm-replace-are-you-sure=Clicking the button below will load a workspace from file into the editor. Once the new workspace is saved it will replace the previous version of workspace "{name}". Please note that any sharing setup will be removed.
770 + confirm-replace-upload-label=Reset sharing and import workspace from file
771 + confirm-replace-cancel-label=Cancel
772 +
773 + attribution-algorithm-header=Attribution algorithm
774 + algorithmInfoDialogTooltipText1=The Automated Attribution Algorithm helps you reach the highest possible GPA for a specific UoA, given the selected REF1s and the selected pool of outputs.
775 + algorithmInfoDialogTooltipText2=If you want to ensure that specific outputs are attributed to individuals, you can do so by locking the output manually on the page of the publication. The algorithm will then respect this lock and calculate the highest GPA under those circumstances.
776 + algorithmInfoDialogTooltipText3=The algorithm works as follows:
777 + algorithmInfoDialogTooltipText4=1. Researchers with only one output in the pool have their one output attributed to them and the output is removed from the pool.
778 + algorithmInfoDialogTooltipText5=2. Remaining researchers have their top graded output attributed to them. Where the grade is the same, single-authored outputs are prioritized over co-authored outputs.
779 + algorithmInfoDialogTooltipText6=3. Once each researcher has been attributed one output, the "best of the rest" is selected, starting with the strongest outputs where there is only one author to whom this output can be attributed. This includes outputs by former members of staff.
780

+ algorithmInfoDialogTooltipText7=4. When the number of remaining unattributed outputs is smaller than the number of outputs with the same grade, then the outputs are selected so that they optimize spread across Cat A staff within the UoA.

781 + attribution-algorithm-cancel=Cancel
782 + attribution-algorithm-reset=Reset
783 + attribution-algorithm-run=Run Attribution
784 + attribution-algorithm-last-run=Last run:
785 + attribution-algorithm-status=Status:
786 +
787 + attribution-cannot-run-algorithm=Cannot run attribution
788 + attribution-cannot-reset=Cannot reset attributions
789 + attribution-already-running=The attribution job is currently running.
790 + attribution-not-authorized=You are not authorized to perform this action.
791 + attribution-error=An error occurred while running the job.
792 +
793 + attribution-algorithm-cancel-aria-label=Button that will cancel the attribution algorithm while it is running
794 + attribution-algorithm-reset-aria-label=Button that will reset the attribution runner, once it has been run
795 + attribution-algorithm-run-aria-label=Button that will run the attribution algorithm
796 +
797 + display-table-total-count=Total count
798 + display-table-total-in-percent=Total in %
799 + cancel-export=Cancel Export
800 + report-datatable-scroll-to-top=Scroll to top of the table
801 + logging=Logging
802 + download=download
803 + revert-to-original=Revert to original
804 + pinned-filter-icon=Start edit
805 + pinned-filter-trash-icon>Delete the filter
806 + themeAdjustment=Theme adjustment
807 + selectTargetColumn=Select target column
808 + filters=Filters
809 + legendExplanation=Legend explanation
810 + apply=Apply
811 + left=Left
812 + operator=Operator
813 + right=Right
814 + select-col-or-input-static-value=Select a column or a input a static value
815 + add-filters=Add filters
816 + widget-filters=Widget filters
817 + when-column=When column
818 + or-value=Or value
819 + navigate-up=Navigate up
820 + create=Create

```

821 +
822 +
823 + report-settings-subSetFetcherMergeInOrchestrator-title=Merge 'SubSetFetchers' in orchestrator (Enables some queries to run
together in the same SubSetFetcher, it can boost performance when multiple when queries overlap and fetches information that is
co-located)
824 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Enable merging of queries with co-located information
825 +
826 + report-settings-enableDifferenceLoggingOrchestrator-title=Replaces the default orchestrator with a version that in addition to
running the query, automatically runs a number of extra queries to determine if there is a difference in the output for
isolated / non-isolated aggregations
827 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Enable difference logging
828 + plus-icon=Add a new column
829 + confirm-workspace-delete=Delete workspace

```

📄 pure-core/admin/client/components/modules/report/properties/report-resources_sv.properties CHANGED

```


112 - onboarding-tip-filterbar=Klicka på filterfliken för att filtrera en innehållstyp. Lägg sedan till filter i panelen till höger.
264 - filter-tab-placeholder-part-two=Välj filterfältet ovanför en kolumn för att aktivera filterfliken.
300 - filter-staffref2020-added={count} REF1a/c (2021) har lagts till
298 + filter-staffref2020-added={count} REF1 (2021) har lagts till
304 - filter-staffref2020-title=REF1a/c (2021)
302 + filter-staffref2020-title=REF1 (2021)
313 - filter-staffref2020-summary={count} REF1a/c (2021) har lagts till
311 + filter-staffref2020-summary={count} REF1 (2021) har lagts till
569 - series-filter-active-list-placeholder-text="Inga aktiva filter är tillämpade på denna kolumn. Försök lägga till ett eller
flera filter på fliken "Lägg till filter"."
567 + series-filter-active-list-placeholder-text=Inga aktiva filter är tillämpade på denna kolumn. Försök lägga till ett eller flera
filter på fliken "Lägg till filter".
577 - content-id-filter-placeholder-text=Skriv här för att söka
611 - data-story-visualization-add-filter-bar=Filterfält
627 - data-story-filter-tab-no-filters-on-other-elements-to-target=Lägg till ytterligare filter till andra widgets för att användas
i filterfältet
637 - data-story-filters-tab-panel-aria-label=Filterfält - Filterflikar som filtrerar enskild innehållstyp
639 - report-settings-features-title=Experimentella funktioner
633 + report-settings-features-experimental-title=Experimentella funktioner
650 + filter-tab-placeholder-part-two=Välj filterkontroll ovanför en kolumn för att aktivera filterfliken.
651 + onboarding-tip-filterbar=Klicka på filterkontrollen för att filtrera en innehållstyp. Lägg sedan till filter i panelen till
höger.
652 + data-story-visualization-preview-scoreCard-title=Scorecard
653 + content-id-filter-placeholder-multi-text=Skriv här för att söka
654 + content-id-filter-placeholder-dropdown-text=Välj ett filterobjekt
655 + data-story-visualization-add-filter-bar=Filterstyrning

```

656 + data-story-value-tab-selected-element-does-not-support-value-selection=Inga valbara värden
657 + data-story-filter-tab-no-filters-on-other-elements-to-target=Lägg till ytterligare filter till andra widgets för att användas i filterfältet
658 + data-story-filters-tab-panel-aria-label=Filterkontroll - Filterflikar som filtrerar enskild innehållstyp
659 + report-settings-features-stable-title=Stabila funktioner
660 + validation-status-error-title=Arbetsplats kan inte valideras
661 + validation-status-error-ok=Stäng
662 + report-settings-concurrency-title=Framförande
663 + report-settings-concurrency-itemIdBatching-title=Hämta satser av rader i separata trådar (export kan gå mycket snabbare för stora datauppsättningar med större minne och serverbelastning)
664 + report-settings-concurrency-itemIdBatching-toggle-label=Aktivera flertråd (rader)
665 + report-settings-concurrency-subSetFetching-title=Hämta satser av kolumner i separata trådar (hämtning kan gå mycket snabbare för många kolumner med större minne och serverbelastning)
666 + report-settings-concurrency-subSetFetching-toggle-label=Aktivera flertråd (kolumner)
667 + data-story-visualization-add-layout=Lägga till layoutgrupp
668 + data-story-layout-tab-placeholder-header=Denna flik används för justering av valda element och byte av layoutalternativ.
669 + data-story-layout-tab-clear-search-label=Rensa sökning
670 + data-story-layout-tab-teaser=Denna funktion är under utveckling.
671 + data-story-layout-tab-select-widgets=Widgetar
672 + canvas-widget-default-table-name=Tabell
673 + canvas-widget-default-columnChart-name=Kolumndiagram
674 + canvas-widget-default-barChart-name=Stapelldiagram
675 + canvas-widget-default-pieChart-name=Cirkeldiagram
676 + canvas-widget-default-text-name=Text
677 + canvas-widget-default-filterBar-name=Filterstyrning
678 + canvas-widget-default-scoreCard-name=Scorecard
679 + canvas-widget-default-layout-name=Layoutgrupp
680 + canvas-widget-default-lineChart-name=Linjediagram
681 + data-story-format-tab-no-annotatable-columns=Inga kommenterbara kolumner hittades
682 + data-story-format-tab-placeholder-header=Använd den här fliken för att ändra layout på din databerättelse. Du kan ändra färgerna på visualiseringar och formatera text, t.ex. stycken, justeringar och punktlistor.
683 + data-story-format-tab-create-new-annotation=Skapa ny synlig signal
684 + data-story-format-tab-select-element-to-display-options=Välj datahistoriaelement för byte av formattering
685 + data-story-format-tab-selected-element-does-not-support-formatting=Valt datahistoriaelement stödjer inte formatteringen
686 + data-story-format-tab-teaser=Denna funktion är under utveckling.
687 + confirm-revert-to-original-header=Ersätt arbetsområdet med ursprungligt arbetsområde
688 + confirm-revert-cancel=Avbryt
689 + confirm-revert-do-revert=Ersätt med ursprunglig
690 + confirm-replace-header=Importera och ersätt rapporterat arbetsområde
691 + confirm-replace-select-json=Välj en JSON-fil för att importera befintligt rapporterat arbetsområde. Alla ändringar i nuvarande arbetsplats kommer att förloras. Klicka efter uppladdning på "återställ delning och import från fil" för att använda den nya arbetsplatsen istället för den nuvarande eller avbryt för att behålla den nuvarande.

692 + confirm-replace-upload-label=Återställ delning och importera arbetsplats från fil
693 + confirm-replace-cancel-label=Avbryt
694 + attribution-algorithm-header=Attribueringsalgoritm
695 + algorithmInfoDialogTooltipText1=En automatisk attribueringsalgoritm hjälper dig nå högsta möjliga GPA för en viss UoA, med
vald REF1 och valda pooler av resultat.
696 + algorithmInfoDialogTooltipText2=Om du vill se till att vissa resultat attribueras till personer, kan du göra det genom att
låsa utmatningen manuellt på publikationssidan. Algoritmen respekterar sedan denna låsning och beräknar högsta GPA under aktuella
omständigheter.
697 + algorithmInfoDialogTooltipText3=Algoritmen fungerar enligt följande:
698 + algorithmInfoDialogTooltipText4=1. Forskare med endast ett resultat i poolen får sitt enda resultat attribuerat till sig och
resultatet tas bort från poolen.
699 + algorithmInfoDialogTooltipText5=2. Andra forskare får sina toppgraderade resultat attribuerade till sig. Om graden är densamma
prioriteras enkelgodkända resultat framför samgodkända resultat.
700 + algorithmInfoDialogTooltipText7=4. När antalet återstående ej attribuerade resultat är mindre än antalet resultat med samma
grad, väljs resultaten så att spridningen i Cat A-personal inom UoA optimeras.
701 + attribution-algorithm-cancel=Avbryt
702 + attribution-algorithm-reset=Återställ
703 + attribution-algorithm-run=Kör attribuering
704 + attribution-algorithm-last-run=Senast körd:
705 + attribution-algorithm-status=Status:
706 + attribution-cannot-run-algorithm=Attribuering kan inte köras
707 + attribution-cannot-reset=Attribuering kan inte återställas
708 + attribution-already-running=Attribueringsjobbet körs nu.
709 + attribution-not-authorized=Du saknar behörighet för utförande av denna åtgärd.
710 + attribution-error=Ett fel uppstod vid körning av jobbet.
711 + attribution-algorithm-cancel-aria-label=Knapp som avbryter attribueringsalgoritmen när den körs
712 + attribution-algorithm-reset-aria-label=Knapp som återställer attribueringsalgoritmen när den har körts
713 + attribution-algorithm-run-aria-label=Knapp som kör attribueringsalgoritmen
714 + display-table-total-count=Totalt antal
715 + display-table-total-in-percent=Totalt i procent
716 + confirm-revert-to-original-are-you-sure=Är du säker på att du vill använda arbetsområdet "{name}" med den ursprungliga
versionen?
717 + confirm-replace-are-you-sure=Genom klick på knappen nedan laddas en arbetsplats från filen till redigeraren. När den nya
arbetsplatsen har sparats ersätter den den tidigare versionen av arbetsplatsen "{name}". Observera att alla delningsinställningar
kommer att tas bort.
718 + algorithmInfoDialogTooltipText6=3. När varje forskare har attribuerats till ett resultat väljs "bäst av övriga" med början på
det starkaste resultatet där det bara finns en utgivare till vilken resultatet kan attribueras. I detta ingår resultat från
tidigare medlemmar av personalen.
719 + column-ignore-isolate-non-distinct-aggregation-on=Avaktivera distinkt aggregering (snabbare)
720 + column-ignore-isolate-non-distinct-aggregation-off=Aktivera distinkt aggregering (långsammare)
721 + logging=Loggning
722 + download=ladda ner
723 + revert-to-original=Återgå till ursprunglig

```
724 + pinned-filter-icon=Fastnålat filter-ikon
725 + pinned-filter-trash-icon=Fastnålat filterskräp-ikon
726 + themeAdjustment=Temajustering
727 + selectTargetColumn=Välj målkolumn
728 + filters=Filter
729 + legendExplanation=Förklaring
730 + apply=Tillämpa
731 + left=Vänster
732 + operator=Operatör
733 + right=Höger
734 + select-col-or-input-static-value=Välj en kolumn eller ange ett statiskt värde
735 + add-filters=Lägg till filter
736 + widget-filters=Widget-filter
737 + when-column=När kolumn
738 + or-value=Eller värde
739 + navigate-up=Navigera upp
740 + create=Skapa
741 + report-settings-subSetFetcherMergeInOrchestrator-title=Slå samman "SubSetFetchers" i orkesterarrangören (möjliggör att vissa
frågor körs tillsammans i samma SubSetFetcher, vilket kan förbättra prestandan när många frågor överlappar varandra och hämtar
information på samma plats)
742 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Aktivera sammanslagning av frågor med information på samma plats
743 + report-settings-enableDifferenceLoggingOrchestrator-title=Ersätter standard orkesterarrangör med en version som utöver att
köra frågan automatiskt kör ett antal extra frågor för att fastställa om det finns någon skillnad i resultat för isolerade/icke-
isolerade aggregeringar
744 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Aktivera differensloggning
```

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources_en.properties CHANGED

```
8 + timeline-dialog-title=Timeline
9 + timeline-dialog-description=Your window is too small to display an interactive timeline for your projects here. To view the
timeline, enlarge your window or click the button to open it in a popup.
10 + view-timeline=Open timeline
11 + timeline-dialog-close=Close dialog
```

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources_sv.properties CHANGED

```
6 - inventory-close-callout=Stäng dialog
7 - inventory-show-more=Visa mer
8 + timeline-dialog-title=Tidslinje
9 + timeline-dialog-description=För litet fönster för visning av en interaktiv tidslinje för dina projekt. Visa tidslinjen genom
att förstora fönstret eller klicka på knappen för att öppna den i ett pop-up-fönster.
```



```
10 + view-timeline=Öppna tidslinje
11 + timeline-dialog-close=Stäng dialogen
```

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources_en.properties CHANGED

```
8 + originalUser-as-user={originalName} as {name}
```

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources_sv.properties CHANGED

```
8 + originalUser-as-user={originalName} som {name}
```

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources_en.properties CHANGED

```
20 - Workflow-body-backward={fromUser} returned the workflow step to{workflowStep}:
20 + Workflow-body-created={fromUser} created new content inthe workflow step {workflowStep}:
21 + Workflow-body-backward={fromUser} returned the workflow step to {workflowStep} for:
64 - MendeleyDataSet-body-singular={countAndContent} was found in Mendeley Data
65 - MendeleyDataSet-body-plural={countAndContent} were found in Mendeley Data
65 + DataSearchDataSet-body-singular={countAndContent} was found in DataSearch
66 + DataSearchDataSet-body-plural={countAndContent} were found in DataSearch
104 - newsflo-import-personal-user-added-message-notification=You have been added to a Newsflo contentitem:
105 + newsflo-import-personal-user-added-message-notification=You have been added to new Newsflo item(s)
110 +
111 + Application-deadline-inconsistency-message-body=The {application} submission deadline differs from the {fundingOpportunity}
deadline for:
112 +
113 + dialog-close=Close dialog
```

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources_sv.properties CHANGED

```
56 - MendeleyDataSet-body-plural={countAndContent} har hittats i Mendeley-data
57 - MendeleyDataSet-body-singular={countAndContent} har hittats i Mendeley-data
84 - newsflo-import-personal-user-added-message-notification=Du har lagts till i ett Newsflo-innehållsobjekt:
84 + DataSearchDataSet-body-singular={countAndContent} hittades i DataSearch
85 + DataSearchDataSet-body-plural={countAndContent} hittades i DataSearch
86 + newsflo-import-personal-user-added-message-notification=Du har lagts till i nya Newsflo-objekt
87 + Application-deadline-inconsistency-message-body={application}Sluttidpunkten skiljer sig från {fundingOpportunity}
sluttidpunkten för:
88 + dialog-close=Stäng dialogen
```

89 + Workflow-body-created={fromUser} skapat nytt innehåll i arbetsflödesteget {workflowStep}:

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources_en.properties CHANGED

108	- cron.jobLegend=Name, User & Job:
108	+ cron.jobLegend=Name, User and Job:
124	+ cron.searchNoResult=No cron jobs match your search
163	- joblog.contentId=Content-ID:
164	+ joblog.contentId=ContentID:
275	- logging.completed=Log session completed. Click button below to download results
276	+ logging.completed=Log session completed. Click button below to download results.
290	- system-currency-country=System currency & country
291	+ system-currency-country=System currency and country
300	- authentication-mechanism-test=Test
301	+ authentication-mechanism-test=Check certificates
305	+ authentication-mechanism-failure-help=The authentication configuration is invalid.
306	+ authentication-mechanism-success-help=The authentication configuration is valid.
338	- ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ Authentication
339	- ElsevierIDPlusAuthenticationMechanism=Authenticates users byusing Elsevier's ID+
341	+ ElsevierIDPlusAuthenticationMechanism.label=Elsevier Account Authentication
342	+ ElsevierIDPlusAuthenticationMechanism=Authenticates users using theirElsevier account.

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources_sv.properties CHANGED

254	- authentication-mechanism-test=Testa
555	- oai-configuration-identifier-legend-hint="Fyll i den information du vill visa i OAI-identifieringsformatet som en del av <i>Identify</i>-svaret. OAI-PMH Implementation Guidelines innehåller ytterligare information."
554	+ oai-configuration-identifier-legend-hint=Fyll i den information du vill visa i OAI-identifieringsformatet som en del av <i>Identify</i>-svaret. OAI-PMH Implementation Guidelines innehåller ytterligare information.
561	- oai-configuration-identifier-delimiter-hint="Exempel: "" : ""
560	+ oai-configuration-identifier-delimiter-hint=Exempel: " : "
575	- ElsevierIDPlusAuthenticationMechanism.label=Acceptans av Elsevier ID+
576	- ElsevierIDPlusAuthenticationMechanism=Accepterar användare med Elseviers ID+.
574	+ cron.searchNoResult=Inga jobb i tidsföljd överensstämde med sökningen
575	+ authentication-mechanism-test=Kontrollera certifikat
576	+ authentication-mechanism-failure-help=Behörighetskontrollens konfigurering är ogiltig.
577	+ authentication-mechanism-success-help=Behörighetskontrollens konfigurering är giltig.
578	+ ElsevierIDPlusAuthenticationMechanism.label=Elsevier behörighetskontroll
579	+ ElsevierIDPlusAuthenticationMechanism=Behörighetskontrollerar användare som använder sitt Elsevier-konto.

pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources_en.properties CHANGED

```
18 + personDataCleanup.operation.name=Data cleanup
19 + personDataCleanup.title=Clean up selected fields
20 + personDataCleanup.refine.title=Select fields for cleanup
21 + personDataCleanup.refine.title.description=Selected fields will be cleaned up or set to selected options. <br/> Configure pre-
checked fields in Administrator > Persons > Data cleanup configuration.
22 + personDataCleanup.summary.warning=Important! The data will be permanently deleted and cannot be restored.
23 + personDataCleanup.error.updates.failed=Could not clean data on all selected persons
24 + personDataCleanup.error.content.update.failed=Error when cleaning fields on {content}
25 + personDataCleanup.error.content.update.skipped=No fields cleaned as there was nothing to clean - either the fields are
synchronized or already clean
26 + personDataCleanup.set.to_lowercase=set to
27 + personDataCleanup.set.to_uppercase=Set to
28 + personDataCleanup.organisation.association.info=Only supplementary information will be deleted
29 + personDataCleanup.organisation.association.info.description=The link between persons and their associated organisations will
be retained but information related to the organisation, e.g. telephone numbers, addresses, website URLs, will be deleted.
30 +
31 + exemptPersonFromDataCleanup.operation.name=Mark for data cleanup exemption
32 + exemptPersonFromDataCleanup.title=Mark for data cleanup exemption
33 + exemptPersonFromDataCleanup.refine.title=Specify data cleanup exemption period
34 + exemptPersonFromDataCleanup.refine.retention.period=Set exemption period of
35 + exemptPersonFromDataCleanup.refine.retention.period-hint=Person(s) marked for exemption will not be included in bulk data
cleanup processes during this period (once the bulk action is completed). <br/> Exemption status can be found in: <br/> Person
editor window > History and comments tab > Data cleanup policy section
36 + exemptPersonFromDataCleanup.error.updates.failed=Could not set exemption period on all selected persons
37 + exemptPersonFromDataCleanup.error.content.update.failed=Error when setting exemption period on {content}
38 +
```

pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources_sv.properties CHANGED

```
1 - #Added translations
2 - #Tue May 15 11:04:36 CEST 2018
37 + personDataCleanup.operation.name=Datarensning
38 + personDataCleanup.title=Rensar valda fält
39 + personDataCleanup.refine.title=Välj fält att rensa
40 + personDataCleanup.refine.title.description=Valda fält kommer att rensas eller ställas in för valda alternativ. <br/>
Konfigurera förmarkerade fält i Administratör > Personer > Konfigurera datarensning.
41 + personDataCleanup.summary.warning=Viktigt! Data kommer att raderas permanent och kan inte återställas.
42 + personDataCleanup.error.updates.failed=Data kunde inte rensas på alla valda personer
43 + personDataCleanup.error.content.update.failed=Fel vid rensning av fält på {content}
```

```
44 + personDataCleanup.error.content.update.skipped=Inga fält har rensats då inget fanns att rensa, fälten är antingen
    synkroniserade eller redan rensade
45 + personDataCleanup.set.to_lowercase=sätt till
46 + personDataCleanup.set.to_uppercase=Sätt till
47 + personDataCleanup.organisation.association.info=Endast tilläggsinformation kommer att raderas
48 + personDataCleanup.organisation.association.info.description=Länken mellan personer och den organisation de tillhör behålls men
    information som gäller organisationen, t.ex. telefonnummer, adresser, webbadresser, raderas.
49 + exemptPersonFromDataCleanup.operation.name=Markera för att undanta datarensning
50 + exemptPersonFromDataCleanup.title=Markera för att undanta datarensning
51 + exemptPersonFromDataCleanup.refine.title=Ange period för undantag av datarensning
52 + exemptPersonFromDataCleanup.refine.retention.period=Välj undantagsperiod för
53 + exemptPersonFromDataCleanup.refine.retention.period-hint=Personer markerade för undantag tas inte med i bulkdatarensning under
    denna period (när bulkåtgärden har avslutats). <br/> Undantagsstatus kan ses i: <br/> Personredigeringsfönster > Historik- och
    kommentarsflik > Policyavsnitt för datarensning
54 + exemptPersonFromDataCleanup.error.updates.failed=Undantagsperiod kunde inte ställas in för alla valda personer
55 + exemptPersonFromDataCleanup.error.content.update.failed=Fel vid inställning av undantagsperiod på {content}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... ADDED

```
1 + agreed-terms-group=Agreed terms
2 + agreed-terms-help=Terms that the user has agreed to
3 + agreed-terms-version=Version: {version}
4 + agreed-terms-lastlogin=Last login: {lastLogin}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... ADDED

```
1 + agreed-terms-group=Överenskomna villkor
2 + agreed-terms-help=Villkor som användaren har godkänt
3 + agreed-terms-version=Version: {version}
4 + agreed-terms-lastlogin=Senaste inloggning: {lastLogin}
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

```
76 - correspondingauthor-button=Set corresponding author
77 - removecorrespondingauthor-button=Remove corresponding author
76 + correspondingauthornote-singular-text=Note: There is already 1 other person selected as a corresponding author.
77 + correspondingauthornote-plural-text=Note: There are already {count} other persons selected as corresponding authors.
78 + correspondingAuthor=Corresponding author
```

 pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

```
58 - correspondingauthor-button=Ange motsvarande författare
59 - removecorrespondingauthor-button=Ta bort motsvarande författare
58 + correspondingauthornote-singular-text=Anm.: Det finns redan en person vald som huvudförfattare.
59 + correspondingauthornote-plural-text=Anm.: Det finns redan {count} personer valda som huvudförfattare.
60 + correspondingAuthor=Huvudförfattare
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... CHANGED

```
7 + unlinkUser=Unlink associated user
8 + cancelUnlinkUser=Cancel
9 + unlinkDisclaimer-confirm=Upon saving, this person will be unlinked from the associated user. If the user has roles in Pure in
addition to being a personal user, they will still be able to log into Pure and perform tasks according to those assigned roles.
10 + unlinkDisclaimer=If the user has roles in Pure in addition to being a personal user, they will still be able to log into Pure
and perform tasks according to those assigned roles.
11 + unlinkSyncedAssociation=You cannot manually unlink a user when the user information is synchronised from another system.
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... CHANGED

```
1 - #Added translations
2 - #Mon Dec 19 09:14:50 CET 2016
7 + unlinkUser=Bryt länk till ansluten användare
8 + cancelUnlinkUser=Avbryt
9 + unlinkDisclaimer-confirm=Efter att ha sparats kommer denna persons länk till ansluten användare att brytas. Användare som har
roller inom Pure, utöver att vara personlig användare, kommer fortfarande att kunna logga in på Pure och utföra uppgifter enligt
dessa tilldelade roller.
10 + unlinkDisclaimer=Användare som har roller inom Pure, utöver att vara personlig användare, kommer fortfarande att kunna logga
in på Pure och utföra uppgifter enligt dessa tilldelade roller.
11 + unlinkSyncedAssociation=Du kan inte bryta länken till en användare om användarinformationen synkroniseras med ett annat
system.
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources_en.p... CHANGED

```
54 - select-bulk-action=Select the bulkaction you will performfor the files
54 + select-bulk-action=Select the action you want toperform
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources_sv.p... CHANGED

```
1 - #Added translations
```

```
2 - #Thu Sep 28 10:18:46 CEST 2017
44 - select-bulk-action=Välj den bulkåtgärd du kommer att utföra för filerna
73 + select-bulk-action=Välj vilken åtgärd du vill utföra
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources_en.pr... [CHANGED]

```
6 + agreed-terms-tab=Agreed terms
7 +
8 + #AGREED TERMS
9 + agreed-terms=Agreed terms
18 - idplus-group=ID+ configuration
19 - idplus-group-help=Configuration of user access to ID+. <ul><li>This ID is used for matching a user in pure with a user
from ID+</li></ul>
22 + idplus-group=Elsevier accountconfiguration
23 + idplus-group-help=Configuration of user access to Elsevier account authentication.<ul><li>This ID is used for matching a user
in Pure with an Elsevier user account.</li></ul>
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources_sv.pr... [CHANGED]

```
32 - idplus-group=Konfiguration av ID+
33 - idplus-group-help=Konfiguration
av användaråtkomst till ID+. <ul><li>Detta ID används för att jämföra en användare i Pure med en användare från ID+</li></ul>
32 + agreed-terms-tab=Överenskomna villkor
33 + agreed-terms=Överenskomna villkor
34 + idplus-group=Konfiguration av Elsevier-konto
35 + idplus-group-help=Konfiguration av användaråtkomst till Elsevier kontoåtkomstkontroll. <ul><li>Detta ID används för att para
ihop en användare i Pure med ett användarkonto på Elsevier.</li></ul>
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsofagreement/model/editor/termso... [CHANGED]

```
15 + termsOfAgreement.information=Note: You cannot edit the text of a Terms of Agreement after it has been saved.
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsofagreement/model/editor/termso... [CHANGED]

```
1 - #Added translations
2 - #Mon Dec 19 09:14:50 CET 2016
11 + termsOfAgreement.information=Anm.: Du kan inte ändra texten i Avtalsvillkor när det har sparats.
```

pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_en.properties [CHANGED]

```
135 + inconsistentworkflow.title=Inconsistent workflow for {path} ID {id}
136 + inconsistentworkflow.message=The content you requested cannot be edited at this time
137 + inconsistentworkflow.why=Why was this page displayed?
138 + inconsistentworkflow.why.update.required=The workflow configuration for {path} is being modified by an administrator and is
not completed yet
139 + inconsistentworkflow.whatnow=Now what?
140 + inconsistentworkflow.whatnow.support=Contact support
141 + inconsistentworkflow.whatnow.close=Close this window
142 +
```

pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_sv.properties CHANGED

```
266 + inconsistentworkflow.title=Inkonsekvent arbetsflöde för {path} ID {id}
267 + inconsistentworkflow.message=Innehållet som du efterfrågade kan inte redigeras för tillfället
268 + inconsistentworkflow.why=Varför fick jag denna sida?
269 + inconsistentworkflow.why.update.required=Konfigureringen av arbetsflöde för {path} ändras för tillfället av en administratör
och är inte klart än
270 + inconsistentworkflow.whatnow=Vad gör jag nu?
271 + inconsistentworkflow.whatnow.support=Kontakta support
272 + inconsistentworkflow.whatnow.close=Stäng detta fönster
```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_en.properties CHANGED

```
1 - ssofail_title=Single Sign-On failed
2 - ssofail=Single Sign-On failed
3 - ssofail_description=You could not be logged into this service. In order to login with Single Sign-On it is necessary for the
service to know your username. Please contact IT support.<br/>If enabled for your
user you can use <a href="{login}">direct login</a>
1 + ssofail_title>Login Failed for Pure at {institutionname}
2 + ssofail>Login Failed for Pure at {institutionname}
3 + ssofail_description=You may be able to <a href="{login}">log in to Pure directly</a> if your username and password are
configured manually.<br/>Please contact your institution's local IT support if this problem persists.
4 + ssofail_footer=Pure version {versionnumber} at {institutionname}, {dateandtime}
5 - login_error_SAMLProcessingException=Communication with Single Sign-On server failed
6 - login_error_ProcessingException=Communication with Single Sign-on server failed
7 - login_error_LockedException=The account is locked
8 - login_error_UsernameNotFoundException=The user is not present in Pure
9 - login_error_BadCredentialsException=Bad credentials
10 - login_error_InsufficientAuthenticationException=User has insufficient rights to login
11 - login_error_InternallyAuthenticatedAccountStatusException=The account cannot be used for external authentication
```



```

12 - login_error_AuthenticationServiceException=An unknown systemerror occurred when processing the authentication request.
6 + login_error_SAMLProcessingException=Pure could not connectwith your institution's single sign-on server.
7 + login_error_ProcessingException=Pure could not connectwith your institution's single sign-on server.
8 + login_error_LockedException=Your useraccount is unable to access Pure.
9 + login_error_UsernameNotFoundException=Your user was not found in Pure.
10 + login_error_BadCredentialsException=Your username or password were not entered correctly.
11 + login_error_InsufficientAuthenticationException=You do not have permissionto log into Pure.
12 + login_error_InternallyAuthenticatedAccountStatusException=Your useraccount cannot be used to log into Pure.
13 + login_error_AuthenticationServiceException=An error occurred while logging in using your institution's single sign-on system.

```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_sv.properties CHANGED

```

1 - #Added translations
2 - #Mon Dec 19 09:14:50 CET 2016
3 - ssofail_title=Single-Signon-login misslyckades
4 - ssofail=Single-Signon-login misslyckades
5 - ssofail_description=Orsaken kan vara att du inte finns
registrerad i systemet. För att kunna logga in med Single-Signon måste Pure känna till ditt användarnamn och dina roller.
Kontakta IT-support
6 - login_error_SAMLProcessingException=Kommunikation med Single-Signon-servern misslyckades
7 - login_error_ProcessingException=Kommunikation med Single-Signon-servern misslyckades
8 - login_error_LockedException=Kontot är låst
9 - login_error_UsernameNotFoundException=Användaren finns inte i Pure
10 - login_error_BadCredentialsException=Fel uppgifter
11 - login_error_InsufficientAuthenticationException=Användaren har inte rättigheter att logga in
12 - login_error_InternallyAuthenticatedAccountStatusException=Kontot kan inte användas för extern autentisering
1 + ssofail_title=Inloggning misslyckades för Pure på {institutionname}
2 + ssofail=Inloggning misslyckades för Pure på {institutionname}
3 + ssofail_description=u kan eventuellt <a href="{login}">logga
in på Pure direkt</a> om dina inloggningsuppgifter har konfigurerats manuellt.</br>Kontakta IT-supporten för din installation om
problemet kvarstår.
4 + ssofail_footer=Pure-version {versionnumber} vid {institutionname}, {dateandtime}
5 + login_error_SAMLProcessingException=Pure kunde inte ansluta till din institutions gemensamma inloggningsserver.
6 + login_error_ProcessingException=Pure kunde inte ansluta till din institutions gemensamma inloggningsserver.
7 + login_error_LockedException=Ditt användarkonto har ingen åtkomst till Pure.
8 + login_error_UsernameNotFoundException=Ditt användarkonto hittades inte i Pure.
9 + login_error_BadCredentialsException=Ditt användarnamn eller lösenord har inte angivits rätt.
10 + login_error_InsufficientAuthenticationException=Du saknar behörighet för inloggning i Pure.
11 + login_error_InternallyAuthenticatedAccountStatusException=Ditt användarkonto kan inte användas för inloggning i Pure.
12 + login_error_AuthenticationServiceException=Ett fel uppstod vid inloggning med din institutions gemensamma inloggningsssystem.
13 - login_error_AuthenticationServiceException=Ett okänt systemfel uppstod vid behandling av autentiseringsbegäran.

```


pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources_en.properties CHANGED

53	- suggestedaction-message.digest_listing=View all ({count}) >
53	+ suggestedaction-message.digest_listing=View all ({count}) >
74	- workflow-message.digest_listing=View all ({count}) >
74	+ workflow-message.digest_listing=View all ({count}) >
97	- plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of technical limitations, such as large file (larger than 25 MB), password protected file, the file is not readable or file type is not supported by the anti-plagiarism system Ephorus.
97	+ plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of technical limitations, such as large file (larger than 25MB), password protected file, the file is not readable or file type is not supported by the anti-plagiarism system Ephorus.
115	- newsflo-message.velocity_title=You have been added to a Newsflo contentitem: {title}
116	- newsflo-message.velocity_subject=You have been added to aNewsflo content item: {title}
115	+ newsflo-message.velocity_title=You have been added to new Newsflo item(s)
116	+ newsflo-message.velocity_subject=Newsflo content created

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources_sv.properties CHANGED

78	- newsflo-message.velocity_title=Du har lagts till ett Newsflo innehållsartikel\: {title}
79	- newsflo-message.velocity_subject=Du har lagts till ett Newsflo innehållsartikel\: {title}
85	+ newsflo-message.velocity_title=Du har lagts till i nya Newsflo-objekt
86	+ newsflo-message.velocity_subject=Newsflo-innehåll har skapats

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources_en.properties ADDED

1	+ uptodate-subject=Pure is up to date
2	+ uptodate-body=Good news, your Pure ({currentVersion}) is up to date.\nStaying up to date helps us best support you. Check out the highlights of the release.
3	+ onebehind-subject=Pure is ready to update
4	+ onebehind-body=A new Pure version ({latestVersion}) is available, check out the highlights of the new release and consider updating.\nRight now you're running {currentVersion} - this will be supported until version {endOfLifeVersion} is released.
5	+ twobehind-subject=It's time to update your Pure
6	+ twobehind-body=A new Pure version ({latestVersion}) is available, please check out the highlights of the new release and consider updating soon.\nYour current version {currentVersion} will no longer be supported once the next version {endOfLifeVersion} is released.
7	+ threebehind-subject=Pure version out of date
8	

+ threebehind-body=Your current version ({currentVersion}) is no longer fully supported and no further issues relating to this version will be resolved.\nOnce you upgrade to version {minimumSupportedVersion} or higher, you can again benefit from full support.\nPlease contact the Pure Support Team to notify us which version you wish to upgrade to, or in case you have any questions about Elsevier's Release Policy.

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources_sv.properties **ADDED**

```
1 + uptodate-subject=Pure har uppdaterats
2 + uptodate-body=Ditt Pure ({currentVersion}) är uppdaterat. Du får bäst hjälp om miljön hålls uppdaterad. Kontrollera <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">utgåvans höjdpunkter.</a>
3 + onebehind-subject=Pure är redo för uppdatering
4 + onebehind-body=En ny version av Pure ({latestVersion}) finns, kontrollera <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">huvudnyheterna för den nya utgåvan</a> och överväg uppdatering. För tillfället kör du {currentVersion} - det finns stöd för denna tills version {endOfLifeVersion} frisläpps.
5 + twobehind-subject=Det är dags att uppdatera Pure
6 + twobehind-body=En ny version av Pure ({latestVersion}) finns, kontrollera <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">huvudnyheterna för den nya utgåvan</a> och överväg uppdatering snart. Din nuvarande version {currentVersion} kommer inte längre att stödjäs när nästa version {endOfLifeVersion} har frisläppts.
7 + threebehind-subject=Version av Pure har utgått
8 + threebehind-body=Det finns inte längre fullt stöd för din nuvarande version ({currentVersion}) och inga problem med denna version kommer att lösas. När du uppgraderar till version {minimumSupportedVersion} eller senare har du tillgång till full support igen. Kontakta <a href="mailto: pure-support@elsevier.com">Pures support</a> och meddela vilken version du vill uppgradera till eller om du har några frågor om Elseviers frisläppningspolicy.
```

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources_en.properties **CHANGED**

```
100 - support_manual=Manual
100 + support_manual=PureManual
```

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources_sv.properties **CHANGED**

```
73 - support_manual=Manual
160 + support_manual=Pure manual
```

pure-core/admin/src/main/resources/renderer/dk/atira/pure/api/shared/editor/renderers/insufficientrolesexceptionrenderers-resources_sv.pro... **CHANGED**

```
5 - error.systemdesc.header=Systemmeddelande
5
```

```
+ error.systemdesc.header=
```

```
You do not have the correct permissions to modify/save this record.\n This could be due to a "Managing organisational unit" that you do not have the right to modify managed content for.\n Try selecting a different "Managing organisational unit".
```

pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources_en.properties CHANGED

```
4 - Scopus.authentication.apiKey-label=API Key
4 + Scopus.authentication.apiKey-label=API key
42 + Scopus.use.approximated.publication.date-label=Use approximated publication date
43 + Scopus.use.approximated.publication.date-description=When set to True, Pure will import and use the Scopus-provided approximated publication date. When set to False, Pure will parse the date which Scopus has received from the journal and set the date accordingly. In some cases letting Pure handle the date parsing (configuration set to False) may yield better results. In the rare case that only the approximated date is available, Pure will use the approximated date.
44 - enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID - Notice by enabling this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles will be removed.
46 + enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID. Note: By enabling this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles will be removed.
120 - crossref.pid-description=
122 + crossref.pid-description=Email address or credentials used in the 'pid' parameter of Crossref's OpenURL request.
192 - pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster response and import. An API Key is not mandatory, but recommended. Information can be found here: https://www.ncbi.nlm.nih.gov/books/NBK25497
193 -
194 + pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster response and import. An API key is not mandatory, but recommended. Information can be found here: https://www.ncbi.nlm.nih.gov/books/NBK25497
195 + pubmed.content.api.esearch.url=URL to ESearch
196 + pubmed.content.api.efetch.url=URL to EFetch
197 + pubmed.content.api.epost.url=URL to EPost
198 + pubmed.content.api.etool.url=URL to ID converter tool
198 - EMBASE.authentication.apiKey-label=API Key
203 + EMBASE.authentication.apiKey-label=API key
```

pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources_sv.properties CHANGED

```
235 + Scopus.use.approximated.publication.date-label=Använd ungefärligt publiceringsdatum
236 + Scopus.use.approximated.publication.date-description=Vid val av Sant, importerar och använder Pure ungefärligt publiceringsdatum från Scopus. Vid val av Falskt, tolkar Pure datumet som Scopus har mottagit från journalen och väljer motsvarande datum. I vissa fall kan valet att låta Pure hantera datumtolkningen (inställning Falskt) ge bättre resultat. I sällsynta fall då endast det ungefärliga datumet finns, använder Pure detta.
```

```
237 + pubmed.content.api.esearch.url=Webbadress till ESearch
238 + pubmed.content.api.efetch.url=Webbadress till EFetch
239 + pubmed.content.api.epost.url=Webbadress till EPost
240 + pubmed.content.api.etool.url=Webbadress till ID-konverteringsverktyg
```

pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources_en.properties CHANGED

```
241 + DataSearch.label=DataSearch
242 +
332 - authorScopus=Author & affiliations in Scopus
334 + authorScopus=Author and affiliations in Scopus
364 - authorScielo=Author & affiliations in SciELO
366 + authorScielo=Author and affiliations in SciELO
418 - authorPure=Author & affiliations in Pure
420 + authorPure=Author and affiliations in Pure
513 - default-organisation-from-authors-hint=If there are no information regarding affiliations for internal authors from the
source, then the most relevant organisations from Pure are added. The strategy is as follows\(:<br/>1) Organisations that were
active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only
that organisation is added.<br/>2) If no organisations are found in 1) then presently active organisations are added unless there
is a primary organisation amongst them, then only that organisation is added.<br/>3) If no organisations are found in 2) then the
first primary organisation or just the first organisation is added.
515 + default-organisation-from-authors-hint=If there is no information regarding affiliations for internal authors from the source,
then the most relevant organisations from Pure are added. The strategy is as follows\(:<br/>1) Organisations that were active at
date of publication of the given publication are added unless there is a primary organisation amongst them, then only that
organisation is added.<br/>2) If no organisations are found in 1) then presently active organisations are added unless there is a
primary organisation amongst them, then only that organisation is added.<br/>3) If no organisations are found in 2) then the
first primary organisation or just the first organisation is added.
614 +
615 + researchoutputwizard.label=Research output import wizard
```

pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources_sv.properties CHANGED

```
535 + researchoutputwizard.label=Importwizard för forskningsoutput
536 + DataSearch.label=DataSearch
```

pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources_en.properties CHANGED

```
7 - RoMEO_apiKey-label=SHERPA/RoMEO API Key
7 + RoMEO_apiKey-label=SHERPA/RoMEO API key
35 - limitToLastStepWCSF-description=Filter content based on the current work flowstep so that only last step is allowed.
35 + limitToLastStepWCSF-description=Filter content based on the current workflow step so that only last step is allowed.
```

- 43 - aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from. Eg. {"entityId1" : "Description 1", "entityId2" : "Description 2"}
- 43 + aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from, e.g. {"entityId1" : "Description 1", "entityId2" : "Description 2"}
- 45 - aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes Eg. ELS_eduPersonPrincipalName
- 45 + aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes e.g. ELS_eduPersonPrincipalName
- 69 - elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth base URL
- 69 + elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier account OAuth base URL
- 71 - elsevieridplusauthenticationmechanism.failure-text-label=ID+ failure to authentication message
- 71 + elsevieridplusauthenticationmechanism.failure-text-label=Elsevier account failure to authenticate message
- 73 - elsevieridplusauthenticationmechanism.original-username-label=ID+ original username constant
- 73 + elsevieridplusauthenticationmechanism.original-username-label=Elsevier account original username constant
- 77 - elsevieridplusauthenticationmechanism.synchronize-label=Synchronize users with ID+
- 77 + elsevieridplusauthenticationmechanism.synchronize-label=Synchronise users with Elsevier account
- 79 - elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from PURE. Contact ID+ for assistance correcting the issue.
- 79 + elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier account original username constant (regex for post-processing of username)
- 80 + elsevieridplusauthenticationmechanism.original-username-regex-description=E.g. (?!.*@)(.*) to only extract the part after @ in e.g. some@user
- 81 + elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from Pure. Contact Elsevier for assistance correcting the issue.
- 106 + saml2authenticationmechanism.sha256-signing-label=Use SHA-256 algorithm
- 107 + saml2authenticationmechanism.sha256-signing-description=
- 123 - casauthenticationmechanism.extra_login_url_parameters-description=Any extra URL parameters that should be appended to the URL to which the user is redirected for authentication. Eg. '&p_logintype=ad&language=da'
- 127 + casauthenticationmechanism.extra_login_url_parameters-description=Any extra URL parameters that should be appended to the URL that the user is redirected to for authentication, e.g. '&p_logintype=ad&language=da'
- 150 - ldapauthenticationmechanism.user-dn-patterns-description=Semicolonseparated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'
- 154 + ldapauthenticationmechanism.user-dn-patterns-description=Semicolon-separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'.
- 474 - syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ids references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.
- 478 + syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ID references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.
- 555 - syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If there exist persons without organisational unit associations, the synchronisation will not continue and a fatal error is logged.

	+ syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If persons without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
580	-
584	+ syncjob.associationType.allowChange-label=Remove and replace organisation associations if the type has changed
585	+ syncjob.associationType.allowChange-description=Removes older association if matched with a new one of a different type. All data related to the old association is lost. A new association is made with new data from the input.
635	- syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If there exist students without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
640	+ syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If students without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
702	- syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any staffs without organisational unit associations. If there exist staffs without organisational unit associations, the synchronisation will not continue and a fatal error is logged.
707	+ syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any staff members without organisational unit associations. If staff members without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.
975	- e.g., http://scival.com/overview/summary?uri=Institution/315028
980	+ e.g. http://scival.com/overview/summary?uri=Institution/315028
1082	- pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails.
1083	- pure.mail.forced-recipient-of-all-email-excludes-description=The email addresses provided will receive an email even though the "Forces recipient of all emails" has been set. The list of email addresses must be comma-separated. E.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1087	+ pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails
1088	+ pure.mail.forced-recipient-of-all-email-excludes-description=These email addresses will receive emails even if the 'Force recipient of all emails' has been set. The list of email addresses must be comma-separated, e.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1085	- pure.mail.forced-recipient-exclude-internal-description=Enabling this option will ensure internally-managed users will receive emails even if the "Forces recipient of all emails" has been set. This option is complementary to the explicit email whitelist.
1090	+ pure.mail.forced-recipient-exclude-internal-description=Enabling this option ensures internally-managed users will receive emails even if the 'Forces recipient of all emails' has been set. This option is complementary to the explicit email whitelist.
1090	- pure.mail.from-description=This changes the from email address. This should not be changed, unless otherwise instructed by Elsevier.
1095	+ pure.mail.from-description=This changes the 'From' email address. This should not be changed, unless otherwise instructed by Elsevier.
1092	- pure.mail.reply-to-description=The reply email address on the emails sent from Pure
1097	+ pure.mail.reply-to-description=The 'Reply to' email address on the emails sent from Pure.
1097	- pure.mail.username-label=Mail host user name
1098	- pure.mail.username-description=The user name used with the mail host.
1102	+ pure.mail.username-label=Mail host username
1103	+ pure.mail.username-description=The username used with the mail host.
1101	- pure.mail.starttls.enable-label=Enable or disable STARTTLS command.

1106	+ pure.mail.starttls.enable-label=Enable or disable STARTTLS command
1103	- pure.mail.checkserveridentity-label=On will check the server identity.
1104	- pure.mail.checkserveridentity-description=If set to on, check the server identity as specified by RFC 2595.
1108	+ pure.mail.checkserveridentity-label=Check the server identity
1109	+ pure.mail.checkserveridentity-description=If set to On, check the server identity as specified by RFC 2595.
1106	- pure.mail.support-email-address-description=The support email address that appears in the Help and support section in the Pure admin.
1107	- pure.mail.connection.timeout.seconds-label=Mail connection timeout (In seconds)
1111	+ pure.mail.support-email-address-description=The support email address that appears in the 'Help and support' section in the Pure interface.
1112	+ pure.mail.connection.timeout.seconds-label=Mail connection timeout (in seconds)
1110	- pure.mail.require.logindate-label=Only send email messages to users that have been logged in to Pure
1115	+ pure.mail.require.logindate-label=Only send email messages to users that have logged into Pure
1113	- pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format -e.g. "mail.smtp.starttls.enable=true", separated with line breaks.
1118	+ pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format, e.g. "mail.smtp.starttls.enable=true", separated with line breaks.
1135	- mount.points.fullUrl.ws-label=Full URL for ws
1140	+ mount.points.fullUrl.ws-label=Full URL for WS
1145	- dspace.user-label=User name
1150	+ dspace.user-label=Username
1202	- researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advice against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.
1207	+ researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advise against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.

 pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources_sv.properties CHANGED

1310	- elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth-bas-URL
1311	- elsevieridplusauthenticationmechanism.failure-text-label=ID+-fel för acceptans av meddelande
1312	- elsevieridplusauthenticationmechanism.original-username-label=ID+ ursprungligt användarnamn oförändrat
1314	- elsevieridplusauthenticationmechanism.synchronize-label=Synkronisera användare med ID+
1315	

- elsevieridplusauthenticationmechanism.editor.clear-id-description=Om ID:t är fel kan du ta bort det från Pure. Kontakta ID+ för hjälp med felkorrigering.

1312 + elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier-konto OAuth bas-URL
1313 + elsevieridplusauthenticationmechanism.failure-text-label=Elsevier-kontot kan inte godkänna meddelande
1314 + elsevieridplusauthenticationmechanism.original-username-label=Elsevier-kontots ursprungliga användarnamn konstant
1315 + elsevieridplusauthenticationmechanism.synchronize-label=Synkronisera användare med Elsevier-konto
1316 + elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier-kontots ursprungliga användarnamn konstant (regex för efterbehandling av användarnamn)
1317 + elsevieridplusauthenticationmechanism.original-username-regex-description=T.ex. (?!.*@)(.*) för att extrahera endast delen efter @ i t.ex. some@user
1318 + elsevieridplusauthenticationmechanism.editor.clear-id-description=Om ID:t är fel kan du ta bort det från Pure. Kontakta Elsevier för hjälp med felkorrigering.
1319 + saml2authenticationmechanism.sha256-signing-label=Använd algoritm SHA-256
1320 + syncjob.associationType.allowChange-label=Ta bort och ersätt organisationsassociationer om typerna har ändrats
1321 + syncjob.associationType.allowChange-description=Ta bort äldre association om den överensstämmer med en ny av annan typ. Alla data med koppling till den gamla associeringen har förlorats. En ny association har gjorts med nya indata.
1322 + creatable-by-roles-ADMINISTRATORS_AND_EDITORS_AND_ASSISTING_EDITORS=Administratörer, redaktörer och assisterande redaktörer

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources_en.properties **CHANGED**

13 +
14 + originalUserNameAsUserName={originalUserName} as {userName}

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources_sv.properties **CHANGED**

1 - #Added translations
2 - #Mon Dec 19 09:14:50 CET 2016
11 + originalUserNameAsUserName={originalUserName} som {userName}

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources_en.properties **CHANGED**

13 + logger.grouping.elsevieridplus=Authentication - Elsevier account

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources_sv.properties **CHANGED**

13 + logger.grouping.elsevieridplus=Behörighetskontroll - Elsevier-konto

pure-core/core/src/main/resources/security/security-resources_en.properties **CHANGED**

12 - idplusMarkerRole=ID+ user
12 + idplusMarkerRole=Elsevier account

pure-core/core/src/main/resources/security/security-resources_sv.properties CHANGED

28 - idplusMarkerRole=ID+ användare
28 + idplusMarkerRole=Elsevier-konto

pure-core/model/src/main/resources/validation/validation-core-model-resources_en.properties CHANGED

9 - validation.text.defined-group=The following fields are required
9 + validation.text.defined-group=The following fields are required:
84 + statement.mimeType=The type of the uploaded file
143 - validation.issn.format-group=The following fields have ISSN numbers with invalid format. ISSN must be of the format: "nnnn-nnnn"
144 - validation.issn.format=The ISSN number is not correctly formatted, it must be of the format nnnn-nnnn
145 - validation.issn.checkdigit-group=The following fields have invalid ISSN numbers; modulus check has failed. Please check that the ISSN numbers have been entered correctly.
146 - validation.issn.checkdigit=The ISSN number is not correct, modulus check has failed. Please check that the ISSN number has been entered correctly.
144 + validation.issn.format-group=The following fields have ISSNs with an invalid format. ISSNs must have the format "nnnn-nnnn"
145 + validation.issn.format=The ISSN is not correctly formatted, it must have the format nnnn-nnnn.
146 + validation.issn.checkdigit-group=The following fields have invalid ISSNs; modulus check has failed. Please check that the ISSNs have been entered correctly.
147 + validation.issn.checkdigit=The ISSN is not correct, modulus check has failed. Please check that the ISSN has been entered correctly.
161 - validation.text.inStep=The current work flowstep can only be {expectedStepName}, but is {currentStepName}
162 + validation.text.inStep=The current workflow step can only be {expectedStepName}, but is {currentStepName}
209 - validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour
210 + validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour:
225 - validation.text.definedonobjects-group=The following fields are required
226 + validation.text.definedonobjects-group=The following fields are required:
234 - validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps has been used more than once
235 + validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps have been used more than once
240 - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps has been used in the definition
241 - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps has been used in the definition
241 + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps have been used in the definition
242 + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps have been used in the definition

```
244 - validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps has been used more than once
245 + validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps have been used more than once
285 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=The following fields contains an
incorrect keyword configuration
286 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} contains an incorrect keyword
configuration, which is only usable by {differentFamily}
328 +
329 + validation.text.limitCollectionToNotContain-group=Cannot save due to duplicate relations
330 + validation.text.limitCollectionToNotContain=You cannot use the entity '{value}' as '{field:lowercase}' because it is already
used as '{referencedFieldName}'
```

pure-core/model/src/main/resources/validation/validation-core-model-resources_sv.properties CHANGED

```
242 -
242 + temporalCoverageStartDate.year=Startår för tidsmässig täckning
243 + temporalCoverageEndDate.year=Slutår för tidsmässig täckning
244 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=Följande fält innehåller en felaktig
sökordskonfiguration
245 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} contains an incorrect keyword
configuration, which is only usable by {differentFamily}
246 + statement.mimeType=Den uppladdade filens typ
247 + validation.text.limitCollectionToNotContain-group=Kan inte sparas på grund av dubblerade relationer
248 + validation.text.limitCollectionToNotContain=Du kan inte använda entiteten '{value}' som '{field:lowercase}' eftersom den redan
används som '{referencedFieldName}'
```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources_en.properties CHANGED

```
6 +
7 + scheduledreport-failure-message.title=Failure to generate scheduled report
8 + scheduledreport-failure-message.velocity_subject=The report "{title}" failed to produce a result
9 + scheduledreport-failure-message.velocity_title=The report "{title}" failed to produce a result
10 + scheduledreport-failure-message.text=The scheduled report "{title}" executed by Pure on {date} failed to generate a result.
Contact your Pure Administrator to investigate why the scheduled report failed to produce a result. Further information can be
found in the job log (Pure > Administrator > Jobs > Job log). (You received this email because your user is the owner of the
scheduled report).
```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources_sv.properties CHANGED

```
1 - #Added translations
2 - #Mon Dec 19 09:14:50 CET 2016
5 + scheduledreport-failure-message.title=Schemalagd rapport kan inte genereras
```

```
6 + scheduledreport-failure-message.velocity_subject=Resultatrapport "{title}" kunde inte genereras
7 + scheduledreport-failure-message.velocity_title=Resultatrapporten "{title}" kunde inte genereras
8 + scheduledreport-failure-message.text=Den schemalagda rapporten "{title}" som kördes av Pure på {date} kunde inte genereras.
Kontakta din Pure-administratör för att undersöka varför den schemalagda rapporten inte kunde genereras. Mer information finns i
jobbloggen (Pure > Administratör > Jobb > Jobblogg). (Du har fått detta meddelande eftersom din användare är ägare till den
schemalagda rapporten).
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources_en.properties CHANGED

```
39 - pivot-multiple-fields-help=Data will be expanded horizontally this means that based on the data this definition may span
multiple fields and each of these fields will then be prefixed with aID.x where the x is the position of the element.
39 + pivot-multiple-fields-help=Data will be expanded horizontally -this means that based on the data this definition may span
multiple fields and each of these fields will then be prefixed with ID.x where the x is the position of the element.
62 +
63 + exported-value-was-truncated=The value in row {rowNum} was truncated.
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources_sv.properties CHANGED

```
1 - #Added translations
2 - #Mon Dec 19 09:14:50 CET 2016
45 + exported-value-was-truncated=Värdet i rad {rowNum} har avkortats.
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources_en.properties CHANGED

```
481 + preferences.maxRowsInExcelExport.label=Max rows in Excel export
482 + preferences.maxRowsInExcelExportButton.label=Save 'max rows in Excel export'
583 - visibilityAndConfidentiality=Visibility & confidentiality
585 + visibilityAndConfidentiality=Visibility and confidentiality
722 + pure-report-unable-to-load-react-mount-point-description=If the mount point configuration does not match the server address:
Ask your system administrator to check configuration of the mount point in the Administrator tab
(workspace/administrator/category/settings/configuration/mount-points/). A Pure server must know where to find the generated
Javascript to display this page. Either there is no configuration value or the server has been moved to another domain or perhaps
the mount point configuration was not updated accordingly. Still not working? Accessing Pure directly from a localhost address
will cause a mismatch in login cookies and some features will be unavailable. In this case you should go to log in to
'{mount_point}/report/start.xhtml' instead.
723 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}
724 + pure-report-unable-to-load-react-mount-point-label=Mount point
725 + pure-report-unable-to-load-react-sub-header=If you see this message it means that Pure was unable to retrieve information
needed to generate the page
726 + pure-report-unable-to-load-react-header=Failed to load Javascript files
727 +
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources_sv.properties CHANGED

- 568 + pure-report-unable-to-load-react-mount-point-description=0m konfigurationen av monteringspunkten inte överensstämmer med serveradressen: Be din systemadministratör att kontrollera konfigurationen av monteringspunkten på Administratör-fliken (arbetsplats/administratör/kategori/inställningar/konfiguration/monterings-punkter/). En Pure-server måste veta var den kan hitta genererad javascript för att visa den här sidan. Antingen finns det inget konfigurationsvärde, servern kan ha flyttats till en annan domän utan att konfigurationen av monteringspunkten har uppdaterats. Fungerar det fortfarande inte? Att logga in på Pure direkt från en lokal värdadress orsakar en felaktig matchning av inloggningscookies och vissa funktioner blir otillgängliga. I sådana fall ska du logga in på "{mount_point}/report/start.xhtml" i stället.
- 569 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}
- 570 + pure-report-unable-to-load-react-mount-point-label=Monteringspunkt
- 571 + pure-report-unable-to-load-react-sub-header=0m du ser det här meddelandet betyder det att Pure inte kunde hämta informationen som behövs för att skapa sidan
- 572 + pure-report-unable-to-load-react-header=Javascript-filer kunde inte läsas in
- 573 + preferences.maxRowsInExcelExportButton.label=Spara "maximalt antal rader i Excel-export"
- 574 + preferences.maxRowsInExcelExport.label=Maximalt antal rader i Excel-export

pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

- 6 + personalInformationShown-hint=When this is enabled, the key exposes personal information, such as gender, nationality and date of birth.
- 16 + content-group=Access to personal information
- 17 + content-group-help=Choose what content you would like to expose

pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

- 15 + personalInformationShown-hint=0m denna är aktiverad, visat nyckeln personliga uppgifter, exempelvis kön, nationalitet och födelsedatum.
- 16 + content-group=Åtkomst av personliga uppgifter
- 17 + content-group-help=Välj vilket innehåll du vill visa

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikkeym... CHANGED

- 1 - type-name=API Key
- 2 - type-name-plural=API Keys
- 3 - family-name-plural=API Keys
- 4 - family-name=API Key
- 1 + type-name=API key

```
2 + type-name-plural=API keys
3 + family-name-plural=API keys
4 + family-name=API key
6 - apiKey=API Key
6 + apiKey=API key
14 + allowedProperties=Allow access to these fields
```

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

```
1 - #Added translations
2 - #Tue May 30 14:19:59 CEST 2017
13 + allowedProperties=Tillåt åtkomst av dessa fält
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
21 - submissiondate=Submission date
21 + submissiondate=Date submitted
22 + submissiondeadline=Submission deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
17 - submissiondate=Inlämningsdatum
23 + submissiondate=Inlämningsdatum
24 + submissiondeadline=Sluttid för inlämning
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
45 + application-submission-deadline-period-legend=Application approaching submission deadline
46 + application-submission-deadline-period-hint=These settings configure the Application matrix view so that only Applications
that have a submission deadline within the chosen period are shown.
47 + application-submission-deadline-period=Submission deadline in next
48 + applicationSubmissionDeadlinePeriodOptions.ALL=All ranges
49 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=One week
50 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Two weeks
51 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=One month
52 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Three months
53 +
60 +
61 + application-submission-deadline-column=Approaching deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award...

CHANGED

```
40 + application-submission-deadline-period-legend=Applikationen närmar sig senaste inlämningstid
41 + application-submission-deadline-period-hint=Med dessa inställningar konfigureras applikationsmatrisen så att endast
    applikationer med en inlämningssluttid inom vald period visas.
42 + application-submission-deadline-period=Inlämningssluttid i nästa
43 + applicationSubmissionDeadlinePeriodOptions.ALL=Alla intervall
44 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=En vecka
45 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Två veckor
46 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=En månad
47 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Tre månader
48 + application-submission-deadline-column=Sluttid närmar sig
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a...

ADDED

```
1 + funderStatus-group=Funder status
2 + funderStatus-group-help=
3 +
4 + submissionDeadline-group=Submission deadline
5 + submissionDeadline-group-help=Enter the date that the application must be submitted by. If you associate a funding opportunity
    with this application, the deadline from the funding opportunity will be used if this date has not already been set on the
    application.
6 +
7 + same-submission-deadline-notification=Same as funding opportunity
8 + earlier-submission-deadline-notification=Earlier than funding opportunity ({{fundingOpportunityDeadline}})
9 + later-submission-deadline-notification=Later than funding opportunity ({{fundingOpportunityDeadline}})
10 + not-set-submission-deadline-notification=Defined on funding opportunity ({{fundingOpportunityDeadline}})
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a...

ADDED

```
1 + funderStatus-group=Status för finansiär
2 + submissionDeadline-group=Sluttid för inlämning
3 + submissionDeadline-group-help=Ange datum då applikationen måste vara inlämnad. Om du associerar ett finansieringstillfälle med
    denna applikation, kommer finansieringstillfallets sluttid att användas om detta datum inte redan har ställts in i applikationen.
4 + same-submission-deadline-notification=Samma som finansieringstillfälle
5 + earlier-submission-deadline-notification=Tidigare än finansieringstillfälle ({{fundingOpportunityDeadline}})
6 + later-submission-deadline-notification=Senare än finansieringstillfälle ({{fundingOpportunityDeadline}})
7 + not-set-submission-deadline-notification=Definierad på finansieringstillfälle ({{fundingOpportunityDeadline}})
```

CHANGED

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

6 + create-new-ethical-review-no-save=Create ethical review...

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

7 + create-new-ethical-review-no-save=Skapa etisk granskning...

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

1 - title=Submission date

1 + title=Date submitted

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

1 - #Added translations

2 - #Mon Dec 19 09:14:50 CET 2016

3 - title=Inlämningsdatum

5 + title=Finansieringsdatum

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

1 + title=Submission deadline

2 + noLimit=All

3 + noSubmissionDeadline=No submission deadline

4 + submissionDeadline=Submission deadline in next

5 + submissionDeadlineCustom=Submission deadline in custom date range

6 + oneWeek=One week

7 + twoWeeks= Two weeks

8 + oneMonth= One month

9 + threeMonths= Three months

10 + all= All ranges

11 + from=From

12 + to=To

13 + date=Date

14 + arrow=>

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

```
1 + title=Sluttid för inlämning
2 + noLimit=Alla
3 + noSubmissionDeadline=Ingen sluttid för inlämning
4 + submissionDeadline=Inlämningsluttid i nästa
5 + submissionDeadlineCustom=Inlämningsluttid i valt datumintervall
6 + oneWeek=En vecka
7 + twoWeeks=Två veckor
8 + oneMonth=En månad
9 + threeMonths=Tre månader
10 + all=Alla intervall
11 + from=Från
12 + to=Till
13 + date=Datum
14 + arrow=>
```

 pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
31 +
32 + applicationdeadlineinconsistency.title=Inconsistent submission deadline dates
```

 pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
28 + applicationdeadlineinconsistency.title=Stämmer inte med slutdatum för inlämning
```

 pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

```
1 - submissionDate=Submission date
1 + submissionDate=Date submitted
2 + submissionDeadline=Deadline
10 - funderStatus-group=Funder status
11 - funderStatus-group-help=
12 -
```

 pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

```
1 - submissionDate=Inlämningsdatum
7 - funderStatus-group=Status för finansiär
8 - funderStatus-group-help=...
```



```
10 + submissionDate=Inlämningsdatum
11 + submissionDeadline=Deadline
```

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources_en.proper... CHANGED

```
1 - applicationOrderBySubmissionDate.label=Submission date
1 + applicationOrderBySubmissionDate.label=Date submitted
2 + applicationOrderByApproachingSubmissionDeadline.label=Approaching deadline
```

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources_sv.propert... CHANGED

```
1 - #Added translations
2 - #Tue May 30 14:19:59 CEST 2017
9 - applicationOrderBySubmissionDate.label=Inlämningsdatum
21 + applicationOrderBySubmissionDate.label=Inlämningsdatum
22 + applicationOrderByApproachingSubmissionDeadline.label=Sluttid närmar sig
```

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... CHANGED

```
55 - newsflo.api.token-legend=Vendor configuration: Newsflo API Key
56 - newsflo.api.token-description=The API Key for use with the API.
55 + newsflo.api.token-legend=Vendor configuration: Newsflo API key
56 + newsflo.api.token-description=The API key for use with the API.
64 +
65 + newsflo.api.clienttoken-legend=Vendor configuration: Newsflo Client Token
66 + newsflo.api.clienttoken-description=The client token to use with the API.
```

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... CHANGED

```
1 - #Added translations
2 - #Mon Oct 08 11:01:28 CEST 2018
57 + newsflo.api.clienttoken-legend=Leverantörskonfigurering: Newsflo klientkod
58 + newsflo.api.clienttoken-description=Klientkoden som ska användas med API:n.
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration... ADDED

```
1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=DataSearch integration
```

3 + datasearch-configuration-header-description=In this configuration page you can set up integration with DataSearch to automatically source Dataset content.

4 + what-is-datasearch-disclosure-header=What is the DataSearch integration

5 + what-is-datasearch-disclosure=Enabling the integration with DataSearch will automatically create Dataset content (associated with relevant Persons and Organisations) in Pure. Relations with Research Outputs will also automatically be created, where available.</br></br><p>Enabling the DataSearch integration below will turn on the 'DataSearch: Import Datasets' job, and set it to run on a weekly basis. The settings can be changed in the 'Administrator > Jobs > Cron Job Scheduling' menu.</p>

6 + datasearch-integration-legend=DataSearch integration

7 + toggle-datasearch-hint=Turn on the DataSearch integration to source existing and future Dataset content.
Turn off the DataSearch integration to pause the integration and prevent new Dataset content being populated in Pure.

8 + datasearch-integration-label=DataSearch integration

9 + datasearch-configuration-save=Save

10 + datasearch-configuration-refresh=Refresh

11 + datasearch-institution-id-label=Institution IDs

12 + datasearch-institution-id-hint=Enter a comma-separated list of your institution's InstitutionID and ScopusID to find Datasets from DataSearch.

13 + datasearch-missing-institution-id-error-text=An institution ID is required before enabling the DataSearch integration

14 + datasearch-missing-default-managing-organisation-error-text=The default managing organisation is required before enabling the DataSearch integration

15 + datasearch-workflow-legend=Dataset workflow settings

16 + toggle-datasearch-workflow-hint=When the DataSearch integration is enabled, the Datasets imported automatically will be set in the workflow step configured below. Already imported Datasets will not be affected.

17 + clear-rejected-candidates-legend=Rejected candidates

18 + clear-rejected-candidates-hint=It is possible to clear any rejected candidates using the button below. Note: All previously rejected candidates will be cleared. The action is not reversible.

19 + rejected-candidates-will-be-cleared-message=rejected candidates will be cleared

20 + clear-rejected-candidates-label=Clear rejected candidates

21 + datasearch-default-organisation-legend=Default managing organisation

22 + datasearch-default-managing-organisation=Default managing organisation

23 + datasearch-default-managing-organisation-hint=This organisation will be used for candidates where a managing organisation could not be determined

24 + datasearch-enable-workflow-recommendation=It is recommended to enable workflow for datasets

25 + datasearch-clear-reject-candidate-dialogue-description=Are you sure you want to clear these rejected candidates?
 The action cannot be undone.

26 + datasearch-vendorfields-label=Specific fields only visible to the Elsevier vendor user

27 + datasearch-apiurl-label=API URL

28 + datasearch-apikey-label=API Key

29 + datasearch-apikey-description=Key for Elsevier DataSearch API.

30 + datasearch-pagesize-label=Page size

31 + datasearch-pagesize-description=Number of Datasets to include in each API request.

32 + datasearch-sources=DataSearch sources

33 + datasearch-sources-hint=A comma-separated list of sources to limit DataSearch to. Leave blank to not limit DataSearch sources. Source names must match the exact source names in DataSearch.

```
34 + datasearch-show-sources=Show available sources
35 + datasearch-available-sources=The following sources are available through DataSearch
36 + datasearch-invalid-source=One or more of the entered sources did not match a source in DataSearch.
37 + datasearch-failed-to-get-sources=Pure failed to get the list of sources from DataSearch and will therefore not validate the
    sources.
38 + delete-button=Confirm
39 + cancel-button=Cancel
```

 pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration... ADDED

```
1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=DataSearch-integrering
3 + datasearch-configuration-header-description=På den här konfigurationssidan kan du ställa in integration med DataSearch för
    automatisk hämtning av Dataset-innehåll.
4 + what-is-datasearch-disclosure-header=Vad är DataSearch-integrationen
5 + what-is-datasearch-disclosure=När integration med Mendeley är aktiverat kommer datauppsättningsinnehåll att skapas i Pure
    automatiskt, associerade med relevanta personer och organisationer. Relationer med efterforskningsresultat kommer också att
    skapas om tillgängligt.</br></br><p>Genom aktivering av DataSearch-integrering nedan slås "DataSearch" på: Importera
    datauppsättningarnas jobb och ställ in på kör på veckovis basis. Inställningarna kan ändras i menyn "Adminstratörer > Jobb > Kron
    jobbschemaläggning".</p>
6 + datasearch-integration-legend=DataSearch-integrering
7 + toggle-datasearch-hint=<b>Slå på</b> DataSearch-integrering för att hämta befintliga och framtida datauppsättningsinnehåll.
    <br/><b>Stäng av</b> DataSearch-integrering för att göra uppehåll i integreringen och hindra att nya datauppsättningsinnehåll
    fylls i i Pure..
8 + datasearch-integration-label=DataSearch-integrering
9 + datasearch-configuration-save=Spara
10 + datasearch-configuration-refresh=Uppdatera
11 + datasearch-institution-id-label=Institutions-ID:n
12 + datasearch-institution-id-hint=Ange en kommaseparerad lista av din institutions InstitutionID och ScopusID för att hitta
    datauppsättningar från DataSearch.
13 + datasearch-missing-institution-id-error-text=Ett institutions-ID krävs för att aktivera integration av DataSearch
14 + datasearch-missing-default-managing-organisation-error-text=Förvald hanterande organisation krävs för att aktivera integration
    av DataSearch
15 + datasearch-workflow-legend=Inställningar för datauppsättningens arbetsflöde
16 + toggle-datasearch-workflow-hint=Om integration av DataSearch är aktiverat kommer datauppsättningarna som importerar
    automatiskt sättas i nedanstående konfigurerings arbetsflödessteg. Redan importerade datauppsättningarna kommer inte att
    påverkas.
17 + clear-rejected-candidates-legend=Avvisade kandidater
18 + clear-rejected-candidates-hint=Alla avvisade kandidater kan rensas med knappen nedan. Anm.: Alla tidigare avvisade kandidater
    kommer att rensas. Åtgärden går inte att ångra.
19 + rejected-candidates-will-be-cleared-message=avvisade kandidater kommer att rensas
20 + clear-rejected-candidates-label=Rensa avvisade kandidater
21 + datasearch-default-organisation-legend=Standard ledande organisation
```

```
22 + datasearch-default-managing-organisation=Standard ledande organisation
23 + datasearch-default-managing-organisation-hint=Den här organisationen kommer att användas för kandidater när en ledande
organisation inte kunde fastställas
24 + datasearch-enable-workflow-recommendation=Det rekommenderas att du aktiverar arbetsflöde för datauppsättningar
25 + datasearch-clear-reject-candidate-dialogue-description=Är du säker på att du vill rensa de här avvisade kandidaterna? <br> Man
kan inte ångra åtgärden.
26 + datasearch-vendorfields-label=Specifika fält endast synliga för Elsevier-leverantörsanvändare
27 + datasearch-apiurl-label=API url
28 + datasearch-apikey-label=API-nyckel
29 + datasearch-apikey-description=Nyckel för Elsevier DataSearch-API.
30 + datasearch-pagesize-label=Sidstorlek
31 + datasearch-pagesize-description=Antal datauppsättningar att inkludera i varje API-förfrågan.
32 + datasearch-sources=DataSearch-källor
33 + datasearch-sources-hint=En kommaseparerad lista av källor som DataSearch begränsas till. Lämna tomt för att inte begränsa
DataSearch-källor. Källnamn måste överensstämma med exakt källnamn i DataSearch.
34 + datasearch-show-sources=Visa tillgängliga källor
35 + datasearch-available-sources=Följande källor är tillgängliga genom DataSearch
36 + datasearch-invalid-source=En eller flera av angivna källor motsvarar inte med en källa i DataSearch.
37 + datasearch-failed-to-get-sources=Pure kunde inte hämta listan av källor från DataSearch och validerar därför inte källorna.
38 + delete-button=Bekräfta
39 + cancel-button=Avbryt
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

```
12 - mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found <a target="_blank"
href="https://data.mendeley.com/institutions">here</a> (requires Mendeley Data Institutional Edition subscription)
12 + mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found <a target="_blank"
href="https://service.elsevier.com/app/contact/supporthub/mendeley/">here</a> (requires Mendeley Data Institutional Edition
subscription)
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

```
14 - mendeley-data-institution-id-hint=Ange ditt institutions-ID från Mendeley, vilket kan hittas <a target="_blank" href="https
://data.mendeley.com/institutions">här</a> (kräver prenumeration på Mendeley Data Institutional Edition)
14 + mendeley-data-institution-id-hint=Ange ditt institutions-ID från Mendeley, vilket kan hittas <a target="_blank" href="https
://service.elsevier.com/app/contact/supporthub/mendeley/">här</a> (kräver prenumeration på Mendeley Data Institutional Edition)
```


pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

```
3 - header-dataset-mendeley-all=List of import candidates from Mendeley Datanot currently in Pure. \
```

```

4 - The datasets with the label Updated denotes datasets already in Pure, where the author(s) and/or the organisational unit have
changed in Mendeley Data. \
3 + header-dataset-datasearch-all=List of import candidates from DataSearch not currently in Pure. \
4 + The label 'Updated' denotes datasets already in Pure, where the author(s) and/or the organisational unit have changed in
DataSearch. \
6 - You can limit the result list using the drop down above to show either all, new import candidates or updated candidates
7 - mendeleyDataSetCandidateColumn=Import candidates
8 - mendeleyDataSetCandidateGroup=Mendeley import candidates for Dataset
9 - header-mendeley-dataset-text=Last Mendeley Dataimport occurred: {lastJobExecutionDate} {jobError} - the next import will
happen at: {nextJobExecutionDate}
10 - header-mendeley-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 - header-mendeley-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 - header-mendeley-dataset-date-not-available=N/A
13 - mendeley-dataset-task-group-name=Mendeley dataset candidates
6 + You can limit the result list using the drop down above to show either all, new import candidates or updated candidates.
7 + dataSearchDataSetCandidateColumn=Import candidates
8 + dataSearchDataSetCandidateGroup=DataSearch import candidates for Dataset
9 + header-datasearch-dataset-text=Last DataSearch import occurred: {lastJobExecutionDate} {jobError} - the next import will
happen at: {nextJobExecutionDate}
10 + header-datasearch-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 + header-datasearch-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 + header-datasearch-dataset-date-not-available=N/A
13 + datasearch-dataset-task-group-name=DataSearch dataset candidates
16 - datasetauthorMendeleyData=People in Mendeley Data
17 - datasetorganisationMendeleyData=Institutions in Mendeley Data
16 + datasetauthorDataSearch=People in DataSearch
17 + authorDataSearch=People in DataSearch
18 + datasetorganisationDataSearch=Institutions in DataSearch

```

 pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

```

1 - #Added translations
2 - #Tue May 30 14:19:59 CEST 2017
5 - mendeleyDataSetCandidateColumn=Importkandidater
6 - mendeleyDataSetCandidateGroup=Mendeleys importkandidater för datauppsättningar
7 - header-mendeley-dataset-text=Senaste Mendeley Dataimport genomfördes\: {lastJobExecutionDate} {jobError} - nästa import kommer
genomföras\: {nextJobExecutionDate}
8 - header-mendeley-dataset-job-error=(<span class=\"jobs_error\">med fel, se logg</span>)
9 - header-mendeley-dataset-date-not-available=Ej tillämpligt
10 - mendeley-dataset-task-group-name=Kandidater för Mendeley datauppsättningar
13 - datasetauthorMendeleyData=Personer i Mendeley Data
14 - datasetorganisationMendeleyData=Institutioner i Mendeley Data

```

```

19 - header-mendeley-dataset-job-warning=(

```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources_en.prop... CHANGED

```

1 - mendeleyDataSetImportJob-label=Mendeley Data: Import Datasets
2 - mendeleyDataSetImportJob-description=Imports Datasets from Mendeley Datafor the given institution.
1 + dataSearchDataSetImportJob-label=DataSearch: Import Datasets
2 + dataSearchDataSetImportJob-description=Imports Datasets from DataSearch for the given institution.


```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources_sv.prop... CHANGED

```

1 - #Added translations
2 - #Tue May 30 14:19:59 CEST 2017
1 + dataSearchDataSetImportJob-label=DataSearch: Importera datauppsättningar
2 + dataSearchDataSetImportJob-description=Importerar datauppsättningar från DataSearch för den givna institutionen.
3 - mendeleyDataSetImportJob-label=Mendeley Data\ : Importera datauppsättningar
4 - mendeleyDataSetImportJob-description=Importerar datauppsättningar från Mendeley Data för den givna institutionen

```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

```

7 - widgetFactory.dataset_top_contributors.name=Top dataset contributors
7 + widgetFactory.dataset_top_contributors.name=No. of datasets by employee

```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

```
1 - #Added translations
2 - #Mon Dec 19 09:14:50 CET 2016
7 - widgetFactory.dataset_top_contributors.name=Flest dataset
5 + widgetFactory.dataset_top_contributors.name=Antal datauppsättning per anställd
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modul... CHANGED

```
3 - mendeleydataset-message.title=Dataset candidates from Mendeley
3 + searchDataataset-message.title=Dataset candidates from DataSearch
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modu... CHANGED

```
1 - #Added translations
2 - #Tue May 30 14:19:59 CEST 2017
14 - mendeleydataset-message.title=Kandidater för datauppsättning från Mendeley
12 + searchDataataset-message.title=Datauppsättningskandidater från DataSearch
```

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... CHANGED

```
61 - mendeleycategories=Mendeley categories
61 + searchDatacategories=DataSearch categories
```

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... CHANGED

```
1 - #Added translations
2 - #Wed Sep 26 12:20:31 CEST 2018
52 - mendeleycategories=Mendeleykategorier
52 + searchDatacategories=DataSearch-kategorier
```

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

```
3 + contactExpert-group=Contact Expert
12 - persons.personContactLink-hint=The portal will replace {id} with the person's ID and the {name} with the person's name.
13 + persons.personContactLink-hint=Note:The Pure will replace {id} with the person's ID and the {name} with the person's name.
25 + persons.enableContactExpert=Enable 'Contact Expert' button
```


pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

24 + contactExpert-group=Kontakta expert
25 + persons.enableContactExpert=Aktivera kontakta expert

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

88 - campus-ip-ranges=CampusIP ranges
88 + campus-ip-ranges=IP rangesfor campus network visibility
89 + campus-ip-ranges-help=Define one or more IP ranges for visibility of content for campus network. Multiple ranges must be comma-separated, e.g. x.x.x.x - x.x.x.x, x.x.x.x - x.x.x.x
92 - campus-ip-ranges-help=
103 + enableContactExpert=Enable 'Contact Expert' button
104 + contactByUrl=An external web link
105 + contactByForm=Pure's default 'Contact Expert' web form
106 + howToContactExperts='Contact expert' button opens:
107 + contactFormReceiver=Default recipient email address of contact requests via Pure's web form:
108 + contactFormOrganisations=The email address associated with the organisational unit itself (Organisational unit editor window > Metadata > Electronic addresses > Emails)
109 + contactFormResearchers=The email address associated with the organisational affiliation on the person (Person editor window > Metadata > Organisational affiliations)
110 + contactFormEmailHint=If the person does not have an email address available on the organisational affiliation, the email will be sent to the email address associated with the organisational unit.
111 + contactLink=Contact link URL
112 + contactLinkHint=Note: The Pure will replace {id} with the person's ID and the {name} with the person's name.

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

86 - campus-ip-ranges=Campus IP-intervaller
86 + campus-ip-ranges=Synlighet förIP-intervall för campusnätverk
109 + enableContactExpert=Aktivera kontakta expert
110 + contactByUrl=En extern webblänk
111 + contactByForm=Pure:s förvalda webbformulär för kontakta expert
112 + howToContactExperts=Knappen Kontakta expert öppnar:
113 + contactFormReceiver=Förvalda mottagares mejladress för kontaktförfrågningar via Pure:s webbformulär:
114 + contactFormOrganisations=Mejladressen som är associerad med organisationsenheten (Organisationsenhets redaktörsfönster > Metadata > Organisationssamarbeten > Mejladresser)
115 + contactFormResearchers=Den mejladress som är associerad med organisationssamarbeten om personen (Persons redaktörsfönster > Metadata > Organisationssamarbeten)
116

+ contactFormEmailHint=Om personen inte har en mejladress tillgänglig på organisationssamarbeten, skickas meddelanden till den mejladress som är knuten till organisationsenheten.

117 + contactLink=Kontaktlänk-URL

118 + contactLinkHint=Anm.: Pure ersätter {id} med personens ID och {name} med personens namn.

pure-modules/ddp-module/templates/bundled/src/main/resources/renderers/portalng-rendering-resources_en.properties CHANGED

1772 - temporalissn/family-name-plural=ISSN numbers

1772 + temporalissn/family-name-plural=ISSNs

1776 - temporalissn/type-name-plural=ISSN numbers

1776 + temporalissn/type-name-plural=ISSNs

2728 - highlightedcontentconfiguration/description-body>Select some of your content to highlight (by default, the newest content is used). The list is shown on\:

2728 + highlightedcontentconfiguration/description-body>Select some of your content to highlight (the newest content is used by default). The list is shown on\:

2739 + dataset/dataSearchcategories=DataSearch categories

2740 + documentlinkextensionaccessrenderportal/render-format-embargoEndDate=\\!Embargo End Date

2741 + documentlinkextensionaccessrenderportal/render-format-file=\\!File

2742 + documentlinkextensionaccessrenderportal/render-format-license=\\!Licence

2743 + documentlinkextensionaccessrenderportal/render-format-type=\\!Type

2744 + documentsattachedportalrenderportal/render-format-file=\\!File

2745 + journal/links=Journal website

2746 + organisationancestorsrenderportal/ended=\\!Former organisational unit

2747 + organisationancestorsrenderportal/taken-over=\\!Taken over by

2748 + person/dataCleanupExemptionEndDate=Data cleanup exemption end date

2749 + person/organisationAssociations.supervisedByRelations=Supervision

2750 + personcontactbuttonrenderportal/expert_contact_button=\\!Contact Expert

2751 + personexternalpositionsrenderportal/external_positions=\\!External positions

2752 + personorganisationcontactrenderportal/email=\\!Email

2753 + personorganisationcontactrenderportal/phone=\\!Phone

2754 + personorganisationcontactrenderportal/website=\\!Website

2755 + personsocialmediaorcidrenderportal/scopusProfile=\\!View Scopus Profile

2756 + personsocialmediarenderportal/scopusProfile=\\!View Scopus Profile

2757 + studentthesisdocument/show-documentLicense=Show licence

2758 + ueoexternalorganisation/contactAddress.subdivision=Subdivision

2759 + studentthesis/DOIs=DOIs

2760 + studentthesis/DOIs-type-name=DOI

2761 + studentthesis/ISMN=ISMN

2762 + studentthesis/abstract=Abstract

2763 + studentthesis/activityRelations=Activities

2764 + studentthesis/activityRelations-add=Add activity...

2765 + studentthesis/annualReportSelected=Selected for annual report
2766 + studentthesis/author=Author
2767 + studentthesis/awardDate=Date of Award
2768 + studentthesis/awardDate.year=Year of Award
2769 + studentthesis/awardingInstitution=Awarding Institution
2770 + studentthesis/bibliographicalNote=Bibliographical note
2771 + studentthesis/bibliometrics=Bibliometrics
2772 + studentthesis/claim-action=Mine - claim content
2773 + studentthesis/clippingRelations=Press/Media
2774 + studentthesis/clippingRelations-add=Add press/media...
2775 + studentthesis/clippingRelations-title=Find and select press/media
2776 + studentthesis/dateOfProcessingBibliometric=Date of bibliometric processing
2777 + studentthesis/disclaim-action=Not mine - disclaim content
2778 + studentthesis/displayInOthersPublicationList=Show in other persons' publication lists
2779 + studentthesis/documents=Documents
2780 + studentthesis/edition=Edition
2781 + studentthesis/electronicISBNs=ISBN (Electronic)
2782 + studentthesis/equipmentRelations=Facilities/Equipment
2783 + studentthesis/equipmentRelations-add=Add equipment...
2784 + studentthesis/family-count=Total
2785 + studentthesis/family-count-no-documents-sherpa=RoMEO colours without documents
2786 + studentthesis/family-count-with-documents=With documents
2787 + studentthesis/family-count-without-documents=Without documents
2788 + studentthesis/family-documents-visibility=Document visibility
2789 + studentthesis/family-name=Student thesis
2790 + studentthesis/family-name-plural=Student theses
2791 + studentthesis/family-with-documents={family} with documents
2792 + studentthesis/family-with-suggested-actions=Claimed/disclaimed publications
2793 + studentthesis/filter.family.mycontent=My student theses
2794 + studentthesis/generatePDF=Generate front page for uploaded PDF files
2795 + studentthesis/groupAuthor=Group author
2796 + studentthesis/handleNet=Handle.net
2797 + studentthesis/id=Internal-ID
2798 + studentthesis/impactRelations=Impacts
2799 + studentthesis/impactRelations-add=Add impact...
2800 + studentthesis/journal=Journal
2801 + studentthesis/journalNumber=Journal number
2802 + studentthesis/keywords=User-defined keywords
2803 + studentthesis/language=Original language
2804 + studentthesis/librarianKeywordContainers=Library Keywords
2805 + studentthesis/librarianKeywords=Keywords
2806 + studentthesis/links=URLs

2807 + studentthesis/links-type-name=URL
2808 + studentthesis/numberOfPages=Number of pages
2809 + studentthesis/organisations=Organisations
2810 + studentthesis/organisations-mark-as-primary=Set placement
2811 + studentthesis/organisations-primary=Placement
2812 + studentthesis/owner=Placement
2813 + studentthesis/pending-publication=Pending publications
2814 + studentthesis/pending-researchoutput=Pending research output
2815 + studentthesis/persons=Author
2816 + studentthesis/persons-singular=Author
2817 + studentthesis/persons.name=Author name
2818 + studentthesis/placeOfPublication=Place of Publication
2819 + studentthesis/printISBNs=ISBN (Print)
2820 + studentthesis/projectRelations=Projects
2821 + studentthesis/projects=Projects
2822 + studentthesis/publicationDate=Publication date
2823 + studentthesis/publicationDate.day=Day
2824 + studentthesis/publicationDate.month=Month
2825 + studentthesis/publicationDate.year=Year
2826 + studentthesis/publicationStatus=Publication status
2827 + studentthesis/publicationYear=Publication year
2828 + studentthesis/publisher=Publisher
2829 + studentthesis/qualification=Qualification name
2830 + studentthesis/relatedPublications=Research Outputs
2831 + studentthesis/researchOutputRelations=Research Outputs
2832 + studentthesis/researchOutputRelations-add=Add research output...
2833 + studentthesis/searchplaceholder=Search for student thesis...
2834 + studentthesis/sponsors=Sponsors
2835 + studentthesis/subTitle=Subtitle of the thesis in original language
2836 + studentthesis/supervisors=Supervisor
2837 + studentthesis/title=Title of the thesis in original language
2838 + studentthesis/translatedSubtitle=Translated subtitle of the thesis
2839 + studentthesis/translatedTitle=Translated title of the thesis
2840 + studentthesis/type-name=Student thesis
2841 + studentthesis/type-name-plural=Student theses
2842 + studentthesis/typeClassification=Qualification level
2843 + studentthesis/view-publications-by-action=View publications by
2844 + studentthesis/volume=Volume
2845 + studentthesis/yearSubmitted=Submission year
2846 + studentthesisdocument/embargoReason-label=Embargo reason
2847 + studentthesisrelationsrenderportal/clipping-relations=Press/Media
2848 + studentthesisrelationsrenderportal/researchoutput-relations=Research Outputs

pure-modules/ddp-module/templates/bundled/src/main/resources/renderer/portalng-rendering-resources_sv.properties CHANGED

```
2739 + dataset/dataSearchcategories=DataSearch-kategorier
2740 + documentlinkextensionaccessrenderportal/render-format-embargoEndDate=Slutdatum för embargo
2741 + documentlinkextensionaccessrenderportal/render-format-file=Fil
2742 + documentlinkextensionaccessrenderportal/render-format-license=Licens
2743 + documentlinkextensionaccessrenderportal/render-format-type=Typ
2744 + documentsattachedportalrendererng/render-format-file=Fil
2745 + journal/links=Journalwebbplats
2746 + organisationancestorsrenderportal/ended=Före detta organisation
2747 + organisationancestorsrenderportal/taken-over=Tagits över av
2748 + person/dataCleanupExemptionEndDate=Slutdatum för undantag av datarensning
2749 + person/organisationAssociations.supervisedByRelations=Handledning
2750 + personcontactbuttonrenderportal/expert_contact_button=Kontakta expert
2751 + personexternalpositionsrendererdportal/external_positions=Externa befattningar
2752 + personorganisationcontactrenderportal/email=E-postadress
2753 + personorganisationcontactrenderportal/phone=Telefon
2754 + personorganisationcontactrenderportal/website=Webbplats
2755 + personsocialmediaorcidrenderportal/scopusProfile=Visa Scopus-profil
2756 + personsocialmediarenderportal/scopusProfile=Visa Scopus-profil
2757 + studentthesisdocument/show-documentLicense=Visa licens
2758 + ueoexternalorganisation/contactAddress.subdivision=Underavdelning
```

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderin... ADDED

```
1 + render-format-license=Licence
2 + render-format-type=Type
3 + render-format-file=File
4 + render-format-embargoEndDate=Embargo End Date
```

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderin... ADDED

```
1 + render-format-license=Licens
2 + render-format-type=Typ
3 + render-format-file=Fil
4 + render-format-embargoEndDate=Slutdatum för embargo
```

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderi... ADDED

1 + render-format-file=File

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderi... ADDED

1 + render-format-file=Fil

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

5 + fingerprintSelectionModified=Fingerprint selection changed date

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

1 - #Added translations

2 - #Mon Dec 19 09:14:50 CET 2016

7 + fingerprintSelectionModified=Ändrat datum genom fingeravtrycksval

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

1 + fundingDiscoveryProfiles=Funding profiles

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

1 + fundingDiscoveryProfiles=Insamlingsprofiler

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources_en.prope... CHANGED

4 + configuration.authentication=Authentication

5 + configuration.login=Login

6 + configuration.logout=Logout

11 + client-key=Client Key

13 + login-failed=Login failed

14 + error-details=Details

15 + close=Close

16 + test-failed=Test failed

17 + test-success=Test successful

18 + status.test=Test connection

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources_sv.proper... CHANGED

```
9 + configuration.authentication=Autentisering
10 + configuration.login=Inloggning
11 + configuration.logout=Logga ut
12 + client-key=Klientnyckel
13 + login-failed=Inloggningen misslyckades
14 + error-details=Detaljer
15 + close=Stäng
16 + test-failed=Test misslyckades
17 + test-success=Test genomfört
18 + status.test=Testanslutning
```

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

```
3 + authentication-configuration-label=Authentication configuration
4 -
```

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

```
4 + authentication-configuration-label=Konfigurering av behörighetskontroll
```

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

```
1 + oauth-group=OAuth
2 + oauthUrl=URL
3 + oauthClientId=Client ID
4 + oauthClientSecret=Secret
5 + cognito-group=Cognito
6 + cognitoPoolId=Pool ID
7 + cognitoRegion=Region
```

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

```
1 + oauth-group=OAuth
2 + oauthUrl=Webbadress
3 + oauthClientId=Klient-ID
4 + oauthClientSecret=Hemligt
```

```
5 + cognito-group=Anonym
6 + cognitoPoolId=Pool-ID
7 + cognitoRegion=Region
```

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

```
166 + category-proposals=Proposals
171 - category-state.dates=Dates
173 + category-status.dates=Dates
174 + category-status.dates.fullDate=Full date
175 + category-status.dates.year=Year
176 + category-status.dates.month=Month
177 + category-status.dates.day=Day
343 + count-contributors-internal-person=Number of internal persons
539 + validation-dataset-annotation-is-missing-a-column-reference-id=Formatting of column with ref={annotationId} is missing a
reference column id, it uses value={value}
540 + validation-dataset-annotation-operator-no-longer-exists=Formatting of column with ref={annotationId} is using an unsupported
operator={operator} and will revert to default
542 - report.standard.user.assignable.roles-description=An overview of the user role assignment across organisational units
550 + report.standard.user.assignable.roles-description=An overview of the user role assignments across organisational units
```

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

```
236 - category-state.dates=Datum
498 + category-proposals=Förslag
499 + category-status.dates=Datum
500 + category-status.dates.fullDate=Fullständigt datum
501 + category-status.dates.year=År
502 + category-status.dates.month=Månad
503 + category-status.dates.day=Datum
504 + count-contributors-internal-person=Antal interna personer
505 + validation-dataset-failure-to-parse=Inmatad datauppsättning kunde inte tolkas: '{message}'.
506 + validation-dataset-no-series=Inga serier definierade i datauppsättning.
507 + validation-dataset-annotation-is-missing-a-column-reference-id=Formatering av kolumn med ref={annotationId} saknar en
referenskolumn-id, och använder value={value}
508 + validation-dataset-annotation-operator-no-longer-exists=För formatering av kolumn med ref={annotationId} används en operator=
{operator} som inte stöds. Formatering återställs till förvald
```

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

66	- project-series-names=Series names
66	+ project-publication-series-names=Series name
67	+ project-publication-series-no=Series number
92	- project-issn-(electronic)=ISSN (Electronic)
93	+ project-publication-series-issn-electronic=ISSN (Electronic)
94	- project-issn-print=ISSN (print)
95	+ project-publication-series-issn-print=ISSN (print)

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

118	- project-issn-(electronic)=ISSN (elektroniskt)
118	+ project-publication-series-issn-electronic=ISSN (elektroniskt)
120	- project-issn-print=ISSN (tryckt)
120	+ project-publication-series-issn-print=ISSN (tryckt)
165	- project-series-names=Serienamn
165	+ project-publication-series-names=Serienamn
197	+ filter-submission-year=Registreringsår
198	+ project-publication-series-no=Serienummer
199	+ project-submission-year=Registreringsår

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

28	-
28	+ project-terms-of-agreement=Terms of agreement

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

29	+ project-userrole=Användarroller (inkl. systemroller)
30	+ project-terms-of-agreement=Avtalsvillkor

pure-modules/studentproject-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/studentproject/external/model/st... CHANGED

74	+
75	+ handleNet=Handle.net

pure-modules/studentproject-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/studentproject/external/model/st... CHANGED

63	+
----	---

64 + handleNet=Handle.net

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

95 + create-award-from-application-no-save=Create award...
99 + create-application-from-application-no-save=Create another application...
103 + create-upmproject-from-application-no-save=Create project...
112 + add-organisationassociation-button=Add co-managing organisation...
113 + new-organisationassociation-panel-title=Add co-managing organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

90 + create-award-from-application-no-save=Nytt forskningsmedel...
91 + create-application-from-application-no-save=Skapa en ansökning till...
92 + create-upmproject-from-application-no-save=Nytt projekt...
93 + add-organisationassociation-button=Lägg till samledande organisation...
94 + new-organisationassociation-panel-title=Lägg till samledande organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

78 + create-ethicalreview-from-award-no-save=Create ethical review...
126 + create-award-from-award-no-save=Create another award...
130 + create-award-from-application-no-save=Create award...
134 + create-application-from-award-no-save=Create application...
138 + create-upmproject-from-award-no-save=Create project...
147 + add-organisationassociation-button=Add co-managing organisation...
148 + new-organisationassociation-panel-title=Add co-managing organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

115 + create-ethicalreview-from-award-no-save=Skapa etisk granskning...
116 + create-award-from-award-no-save=Skapa ett forskningsmedel till...
117 + create-award-from-application-no-save=Nytt forskningsmedel...
118 + create-application-from-award-no-save=Ny ansökan...
119 + create-upmproject-from-award-no-save=Nytt projekt...
120 + add-organisationassociation-button=Lägg till samledande organisation...
121 + new-organisationassociation-panel-title=Lägg till samledande organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
70 + create-upmproject-from-project-no-save=Create another project...
80 + create-award-from-project-no-save=Create award...
84 + create-application-from-project-no-save=Create application...
101 +
102 + add-organisationassociation-button=Add co-managing organisation...
103 + new-organisationassociation-panel-title=Add co-managing organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
70 + create-upmproject-from-project-no-save=Akapa ett till projekt...
71 + create-award-from-project-no-save=Nytt forskningsmedel...
72 + create-application-from-project-no-save=Ny ansökan...
73 + add-organisationassociation-button=Lägg till samledande organisation...
74 + new-organisationassociation-panel-title=Lägg till samledande organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... [ADDED]

```
1 + title=Co-managing organisational unit
2 + selected.organisations=Selected organisations
3 + please.select=Please select one or more organisations below to filter
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... [ADDED]

```
1 + title=Samledande organisationsenhet
2 + selected.organisations=Valda organisationer
3 + please.select=Välj en eller flera organisationer nedan att filtrera
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... [ADDED]

```
1 + title=Co-managing organisation associated
2 + yes=Co-managing organisation associated
3 + no=No co-managing organisation associated
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... [ADDED]

```
1 + title=Samledande organisation ansluten
```

- 2 + yes=Samledande organisation ansluten
- 3 + no=Ingen samledande organisation ansluten

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources_en.pr... CHANGED

- 145 + coManagingOrganisations-legend=Enable co-managing organisations
- 146 + coManagingOrganisations-enabled=Enable feature of co-managing organisations on applications, awards and projects. When a given organisation is added as a 'co-managing' organisation to the content, editors and assisting editors from these organisations can help maintain the information of the content. The helping editors can edit all properties but not move content back/forward in workflow.
- 147 + coManagingOrganisations-enabled-true=Enabled
- 148 + coManagingOrganisations-enabled-false=Disabled
- 149 +

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources_sv.pro... CHANGED

- 235 + coManagingOrganisations-legend=Aktivera samledande organisationer
- 236 + coManagingOrganisations-enabled=Aktivera egenskap för samledande organisationer på applikationer, belöningar och projekt. När en viss organisation läggs till som "samledande" organisation i innehållet, kan redaktörer och assisterande redaktörer från dessa organisationer hjälpa till att underhålla informationsinnehållet. Assisterande redaktörer kan redigera alla egenskaper men inte flytta innehåll till/från arbetsflödet.
- 237 + coManagingOrganisations-enabled-true=Aktiverad
- 238 + coManagingOrganisations-enabled-false=Inaktiverad

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul... CHANGED

- 360 +
- 361 + syncjob.award.usingNIHAwardsService-label=Using NIH Awards Service.
- 362 + syncjob.award.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.
- 363 + syncjob.upmproject.usingNIHAwardsService-label=Using NIH Awards Service.
- 364 + syncjob.upmproject.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul... CHANGED

- 321 +
- 322 + syncjob.award.usingNIHAwardsService-label=!!Using NIH Awards Service.
- 323 + syncjob.award.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

324 + syncjob.upmproject.usingNIHAwardsService-label=!!Using NIH Awards Service.
325 + syncjob.upmproject.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

16 + overviewapplicationapprovalroute=My approver and checker tasks
54 + coManagingOrganisations=Co-managing organisational units

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

67 + overviewapplicationapprovalroute=Mina godkännande- och kontrolluppgifter
68 + coManagingOrganisations=Ledande organisationsenheter

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

1 + coManagingOrganisations=Co-managing organisational units

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

1 + coManagingOrganisations=Ledande organisationsenheter

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

3 + awardFunder=Funding Body
4 + choose=Select funding body...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

5 + awardFunder=Finansieringsorgan
6 + choose=Välj finansieringsorgan...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

3 + awardNatureOfActivityType=Nature of Activity
4 + choose=Select nature of activity...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

- 5 + awardNatureOfActivityType=Aktivitetens karaktär
- 6 + choose=Välj aktivitetens karaktär...

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

- 43 + filter-co-managing-organisations=Co-managing organisational unit
- 44 + filter-has-co-managing-organisation=Co-managing organisation associated
- 45 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
- 46 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
- 47 +
- 62 -
- 67 + project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

- 82 + filter-co-managing-organisations=Samledande organisationsenhet
- 83 + filter-has-co-managing-organisation=Samledande organisation ansluten
- 84 + filter-has-co-managing-organisation-TRUE=Samledande organisation ansluten
- 85 + filter-has-co-managing-organisation-FALSE=Ingen samledande organisation ansluten
- 86 + project-co-managing-organisations=Samledande organisationer

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

- 86 + filter-co-managing-organisations=Co-managing organisational unit
- 87 + filter-has-co-managing-organisation=Co-managing organisation associated
- 88 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
- 89 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
- 90 +
- 136 + project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

- 167 + filter-co-managing-organisations=Samledande organisationsenhet
- 168 + filter-has-co-managing-organisation=Samledande organisation ansluten
- 169 + filter-has-co-managing-organisation-TRUE=Samledande organisation ansluten
- 170 + filter-has-co-managing-organisation-FALSE=Ingen samledande organisation ansluten

171 + project-co-managing-organisations=Samledande organisationer

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

53 + filter-co-managing-organisations=Co-managing organisational unit
54 + filter-has-co-managing-organisation=Co-managing organisation associated
55 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
56 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
57 +
116 + project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

105 + filter-co-managing-organisations=Samledande organisationsenhet
106 + filter-has-co-managing-organisation=Samledande organisation ansluten
107 + filter-has-co-managing-organisation-TRUE=Samledande organisation ansluten
108 + filter-has-co-managing-organisation-FALSE=Ingen samledande organisation ansluten
109 + project-co-managing-organisations=Samledande organisationer

pure-templates/admin-templates/src/main/resources/META-INF/resources/automaticimportupdateconfiguration-resources_en.properties CHANGED

3 - enable-search-for-import-candidates-headline=Search for import candidates
4 - enable-search-for-import-candidates-label=Enable Search for import candidates job
5 - enable-search-for-import-candidates-description=Enable Search for import candidates job
3 + enable-search-for-import-candidates-headline=Search for Import Candidates
4 + enable-search-for-import-candidates-label=Enable Search for Import Candidates
5 + enable-search-for-import-candidates-description=Enable Search for Import Candidates job

pure-templates/admin-templates/src/main/resources/META-INF/resources/automaticimportupdateconfiguration-resources_sv.properties CHANGED

15 - available-updates-configuration-locked="Konfigurationen är för närvarande låst för utvärdering av nya och/eller modifierade regler och, om nödvändigt, behandling av data. Gå till <i>Administratör > Jobb > Jobblogg</i> för att kontrollera jobbets status. När det är slutfört kan du lägga till eller modifiera regler."
15 + available-updates-configuration-locked="Konfigurationen är för närvarande låst för utvärdering av nya och/eller modifierade regler och, om nödvändigt, behandling av data. Gå till <i>Administratör > Jobb > Jobblogg</i> för att kontrollera jobbets status. När det är slutfört kan du lägga till eller modifiera regler."

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources_en.properties CHANGED

37 + summary-content-errors=Problems occurred while processing {count} pieces of content

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources_sv.properties CHANGED

1 - #Added translations

2 - #Mon Dec 19 09:14:50 CET 2016

41 + summary-content-errors=Problem uppstod vid behandling av {count}delar av innehållet

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED

69 + add-link-button=Add website...

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED

1 - #Added translations

2 - #Tue May 30 14:19:59 CEST 2017

55 + add-link-button=Lägg till webbplats...

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... CHANGED

106 + orcid-config-not-valid=Orcid is not configured correctly. Contact your local Pure Administrator to check the ORCID configuration page and upload a valid output mapping XML file.

169 +

170 + dataRetentionPolicy-group=Data cleanup policy

171 + retainPersonalData=Exempt personal data from cleanup

172 + retainPersonalData-yes=Yes

173 + retainPersonalData-no=No

174 + retentionPeriod=Exempt from cleanup until

175 +

176 + highlighted-content-group=Highlighted content

177 + fundingprofiles-group=Funding profiles

178 + fingerprints-group=Fingerprints

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... CHANGED

144 + dataRetentionPolicy-group=Datarensningpolicy

145 + retainPersonalData=Undanta personuppgifter från rensning

146 + retainPersonalData-yes=Ja

147 + retainPersonalData=no=Nej
148 + retentionPeriod=Undantag från rensning till
149 + highlighted-content-group=Markerat innehåll
150 + fundingprofiles-group=Insamlingsprofiler
151 + fingerprints-group=Fingeravtryck
152 + orcid-config-not-valid=Orcid är inte korrekt konfigurerat. Kontakta lokal Pure-administratör för kontroll av ORCID:s konfigurationssida och uppladdning av en giltig mappnings-XML-fil för utmatning.

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... CHANGED

7 - info-group-help=Select original language; the language that the current contribution is written in. The Title field is required.
7 + info-group-help=Select original language (the language that the current contribution is written in). The Title field is required.
161 - corresponding-author-association-button=Set corresponding author
162 - remove-corresponding-author-association-button=Remove corresponding author

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... CHANGED

137 - corresponding-author-association-button=Ange motsvarande författare
138 - remove-corresponding-author-association-button=Ta bort motsvarande författare

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

1 + title=Exempted from data cleanup
2 + showDataCleanupExemptions=Only show exempted persons
3 + hideDataCleanupExemptions=Hide persons exempted from cleanup

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

1 + title=Undantagna från datarensning
2 + showDataCleanupExemptions=Visa endast undantagna personer
3 + hideDataCleanupExemptions=Dölj personer som undantagits från rensning

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

1 + time-since-former=Time since former
2 + former-for-at-least=Former for at least

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

- 1 + time-since-former=Tid sedan tidigare
- 2 + former-for-at-least=Tidigare för minst

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources_en.properties CHANGED

- 27 + fundingopportunity-import-wizard=Funding opportunity

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources_sv.properties CHANGED

- 1 - #Added translations
- 2 - #Mon Jan 15 14:26:08 CET 2018
- 27 + fundingopportunity-import-wizard=Finansieringstillfälle


pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources_en.properties ADDED

- 1 + person-access=Person access grace period
- 2 + person-access-legend=Grace period configuration
- 3 + person-access-hint=Institutions may require non-active persons/users to access Pure to fulfill policy requirements and ensure data is updated. Administrators can specify grace periods for staff and student persons/users that are no longer active. General access rights set by an institution's single sign-on (SSO) policies supersede any grace periods set below.
- 4 + person-access-note=Note: ALL staff and students will be affected.
- 5 + grace-period-days-staff=Staff grace period (in days)
- 6 + grace-period-days-staff-hint=This setting determines how many days staff will retain their Pure access rights after they are non-active
- 7 + grace-period-days-student=Student grace period (in days)
- 8 + grace-period-days-student-hint=This setting determines how many days students will retain their Pure access rights after they are non-active
- 9 + refresh=Refresh
- 10 + save=Save


pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources_sv.properties ADDED

- 1 + refresh=Uppdatera
- 2 + save=Spara
- 3 + person-access=Anstånds period för persons åtkomst
- 4 + person-access-legend=Konfigurering av anståndsperiod

```
5 + person-access-hint=Institutioner kan kräva att icke aktiva personer/användare använder Pure för att uppfylla policykrav och
tillförsäkra att data uppdateras. Administratörer kan specificera anståndsperioder för personal och studenter/användare som inte
längre är aktiva. Allmän åtkomsträttigheter som sätts av en institutions policy för gemensam inloggning (SSO) ersätter alla
anståndsperioder som väljs nedan.
6 + person-access-note=Anm.: Alla anställda och studenter påverkas.
7 + grace-period-days-staff=Personals anståndsperiod (i dagar)
8 + grace-period-days-staff-hint=Denna inställning bestämmer hur många dagar personal behåller sin Pure-åtkomst efter att de
blivit icke-aktiva
9 + grace-period-days-student=Studenters anståndsperiod (i dagar)
10 + grace-period-days-student-hint=Denna inställning bestämmer hur många dagar studenter behåller sin Pure-åtkomst efter att de
blivit icke-aktiva
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources_en.properties ADDED

```
1 + persondatacleanupconfiguration=Data cleanup configuration
2 +
3 + savedfilter-legend=Default values for saved filter 'Personal data cleanup'
4 + savedfilter-hint=Select which default values to include in the filters that are part of the saved filter 'Personal data
cleanup'.
5 + savedfilter-note=You must log out and log in again for the changes to appear.
6 +
7 + affiliationperiod-legend=Affiliation period
8 + exemptionperiod-label=All person affiliations must be former for at least
9 + exemptionperiod.ONE_MONTH=One month
10 + exemptionperiod.THREE_MONTHS=Three months
11 + exemptionperiod.SIX_MONTHS=Six months
12 + exemptionperiod.ONE_YEAR=One year
13 +
14 + employmenttype-legend=Type
15 + employmenttype-label=Include the following type of staff
16 + staff=Staff
17 + student=Student
18 + visitingScholar=Visiting scholar
19 +
20 + fieldstodelete-legend=Standard list of fields to delete
21 + fieldstodelete-hint=Select the default preset values to delete in the bulk action
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources_sv.properties ADDED

```
1 + persondatacleanupconfiguration=Konfiguration av datarensning
2 + savedfilter-legend=Standardvärden för sparad filter "Rensning av personuppgifter"
```

```
3 + savedfilter-hint=Välj vilka standardvärden som ska ingå i filter som ingår i sparad filter "Rensning av personuppgifter".
4 + affiliationperiod-legend=Affilieringsperiod
5 + exemptionperiod-label=Anslutningsperiod
6 + exemptionperiod.ONE_MONTH=En månad
7 + exemptionperiod.THREE_MONTHS=Tre månader
8 + exemptionperiod.SIX_MONTHS=Sex månader
9 + exemptionperiod.ONE_YEAR=Ett år
10 + employmenttype-legend=Typ
11 + employmenttype-label=Inkludera följande typ av personal
12 + staff=Personal
13 + student=Student
14 + visitingScholar=Gästforskare
15 + fieldstodelete-legend=Standardlista av fält som ska raderas
16 + fieldstodelete-hint=Välj de förvalda värdena för att radera i bulkåtgärden
17 + savedfilter-note=!!You must log out and log in again for the changes to appear.
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources_en.proper... CHANGED

```
20 - upload-instruction.secondpart=Once the files has been uploaded you can proceed to the next step in the wizard where the data
in the XML will be validated against the xsd files.
20 + upload-instruction.secondpart=Once the files have been uploaded you can proceed to the next step in the wizard where the data
in the XML will be validated against the XSD files.
98 - xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the
mandatory elements are present verify if the ordering of the elements is as specified in the xsd.
98 + xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the
mandatory elements are present verify if the ordering of the elements is as specified in the XSD.
114 - supportedfile.errors=The import found files that it cannot import (See supported namespace in the xsd), please see the
documentation on how to generate the files or remove them from the upload screen:
114 + supportedfile.errors=The import found files that it cannot import (see supported namespace in the XSD), please see the
documentation on how to generate the files or remove them from the upload screen:
248 +
249 + FundingOpportunities=Funding opportunities
250 + verify.header.type.FundingOpportunities=Funding opportunity type
251 + verify.header.count.FundingOpportunities=Number of Funding opportunities
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources_sv.proper... CHANGED

```
225 + FundingOpportunities=Finansieringsmöjligheter
226 + verify.header.type.FundingOpportunities=Typ av finansieringsmöjlighet
227 + verify.header.count.FundingOpportunities=Antal finansieringsmöjligheter
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources_en.properties CHANGED

```
97 + fundingopportunity.xsd.description=XML schema file (fundingopportunity.xsd)
98 + fundingopportunity.simple.example.description=Simple examples file (fundingopportunity-simple-examples.xml)
99 + fundingopportunity.advanced.example.description=Advanced example file (fundingopportunity-advanced-example.xml)
100 +
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources_sv.properties CHANGED

```
1 - #Added translations
2 - #Mon Jan 15 14:26:08 CET 2018
72 + fundingopportunity.xsd.description=XML-Schemafil (fundingopportunity.xsd)
73 + fundingopportunity.simple.example.description=Fil med enkla exempel (fundingopportunity-simple-examples.xml)
74 + fundingopportunity.advanced.example.description=Avancerad exempelfil (user-advanced-example.xml)
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources_en.properties CHANGED

```
27 + personal.overview.downloads.publication.tooltip={citations} downloads
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources_sv.properties CHANGED

```
22 + personal.overview.downloads.publication.tooltip={citations} hämtningar
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... CHANGED

```
50 +
51 + globalsyncimport-header=Global sync/import configurations
52 + integrations-global-sync-import-configuration=Global sync/import
53 + globalsyncimport.pureIdFallBackEnabled-label=Enable Pure ID match
54 + globalsyncimport.pureIdFallBackEnabled-legend=
55 + globalsyncimport.pureIdFallBackEnabled-description=Enabling this feature will make it possible for the synchronizations in Pure to be able to match on Pure IDs on associations.\n This means that if you have manually added an association to a piece of content in Pure and you provide the Pure ID as the association ID in the import data (view/xml), the synchronisation will take ownership of it and update it accordingly. Use this feature with caution. \n Supported synchronizations: All synchronizations prefaced with 'Configurable' except the Award, Project and Application synchronisation.
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... CHANGED

```
36 + globalsyncimport-header=Konfigurering av global synk/import
37 + integrations-global-sync-import-configuration=Global synk/import
38 + globalsyncimport.pureIdFallbackEnabled-label=Aktivera Pure-ID-korrelation
39 + globalsyncimport.pureIdFallbackEnabled-description=Aktivering av denna funktion gör att synkroniseringar i Pure kan korrelera med Pure-ID:n på associationer. Det betyder att, om du manuellt har lagt till en associering till ett innehållselement i Pure och du ger Pure-ID som associations-ID i importdata (visa/xml), synkroniseringen kommer att hämta sitt ägarskap och uppdatera det motsvarande. Använd denna funktion med försiktighet. Stödda synkroniseringar: Alla synkroniseringar med "Konfigurerbar" utom synkronisering av Pris, Projekt och Applikation.
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources_en.pro... CHANGED

```
37 - ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external
organisation. Separate each extension by ','
37 + ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external
organisations. Separate each extension by ','
58 + contentCorrection.correct.family.Person-label=Correct persons
59 + contentCorrection.correct.family.PreservedReportDefinition-label=Correct preserved report definitions
60 + contentCorrection.correct.family.ConferenceSeries-label=Correct conference series
61 + contentCorrection.correct.family.Publisher-label=Correct publishers
62 + contentCorrection.correct.family.Semester-label=Correct semesters
63 + contentCorrection.correct.family.StudentProject-label=Correct student projects
64 + contentCorrection.correct.family.StudentThesis-label=Correct student thesis
65 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Correct terms of agreement configurations
66 + contentCorrection.correct.family.MessageTemplate-label=Correct message templates
67 + contentCorrection.correct.family.User-label=Correct users
68 + contentCorrection.correct.family.EditableMessageBundle-label=Correct editable message bundles
69 + contentCorrection.correct.family.CurriculumVitae-label=Correct curriculum vitae
70 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Correct content import search definitions
71 + contentCorrection.correct.family.TermsOfAgreement-label=Correct terms of agreement
72 + contentCorrection.correct.family.Suggestion-label=Correct suggestions
73 + contentCorrection.correct.family.Project-label=Correct projects
74 + contentCorrection.correct.family.PreservedContent-label=Correct preserved content information objects
75 + contentCorrection.correct.family.Message-label=Correct message
76 + contentCorrection.correct.family.Organisation-label=Correct organisational units
77 + contentCorrection.correct.family.PublicationSuggestedAction-label=Correct research output claim/disclaims
78 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Correct permanent store collection configurations
79 + contentCorrection.correct.family.TemporaryFileInformation-label=Correct temporary file information objects
80 + contentCorrection.correct.family.ImportResult-label=Correct import result objects
81 + contentCorrection.correct.family.Clipping-label=Correct press/media
82 + contentCorrection.correct.family.Event-label=Correct events
83 + contentCorrection.correct.family.Publication-label=Correct research output
84 + contentCorrection.correct.family.UserFilterModel-label=Correct user filter models
```

85 + contentCorrection.correct.family.Activity-label=Correct activities
86 + contentCorrection.correct.family.ExternalOrganisation-label=Correct external organisations
87 + contentCorrection.correct.family.UserProfile-label=Correct user profiles
88 + contentCorrection.correct.family.Sticky-label=Correct stickies
89 + contentCorrection.correct.family.Journal-label=Correct journals
90 + contentCorrection.correct.family.ClassificationScheme-label=Correct classification schemes
91 + contentCorrection.correct.family.Education-label=Correct educations
92 + contentCorrection.correct.family.Award-label=Correct awards
93 + contentCorrection.correct.family.Thesauri-label=Correct thesauri
94 + contentCorrection.correct.family.EmailQueueEntry-label=Correct email queue entries
95 + contentCorrection.correct.family.PhDThesis-label=Correct PhD theses
96 + contentCorrection.correct.family.ExternalPerson-label=Correct external persons
97 + contentCorrection.correct.family.MeasurementMetrics-label=Correct measurement metrics
98 + contentCorrection.correct.family.Prize-label=Correct prizes
99 + contentCorrection.correct.family.EthicalReview-label=Correct ethical reviews
100 + contentCorrection.correct.family.AggregatedContentIdSet-label=Correct aggregated content ID sets
101 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Correct user supporter role configurations
102 + contentCorrection.correct.family.Fingerprint-label=Correct fingerprints
103 + contentCorrection.correct.family.FileHandle-label=Correct filehandles
104 + contentCorrection.correct.family.Course-label=Correct courses
105 + contentCorrection.correct.family.UEOExternalOrganisation-label=Correct external organisations
106 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Correct customer-defined workflow configurations
107 + contentCorrection.correct.family.AwardMilestone-label=Correct milestones
108 + contentCorrection.correct.family.Concept-label=Correct concepts
109 + contentCorrection.correct.family.UPMProject-label=Correct UPM projects
110 + contentCorrection.correct.family.SystemMessage-label=Correct system messages
111 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Correct preserved customer-defined workflow definitions
112 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Correct workflow step configurations
113 + contentCorrection.correct.family.Impact-label=Correct impacts
114 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Correct research performance indicators
115 + contentCorrection.correct.family.SemanticGroup-label=Correct semantic groups
116 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Correct keyword group configurations
117 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Correct organisation research performance objectives
118 + contentCorrection.correct.family.PreservedRendering-label=Correct preserved renderings
119 + contentCorrection.correct.family.ContentIdSet-label=Correct content ID sets
120 + contentCorrection.correct.family.AwardCluster-label=Correct award clusters
121 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Correct preserved report export configurations
122 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Correct milestones templates
123 + contentCorrection.correct.family.DataSet-label=Correct datasets
124 + contentCorrection.correct.family.FundingOpportunity-label=Correct funding opportunities

```
125 + contentCorrection.correct.family.ApplicationCluster-label=Correct application clusters
126 + contentCorrection.correct.family.BFIPublication-label=Correct BFI publications
127 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Correct preserved dashboard widgets
128 + contentCorrection.correct.family.Application-label=Correct applications
129 + contentCorrection.correct.family.Specialisation-label=Correct specialisation
130 + contentCorrection.correct.family.PersistentJobState-label=Correct persistent job states
```

 pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources_sv.pro... CHANGED

```
53 + contentCorrection.correct.family.Person-label=Korrigera personer
54 + contentCorrection.correct.family.PreservedReportDefinition-label=Korrigera reserverade rapportdefinitioner
55 + contentCorrection.correct.family.ConferenceSeries-label=Korrigera konferensserier
56 + contentCorrection.correct.family.Publisher-label=Korrigera publicerare
57 + contentCorrection.correct.family.Semester-label=Korrigera semestrar
58 + contentCorrection.correct.family.StudentProject-label=Korrigera studentprojekt
59 + contentCorrection.correct.family.StudentThesis-label=Korrigera studentarbeten
60 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Korrigera avtalsvillkorskonfigurationer
61 + contentCorrection.correct.family.MessageTemplate-label=Korrigera meddelandemallar
62 + contentCorrection.correct.family.User-label=Korrigera användare
63 + contentCorrection.correct.family.EditableMessageBundle-label=Korrigera redigerbara meddelandeomgångar
64 + contentCorrection.correct.family.CurriculumVitae-label=Korrigera meritlistor
65 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Korrigera sökdefinitioner för innehållsimport
66 + contentCorrection.correct.family.TermsOfAgreement-label=Korrigera avtalsvillkor
67 + contentCorrection.correct.family.Suggestion-label=Korrigera förslag
68 + contentCorrection.correct.family.Project-label=Korrigera projekt
69 + contentCorrection.correct.family.PreservedContent-label=Korrigera reserverade innehållsinformationsobjekt
70 + contentCorrection.correct.family.Message-label=Korrigera meddelande
71 + contentCorrection.correct.family.Organisation-label=Korrigera organisationsenheter
72 + contentCorrection.correct.family.PublicationSuggestedAction-label=Korrigera hävdade/förnekade forskningsresultat
73 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Korrigera permanenta konfigurationer av
lagringsinsamling
74 + contentCorrection.correct.family.TemporaryFileInformation-label=Korrigera temporära filinformationsobjekt
75 + contentCorrection.correct.family.ImportResult-label=Korrigera importresultatobjekt
76 + contentCorrection.correct.family.Clipping-label=Korrigera press/media
77 + contentCorrection.correct.family.Event-label=Korrigera händelser
78 + contentCorrection.correct.family.Publication-label=Korrigera undersökningsresultat
79 + contentCorrection.correct.family.UserFilterModel-label=Korrigera användarfiltermodeller
80 + contentCorrection.correct.family.Activity-label=Korrigera aktiviteter
81 + contentCorrection.correct.family.ExternalOrganisation-label=Korrigera externa organisationer
82 + contentCorrection.correct.family.UserProfile-label=Korrigera användarprofiler
83 + contentCorrection.correct.family.Sticky-label=Korrigera besvärliga
```


84 + contentCorrection.correct.family.Journal-label=Korrigera journaler
85 + contentCorrection.correct.family.ClassificationScheme-label=Korrigera klassificeringsscheman
86 + contentCorrection.correct.family.Education-label=Korrigera utbildningar
87 + contentCorrection.correct.family.Award-label=Korrigera belöningar
88 + contentCorrection.correct.family.Thesauri-label=Korrigera thesauri
89 + contentCorrection.correct.family.EmailQueueEntry-label=Korrigera lämnad e-postfråga
90 + contentCorrection.correct.family.PhdThesis-label=Korrigera doktorsavhandling
91 + contentCorrection.correct.family.ExternalPerson-label=Korrigera externa personer
92 + contentCorrection.correct.family.MeasurementMetrics-label=Korrigera mätenheter
93 + contentCorrection.correct.family.Prize-label=Korrigera vinster
94 + contentCorrection.correct.family.EthicalReview-label=Korrigera etiska genomgångar
95 + contentCorrection.correct.family.AggregatedContentIdSet-label=Korrigera aggregerade innehålls-ID-uppsättningar
96 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Korrigera användarstödkonfigurationer
97 + contentCorrection.correct.family.Fingerprint-label=Korrigera fingeravtryck
98 + contentCorrection.correct.family.FileHandle-label=Korrigera filhandtag
99 + contentCorrection.correct.family.Course-label=Korrigera kurser
100 + contentCorrection.correct.family.UEOExternalOrganisation-label=Korrigera externa organisationer
101 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Korrigera kunddefinierade arbetsflödekonfigurationer
102 + contentCorrection.correct.family.AwardMilestone-label=Korrigera milstolpar
103 + contentCorrection.correct.family.Concept-label=Korrigera koncept
104 + contentCorrection.correct.family.UPMProject-label=Korrigera UPM-projekt
105 + contentCorrection.correct.family.SystemMessage-label=Korrigera systemmeddelanden
106 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Korrigera reserverade kunddefinierade arbetsflödedefinitioner
107 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Korrigera arbetsflödets stegkonfigurationer
108 + contentCorrection.correct.family.Impact-label=Korrigera påverkan
109 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Korrigera forskningskvalitetsindikatorer
110 + contentCorrection.correct.family.SemanticGroup-label=Korrigera semantiska grupper
111 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Korrigera konfigurationer av nyckelordsgrupper
112 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Korrigera organisations forskningskvalitetsmål
113 + contentCorrection.correct.family.PreservedRendering-label=Korrigera reserverade renderingar
114 + contentCorrection.correct.family.ContentIdSet-label=Korrigera innehålls-ID-uppsättningar
115 + contentCorrection.correct.family.AwardCluster-label=Korrigera belöningskluster
116 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Korrigera reserverade rapportexportkonfigurationer
117 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Korrigera milstolpmallar
118 + contentCorrection.correct.family.DataSet-label=Korrigera datauppsättningar
119 + contentCorrection.correct.family.FundingOpportunity-label=Korrigera finansieringsmöjligheter
120 + contentCorrection.correct.family.ApplicationCluster-label=Korrigera ansökningskluster
121 + contentCorrection.correct.family.BFIPublication-label=Korrigera BFI-publikationer
122 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Korrigera reserverade instrumentpanel-widjetar
123 + contentCorrection.correct.family.Application-label=Korrigera applikationer

124 + contentCorrection.correct.family.Specialisation-label=Korrigerade specialisering
125 + contentCorrection.correct.family.PersistentJobState-label=Korrigerade bestående arbetssituationer

pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources_en.properties CHANGED

4 + former-persons-for-cleanup=Personal data cleanup

pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources_sv.properties CHANGED

6 + former-persons-for-cleanup=Personuppgiftsrensning

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources_en.properties CHANGED

38 + links=Journal website

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources_sv.properties CHANGED

34 + links=Journalwebbplats

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources_en.properties CHANGED

27 + organisationAssociations.supervisedByRelations=Supervision
103 +
104 + dataCleanupExemptionEndDate=Data cleanup exemption end date

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources_sv.properties CHANGED

86 + organisationAssociations.supervisedByRelations=Handledning
87 + dataCleanupExemptionEndDate=Slutdatum för undantag av datarensning

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources_en.pro... CHANGED

140 + handleNet=Handle.net
141 +

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources_sv.prop... CHANGED

95 + handleNet=Handle.net

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... [CHANGED]

1 + show-documentLicense=Show licence

2 +

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... [CHANGED]

4 + show-documentLicense=Visa licens

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... [CHANGED]

35 + contactAddress.subdivision=Subdivision

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... [CHANGED]

38 + contactAddress.subdivision=Underavdelning

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... [ADDED]

1 + links.journal.description=Types of links for Journal

2 + links.journal.website=Website

3 + links.journal.website.description=Link to the journal website

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... [ADDED]

1 + links.journal.description=Typer av länkar för journal

2 + links.journal.website=Webbplats

3 + links.journal.website.description=Länk till journalwebbplats

pure-templates/rendering/src/main/resources/renderrer/renderrer-resources_en.properties [CHANGED]

26 - render-format-others=others

26 + render-format-others=more

```
27 + render-format-show=Show
28 + render-format-hide=Show less
29 + render-show-all-authors-button=Show all related authors
30 + render-hide-all-authors-button=Hide all related authors
31 + render-format-authors-shown=Author list shown, click to hide author list
32 + render-format-authors-hidden=Authors list hidden, click to show author list
53 - render-event-title=Title
59 + render-event-title=Event title
```

 pure-templates/rendering/src/main/resources/renderer/renderer-resources_sv.properties CHANGED

```
40 - render-event-title=Titel
40 + render-event-title=Händelsetitel
76 + render-format-show=Visa
77 + render-format-hide=Visa mindre
78 + render-show-all-authors-button=Visa alla relaterade författare
79 + render-hide-all-authors-button=Dölj alla relaterade författare
80 + render-format-authors-shown=Författarlista visas, klicka för att dölja författarlistan
81 + render-format-authors-hidden=Författarlista dold, klicka för att visa författarlistan
```