

# Text resource changes in Pure (backend)

This is an overview of the text additions and modifications to Pure's default text resources for the locale **ru** between versions **5.15.0** and **5.16.0**.

This content is confidential and should not be shared or reproduced.

**Note:** It does not include text changes made for individual customer sites, and may include some texts that are not visible on your Pure instance (used for Elsevier supporter role, inactive modules or modules from other countries such as REF, or different system configurations).

The keys in the translations are not necessarily indicative of the functionality. Changes in key between releases will override any custom text resource changes in your Pure.

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources\_en.properties CHANGED

12	- overviewimpactTemplateREF2020=Impact case study overview
15	- overviewimpactCaseStudyREF2020=?Impact case study overview
14	+ overviewimpactCaseStudyREF2020=Impact case study overview

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources\_ru.properties CHANGED

12	- overviewimpactTemplateREF2020=Обзор практического примера импакт-фактора
----	--

pure-core/admin/client/components/modules/report/properties/report-resources\_en.properties CHANGED

22	+ column-ignore-isolate-non-distinct-aggregation-on=Disable distinct aggregation (faster)
23	+ column-ignore-isolate-non-distinct-aggregation-off=Enable distinct aggregation (slower)
70	- filter-tab-placeholder-part-two=Select the filter <b>bar</b> above a column to activate the Filter tab.
72	+ filter-tab-placeholder-part-two=Select the filter <b>control</b> above a column to activate the Filter tab.
137	+ aria-share-component-ok-label=Confirm share report
139	+ aria-share-component-cancel-label=Cancel share report
161	- onboarding-tip-filterbar=Click the filter <b>bar</b> to filter a content type. Then add filters in the right-hand panel.
165	+ onboarding-tip-filterbar=Click the filter <b>control</b> to filter a content type. Then add filters in the right-hand panel.
256	- number-of-subcolumns-has-been-added={count} of max {total} subcolumns <b>has</b> been added
260	+ number-of-subcolumns-has-been-added={count} of max {total} subcolumns <b>have</b> been added
325	+ data-story-visualization-preview-scoreCard-title=Scorecard
340	- format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.

341 - format-tab-placeholder-line2=This feature is currently under development.  
650 - content-id-filter-placeholder-text=Type here to search  
653 + content-id-filter-placeholder-multi-text=Type here to search  
654 + content-id-filter-placeholder-dropdown-text=Select a filter item  
677 - data-story-visualization-add-filter-bar=Filter bar  
681 + data-story-visualization-add-filter-bar=Filter control  
694 + data-story-value-tab-selected-element-does-not-support-value-selection=No selectable values  
693 - data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter bar  
698 + data-story-filter-tab-no-filters-on-other-elements-to-target=Add additional filters to other widgets for use in the filter control  
704 - data-story-filters-tab-panel-aria-label=Filter bar - Filter tabs filtering individual content-type  
709 + data-story-filters-tab-panel-aria-label=Filter control - Filter tabs filtering individual content-type  
706 - report-settings-features-title=Experimental features  
711 + report-settings-features-experimental-title=Experimental features  
712 + report-settings-features-stable-title=Stable features  
718 - upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Load and replace to use the new workspace or cancel to keep the existing workspace.  
724 + upload-form-body-1=Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Import existing workspace to use the new workspace or cancel to keep the existing workspace.  
731 + report-settings-concurrency-title=Performance  
732 + report-settings-concurrency-itemIdBatching-title=Fetch batches of rows in separate threads (potentially exports much faster for large datasets at the cost of memory and server load)  
733 + report-settings-concurrency-itemIdBatching-toggle-label=Enable multi-threading (rows)  
734 + report-settings-concurrency-subSetFetching-title=Fetch batches of columns in separate threads (potentially fetches faster for a large number of columns at the cost of memory and server load)  
735 + report-settings-concurrency-subSetFetching-toggle-label=Enable multi-threading (columns)  
736 + data-story-visualization-add-layout=Add layout group  
737 + data-story-layout-tab-placeholder-header=Use this tab to manipulate selected elements and change layout options.  
738 + data-story-layout-tab-clear-search-label=Clear search  
739 + data-story-layout-tab-teaser=This feature is currently under development.  
740 + data-story-layout-tab-select-widgets=Widgets  
741 +  
742 + #export type VisualizationType = 'text' | 'pieChart' | 'barChart' | 'columnChart' | 'lineChart' | 'table' | 'complexTable' | 'filterBar' | 'header' | 'footer' | 'layout' | 'scoreCard';  
743 + canvas-widget-default-table-name=Table  
744 + canvas-widget-default-columnChart-name=Column chart  
745 + canvas-widget-default-barChart-name=Bar chart  
746 + canvas-widget-default-pieChart-name=Pie chart  
747 + canvas-widget-default-text-name=Text  
748 + canvas-widget-default-filterBar-name=Filter control  
749 + canvas-widget-default-scoreCard-name=Scorecard

750 + canvas-widget-default-layout-name=Layout group  
751 + canvas-widget-default-lineChart-name=Line chart  
752 +  
753 + format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.  
754 + format-tab-placeholder-line2=This feature is currently under development.  
755 + data-story-format-tab-no-annotatable-columns=No annotatable columns found  
756 + data-story-format-tab-placeholder-header=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.  
757 + data-story-format-tab-create-new-annotation=Create new visual cue  
758 + data-story-format-tab-select-element-to-display-options=Select data story element to change formatting  
759 + data-story-format-tab-selected-element-does-not-support-formatting=Selected data story element does not support formatting  
760 + data-story-format-tab-teaser=This feature is currently under development.  
761 +  
762 + confirm-revert-to-original-are-you-sure=Are you sure you want to replace the workspace "{name}" with the original version?  
763 + confirm-revert-to-original-header=Replace workspace with original  
764 + confirm-revert-cancel=Cancel  
765 + confirm-revert-do-revert=Replace with original  
766 +  
767 + confirm-replace-header=Import and replace reporting workspace  
768 + confirm-replace-select-json=Select a .json file to import an existing reporting workspace. Any changes to the current workspace will be lost. After the upload click 'reset sharing and import from file' to use the new workspace in place of existing one or cancel to keep the existing workspace.  
769 + confirm-replace-are-you-sure=Clicking the button below will load a workspace from file into the editor. Once the new workspace is saved it will replace the previous version of workspace "{name}". Please note that any sharing setup will be removed.  
770 + confirm-replace-upload-label=Reset sharing and import workspace from file  
771 + confirm-replace-cancel-label=Cancel  
772 +  
773 + attribution-algorithm-header=Attribution algorithm  
774 + algorithmInfoDialogTooltipText1=The Automated Attribution Algorithm helps you reach the highest possible GPA for a specific UoA, given the selected REF1s and the selected pool of outputs.  
775 + algorithmInfoDialogTooltipText2=If you want to ensure that specific outputs are attributed to individuals, you can do so by locking the output manually on the page of the publication. The algorithm will then respect this lock and calculate the highest GPA under those circumstances.  
776 + algorithmInfoDialogTooltipText3=The algorithm works as follows:  
777 + algorithmInfoDialogTooltipText4=1. Researchers with only one output in the pool have their one output attributed to them and the output is removed from the pool.  
778 + algorithmInfoDialogTooltipText5=2. Remaining researchers have their top graded output attributed to them. Where the grade is the same, single-authored outputs are prioritized over co-authored outputs.  
779 + algorithmInfoDialogTooltipText6=3. Once each researcher has been attributed one output, the "best of the rest" is selected, starting with the strongest outputs where there is only one author to whom this output can be attributed. This includes outputs by former members of staff.  
780

+ algorithmInfoDialogTooltipText7=4. When the number of remaining unattributed outputs is smaller than the number of outputs with the same grade, then the outputs are selected so that they optimize spread across Cat A staff within the UoA.

781 + attribution-algorithm-cancel=Cancel  
782 + attribution-algorithm-reset=Reset  
783 + attribution-algorithm-run=Run Attribution  
784 + attribution-algorithm-last-run=Last run:  
785 + attribution-algorithm-status=Status:  
786 +  
787 + attribution-cannot-run-algorithm=Cannot run attribution  
788 + attribution-cannot-reset=Cannot reset attributions  
789 + attribution-already-running=The attribution job is currently running.  
790 + attribution-not-authorized=You are not authorized to perform this action.  
791 + attribution-error=An error occurred while running the job.  
792 +  
793 + attribution-algorithm-cancel-aria-label=Button that will cancel the attribution algorithm while it is running  
794 + attribution-algorithm-reset-aria-label=Button that will reset the attribution runner, once it has been run  
795 + attribution-algorithm-run-aria-label=Button that will run the attribution algorithm  
796 +  
797 + display-table-total-count=Total count  
798 + display-table-total-in-percent=Total in %  
799 + cancel-export=Cancel Export  
800 + report-datatable-scroll-to-top=Scroll to top of the table  
801 + logging=Logging  
802 + download=download  
803 + revert-to-original=Revert to original  
804 + pinned-filter-icon=Start edit  
805 + pinned-filter-trash-icon>Delete the filter  
806 + themeAdjustment=Theme adjustment  
807 + selectTargetColumn=Select target column  
808 + filters=Filters  
809 + legendExplanation=Legend explanation  
810 + apply=Apply  
811 + left=Left  
812 + operator=Operator  
813 + right=Right  
814 + select-col-or-input-static-value=Select a column or a input a static value  
815 + add-filters=Add filters  
816 + widget-filters=Widget filters  
817 + when-column=When column  
818 + or-value=Or value  
819 + navigate-up=Navigate up  
820 + create=Create

821 +  
 822 +  
 823 + report-settings-subSetFetcherMergeInOrchestrator-title=Merge 'SubSetFetchers' in orchestrator (Enables some queries to run together in the same SubSetFetcher, it can boost performance when multiple when queries overlap and fetches information that is co-located)  
 824 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Enable merging of queries with co-located information  
 825 +  
 826 + report-settings-enableDifferenceLoggingOrchestrator-title=Replaces the default orchestrator with a version that in addition to running the query, automatically runs a number of extra queries to determine if there is a difference in the output for isolated / non-isolated aggregations  
 827 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Enable difference logging  
 828 + plus-icon=Add a new column  
 829 + confirm-workspace-delete=Delete workspace

pure-core/admin/client/components/modules/report/properties/report-resources\_ru.properties CHANGED

112 - onboarding-tip-filterbar=Щелкните по панели фильтров, чтобы отфильтровать тип контента. Затем добавьте фильтры в панели справа.  
 264 - filter-tab-placeholder-part-two=Выбрать строку фильтров над столбцом, чтобы активировать вкладку фильтров.  
 300 - filter-staffref2020-added={count} REF1a/c (2021) добавлено  
 298 + filter-staffref2020-added={count} REF1 (2021) добавлено  
 304 - filter-staffref2020-title=REF1a/c (2021)  
 302 + filter-staffref2020-title=REF1 (2021)  
 313 - filter-staffref2020-summary={count} REF1a/c (2021) добавлено  
 311 + filter-staffref2020-summary={count} REF1 (2021) добавлено  
 569 - series-filter-active-list-placeholder-text=«Для этого столбца нет примененных активных фильтров. Попробуйте установить один или несколько фильтров на вкладке „Добавить фильтр“».  
 567 + series-filter-active-list-placeholder-text=Для этого столбца нет примененных активных фильтров. Попробуйте установить один или несколько фильтров на вкладке „Добавить фильтр“.  
 577 - content-id-filter-placeholder-text=Введите данные для поиска  
 611 - data-story-visualization-add-filter-bar=Панель фильтров  
 627 - data-story-filter-tab-no-filters-on-other-elements-to-target=Добавьте дополнительные фильтры к другим виджетам для использования на панели фильтров  
 637 - data-story-filters-tab-panel-aria-label=Панель фильтров – вкладки фильтров для фильтрации отдельных типов контента  
 639 - report-settings-features-title=Экспериментальные функции  
 633 + report-settings-features-experimental-title=Экспериментальные функции  
 650 + filter-tab-placeholder-part-two=Выберите элемент управления фильтра над столбцом, чтобы активировать вкладку «Фильтр».  
 651 + onboarding-tip-filterbar=Нажмите на элемент управления фильтра, чтобы отфильтровать тип содержимого. Затем добавьте фильтры в правой панели.  
 652 + data-story-visualization-preview-scoreCard-title=Оценочная карточка  
 653 + content-id-filter-placeholder-multi-text=Введите данные для поиска  
 654 + content-id-filter-placeholder-dropdown-text=Выберите элемент фильтра

655 + data-story-visualization-add-filter-bar=Управление фильтром  
656 + data-story-value-tab-selected-element-does-not-support-value-selection=Нет выбираемых значений  
657 + data-story-filter-tab-no-filters-on-other-elements-to-target=Добавьте дополнительные фильтры к другим виджетам для использования в управлении фильтром  
658 + data-story-filters-tab-panel-aria-label=Управление фильтром – это вкладки фильтров для фильтрации отдельных типов контента  
659 + report-settings-features-stable-title=Неизменяемые функции  
660 + validation-status-error-title=Невозможно проверить рабочее пространство  
661 + validation-status-error-ok=Заккрыть  
662 + report-settings-concurrency-title=Перформанс  
663 + report-settings-concurrency-itemIdBatching-title=Извлекать группы строк в отдельных потоках (возможно значительное ускорение экспортирования больших наборов данных за счет нагрузки на память и сервер)  
664 + report-settings-concurrency-itemIdBatching-toggle-label=Включить поддержку многопоточности (строки)  
665 + report-settings-concurrency-subSetFetching-title=Извлекать группы столбцов в отдельных потоках (возможно ускорение извлечения большого количества столбцов за счет нагрузки на память и сервер)  
666 + report-settings-concurrency-subSetFetching-toggle-label=Включить поддержку многопоточности (столбцы)  
667 + data-story-visualization-add-layout=Добавить группу макетов  
668 + data-story-layout-tab-placeholder-header=Используйте эту вкладку для управления выбранными элементами и изменения параметров макета.  
669 + data-story-layout-tab-clear-search-label=Очистить поиск  
670 + data-story-layout-tab-teaser=Эта функция в настоящее время находится на стадии разработки.  
671 + data-story-layout-tab-select-widgets=Виджеты  
672 + canvas-widget-default-table-name=Таблица  
673 + canvas-widget-default-columnChart-name=Столбчатая диаграмма  
674 + canvas-widget-default-barChart-name=Столбчатая диаграмма  
675 + canvas-widget-default-pieChart-name=Круговая диаграмма  
676 + canvas-widget-default-text-name=Текст  
677 + canvas-widget-default-filterBar-name=Управление фильтром  
678 + canvas-widget-default-scoreCard-name=Оценочная карточка  
679 + canvas-widget-default-layout-name=Группа макетов  
680 + canvas-widget-default-lineChart-name=Линейная диаграмма  
681 + data-story-format-tab-no-annotatable-columns=Столбцы с комментариями не найдены  
682 + data-story-format-tab-placeholder-header=Используйте эту вкладку, чтобы изменить макет истории данных, изменить цвет визуализации и отформатировать текст, например абзацы, выравнивание и маркированные списки.  
683 + data-story-format-tab-create-new-annotation=Создать новую визуальную подсказку  
684 + data-story-format-tab-select-element-to-display-options=Выберите элемент истории данных, чтобы изменить форматирование  
685 + data-story-format-tab-selected-element-does-not-support-formatting=Выбранный элемент истории данных не поддерживает форматирование  
686 + data-story-format-tab-teaser=Эта функция в настоящее время находится на стадии разработки.  
687 + confirm-revert-to-original-are-you-sure=Вы действительно хотите заменить рабочее пространство "{name}" на оригинальную версию?  
688 + confirm-revert-to-original-header=Заменить рабочее пространство на оригинал  
689 + confirm-revert-cancel=Отмена  
690 + confirm-revert-do-revert=Заменить на оригинал

691 + confirm-replace-header=Импортировать и заменить рабочее пространство для отчетов

692 + confirm-replace-select-json=Выберите файл .json для импорта существующего рабочего пространства для отчетов. Все изменения в текущем рабочем пространстве будут потеряны. После загрузки нажмите «Сбросить общий доступ и импорт из файла», чтобы использовать новое рабочее пространство вместо существующего, или «Отмена», чтобы сохранить существующее рабочее пространство.

693 + confirm-replace-are-you-sure=Нажатие кнопки ниже приведет к загрузке рабочего пространства из файла в редактор. После сохранения нового рабочего пространства оно заменит предыдущую версию рабочего пространства "{name}". Обратите внимание, что все настройки общего доступа будут удалены.

694 + confirm-replace-upload-label=Сбросить общий доступ и импортировать рабочее пространство из файла

695 + confirm-replace-cancel-label=Отмена

696 + attribution-algorithm-header=Алгоритм отнесения

697 + algorithmInfoDialogTooltipText1=Алгоритм автоматического отнесения помогает достигать максимально возможного GPA для конкретного UoA, учитывая выбранные значения REF1 и пул результатов.

698 + algorithmInfoDialogTooltipText2=Если вы хотите быть уверены в том, что определенные результаты относятся к определенным лицам, вы можете сделать это, вручную заблокировав предоставление результатов на странице публикации. После этого алгоритм будет учитывать эту блокировку и вычислять самое большое значение GPA при этих обстоятельствах.

699 + algorithmInfoDialogTooltipText3=Алгоритм работает следующим образом:

700 + algorithmInfoDialogTooltipText4=1. Исследователям, имеющим только один результат в пуле, присваивается этот один результат, а сам результат удаляется из пула.

701 + algorithmInfoDialogTooltipText5=2. Остальным исследователям приписывается результат с самой высокой оценкой. Если оценка одинаковая, результаты с одним автором имеют приоритет над результатами с несколькими авторами.

702 + algorithmInfoDialogTooltipText6=3. После того, как каждому исследователю присваивается один результат, выбирается «лучший среди остальных», начиная с самого надежного результата, когда есть только один автор, к которому этот результат можно отнести. Это касается и результатов для бывших сотрудников.

703 + algorithmInfoDialogTooltipText7=4. Когда количество оставшихся неприсвоенных результатов меньше, чем количество результатов с одинаковой оценкой, выбор результатов осуществляется таким образом, чтобы они были оптимально распределены среди персонала категории A в пределах UoA.

704 + attribution-algorithm-cancel=Отмена

705 + attribution-algorithm-reset=Сбросить

706 + attribution-algorithm-run=Выполнить отнесение

707 + attribution-algorithm-last-run=Последний запуск:

708 + attribution-algorithm-status=Статус:

709 + attribution-cannot-run-algorithm=Не удается запустить отнесение

710 + attribution-cannot-reset=Невозможно сбросить отнесение

711 + attribution-already-running=В данный момент выполняется задача по отнесению.

712 + attribution-not-authorized=Вы не имеете права выполнять это действие.

713 + attribution-error=Во время выполнения задачи произошла ошибка.

714 + attribution-algorithm-cancel-aria-label=Кнопка, нажатие которой приводит к отмене алгоритма отнесения во время его выполнения

715 + attribution-algorithm-reset-aria-label=Кнопка, нажатие которой приводит к сбросу средства запуска отнесения после его выполнения


716 + attribution-algorithm-run-aria-label=Кнопка, нажатие которой приводит к запуску алгоритма отнесения

717 + display-table-total-count=Общее количество

718 + display-table-total-in-percent=Всего в %

719 + column-ignore-isolate-non-distinct-aggregation-on=Отключить отдельную агрегацию (быстрее)

720 + column-ignore-isolate-non-distinct-aggregation-off=Включить отдельную агрегацию (медленнее)  
721 + logging=Запись журнала  
722 + download=скачать  
723 + revert-to-original=Вернуться к оригиналу  
724 + pinned-filter-icon=Значок закрепленного фильтра  
725 + pinned-filter-trash-icon=Значок закрепленного фильтра корзины  
726 + themeAdjustment=Исправление темы  
727 + selectTargetColumn=Выберите целевой столбец  
728 + filters=Фильтры  
729 + legendExplanation=Объяснение условных обозначений  
730 + apply=Применить  
731 + left=Левый  
732 + operator=Оператор  
733 + right=Направо  
734 + select-col-or-input-static-value=Выберите столбец или введите статическое значение  
735 + add-filters=Добавить фильтры  
736 + widget-filters=Фильтры виджета  
737 + when-column=Когда столбец  
738 + or-value=Или значение  
739 + navigate-up=Перейти к  
740 + create=Создать  
741 + report-settings-subSetFetcherMergeInOrchestrator-title=Объедините «SubSetFetchers» в Orchestrator (Включает несколько запросов, чтобы они работали вместе в одном SubSetFetcher. Это может повысить производительность при нескольких запросах, когда запросы накладываются, выполняется получение совмещенной информации)  
742 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Включить слияние запросов с совмещенной информацией  
743 + report-settings-enableDifferenceLoggingOrchestrator-title=Заменяет Orchestrator по умолчанию на версию, которая в дополнении к запуску запроса, автоматически запускает ряд дополнительных запросов для определения того, есть ли разница в выходе для отдельных /не отдельных агрегатов  
744 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Включить протоколирование различий

 pure-core/admin/client/components/shared/pure-graphql-status-renderer/properties/PureGraphQLStatusRenderer-resources\_ru.properties CHANGED

4 - user-unauthorized-please-login=«Для того чтобы продолжить работу, нажмите кнопку «Открыть страницу входа в Pure» и войдите в систему, используя новую открытую вкладку».

4 + user-unauthorized-please-login=Для того чтобы продолжить работу, нажмите кнопку «Открыть страницу входа в Pure» и войдите в систему, используя новую открытую вкладку.

 pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources\_en.properties CHANGED

8 + timeline-dialog-title=Timeline  
9



```
+ timeline-dialog-description=Your window is too small to display an interactive timeline for your projects here. To view the
10 + view-timeline=Open timeline
11 + timeline-dialog-close=Close dialog
```

pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources\_ru.properties CHANGED

```
6 - inventory-close-callout=Заккрыть диалоговое окно
7 - inventory-show-more=Подробнее
8 + timeline-dialog-title=Временная шкала
9 + timeline-dialog-description=Ваше окно слишком мало для отображения интерактивной временной шкалы для ваших проектов. Чтобы
просмотреть временную шкалу, увеличьте окно или нажмите кнопку, чтобы открыть ее во всплывающем окне.
10 + view-timeline=Открыть временную шкалу
11 + timeline-dialog-close=Заккрыть диалоговое окно
```

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources\_en.properties CHANGED

```
8 + originalUser-as-user={originalName} as {name}
```

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources\_ru.properties CHANGED

```
8 + originalUser-as-user={originalName} от имени {name}
```

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources\_en.properties CHANGED

```
20 - Workflow-body-backward={fromUser} returned the workflow step to{workflowStep}:
20 + Workflow-body-created={fromUser} created new content inthe workflow step {workflowStep}:
21 + Workflow-body-backward={fromUser} returned the workflow step to {workflowStep} for:
64 - MendeleyDataSet-body-singular={countAndContent} was found in Mendeley Data
65 - MendeleyDataSet-body-plural={countAndContent} were found in Mendeley Data
65 + DataSearchDataSet-body-singular={countAndContent} was found in DataSearch
66 + DataSearchDataSet-body-plural={countAndContent} were found in DataSearch
104 - newsflo-import-personal-user-added-message-notification=You have been added to a Newsflo contentitem:
105 + newsflo-import-personal-user-added-message-notification=You have been added to new Newsflo item(s)
110 +
111 + Application-deadline-inconsistency-message-body=The {application} submission deadline differs from the {fundingOpportunity}
deadline for:
112 +
113 + dialog-close=Close dialog
```

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources\_ru.properties CHANGED

56	- MendeleYDataSet-body-plural={countAndContent} были найдены в MendeleY Data
57	- MendeleYDataSet-body-singular={countAndContent} был найден в MendeleY Data
85	- newsflo-import-personal-user-added-message-notification=Вы были добавлены в элемент контента Newsflo:
84	+ DataSearchDataSet-body-singular={countAndContent} был(-а) найден(-а) в DataSearch
85	+ DataSearchDataSet-body-plural={countAndContent} были найдены в DataSearch
86	+ newsflo-import-personal-user-added-message-notification=Вы были добавлены в новый(-е) элемент(-ы) Newsflo
87	+ Application-deadline-inconsistency-message-body={application}Срок подачи заявок отличается от {fundingOpportunity} срока для:
88	+ dialog-close=Закреть диалоговое окно
89	+ Workflow-body-created={fromUser} создан новый контент в шаге рабочего процесса: {workflowStep}

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources\_en.properties CHANGED

108	- cron.jobLegend=Name, User & Job:
108	+ cron.jobLegend=Name, User and Job:
124	+ cron.searchNoResult=No cron jobs match your search
163	- joblog.contentId=Content-ID:
164	+ joblog.contentId=ContentID:
275	- logging.completed=Log session completed. Click button below to download results
276	+ logging.completed=Log session completed. Click button below to download results.
290	- system-currency-country=System currency & country
291	+ system-currency-country=System currency and country
300	- authentication-mechanism-test=Test
301	+ authentication-mechanism-test=Check certificates
305	+ authentication-mechanism-failure-help=The authentication configuration is invalid.
306	+ authentication-mechanism-success-help=The authentication configuration is valid.
338	- ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ Authentication
339	- ElsevierIDPlusAuthenticationMechanism=Authenticates users byusing Elsevier's ID+
341	+ ElsevierIDPlusAuthenticationMechanism.label=Elsevier Account Authentication
342	+ ElsevierIDPlusAuthenticationMechanism=Authenticates users using theirElsevier account.

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources\_ru.properties CHANGED

255	- authentication-mechanism-test=Проверить
555	- oai-configuration-identifier-legend-hint=«Введите информацию, которая будет отображаться в формате идентификатора OAI в рамках ответа <i>Identify</i>. Дополнительные сведения см. в <a href="https://www.openarchives.org/OAI/2.0/guidelines-oai-identifier.htm">руководствах по реализации OAI-PMH</a>.»
554	

+ oai-configuration-identifier-legend-hint=Введите информацию, которая будет отображаться в формате идентификатора OAI в рамках ответа <i>Identify</i>. Дополнительные сведения см. в <a href="https://www.openarchives.org/OAI/2.0/guidelines-oai-identifier.htm">руководствах по реализации OAI-PMH</a>.

561 - oai-configuration-identifier-delimiter-hint=«Пример: „:“»

560 + oai-configuration-identifier-delimiter-hint=Пример: „:“

575 - ElsevierIDPlusAuthenticationMechanism.label=Аутентификация Elsevier ID+

576 - ElsevierIDPlusAuthenticationMechanism=Аутентификация пользователей с помощью Elsevier ID+.

574 + cron.searchNoResult=Нет задач планировщика, соответствующих вашему запросу

575 + authentication-mechanism-test=Проверить сертификаты

576 + authentication-mechanism-failure-help=Недопустимая конфигурация аутентификации.

577 + authentication-mechanism-success-help=Допустимая конфигурация аутентификации.

578 + ElsevierIDPlusAuthenticationMechanism.label=Аутентификация с помощью учетной записи Elsevier

579 + ElsevierIDPlusAuthenticationMechanism=Аутентификация пользователей с помощью учетной записи Elsevier.

#### pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources\_en.properties CHANGED

18 + personDataCleanup.operation.name=Data cleanup

19 + personDataCleanup.title=Clean up selected fields

20 + personDataCleanup.refine.title=Select fields for cleanup

21 + personDataCleanup.refine.title.description=Selected fields will be cleaned up or set to selected options. <br/> Configure pre-checked fields in Administrator > Persons > Data cleanup configuration.

22 + personDataCleanup.summary.warning=Important! The data will be permanently deleted and cannot be restored.

23 + personDataCleanup.error.updates.failed=Could not clean data on all selected persons

24 + personDataCleanup.error.content.update.failed=Error when cleaning fields on {content}

25 + personDataCleanup.error.content.update.skipped=No fields cleaned as there was nothing to clean - either the fields are synchronized or already clean

26 + personDataCleanup.set.to\_lowercase=set to

27 + personDataCleanup.set.to\_uppercase=Set to

28 + personDataCleanup.organisation.association.info=Only supplementary information will be deleted

29 + personDataCleanup.organisation.association.info.description=The link between persons and their associated organisations will be retained but information related to the organisation, e.g. telephone numbers, addresses, website URLs, will be deleted.

30 +

31 + exemptPersonFromDataCleanup.operation.name=Mark for data cleanup exemption

32 + exemptPersonFromDataCleanup.title=Mark for data cleanup exemption

33 + exemptPersonFromDataCleanup.refine.title=Specify data cleanup exemption period

34 + exemptPersonFromDataCleanup.refine.retention.period=Set exemption period of

35 + exemptPersonFromDataCleanup.refine.retention.period-hint=Person(s) marked for exemption will not be included in bulk data cleanup processes during this period (once the bulk action is completed). <br/> Exemption status can be found in: <br/> Person editor window > History and comments tab > Data cleanup policy section

36 + exemptPersonFromDataCleanup.error.updates.failed=Could not set exemption period on all selected persons

37 + exemptPersonFromDataCleanup.error.content.update.failed=Error when setting exemption period on {content}

38 +

pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources\_ru.properties **CHANGED**

```
1 - #Added translations
2 - #Tue May 15 10:59:27 CEST 2018
37 + personDataCleanup.operation.name=Очистка данных
38 + personDataCleanup.title=Очистить выбранные поля
39 + personDataCleanup.refine.title=Выберите поля для очистки
40 + personDataCleanup.refine.title.description=Выбранные поля будут очищены или настроены в соответствии с выбранными параметрами.
    <br/> Настройте предварительно проверенные поля в Администратор > Лица > Настройка очистки данных.
41 + personDataCleanup.summary.warning=Важно! Данные будут удалены без возможности восстановления.
42 + personDataCleanup.error.updates.failed=Не удалось очистить данные обо всех выбранных лицах
43 + personDataCleanup.error.content.update.failed=Ошибка при очистке полей в {content}
44 + personDataCleanup.error.content.update.skipped=Не было очищено ни одного поля, так как нечего было очищать: поля либо
    синхронизированы, либо уже очищены
45 + personDataCleanup.set.to_lowercase=установить на
46 + personDataCleanup.set.to_uppercase=Установить на
47 + personDataCleanup.organisation.association.info=Будет удалена только дополнительная информация
48 + personDataCleanup.organisation.association.info.description=Связь между лицами и связанными с ними организациями будет
    сохранена, однако относящаяся к организации информация, например, номера телефонов, адреса, адреса веб-сайтов, будет удалена.
49 + exemptPersonFromDataCleanup.operation.name=Отметка об исключении из очистки данных
50 + exemptPersonFromDataCleanup.title=Отметка об исключении из очистки данных
51 + exemptPersonFromDataCleanup.refine.title=Укажите период исключения из очистки данных
52 + exemptPersonFromDataCleanup.refine.retention.period=Установить период исключения
53 + exemptPersonFromDataCleanup.refine.retention.period-hint=Исключенные лица не будут включены в процесс массовой очистки данных
    в течение этого периода (после завершения массового действия). <br/> Статус исключения можно просмотреть во вкладке: <br/> Окно
    редактора лица > Вкладка «История и комментарии» > Раздел политики очистки данных
54 + exemptPersonFromDataCleanup.error.updates.failed=Не удалось установить период исключения для всех выбранных лиц
55 + exemptPersonFromDataCleanup.error.content.update.failed=Ошибка при установке периода исключения в {content}
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... **ADDED**

```
1 + agreed-terms-group=Agreed terms
2 + agreed-terms-help=Terms that the user has agreed to
3 + agreed-terms-version=Version: {version}
4 + agreed-terms-lastlogin=Last login: {lastLogin}
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... **ADDED**

```
1 + agreed-terms-group=Согласованные условия
2 + agreed-terms-help=Условия, с которыми согласился пользователь
```

- 3 + agreed-terms-version=Версия: {version}
- 4 + agreed-terms-lastlogin=Последний вход в систему: {lastLogin}

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

- 76 - correspondingauthor-button=Set corresponding author
- 77 - removecorrespondingauthor-button=Remove corresponding author
- 76 + correspondingauthornote-singular-text=Note: There is already 1 other person selected as a corresponding author.
- 77 + correspondingauthornote-plural-text=Note: There are already {count} other persons selected as corresponding authors.
- 78 + correspondingAuthor=Corresponding author

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... CHANGED

- 58 - correspondingauthor-button=Задать соответствующего автора
- 59 - removecorrespondingauthor-button=Удалить соответствующего автора
- 58 + correspondingauthornote-singular-text=Примечание. В качестве соответствующего автора уже выбран 1 человек.
- 59 + correspondingauthornote-plural-text=Примечание. В качестве соответствующего автора уже выбрано {count} человек(-а).
- 60 + correspondingAuthor=Соответствующий автор

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... CHANGED

- 7 + unlinkUser=Unlink associated user
- 8 + cancelUnlinkUser=Cancel
- 9 + unlinkDisclaimer-confirm=Upon saving, this person will be unlinked from the associated user. If the user has roles in Pure in addition to being a personal user, they will still be able to log into Pure and perform tasks according to those assigned roles.
- 10 + unlinkDisclaimer=If the user has roles in Pure in addition to being a personal user, they will still be able to log into Pure and perform tasks according to those assigned roles.
- 11 + unlinkSyncedAssociation=You cannot manually unlink a user when the user information is synchronised from another system.

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... CHANGED

- 1 - #Added translations
- 2 - #Thu Sep 28 10:15:32 CEST 2017
- 7 + unlinkUser=Отключить связанного пользователя
- 8 + cancelUnlinkUser=Отмена
- 9 + unlinkDisclaimer-confirm=После сохранения, связь этого лица со связанным пользователем будет удалена. Если у пользователя есть роли в приложении Pure в дополнение к тому, что он является индивидуальным пользователем, то у него по-прежнему будет возможность войти в приложение Pure и выполнять задачи в соответствии с этими назначенными ролями.
- 10

+ unlinkDisclaimer=Если у пользователя есть роли в приложении Pure в дополнение к тому, что он является индивидуальным пользователем, то у него по-прежнему будет возможность войти в приложение Pure и выполнять задачи в соответствии с этими назначенными ролями.

11 + unlinkSyncedAssociation=Вы не можете вручную отключить пользователя, когда информация о пользователе синхронизируется из другой системы.

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources\_en.p... [CHANGED]

54 - select-bulk-action=Select the bulkaction you will performfor the files

54 + select-bulk-action=Select the action you want toperform

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources\_ru.pr... [CHANGED]

1 - #Added translations

2 - #Thu Sep 28 10:15:32 CEST 2017

44 - select-bulk-action=Выбрать массовый перенос для файлов

73 + select-bulk-action=Выберите действие, которое вы хотите выполнить

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources\_en.pr... [CHANGED]

6 + agreed-terms-tab=Agreed terms

7 +

8 + #AGREED TERMS

9 + agreed-terms=Agreed terms

18 - idplus-group=ID+ configuration

19 - idplus-group-help=Configuration of user access to ID+. <ul><li>This ID is used for matching a user in pure with a user from ID+</li></ul>

22 + idplus-group=Elsevier accountconfiguration

23 + idplus-group-help=Configuration of user access to Elsevier account authentication.<ul><li>This ID is used for matching a user in Pure with an Elsevieruser account.</li></ul>

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources\_ru.pr... [CHANGED]

32 - idplus-group=Конфигурация ID+

33 - idplus-group-help=Конфигурация доступа пользователей к ID+. <ul><li>Этот идентификатор используется для сопоставления пользователя в Pure с пользователем из ID+</li></ul>

32 + agreed-terms-tab=Согласованные условия

33 + agreed-terms=Согласованные условия

34 + idplus-group=Настройка учетной записи Elsevier

35 + idplus-group-help=Настройка доступа пользователя к аутентификации с помощью учетной записи Elsevier. <ul><li>Этот идентификатор используется для сопоставления пользователя в Pure с учетной записью пользователя Elsevier.</li></ul>

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsofagreement/model/editor/termso... CHANGED

15 + termsOfAgreement.information=Note: You cannot edit the text of a Terms of Agreement after it has been saved.

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsofagreement/model/editor/termso... CHANGED

1 - #Added translations

2 - #Sun Jan 29 14:23:09 CET 2017

11 + termsOfAgreement.information=Примечание. Вы не можете редактировать текст Условий соглашения после его сохранения.

pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources\_en.properties CHANGED

135 + inconsistentworkflow.title=Inconsistent workflow for {path} ID {id}

136 + inconsistentworkflow.message=The content you requested cannot be edited at this time

137 + inconsistentworkflow.why=Why was this page displayed?

138 + inconsistentworkflow.why.update.required=The workflow configuration for {path} is being modified by an administrator and is not completed yet

139 + inconsistentworkflow.whatnow=Now what?

140 + inconsistentworkflow.whatnow.support=Contact support

141 + inconsistentworkflow.whatnow.close=Close this window

142 +

pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources\_ru.properties CHANGED

266 + inconsistentworkflow.title=Неправильный рабочий процесс для {path} ID {id}

267 + inconsistentworkflow.message=В настоящее время запрошенный вами контент недоступен для редактирования

268 + inconsistentworkflow.why=Почему вам была показана эта страница?

269 + inconsistentworkflow.why.update.required=Конфигурация рабочего процесса для {path} находится в процессе изменения администратором и еще не завершена

270 + inconsistentworkflow.whatnow=Что можно сделать?

271 + inconsistentworkflow.whatnow.support=Связаться с поддержкой

272 + inconsistentworkflow.whatnow.close=Закрыть это окно

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources\_en.properties CHANGED

```

1 - ssofail_title=Single Sign-On failed
2 - ssofail=Single Sign-On failed
3 - ssofail_description=You could not be logged into this service. In order to login with Single Sign-On it is necessary for the
service to know your username. Please contact IT support.<br/>If enabled for your
user you can use <a href="{login}">direct login</a>
1 + ssofail_title=Login Failed for Pure at {institutionname}
2 + ssofail=Login Failed for Pure at {institutionname}
3 + ssofail_description=You may be able to <a href="{login}">log in to Pure directly</a> if your username and password are
configured manually.<br/>Please contact your institution's local IT support if this problem persists.
4 + ssofail_footer=Pure version {versionnumber} at {institutionname}, {dateandtime}
5 - login_error_SAMLProcessingException=Communication with Single Sign-On server failed
6 - login_error_ProcessingException=Communication with Single Sign-on server failed
7 - login_error_LockedException=The account is locked
8 - login_error_UsernameNotFoundException=The user is not present in Pure
9 - login_error_BadCredentialsException=Bad credentials
10 - login_error_InsufficientAuthenticationException=User has insufficient rights to login
11 - login_error_InternallyAuthenticatedAccountStatusException=The account cannot be used for external authentication
12 - login_error_AuthenticationServiceException=An unknown system error occurred when processing the authentication request.
6 + login_error_SAMLProcessingException=Pure could not connect with your institution's single sign-on server.
7 + login_error_ProcessingException=Pure could not connect with your institution's single sign-on server.
8 + login_error_LockedException=Your user account is unable to access Pure.
9 + login_error_UsernameNotFoundException=Your user was not found in Pure.
10 + login_error_BadCredentialsException=Your username or password were not entered correctly.
11 + login_error_InsufficientAuthenticationException=You do not have permission to log into Pure.
12 + login_error_InternallyAuthenticatedAccountStatusException=Your user account cannot be used to log into Pure.
13 + login_error_AuthenticationServiceException=An error occurred while logging in using your institution's single sign-on system.

```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources\_ru.properties CHANGED

```

1 - #Added translations
2 - #Sun Jan 29 14:23:09 CET 2017
3 - ssofail_title=Вход через систему Single Sign-On не удался
4 - ssofail=Вход через систему Single Sign-On не удался
5 - ssofail_description=Вы не можете войти
в данную службу. Для входа через Single Sign-On необходимо, чтобы система распознавала ваше имя пользователя. Обратитесь к службе
поддержки.<br/>Вы можете воспользоваться
<a href=\"/admin/login.html\">прямым входом</a> (если он активирован для данного пользователя)
6 - login_error_SAMLProcessingException=Не удалось связаться с сервером Single Sign-On
7 - login_error_ProcessingException=Не удалось связаться с сервером Single Sign-On
8 - login_error_LockedException=Данная учетная запись заблокирована
9 - login_error_UsernameNotFoundException=Данный пользователь отсутствует в Pure
10 - login_error_BadCredentialsException=Неверные учетные данные

```



11	- login_error_InsufficientAuthenticationException=Недостаточно прав для входа
12	- login_error_InternallyAuthenticatedAccountStatusException=Учетная запись не может быть использована для внешней аутентификации
1	+ ssofail_title=Не удалось войти в систему Pure в {institutionname}
2	+ ssofail=Не удалось войти в систему Pure в {institutionname}
3	+ ssofail_description=Вы можете <a href="{login}">войти</a> в Pure напрямую, если ваше имя пользователя и пароль настроены вручну. Пожалуйста, обратитесь в службу поддержки вашего учреждения, если проблема не устранена.
4	+ ssofail_footer=Версия Pure {versionnumber} в {institutionname}, {dateandtime}
5	+ login_error_SAMLProcessingException=Pure не смогла подключиться к серверу единой регистрации вашего учреждения.
6	+ login_error_ProcessingException=Pure не смогла подключиться к серверу единой регистрации вашего учреждения.
7	+ login_error_LockedException=Ваша учетная запись не может получить доступ к Pure.
8	+ login_error_UsernameNotFoundException=Ваш пользователь не был найден в Pure.
9	+ login_error_BadCredentialsException=Вы неправильно ввели имя пользователя или пароль.
10	+ login_error_InsufficientAuthenticationException=У вас нет разрешения на вход в Pure.
11	+ login_error_InternallyAuthenticatedAccountStatusException=Вы не можете использовать свою учетную запись для входов в Pure.
12	+ login_error_AuthenticationServiceException=При входе в систему с использованием системы единого входа вашего учреждения произошла ошибка.
13	- login_error_AuthenticationServiceException=При обработке запроса аутентификации возникла неизвестная ошибка системы.

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources\_en.properties CHANGED

53	- suggestedaction-message.digest_listing=<a href="{link}">View all ({count}) </a>
53	+ suggestedaction-message.digest_listing=<a href="{link}">View all ({count}) </a>
74	- workflow-message.digest_listing=<a href="{link}">View all ({count}) </a>
74	+ workflow-message.digest_listing=<a href="{link}">View all ({count}) </a>
97	- plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of technical limitations, such as large file (larger than 25 MB), password protected file, the file is not readable or file type is not supported by the anti-plagiarism system Ephorus.
97	+ plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of technical limitations, such as large file (larger than 25MB), password protected file, the file is not readable or file type is not supported by the anti-plagiarism system Ephorus.
115	- newsflo-message.velocity_title=You have been added to a Newsflo contentitem: {title}
116	- newsflo-message.velocity_subject=You have been added to aNewsflo content item: {title}
115	+ newsflo-message.velocity_title=You have been added to new Newsflo item(s)
116	+ newsflo-message.velocity_subject=Newsflo content created

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources\_ru.properties CHANGED

78	- newsflo-message.velocity_title=Вы были добавлены в элемент контента Newsflo\: {title}
79	- newsflo-message.velocity_subject=Вы были добавлены в элемент контента Newsflo\: {title}

85 + newsflo-message.velocity\_title=Вы были добавлены в новый(-е) элемент(-ы) Newsflo

86 + newsflo-message.velocity\_subject=Создан контент Newsflo

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources\_en.properties ADDED

1 + uptodate-subject=Pure is up to date

2 + uptodate-body=Good news, your Pure ({currentVersion}) is up to date.\nStaying up to date helps us best support you. Check out the <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the release.</a>

3 + onebehind-subject=Pure is ready to update

4 + onebehind-body=A new Pure version ({latestVersion}) is available, check out the <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the new release</a> and consider updating.\nRight now you're running {currentVersion} - this will be supported until version {endOfLifeVersion} is released.

5 + twobehind-subject=It's time to update your Pure

6 + twobehind-body=A new Pure version ({latestVersion}) is available, please check out the <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the new release</a> and consider updating soon.\nYour current version {currentVersion} will no longer be supported once the next version {endOfLifeVersion} is released.

7 + threebehind-subject=Pure version out of date

8 + threebehind-body=Your current version ({currentVersion}) is no longer fully supported and no further issues relating to this version will be resolved.\nOnce you upgrade to version {minimumSupportedVersion} or higher, you can again benefit from full support.\nPlease contact the <a href="mailto:pure-support@elsevier.com">Pure Support Team</a> to notify us which version you wish to upgrade to, or in case you have any questions about Elsevier's Release Policy.

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources\_ru.properties ADDED

1 + uptodate-subject=Установлена последняя версия Pure

2 + uptodate-body=Хорошие новости, у вас установлена последняя версия Pure ({currentVersion}). Наличие последней версии помогает нам оказывать вам максимально эффективную поддержку. Ознакомьтесь с <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">основными функциями версии.</a>

3 + onebehind-subject=Pure готова к обновлению

4 + onebehind-body=Доступна новая версия Pure ({latestVersion}). Ознакомьтесь с <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">основными функциями новой версии</a> и выделите время для обновления. Прямо сейчас вы используете {currentVersion}. Эта версия будет поддерживаться для выхода версии {endOfLifeVersion}.

5 + twobehind-subject=Пришло время обновить Pure

6 + twobehind-body=Доступна новая версия Pure ({latestVersion}). Пожалуйста, ознакомьтесь с <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">основными функциями новой версии</a> и в ближайшее время выделите время для обновления. Ваша текущая версия {currentVersion} не будет поддерживаться после выхода следующей версии {endOfLifeVersion}.

7 + threebehind-subject=Версия Pure устарела

8

+ threebehind-body=Ваша текущая версия ({currentVersion}) больше не поддерживается, поэтому будущие проблемы, связанные с этой версией, рассматриваться не будут. После обновления до версии {minimumSupportedVersion} или выше вы снова можете пользоваться всеми преимуществами поддержки. Пожалуйста, свяжитесь со <a href="mailto:pure-support@elsevier.com">службой поддержки Pure</a>, чтобы сообщить нам, до какой версии вы хотите обновить, или если у вас есть какие-либо вопросы о Политике Elsevier в отношении версий ПО.

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources\_en.properties **CHANGED**

100	- support_manual=Manual
100	+ support_manual=PureManual

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources\_ru.properties **CHANGED**

15	- support_manual=Руководство
160	+ support_manual=Руководство по Pure

pure-core/admin/src/main/resources/renderer/dk/atira/pure/api/shared/editor/renderers/insufficientrolesexceptionrenderer-resources\_ru.pro... **CHANGED**

5	- error.systemdesc.header=Системное сообщение
5	+ error.systemdesc.header=You do not have the correct permissions to modify/save this record.\n This could be due to a "Managing organisational unit" that you do not have the right to modify managed content for.\n Try selecting a different "Managing organisational unit".


pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources\_en.properties **CHANGED**

4	- Scopus.authentication.apiKey-label=API Key
4	+ Scopus.authentication.apiKey-label=API key
42	+ Scopus.use.approximated.publication.date-label=Use approximated publication date
43	+ Scopus.use.approximated.publication.date-description=When set to True, Pure will import and use the Scopus-provided approximated publication date. When set to False, Pure will parse the date which Scopus has received from the journal and set the date accordingly. In some cases letting Pure handle the date parsing (configuration set to False) may yield better results. In the rare case that only the approximated date is available, Pure will use the approximated date.
44	- enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID - Notice by enabling this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles will be removed.
46	+ enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID. Note: By enabling this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles will be removed.
120	- crossref.pid-description=
122	+ crossref.pid-description=Email address or credentials used in the 'pid' parameter of Crossref's OpenURL request.

192	- pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster response and import. An API <b>Key</b> is not mandatory, but recommended. Information can be found here: <a href="https://www.ncbi.nlm.nih.gov/books/NBK25497">https://www.ncbi.nlm.nih.gov/books/NBK25497</a>
193	-
194	+ pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster response and import. An API <b>key</b> is not mandatory, but recommended. Information can be found here: <a href="https://www.ncbi.nlm.nih.gov/books/NBK25497">https://www.ncbi.nlm.nih.gov/books/NBK25497</a>
195	+ pubmed.content.api.esearch.url=URL to ESearch
196	+ pubmed.content.api.efetch.url=URL to EFetch
197	+ pubmed.content.api.epost.url=URL to EPost
198	+ pubmed.content.api.etool.url=URL to ID converter tool
198	- EMBASE.authentication.apiKey-label=API <b>Key</b>
203	+ EMBASE.authentication.apiKey-label=API <b>key</b>

 pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources\_ru.properties CHANGED

235	+ Scopus.use.approximated.publication.date-label=Используйте приблизительную дату публикации
236	+ Scopus.use.approximated.publication.date-description=При установке значения True Pure импортирует и использует приблизительную дату публикации, предоставленную Scopus. При установке значения False Pure проанализирует дату, которую Scopus получил из журнала, и соответственно установит дату. В некоторых случаях, если позволить Pure выполнить анализ даты (конфигурация имеет значение False), это может дать лучшие результаты. В редких случаях, когда доступна только приблизительная дата, Pure использует приблизительную дату.
237	+ pubmed.content.api.esearch.url=URL для ESearch
238	+ pubmed.content.api.efetch.url=URL для EFetch
239	+ pubmed.content.api.epost.url=URL для EPost
240	+ pubmed.content.api.etool.url=URL для ID-конвертер

 pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources\_en.properties CHANGED

241	+ DataSearch.label=DataSearch
242	+
332	- authorScopus=Author <b>&amp;</b> affiliations in Scopus
334	+ authorScopus=Author <b>and</b> affiliations in Scopus
364	- authorScielo=Author <b>&amp;</b> affiliations in SciELO
366	+ authorScielo=Author <b>and</b> affiliations in SciELO
418	- authorPure=Author <b>&amp;</b> affiliations in Pure
420	+ authorPure=Author <b>and</b> affiliations in Pure
513	

- default-organisation-from-authors-hint=If there are no information regarding affiliations for internal authors from the source, then the most relevant organisations from Pure are added. The strategy is as follows\:  
>1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added.  
>2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added.  
>3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.

515 + default-organisation-from-authors-hint=If there is no information regarding affiliations for internal authors from the source, then the most relevant organisations from Pure are added. The strategy is as follows\:  
>1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added.  
>2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added.  
>3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.

614 +

615 + researchoutputwizard.label=Research output import wizard

pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources\_ru.properties CHANGED

535 + researchoutputwizard.label==Мастер импорта результатов исследований

536 + DataSearch.label=DataSearch

pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources\_en.properties CHANGED

7 - RoMEO\_apiKey-label=SHERPA/RoMEO API Key

7 + RoMEO\_apiKey-label=SHERPA/RoMEO API key

35 - limitToLastStepWCSF-description=Filter content based on the current work flow step so that only last step is allowed.

35 + limitToLastStepWCSF-description=Filter content based on the current workflow step so that only last step is allowed.

43 - aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from. Eg. {"entityId1" : "Description 1", "entityId2" : "Description 2"}

43 + aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from, e.g. {"entityId1" : "Description 1", "entityId2" : "Description 2"}

45 - aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes Eg. ELS\_eduPersonPrincipalName

45 + aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes e.g. ELS\_eduPersonPrincipalName

69 - elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth base URL

69 + elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier account OAuth base URL

71 - elsevieridplusauthenticationmechanism.failure-text-label=ID+ failure to authentication message

71 + elsevieridplusauthenticationmechanism.failure-text-label=Elsevier account failure to authenticate message

73 - elsevieridplusauthenticationmechanism.original-username-label=ID+ original username constant

73 + elsevieridplusauthenticationmechanism.original-username-label=Elsevier account original username constant

77 - elsevieridplusauthenticationmechanism.synchronize-label=Synchronize users with ID+

77 + elsevieridplusauthenticationmechanism.synchronize-label=Synchronise users with Elsevier account

79 - elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from PURE. Contact ID+ for assistance correcting the issue.

79 + elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier account original username constant (regex for post-processing of username)

80 + elsevieridplusauthenticationmechanism.original-username-regex-description=E.g. (?!.\*@)(.\*) to only extract the part after @ in e.g. some@user

81 + elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from Pure. Contact Elsevier for assistance correcting the issue.

106 + saml2authenticationmechanism.sha256-signing-label=Use SHA-256 algorithm

107 + saml2authenticationmechanism.sha256-signing-description=

123 - casauthenticationmechanism.extra\_login\_url\_parameters-description=Any extra URL parameters that should be appended to the URL to which the user is redirected for authentication. Eg. '&p\_logintype=ad&language=da'

127 + casauthenticationmechanism.extra\_login\_url\_parameters-description=Any extra URL parameters that should be appended to the URL that the user is redirected to for authentication, e.g. '&p\_logintype=ad&language=da'

150 - ldapauthenticationmechanism.user-dn-patterns-description=Semicolon separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'

154 + ldapauthenticationmechanism.user-dn-patterns-description=Semicolon separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'.

474 - syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ids references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.

478 + syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child ID references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.

555 - syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If there exists persons without organisational unit associations, the synchronisation will not continue and a fatal error is logged.

559 + syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If persons without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.

580 -

584 + syncjob.associationType.allowChange-label=Remove and replace organisation associations if the type has changed

585 + syncjob.associationType.allowChange-description=Removes older association if matched with a new one of a different type. All data related to the old association is lost. A new association is made with new data from the input.

635 - syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If there exists students without organisational unit associations, the synchronisation will not continue and a fatal error is logged.

640 + syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If students without organisational unit associations exist, the synchronisation will not continue and a fatal error is logged.

702 - syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any staffs without organisational unit associations. If there exists staffs without organisational unit associations, the synchronisation will not continue and a fatal error is logged.

707

	+ syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any <b>staff members</b> without organisational unit associations. If <b>staff members</b> without organisational unit associations <b>exist</b> , the synchronisation will not continue and a fatal error is logged.
975	- e.g., <a href="http://scival.com/overview/summary?uri=Institution/315028">http://scival.com/overview/summary?uri=Institution/315028</a>
980	+ e.g., <a href="http://scival.com/overview/summary?uri=Institution/315028">http://scival.com/overview/summary?uri=Institution/315028</a>
1082	- pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails.
1083	- pure.mail.forced-recipient-of-all-email-excludes-description=The email addresses <b>provided</b> will receive <b>an email</b> even though the <b>"Force recipient of all emails"</b> has been set. The list of email addresses must be comma-separated. E.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1087	+ pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails
1088	+ pure.mail.forced-recipient-of-all-email-excludes-description=These email addresses will receive <b>emails</b> even if the <b>'Force recipient of all emails'</b> has been set. The list of email addresses must be comma-separated, e.g. 'pure-talkback@atira.dk, example@elsevier.com'.
1085	- pure.mail.forced-recipient-exclude-internal-description=Enabling this option <b>will ensure</b> internally-managed users will receive emails even if the <b>"Force recipient of all emails"</b> has been set. This option is complementary to the explicit email whitelist.
1090	+ pure.mail.forced-recipient-exclude-internal-description=Enabling this option <b>ensures</b> internally-managed users will receive emails even if the <b>'Force recipient of all emails'</b> has been set. This option is complementary to the explicit email whitelist.
1090	- pure.mail.from-description=This changes the <b>from</b> email address. This should not be changed, unless otherwise instructed by Elsevier.
1095	+ pure.mail.from-description=This changes the <b>'From'</b> email address. This should not be changed, unless otherwise instructed by Elsevier.
1092	- pure.mail.reply-to-description=The <b>reply</b> email address on the emails sent from Pure
1097	+ pure.mail.reply-to-description=The <b>'Reply to'</b> email address on the emails sent from Pure.
1097	- pure.mail.username-label=Mail host <b>user name</b>
1098	- pure.mail.username-description=The <b>user name</b> used with the mail host.
1102	+ pure.mail.username-label=Mail host <b>username</b>
1103	+ pure.mail.username-description=The <b>username</b> used with the mail host.
1101	- pure.mail.starttls.enable-label=Enable or disable STARTTLS command.
1106	+ pure.mail.starttls.enable-label=Enable or disable STARTTLS command
1103	- pure.mail.checkserveridentity-label= <b>On</b> <b>will check</b> the server identity.
1104	- pure.mail.checkserveridentity-description=If set to <b>on</b> , check the server identity as specified by RFC 2595.
1108	+ pure.mail.checkserveridentity-label= <b>Check</b> the server identity
1109	+ pure.mail.checkserveridentity-description=If set to <b>On</b> , check the server identity as specified by RFC 2595.
1106	- pure.mail.support-email-address-description=The support email address that appears in the Help and support section in the Pure <b>admin</b> .
1107	- pure.mail.connection.timeout.seconds-label=Mail connection timeout ( <b>In</b> seconds)
1111	+ pure.mail.support-email-address-description=The support email address that appears in the <b>'Help and support'</b> section in the Pure <b>interface</b> .
1112	+ pure.mail.connection.timeout.seconds-label=Mail connection timeout ( <b>in</b> seconds)
1110	- pure.mail.require.logindate-label=Only send email messages to users that have <b>been logged in to</b> Pure
1115	+ pure.mail.require.logindate-label=Only send email messages to users that have logged <b>into</b> Pure
1113	

- pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format e.g. "mail.smtp.starttls.enable=true", separated with line breaks.

1118 + pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format, e.g. "mail.smtp.starttls.enable=true", separated with line breaks.

1135 - mount.points.fullUrl.ws-label=Full URL for ws

1140 + mount.points.fullUrl.ws-label=Full URL for WS

1145 - dspace.user-label=User name

1150 + dspace.user-label=Username

1202 - researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly **advise** against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.

1207 + researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly **advise** against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.

#### pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources\_ru.properties **CHANGED**

1310 - elsevieridplusauthenticationmechanism.oauthUrl-label=Базовый URL-адрес OAuth ID+

1311 - elsevieridplusauthenticationmechanism.failure-text-label=ID+ не удается аутентифицировать сообщение

1312 - elsevieridplusauthenticationmechanism.original-username-label=Исходная константа имени пользователя ID+

1314 - elsevieridplusauthenticationmechanism.synchronize-label=Синхронизация пользователей с ID+

1315 - elsevieridplusauthenticationmechanism.editor.clear-id-description=Если ID неправильный, его можно удалить из Pure. За помощью с исправлением ошибки обращайтесь в ID+.

1312 + elsevieridplusauthenticationmechanism.oauthUrl-label=URL базы OAuth учетной записи Elsevier

1313 + elsevieridplusauthenticationmechanism.failure-text-label=Учетная запись Elsevier не может подтвердить подлинность сообщения

1314 + elsevieridplusauthenticationmechanism.original-username-label=Константа оригинального имени пользователя учетной записи Elsevier

1315 + elsevieridplusauthenticationmechanism.synchronize-label=Синхронизировать пользователей с учетной записью Elsevier

1316 + elsevieridplusauthenticationmechanism.original-username-regex-label=Константа оригинального имени пользователя учетной записи Elsevier (регулярное выражение для последующей обработки имени пользователя)

1317 + elsevieridplusauthenticationmechanism.original-username-regex-description=Например, (?!.\*@)(.\*), чтобы извлечь только часть после @, как, например, в some@user

1318 + elsevieridplusauthenticationmechanism.editor.clear-id-description=Если ID неправильный, его можно удалить из Pure. За помощью с исправлением ошибки обращайтесь в Elsevier.

1319 + saml2authenticationmechanism.sha256-signing-label=Используйте алгоритм SHA-256



1320 + syncjob.associationType.allowChange-label=Удалите и замените организационные связи, если тип изменился  
1321 + syncjob.associationType.allowChange-description=Приводит к удалению более старой связи, если она совпадает с новой связью другого типа. Все связанные с устаревшей связью данные утеряны. Новая связь создана с использованием новых введенных данных.  
1322 + creatable-by-roles-ADMINISTRATORS\_AND\_EDITORS\_AND\_ASSISTING\_EDITORS=Администраторы, редакторы и помощники редакторов

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources\_en.properties CHANGED

13 +  
14 + originalUserNameAsUserName={originalUserName} as {userName}

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources\_ru.properties CHANGED

1 - #Added translations  
2 - #Sun Jan 29 14:23:09 CET 2017  
11 + originalUserNameAsUserName={originalUserName} от имени {userName}

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources\_en.properties CHANGED

13 + logger.grouping.elsevieridplus=Authentication - Elsevier account

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources\_ru.properties CHANGED

13 + logger.grouping.elsevieridplus=Аутентификация с помощью учетной записи Elsevier

pure-core/core/src/main/resources/security/security-resources\_en.properties CHANGED

12 - idplusMarkerRole=ID+ user  
12 + idplusMarkerRole=Elsevier account

pure-core/core/src/main/resources/security/security-resources\_ru.properties CHANGED

28 - idplusMarkerRole=Пользователь ID+  
28 + idplusMarkerRole=Учетная запись Elsevier

pure-core/model/src/main/resources/validation/validation-core-model-resources\_en.properties CHANGED

9 - validation.text.defined-group=The following fields are required

```

9 + validation.text.defined-group=The following fields are required:
84 + statement.mimeType=The type of the uploaded file
143 - validation.issn.format-group=The following fields have ISSN numbers with invalid format. ISSN must be of the format: "nnnn-nnnn"
144 - validation.issn.format=The ISSN number is not correctly formatted, it must be of the format nnnn-nnnn
145 - validation.issn.checkdigit-group=The following fields have invalid ISSN numbers; modulus check has failed. Please check that the ISSN numbers have been entered correctly.
146 - validation.issn.checkdigit=The ISSN number is not correct, modulus check has failed. Please check that the ISSN number has been entered correctly.
144 + validation.issn.format-group=The following fields have ISSNs with an invalid format. ISSNs must have the format "nnnn-nnnn"
145 + validation.issn.format=The ISSN is not correctly formatted, it must have the format nnnn-nnnn.
146 + validation.issn.checkdigit-group=The following fields have invalid ISSNs; modulus check has failed. Please check that the ISSNs have been entered correctly.
147 + validation.issn.checkdigit=The ISSN is not correct, modulus check has failed. Please check that the ISSN has been entered correctly.
161 - validation.text.inStep=The current work flow step can only be {expectedStepName}, but is {currentStepName}
162 + validation.text.inStep=The current workflow step can only be {expectedStepName}, but is {currentStepName}
209 - validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour
210 + validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour:
225 - validation.text.definedonobjects-group=The following fields are required
226 + validation.text.definedonobjects-group=The following fields are required:
234 - validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps has been used more than once
235 + validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps have been used more than once
240 - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps has been used in the definition
241 - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps has been used in the definition
241 + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps have been used in the definition
242 + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps have been used in the definition
244 - validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps has been used more than once
245 + validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps have been used more than once
285 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=The following fields contains an incorrect keyword configuration
286 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} contains an incorrect keyword configuration, which is only usable by {differentFamily}
328 +
329 + validation.text.limitCollectionToNotContain-group=Cannot save due to duplicate relations
330 + validation.text.limitCollectionToNotContain=You cannot use the entity '{value}' as '{field:lowercase}' because it is already used as '{referencedFieldName}'

```

```
242 + temporalCoverageStartDate.year=Год начала временного обслуживания
243 + temporalCoverageEndDate.year=Год завершения временного обслуживания
244 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=Следующие поля содержат неверную
конфигурацию ключевых слов
245 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} содержит неверную конфигурацию
ключевых слов, которую может использовать только {differentFamily}
246 + statement.mimeType=Тип загружаемого файла
247 + validation.text.limitCollectionToNotContain-group=Не удастся сохранить из-за дублирования отношений
248 + validation.text.limitCollectionToNotContain=Вы не можете использовать объект '{value}' в качестве '{field:lowercase}', потому
что он уже используется в качестве '{referencedFieldName}'
```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources\_en.properties CHANGED

```
6 +
7 + scheduledreport-failure-message.title=Failure to generate scheduled report
8 + scheduledreport-failure-message.velocity_subject=The report "{title}" failed to produce a result
9 + scheduledreport-failure-message.velocity_title=The report "{title}" failed to produce a result
10 + scheduledreport-failure-message.text=The scheduled report "{title}" executed by Pure on {date} failed to generate a result.
Contact your Pure Administrator to investigate why the scheduled report failed to produce a result. Further information can be
found in the job log (Pure > Administrator > Jobs > Job log). (You received this email because your user is the owner of the
scheduled report).
```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources\_ru.properties CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:23:09 CET 2017
5 + scheduledreport-failure-message.title=Не удалось создать плановый отчет
6 + scheduledreport-failure-message.velocity_subject=Отчет "{title}" не выдал результат
7 + scheduledreport-failure-message.velocity_title=Отчет "{title}" не выдал результат
8 + scheduledreport-failure-message.text=Плановый отчет "{title}", выполненный Pure {date}, не сформировал результат. Обратитесь к
вашему администратору Pure, чтобы выяснить, почему плановый отчет не дал результата. Дополнительную информацию можно найти в
журнале задач (Pure > Администратор > Задачи > Журнал задач). (Вы получили это письмо, потому что ваш пользователь является
автором планового отчета).
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources\_en.properties CHANGED

```
39 - pivot-multiple-fields-help=Data will be expanded horizontally this means that based on the data this definition may span
multiple fields and each of these fields will then be prefixed with aID.x where the x is the position of the element.
39 + pivot-multiple-fields-help=Data will be expanded horizontally -this means that based on the data this definition may span
multiple fields and each of these fields will then be prefixed with ID.x where the x is the position of the element.
```

```
62 +
63 + exported-value-was-truncated=The value in row {rowNum} was truncated.
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources\_ru.properties CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:23:09 CET 2017
45 + exported-value-was-truncated=Значение в строке {rowNum} было усечено.
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources\_en.properties CHANGED

```
481 + preferences.maxRowsInExcelExport.label=Max rows in Excel export
482 + preferences.maxRowsInExcelExportButton.label=Save 'max rows in Excel export'
583 - visibilityAndConfidentiality=Visibility & confidentiality
585 + visibilityAndConfidentiality=Visibility and confidentiality
722 + pure-report-unable-to-load-react-mount-point-description=If the mount point configuration does not match the server address:
Ask your system administrator to check configuration of the mount point in the Administrator tab
(workspace/administrator/category/settings/configuration/mount-points/). A Pure server must know where to find the generated
Javascript to display this page. Either there is no configuration value or the server has been moved to another domain or perhaps
the mount point configuration was not updated accordingly. Still not working? Accessing Pure directly from a localhost address
will cause a mismatch in login cookies and some features will be unavailable. In this case you should go to log in to
'{mount_point}/report/start.xhtml' instead.
723 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}
724 + pure-report-unable-to-load-react-mount-point-label=Mount point
725 + pure-report-unable-to-load-react-sub-header=If you see this message it means that Pure was unable to retrieve information
needed to generate the page
726 + pure-report-unable-to-load-react-header=Failed to load Javascript files
727 +
728 +
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources\_ru.properties CHANGED

```
568 + preferences.maxRowsInExcelExport.label=Макс. кол-во строк при экспорте в Excel
569 + preferences.maxRowsInExcelExportButton.label=См. макс. кол-во строк при экспорте в Excel
570 + pure-report-unable-to-load-react-mount-point-description=Если конфигурация точки подключения не совпадает с адресом сервера:
Обратитесь к системному администратору для проверки конфигурации точки подключения во вкладке администратора
(workspace/administrator/category/settings/configuration/mount-points/). Сервер Pure должен знать, где найти созданный Javascript
для отображения этой страницы. Отсутствует значение конфигурации или сервер был перемещен на другой домен, либо, возможно,
конфигурация точки подключения не была соответственно обновлена. До сих пор не работает? Доступ к Pure непосредственно с адреса
локального хоста вызовет несовпадение cookie-файлов входа в систему, поэтому некоторые функции будут недоступны. В этом случае
необходимо войти в систему через '{mount_point}/report/start.xhtml'.
```

```
571 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}
572 + pure-report-unable-to-load-react-mount-point-label=Точка подключения
573 + pure-report-unable-to-load-react-sub-header=Если вы видите это сообщение, это значит, что Pure не удалось извлечь необходимую
информацию для создания страницы
574 + pure-report-unable-to-load-react-header=Не удалось загрузить файлы Javascript
```

pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

```
6 + personalInformationShown-hint=When this is enabled, the key exposes personal information, such as gender, nationality and date
of birth.
16 + content-group=Access to personal information
17 + content-group-help=Choose what content you would like to expose
```

pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... CHANGED

```
15 + personalInformationShown-hint=Когда эта функция включена, ключ предоставляет персональные данные, такие как пол,
национальность и дата рождения.
16 + content-group=Доступ к персональным данным
17 + content-group-help=Выберите контент, который вы хотели бы продемонстрировать
```

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

```
1 - type-name=API Key
2 - type-name-plural=API Keys
3 - family-name-plural=API Keys
4 - family-name=API Key
1 + type-name=API key
2 + type-name-plural=API keys
3 + family-name-plural=API keys
4 + family-name=API key
6 - apiKey=API Key
6 + apiKey=API key
14 + allowedProperties=Allow access to these fields
```

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... CHANGED

```
1 - #Added translations
2 - #Tue May 30 14:31:47 CEST 2017
13 + allowedProperties=Разрешить доступ к этим полям
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
21 - submissiondate=Submission date
21 + submissiondate=Date submitted
22 + submissiondeadline=Submission deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... CHANGED

```
17 - submissiondate=Дата подачи заявки
23 + submissiondate=Дата отправки
24 + submissiondeadline=Срок отправки
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
45 + application-submission-deadline-period-legend=Application approaching submission deadline
46 + application-submission-deadline-period-hint=These settings configure the Application matrix view so that only Applications
that have a submission deadline within the chosen period are shown.
47 + application-submission-deadline-period=Submission deadline in next
48 + applicationSubmissionDeadlinePeriodOptions.ALL=All ranges
49 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=One week
50 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Two weeks
51 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=One month
52 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Three months
53 +
60 +
61 + application-submission-deadline-column=Approaching deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... CHANGED

```
40 + application-submission-deadline-period-legend=Заявка приближается к сроку подачи
41 + application-submission-deadline-period-hint=Эти параметры позволяют настроить представление матрицы заявок так, чтобы
отображались только те заявки, у которых есть срок отправки в течение выбранного периода.
42 + application-submission-deadline-period=Срок отправки в следующем
43 + applicationSubmissionDeadlinePeriodOptions.ALL=Все диапазоны
44 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=Одна неделя
45 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Две недели
46 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=Один месяц
47 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Три месяца
48 + application-submission-deadline-column=Приближается срок
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

```
1 + funderStatus-group=Funder status
2 + funderStatus-group-help=
3 +
4 + submissionDeadline-group=Submission deadline
5 + submissionDeadline-group-help=Enter the date that the application must be submitted by. If you associate a funding opportunity
  with this application, the deadline from the funding opportunity will be used if this date has not already been set on the
  application.
6 +
7 + same-submission-deadline-notification=Same as funding opportunity
8 + earlier-submission-deadline-notification=Earlier than funding opportunity ({fundingOpportunityDeadline})
9 + later-submission-deadline-notification=Later than funding opportunity ({fundingOpportunityDeadline})
10 + not-set-submission-deadline-notification=Defined on funding opportunity ({fundingOpportunityDeadline})
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

```
1 + funderStatus-group=Статус спонсора
2 + submissionDeadline-group=Срок отправки
3 + submissionDeadline-group-help=Введите дату, до которой необходимо отправить заявку. Если вы связываете возможность
  финансирования с этой заявкой, будет использоваться срок в рамках возможности финансирования, если эта дата еще не была
  установлена в заявке.
4 + same-submission-deadline-notification=Та же, что и у возможности финансирования
5 + earlier-submission-deadline-notification=Раньше, чем возможность финансирования ({fundingOpportunityDeadline})
6 + later-submission-deadline-notification=Позже, чем возможность финансирования ({fundingOpportunityDeadline})
7 + not-set-submission-deadline-notification=Определена в возможности финансирования ({fundingOpportunityDeadline})
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
6 + create-new-ethical-review-no-save=Create ethical review...
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
7 + create-new-ethical-review-no-save=Создать этическую оценку...
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/externalerm/externalerm-re... CHANGED

```
7 - externalerm-display-name-hint=«Введите имя, которое будет использоваться при отображении статуса. Например, «Infonetica ERM».
```

7 + externalerm-display-name-hint=Введите имя, которое будет использоваться при отображении статуса. Например, «Infonetica ERM».

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

1 - title=Submission date  
1 + title=Date submitted

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

1 - #Added translations  
2 - #Sun Jan 29 14:23:09 CET 2017  
3 - title=Дата представления  
5 + title=Дата отправки

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

1 + title=Submission deadline  
2 + noLimit=All  
3 + noSubmissionDeadline=No submission deadline  
4 + submissionDeadline=Submission deadline in next  
5 + submissionDeadlineCustom=Submission deadline in custom date range  
6 + oneWeek=One week  
7 + twoWeeks= Two weeks  
8 + oneMonth= One month  
9 + threeMonths= Three months  
10 + all= All ranges  
11 + from=From  
12 + to=To  
13 + date=Date  
14 + arrow=>

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

1 + title=Срок отправки  
2 + noLimit=Все  
3 + noSubmissionDeadline=Срок отправки отсутствует  
4 + submissionDeadline=Срок отправки в следующем  
5 + submissionDeadlineCustom=Срок отправки в выбранном диапазоне дат  
6 + oneWeek=Одна неделя



```
7 + twoWeeks=Две недели
8 + oneMonth=Один месяц
9 + threeMonths=Три месяца
10 + all=Все диапазоны
11 + from=C
12 + to=До
13 + date=Дата
14 + arrow=>
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
31 +
32 + applicationdeadlineinconsistency.title=Inconsistent submission deadline dates
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... CHANGED

```
28 + applicationdeadlineinconsistency.title=Несоответствующие даты отправки
```

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

```
1 - submissionDate=Submission date
1 + submissionDate=Date submitted
2 + submissionDeadline=Deadline
10 - funderStatus-group=Funder status
11 - funderStatus-group-help=
12 -
```

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... CHANGED

```
1 - submissionDate=Дата представления
8 - funderStatus-group=Статус спонсора
9 - funderStatus-group-help=...
10 + submissionDate=Дата отправки
11 + submissionDeadline=Крайний срок
```

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources\_en.proper... CHANGED

```
1 - applicationOrderBySubmissionDate.label=Submission date
```

```
1 + applicationOrderBySubmissionDate.label=Date submitted
2 + applicationOrderByApproachingSubmissionDeadline.label=Approaching deadline
```

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources\_ru.propert... CHANGED

```
1 - #Added translations
2 - #Tue May 30 14:31:47 CEST 2017
9 - applicationOrderBySubmissionDate.label=Дата представления
21 + applicationOrderBySubmissionDate.label=Дата отправки
22 + applicationOrderByApproachingSubmissionDeadline.label=Приближается срок
```

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... CHANGED

```
55 - newsflo.api.token-legend=Vendor configuration: Newsflo API Key
56 - newsflo.api.token-description=The API Key for use with the API.
55 + newsflo.api.token-legend=Vendor configuration: Newsflo API key
56 + newsflo.api.token-description=The API key for use with the API.
64 +
65 + newsflo.api.clienttoken-legend=Vendor configuration: Newsflo Client Token
66 + newsflo.api.clienttoken-description=The client token to use with the API.
```

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-res... CHANGED

```
1 - #Added translations
2 - #Mon Oct 08 11:00:06 CEST 2018
57 + newsflo.api.clienttoken-legend=Настройка поставщика: токе клиента Newsflo
58 + newsflo.api.clienttoken-description=Клиентский токен для использования с API.
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration... ADDED

```
1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=DataSearch integration
3 + datasearch-configuration-header-description=In this configuration page you can set up integration with DataSearch to automatically source Dataset content.
4 + what-is-datasearch-disclosure-header=What is the DataSearch integration
5 + what-is-datasearch-disclosure=Enabling the integration with DataSearch will automatically create Dataset content (associated with relevant Persons and Organisations) in Pure. Relations with Research Outputs will also automatically be created, where available.</br></br><p>Enabling the DataSearch integration below will turn on the 'DataSearch: Import Datasets' job, and set it to run on a weekly basis. The settings can be changed in the 'Administrator > Jobs > Cron Job Scheduling' menu.</p>
```

6 + datasearch-integration-legend=DataSearch integration  
7 + toggle-datasearch-hint=<b>Turn on</b> the DataSearch integration to source existing and future Dataset content.<br/><b>Turn off</b> the DataSearch integration to pause the integration and prevent new Dataset content being populated in Pure.  
8 + datasearch-integration-label=DataSearch integration  
9 + datasearch-configuration-save=Save  
10 + datasearch-configuration-refresh=Refresh  
11 + datasearch-institution-id-label=Institution IDs  
12 + datasearch-institution-id-hint=Enter a comma-separated list of your institution's InstitutionID and ScopusID to find Datasets from DataSearch.  
13 + datasearch-missing-institution-id-error-text=An institution ID is required before enabling the DataSearch integration  
14 + datasearch-missing-default-managing-organisation-error-text=The default managing organisation is required before enabling the DataSearch integration  
15 + datasearch-workflow-legend=Dataset workflow settings  
16 + toggle-datasearch-workflow-hint=When the DataSearch integration is enabled, the Datasets imported automatically will be set in the workflow step configured below. Already imported Datasets will not be affected.  
17 + clear-rejected-candidates-legend=Rejected candidates  
18 + clear-rejected-candidates-hint=It is possible to clear any rejected candidates using the button below. Note: All previously rejected candidates will be cleared. The action is not reversible.  
19 + rejected-candidates-will-be-cleared-message=rejected candidates will be cleared  
20 + clear-rejected-candidates-label=Clear rejected candidates  
21 + datasearch-default-organisation-legend=Default managing organisation  
22 + datasearch-default-managing-organisation=Default managing organisation  
23 + datasearch-default-managing-organisation-hint=This organisation will be used for candidates where a managing organisation could not be determined  
24 + datasearch-enable-workflow-recommendation=It is recommended to enable workflow for datasets  
25 + datasearch-clear-reject-candidate-dialogue-description=Are you sure you want to clear these rejected candidates? <br> The action cannot be undone.  
26 + datasearch-vendorfields-label=Specific fields only visible to the Elsevier vendor user  
27 + datasearch-apiurl-label=API URL  
28 + datasearch-apikey-label=API Key  
29 + datasearch-apikey-description=Key for Elsevier DataSearch API.  
30 + datasearch-pagesize-label=Page size  
31 + datasearch-pagesize-description=Number of Datasets to include in each API request.  
32 + datasearch-sources=DataSearch sources  
33 + datasearch-sources-hint=A comma-separated list of sources to limit DataSearch to. Leave blank to not limit DataSearch sources. Source names must match the exact source names in DataSearch.  
34 + datasearch-show-sources=Show available sources  
35 + datasearch-available-sources=The following sources are available through DataSearch  
36 + datasearch-invalid-source=One or more of the entered sources did not match a source in DataSearch.  
37 + datasearch-failed-to-get-sources=Pure failed to get the list of sources from DataSearch and will therefore not validate the sources.  
38 + delete-button=Confirm  
39 + cancel-button=Cancel

```
1 + datasearch-configuration-page=DataSearch
2 + datasearch-configuration-header=Интеграция DataSearch
3 + datasearch-configuration-header-description=На этой странице конфигурации вы можете настроить интеграцию с DataSearch для
  автоматического поиска содержимого набора данных.
4 + what-is-datasearch-disclosure-header=Что такое интеграция DataSearch?
5 + what-is-datasearch-disclosure=Включение интеграции с DataSearch приведет к автоматическому созданию содержимого набора данных
  (связанного с соответствующими лицами и организациями) в Pure. Отношения с результатами исследований также будут создаваться
  автоматически, если это возможно. Включение<br><br><p> интеграции DataSearch ниже приведет к включению DataSearch: Импортируйте
  задачу наборов данных и настройте ее выполнение каждую неделю. Настройки можно изменить в меню «Администратор > Задачи >
  Планирование задач планировщика».</p>
6 + datasearch-integration-legend=Интеграция DataSearch
7 + toggle-datasearch-hint=<b>Включить</b> интеграцию DataSearch для поиска существующего и будущего содержимого набора данных.
  <br/><br/><b>Выключить</b> интеграцию DataSearch, чтобы приостановить интеграцию и не допустить заполнение Pure новым набором
  данных.
8 + datasearch-integration-label=Интеграция DataSearch
9 + datasearch-configuration-save=Сохранить
10 + datasearch-configuration-refresh=Обновить
11 + datasearch-institution-id-label=Идентификаторы учреждения
12 + datasearch-institution-id-hint=Введите разделенный запятыми список InstitutionID и ScopusID вашего учреждения, чтобы найти
  наборы данных в DataSearch.
13 + datasearch-missing-institution-id-error-text=Требуется ID учреждения до включения интеграции DataSearch
14 + datasearch-missing-default-managing-organisation-error-text=Требуется управляющая организация по умолчанию перед включением
  интеграции DataSearch
15 + datasearch-workflow-legend=Настройки рабочего процесса набора данных
16 + toggle-datasearch-workflow-hint=Если интеграция DataSearch включена, то автоматически импортированные наборы данных будут
  установлены на этап рабочего процесса, настроенный ниже. Уже импортированные наборы данных затронуты не будут.
17 + clear-rejected-candidates-legend=Отклоненные кандидаты
18 + clear-rejected-candidates-hint=Используя кнопку ниже, можно удалить любых отклоненных кандидатов. Примечание. Все ранее
  отклоненные кандидаты будут удалены. Это действие необратимо.
19 + rejected-candidates-will-be-cleared-message=отклоненные кандидаты будут удалены
20 + clear-rejected-candidates-label=Удалить отклоненных кандидатов
21 + datasearch-default-organisation-legend=Управляющая организация по умолчанию
22 + datasearch-default-managing-organisation=Управляющая организация по умолчанию
23 + datasearch-default-managing-organisation-hint=Эта организация будет использована для кандидатов, когда управляющую организацию
  невозможно определить
24 + datasearch-enable-workflow-recommendation=Рекомендуется включить рабочий процесс для наборов данных.
25 + datasearch-clear-reject-candidate-dialogue-description=Удалить этих отклоненных кандидатов? <br> Это действие нельзя отменить.
26 + datasearch-vendorfields-label=Отдельные поля видны только пользователю Elsevier
27 + datasearch-apiurl-label=URL API
28 + datasearch-apikey-label=Ключ API
```

29 + datasearch-apikey-description=Ключ для Elsevier DataSearch API.  
30 + datasearch-pagesize-label=Размер страницы  
31 + datasearch-pagesize-description=Количество наборов данных, включаемых в каждый запрос API.  
32 + datasearch-sources=Источники DataSearch  
33 + datasearch-sources-hint=Разделенный запятыми список источников, которыми должен быть ограничен DataSearch. Чтобы не ограничивать источники данных, оставьте поле пустым. Названия источников должны точно совпадать с названиями источников в DataSearch.  
34 + datasearch-show-sources=Показать доступные источники  
35 + datasearch-available-sources=Через DataSearch доступны следующие источники  
36 + datasearch-invalid-source=Один или несколько введенных источников не соответствуют источнику в DataSearch.  
37 + datasearch-failed-to-get-sources=Pure не удалось получить список источников из DataSearch, поэтому он не будет проверять источники.  
38 + delete-button=Подтвердить  
39 + cancel-button=Отмена

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

12 - mendelej-data-institution-id-hint=Enter your institution ID from Mendelej, which can be found [here](https://data.mendelej.com/institutions) (requires Mendelej Data Institutional Edition subscription)

12 + mendelej-data-institution-id-hint=Enter your institution ID from Mendelej, which can be found [here](https://service.elsevier.com/app/contact/supporthub/mendelej/) (requires Mendelej Data Institutional Edition subscription)

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... CHANGED

1 - #Added translations

2 - #Fri Sep 08 10:59:56 CEST 2017

14 - mendelej-data-institution-id-hint=Введите ID вашей организации из Mendelej, который можно найти здесь XXX

28 + mendelej-data-institution-id-hint=Введите идентификатор вашего учреждения, предоставленный Mendelej, который можно найти [здесь](https://service.elsevier.com/app/contact/supporthub/mendelej/) (требуется подписка на Mendelej Data Institutional Edition)

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

3 - header-dataset-mendelej-all=List of import candidates from Mendelej Datanot currently in Pure. \

4 - The datasets with thelabel Updated denotes datasets already in Pure, where the author(s) and/or the organisational unit have changed in Mendelej Data. \

3 + header-dataset-datasearch-all=List of import candidates from DataSearch not currently in Pure. \

4 + The label 'Updated' denotes datasets already in Pure, where the author(s) and/or the organisational unit have changed in DataSearch. \

6 - You can limit the result list using the drop down above to show either all, new import candidates or updated candidates

```

7 - mendeleyDataSetCandidateColumn=Import candidates
8 - mendeleyDataSetCandidateGroup=Mendeley import candidates for Dataset
9 - header-mendeley-dataset-text=Last Mendeley Dataimport occurred: {lastJobExecutionDate} {jobError} - the next import will
  happen at: {nextJobExecutionDate}
10 - header-mendeley-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 - header-mendeley-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 - header-mendeley-dataset-date-not-available=N/A
13 - mendeley-dataset-task-group-name=Mendeley dataset candidates
6 + You can limit the result list using the drop down above to show either all, new import candidates or updated candidates.
7 + searchDataSetCandidateColumn=Import candidates
8 + searchDataSetCandidateGroup=DataSearch import candidates for Dataset
9 + header-datasearch-dataset-text=Last DataSearch import occurred: {lastJobExecutionDate} {jobError} - the next import will
  happen at: {nextJobExecutionDate}
10 + header-datasearch-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 + header-datasearch-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 + header-datasearch-dataset-date-not-available=N/A
13 + datasearch-dataset-task-group-name=DataSearch dataset candidates
16 - datasetauthorMendeleyData=People in Mendeley Data
17 - datasetorganisationMendeleyData=Institutions in Mendeley Data
16 + datasetauthorDataSearch=People in DataSearch
17 + authorDataSearch=People in DataSearch
18 + datasetorganisationDataSearch=Institutions in DataSearch

```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

```


1 - #Added translations
2 - #Sun Jan 29 14:23:09 CET 2017
5 - mendeleyDataSetCandidateColumn=Импортировать кандидатов
6 - mendeleyDataSetCandidateGroup=Импорт кандидатов Mendeley для набора данных
7 - header-mendeley-dataset-text=Последний импорт данных Mendeley произошел\: {lastJobExecutionDate} {jobError} – следующий импорт
  произойдет\: {nextJobExecutionDate}
8 - header-mendeley-dataset-job-error=(<span class="jobs_error">с ошибками, см. журнал</span>)
9 - header-mendeley-dataset-date-not-available=Нет сведений
10 - mendeley-dataset-task-group-name=Кандидаты набора данных Mendeley
13 - datasetauthorMendeleyData=Люди в данных Mendeley
14 - datasetorganisationMendeleyData=Организации в данных Mendeley
19 - header-mendeley-dataset-job-warning=(<span class="jobs_warn">с предупреждениями, см. журнал</span>)
20

```


- header-dataset-mendeley-all=Список кандидатов

импорта из данных Mendeley в настоящий момент отсутствует в Pure. Наборы данных с пометкой «Обновлено» обозначают базы данных в Pure, когда автор(-ы) и (или) подразделение изменили данные Mendeley. Важно импортировать обновленные наборы данных, поскольку они будут по-прежнему появляться в списке кандидатов на импорт до тех пор, пока не будет выполнен импорт. Вы можете ограничить список результатов с помощью выпадающего меню, представленного выше, чтобы отобразить или всех, или новых или обновленных кандидатов на импорт.

```
9 + header-dataset-datasearch-all=Список кандидатов на импорт из DataSearch, которые в данный момент отсутствуют в Pure.
10 + dataSearchDataSetCandidateColumn=Импортировать кандидатов
11 + dataSearchDataSetCandidateGroup=DataSearch импортирует кандидатов для набора данных
12 + header-datasearch-dataset-text=Последний импорт DataSearch произошел: {lastJobExecutionDate} {jobError} - следующий импорт
    произойдет в: {nextJobExecutionDate}
13 + header-datasearch-dataset-job-error=(<span class="jobs_error">с ошибками, см. журнал</span>)
14 + header-datasearch-dataset-job-warning=(<span class="jobs_warn">с предупреждениями, см. журнал</span>)
15 + header-datasearch-dataset-date-not-available=неизв.
16 + datasearch-dataset-task-group-name=Наборы данных кандидатов в DataSearch
17 + datasetauthorDataSearch=Люди в DataSearch
18 + authorDataSearch=Люди в DataSearch
19 + datasetorganisationDataSearch=Учреждения в DataSearch
```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources\_en.prop... CHANGED

```
1 - mendeleyDataSetImportJob-label=Mendeley Data: Import Datasets
2 - mendeleyDataSetImportJob-description=Imports Datasets from Mendeley Datafor the given institution.
1 + dataSearchDataSetImportJob-label=DataSearch: Import Datasets
2 + dataSearchDataSetImportJob-description=Imports Datasets from DataSearch for the given institution.
```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources\_ru.prop... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:23:09 CET 2017
1 + dataSearchDataSetImportJob-label=DataSearch: импортировать наборы данных
2 + dataSearchDataSetImportJob-description=Импортировать наборы данных из данных DataSearch для выбранного учреждения.
3 - mendeleyDataSetImportJob-label=Данные Mendeley\ : Импортировать наборы данных
4 - mendeleyDataSetImportJob-description=Импортировать наборы данных из данных Mendeley для данной организации
```

 pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... CHANGED

```
7 - widgetFactory.dataset_top_contributors.name=Top dataset contributors
7 + widgetFactory.dataset_top_contributors.name=No. of datasets by employee
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... [CHANGED](#)

```
1 - #Added translations
2 - #Sun Jan 29 14:23:09 CET 2017
7 - widgetFactory.dataset_top_contributors.name=Лица, предоставляющие наиболее популярные наборы данных
5 + widgetFactory.dataset_top_contributors.name=Кол-во наборов данных по сотруднику
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modul... [CHANGED](#)

```
3 - mendeleydataset-message.title=Dataset candidates from Mendeley
3 + searchDataDataset-message.title=Dataset candidates from DataSearch
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modu... [CHANGED](#)

```
1 - #Added translations
2 - #Sun Jan 29 14:23:09 CET 2017
14 - mendeleydataset-message.title=Кандидаты набора данных из Mendeley
12 + searchDataDataset-message.title=Наборы данных кандидатов из DataSearch
```

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... [CHANGED](#)

```
61 - mendeleycategories=Mendeley categories
61 + searchDataCategories=DataSearch categories
```

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... [CHANGED](#)

```
1 - #Added translations
2 - #Wed Sep 26 12:19:39 CEST 2018
52 - mendeleycategories=Категории Mendeley
52 + searchDataCategories=Категории DataSearch
```

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... [CHANGED](#)

```
3 + contactExpert-group=Contact Expert
12 - persons.personContactLink-hint=The portal will replace {id} with the person's ID and the {name} with the person's name.
13 + persons.personContactLink-hint=Note: The Pure will replace {id} with the person's ID and the {name} with the person's name.
25 + persons.enableContactExpert=Enable 'Contact Expert' button
```



pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

- 24 + contactExpert-group=Связаться с ученым
- 25 + persons.enableContactExpert=Разрешить связь с ученым

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... CHANGED

- 11 - requestForCopyIncludingRestrictedDocuments=!!Include restricted documents
- 12 - requestForCopyIncludingRestrictedDocuments-hint=!!If this is turned on, documents which have 'Restricted' status are included in the request for copy function.
- 11 + requestForCopyIncludingRestrictedDocuments=Включать документы, на которые распространяется ограничение
- 12 + requestForCopyIncludingRestrictedDocuments-hint=Если эта функция включена, документы с ограниченным статусом, будут включены в функцию запроса копии.

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

- 88 - campus-ip-ranges=CampusIP ranges
- 88 + campus-ip-ranges=IP ranges for campus network visibility
- 89 + campus-ip-ranges-help=Define one or more IP ranges for visibility of content for campus network. Multiple ranges must be comma-separated, e.g. x.x.x.x - x.x.x.x, x.x.x.x - x.x.x.x
- 92 - campus-ip-ranges-help=
- 103 + enableContactExpert=Enable 'Contact Expert' button
- 104 + contactByUrl=An external web link
- 105 + contactByForm=Pure's default 'Contact Expert' web form
- 106 + howToContactExperts='Contact expert' button opens:
- 107 + contactFormReceiver=Default recipient email address of contact requests via Pure's web form:
- 108 + contactFormOrganisations=The email address associated with the organisational unit itself (Organisational unit editor window > Metadata > Electronic addresses > Emails)
- 109 + contactFormResearchers=The email address associated with the organisational affiliation on the person (Person editor window > Metadata > Organisational affiliations)
- 110 + contactFormEmailHint=If the person does not have an email address available on the organisational affiliation, the email will be sent to the email address associated with the organisational unit.
- 111 + contactLink=Contact link URL
- 112 + contactLinkHint=Note: The Pure will replace {id} with the person's ID and the {name} with the person's name.

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... CHANGED

- 86 - campus-ip-ranges=Диапазоны IP-адресов кампуса
- 86 + campus-ip-ranges=Диапазоны IP для видимости сетикампуса
- 109 + enableContactExpert=Разрешить связь с ученым

110 + contactByUrl=Внешняя веб-ссылка  
111 + contactByForm=Веб-форма Pure для связи с ученым по умолчанию  
112 + howToContactExperts=Откроется кнопка «Связаться с ученым»:  
113 + contactFormReceiver=Адрес электронной почты получателя по умолчанию для запросов связи через веб-форму Pure:  
114 + contactFormOrganisations=Адрес электронной почты, связанный с самим подразделением (Окно редактора подразделения > Метаданные > Электронные адреса > Адреса электронной почты)  
115 + contactFormResearchers=Адрес электронной почты, связанный с организационной принадлежностью лица (Окно редактора лица > Метаданные > Организационная принадлежность)  
116 + contactFormEmailHint=Если у лица не указан адрес электронной почты в организационной принадлежности, электронное письмо будет отправлено на адрес электронной почты, связанный с подразделением.  
117 + contactLink=URL-адрес ссылки связи  
118 + contactLinkHint=Примечание. Pure заменит {id} на ID лица, а {name} на имя лица.

pure-modules/ddp-module/templates/bundled/src/main/resources/renderer/portalng-rendering-resources\_en.properties CHANGED

1772 - temporalissn/family-name-plural=ISSN numbers  
1772 + temporalissn/family-name-plural=ISSNs  
1776 - temporalissn/type-name-plural=ISSN numbers  
1776 + temporalissn/type-name-plural=ISSNs  
2728 - highlightedcontentconfiguration/description-body>Select some of your content to highlight (by default, the newest content is used). The list is shown on\  
2728 + highlightedcontentconfiguration/description-body>Select some of your content to highlight (the newest content is used by default). The list is shown on\  
2739 + dataset/dataSearchcategories=DataSearch categories  
2740 + documentlinkextensionaccessrendererportal/render-format-embargoEndDate=\\!\\!Embargo End Date  
2741 + documentlinkextensionaccessrendererportal/render-format-file=\\!\\!File  
2742 + documentlinkextensionaccessrendererportal/render-format-license=\\!\\!Licence  
2743 + documentlinkextensionaccessrendererportal/render-format-type=\\!\\!Type  
2744 + documentsattachedportalrendererng/render-format-file=\\!\\!File  
2745 + journal/links=Journal website  
2746 + organisationancestorsrendererportal/ended=\\!\\!Former organisational unit  
2747 + organisationancestorsrendererportal/taken-over=\\!\\!Taken over by  
2748 + person/dataCleanupExemptionEndDate=Data cleanup exemption end date  
2749 + person/organisationAssociations.supervisedByRelations=Supervision  
2750 + personcontactbuttonrendererportal/expert\_contact\_button=\\!\\!Contact Expert  
2751 + personexternalpositionsrendererdpportal/external\_positions=\\!\\!External positions  
2752 + personorganisationcontactrendererportal/email=\\!\\!Email  
2753 + personorganisationcontactrendererportal/phone=\\!\\!Phone  
2754 + personorganisationcontactrendererportal/website=\\!\\!Website  
2755 + personsocialmediaorcidrendererportal/scopusProfile=\\!\\!View Scopus Profile  
2756 + personsocialmediarendererportal/scopusProfile=\\!\\!View Scopus Profile

2757 + studentthesisdocument/show-documentLicense=Show licence  
2758 + ueoexternalorganisation/contactAddress.subdivision=Subdivision  
2759 + studentthesis/DOIs=DOIs  
2760 + studentthesis/DOIs-type-name=DOI  
2761 + studentthesis/ISMN=ISMN  
2762 + studentthesis/abstract=Abstract  
2763 + studentthesis/activityRelations=Activities  
2764 + studentthesis/activityRelations-add=Add activity...  
2765 + studentthesis/annualReportSelected=Selected for annual report  
2766 + studentthesis/author=Author  
2767 + studentthesis/awardDate=Date of Award  
2768 + studentthesis/awardDate.year=Year of Award  
2769 + studentthesis/awardingInstitution=Awarding Institution  
2770 + studentthesis/bibliographicalNote=Bibliographical note  
2771 + studentthesis/bibliometrics=Bibliometrics  
2772 + studentthesis/claim-action=Mine - claim content  
2773 + studentthesis/clippingRelations=Press/Media  
2774 + studentthesis/clippingRelations-add=Add press/media...  
2775 + studentthesis/clippingRelations-title=Find and select press/media  
2776 + studentthesis/dateOfProcessingBibliometric=Date of bibliometric processing  
2777 + studentthesis/disclaim-action=Not mine - disclaim content  
2778 + studentthesis/displayInOthersPublicationList=Show in other persons' publication lists  
2779 + studentthesis/documents=Documents  
2780 + studentthesis/edition=Edition  
2781 + studentthesis/electronicISBNs=ISBN (Electronic)  
2782 + studentthesis/equipmentRelations=Facilities/Equipment  
2783 + studentthesis/equipmentRelations-add=Add equipment...  
2784 + studentthesis/family-count=Total  
2785 + studentthesis/family-count-no-documents-sherpa=RoMEO colours without documents  
2786 + studentthesis/family-count-with-documents=With documents  
2787 + studentthesis/family-count-without-documents=Without documents  
2788 + studentthesis/family-documents-visibility=Document visibility  
2789 + studentthesis/family-name=Student thesis  
2790 + studentthesis/family-name-plural=Student theses  
2791 + studentthesis/family-with-documents={family} with documents  
2792 + studentthesis/family-with-suggested-actions=Claimed/disclaimed publications  
2793 + studentthesis/filter.family.mycontent=My student theses  
2794 + studentthesis/generatePDF=Generate front page for uploaded PDF files  
2795 + studentthesis/groupAuthor=Group author  
2796 + studentthesis/handleNet=Handle.net  
2797 + studentthesis/id=Internal-ID  
2798 + studentthesis/impactRelations=Impacts

2799 + studentthesis/impactRelations-add=Add impact...  
2800 + studentthesis/journal=Journal  
2801 + studentthesis/journalNumber=Journal number  
2802 + studentthesis/keywords=User-defined keywords  
2803 + studentthesis/language=Original language  
2804 + studentthesis/librarianKeywordContainers=Library Keywords  
2805 + studentthesis/librarianKeywords=Keywords  
2806 + studentthesis/links=URLs  
2807 + studentthesis/links-type-name=URL  
2808 + studentthesis/numberOfPages=Number of pages  
2809 + studentthesis/organisations=Organisations  
2810 + studentthesis/organisations-mark-as-primary=Set placement  
2811 + studentthesis/organisations-primary=Placement  
2812 + studentthesis/owner=Placement  
2813 + studentthesis/pending-publication=Pending publications  
2814 + studentthesis/pending-researchoutput=Pending research output  
2815 + studentthesis/persons=Author  
2816 + studentthesis/persons-singular=Author  
2817 + studentthesis/persons.name=Author name  
2818 + studentthesis/placeOfPublication=Place of Publication  
2819 + studentthesis/printISBNs=ISBN (Print)  
2820 + studentthesis/projectRelations=Projects  
2821 + studentthesis/projects=Projects  
2822 + studentthesis/publicationDate=Publication date  
2823 + studentthesis/publicationDate.day=Day  
2824 + studentthesis/publicationDate.month=Month  
2825 + studentthesis/publicationDate.year=Year  
2826 + studentthesis/publicationStatus=Publication status  
2827 + studentthesis/publicationYear=Publication year  
2828 + studentthesis/publisher=Publisher  
2829 + studentthesis/qualification=Qualification name  
2830 + studentthesis/relatedPublications=Research Outputs  
2831 + studentthesis/researchOutputRelations=Research Outputs  
2832 + studentthesis/researchOutputRelations-add=Add research output...  
2833 + studentthesis/searchplaceholder=Search for student thesis...  
2834 + studentthesis/sponsors=Sponsors  
2835 + studentthesis/subTitle=Subtitle of the thesis in original language  
2836 + studentthesis/supervisors=Supervisor  
2837 + studentthesis/title=Title of the thesis in original language  
2838 + studentthesis/translatedSubtitle=Translated subtitle of the thesis  
2839 + studentthesis/translatedTitle=Translated title of the thesis  
2840 + studentthesis/type-name=Student thesis

2841 + studentthesis/type-name-plural=Student theses  
2842 + studentthesis/typeClassification=Qualification level  
2843 + studentthesis/view-publications-by-action=View publications by  
2844 + studentthesis/volume=Volume  
2845 + studentthesis/yearSubmitted=Submission year  
2846 + studentthesisdocument/embargoReason-label=Embargo reason  
2847 + studentthesisrelationsrenderportal/clipping-relations=Press/Media  
2848 + studentthesisrelationsrenderportal/researchoutput-relations=Research Outputs

pure-modules/ddp-module/templates/bundled/src/main/resources/renderportalng-rendering-resources\_ru.properties CHANGED

2739 + dataset/dataSearchcategories=Категории DataSearch  
2740 + documentlinkextensionaccessrenderportal/render-format-embargoEndDate=Дата завершения эмбарго  
2741 + documentlinkextensionaccessrenderportal/render-format-file=Файл  
2742 + documentlinkextensionaccessrenderportal/render-format-license=Лицензия  
2743 + documentlinkextensionaccessrenderportal/render-format-type=Тип  
2744 + documentsattachedportalrenderportalng/render-format-file=Файл  
2745 + journal/links=Веб-сайт журнала  
2746 + organisationancestorsrenderportal/ended=Бывшая организационная единица  
2747 + organisationancestorsrenderportal/taken-over=Приобретено  
2748 + person/dataCleanupExemptionEndDate=Дата окончания исключения из очистки данных  
2749 + person/organisationAssociations.supervisedByRelations=Руководство  
2750 + personcontactbuttonrenderportal/expert\_contact\_button=Связаться с экспертом  
2751 + personexternalpositionsrenderportal/external\_positions=Внешние позиции  
2752 + personorganisationcontactrenderportal/email=Адрес электронной почты  
2753 + personorganisationcontactrenderportal/phone=Телефон  
2754 + personorganisationcontactrenderportal/website=Веб-сайт  
2755 + personsocialmediaorcidrenderportal/scopusProfile=Просмотреть профиль в Scopus  
2756 + personsocialmediarenderportal/scopusProfile=Просмотреть профиль в Scopus  
2757 + studentthesisdocument/show-documentLicense=Показать лицензию  
2758 + ueoexternalorganisation/contactAddress.subdivision=Подразделение

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderportalng-rendering-resources\_ru.properties ADDED

1 + render-format-license=Licence  
2 + render-format-type=Type  
3 + render-format-file=File  
4 + render-format-embargoEndDate=Embargo End Date

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderportalng-rendering-resources\_ru.properties ADDED

```
1 + render-format-license=Лицензия
2 + render-format-type=Тип
3 + render-format-file=Файл
4 + render-format-embargoEndDate=Дата завершения эмбарго
```

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderi... ADDED

```
1 + render-format-file=File
```

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderi... ADDED

```
1 + render-format-file=Файл
```

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

```
5 + fingerprintSelectionModified=Fingerprint selection changed date
```

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... CHANGED

```
1 - #Added translations
2 - #Sun Jan 29 14:23:09 CET 2017
7 + fingerprintSelectionModified=Выбор отпечатка пальца привел к изменению даты
```

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

```
1 + fundingDiscoveryProfiles=Funding profiles
```


pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... ADDED

```
1 + fundingDiscoveryProfiles=Профили финансирования
```


pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources\_en.prope... CHANGED

```
4 + configuration.authentication=Authentication
5 + configuration.login=Login
```


```
6 + configuration.logout=Logout
11 + client-key=Client Key
13 + login-failed=Login failed
14 + error-details=Details
15 + close=Close
16 + test-failed=Test failed
17 + test-success=Test successful
18 + status.test=Test connection
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources\_ru.proper... CHANGED

```
9 + configuration.authentication=Аутентификация
10 + configuration.login=Вход в систему
11 + configuration.logout=Выйти из системы
12 + client-key=Клиентский ключ
13 + login-failed=Вход в систему не удался
14 + error-details=Подробная информация
15 + close=Закреть
16 + test-failed=Тест не пройден
17 + test-success=Тест успешно пройден
18 + status.test=Проверить соединение
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

```
3 + authentication-configuration-label=Authentication configuration
4 -
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

```
4 + authentication-configuration-label=Настройка аутентификации
```

 pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

```
1 + oauth-group=OAuth
2 + oauthUrl=URL
3 + oauthClientId=Client ID
4 + oauthClientSecret=Secret
5 + cognito-group=Cognito
6 + cognitoPoolId=Pool ID
```

7 + cognitoRegion=Region

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

1 + oauth-group=OAuth  
2 + oauthUrl=URL-адрес  
3 + oauthClientId=Идентификатор клиента  
4 + oauthClientSecret=Секрет  
5 + cognito-group=Cognito  
6 + cognitoPoolId=ID пула  
7 + cognitoRegion=Регион

pure-modules/ref2020-module/base-uk/bundled/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ref2020/internal/ui/... CHANGED

6 - badge-help-text-indeterminate=«Нет предоставления или доступа, но по-прежнему в рамках окна правомочности (т. е. в пределах 3 месяцев с даты принятия и/или 1 месяца с даты предоставления/завершения эмбарго), И исключение REF „Не установлено“».

7 - badge-help-text-compliant=«Статус ОА в норме (согласно политике REF ОА) ИЛИ введено исключение REF (т. е. любое значение, отличное от „Не установлено“ или „Без исключений“)».

8 - badge-help-text-notCompliant=«Статус ОА не в норме (согласно политике REF ОА) И исключение REF „Не установлено“».

9 - badge-help-text-notEligible=«Статус ОА не в норме (согласно политике REF ОА) И для исключения REF установлено значение „Без исключений“».

6 + badge-help-text-indeterminate=Нет предоставления или доступа, но по-прежнему в рамках окна правомочности (т. е. в пределах 3 месяцев с даты принятия и/или 1 месяца с даты предоставления/завершения эмбарго), И исключение REF „Не установлено“.

7 + badge-help-text-compliant=Статус ОА в норме (согласно политике REF ОА) ИЛИ введено исключение REF (т. е. любое значение, отличное от „Не установлено“ или „Без исключений“).

8 + badge-help-text-notCompliant=Статус ОА не в норме (согласно политике REF ОА) И исключение REF „Не установлено“.

9 + badge-help-text-notEligible=Статус ОА не в норме (согласно политике REF ОА) И для исключения REF установлено значение „Без исключений“.

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

166 + category-proposals=Proposals

171 - category-state.dates=Dates

173 + category-status.dates=Dates

174 + category-status.dates.fullDate=Full date

175 + category-status.dates.year=Year

176 + category-status.dates.month=Month

177 + category-status.dates.day=Day

343 + count-contributors-internal-person=Number of internal persons

539



	+ validation-dataset-annotation-is-missing-a-column-reference-id=Formatting of column with ref={annotationId} is missing a reference column id, it uses value={value}
540	+ validation-dataset-annotation-operator-no-longer-exists=Formatting of column with ref={annotationId} is using an unsupported operator={operator} and will revert to default
542	- report.standard.user.assignable.roles-description=An overview of the user role <b>assignment</b> across organisational units
550	+ report.standard.user.assignable.roles-description=An overview of the user role <b>assignments</b> across organisational units

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... CHANGED

236	- category-state.dates=Даты
498	+ category-proposals=Предложения
499	+ category-status.dates=Даты
500	+ category-status.dates.fullDate=Полная дата
501	+ category-status.dates.year=За год
502	+ category-status.dates.month=За месяц
503	+ category-status.dates.day=День
504	+ count-contributors-internal-person=Количество внутренних лиц
505	+ validation-dataset-failure-to-parse=Не удалось проанализировать набор введенных данных: '{message}'.
506	+ validation-dataset-no-series=в наборе данных не определено ни одной серии.
507	+ validation-dataset-annotation-is-missing-a-column-reference-id=В форматировании столбца ref={annotationId} отсутствует идентификатор ссылочного столбца, используется value={value}
508	+ validation-dataset-annotation-operator-no-longer-exists=В форматировании столбца ref={annotationId} используется неподдерживаемый operator={operator}, поэтому он будет возвращен к значению умолчанию

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

66	- project-series-names=Series <b>names</b>
66	+ project-publication-series-names=Series <b>name</b>
67	+ project-publication-series-no=Series number
92	- project-issn-(electronic)=ISSN (Electronic)
93	+ project-publication-series-issn-electronic=ISSN (Electronic)
94	- project-issn-print=ISSN (print)
95	+ project-publication-series-issn-print=ISSN (print)

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... CHANGED

118	- project-issn-(electronic)=ISSN (электронная версия)
118	+ project-publication-series-issn-electronic=ISSN (электронная версия)
120	- project-issn-print=ISSN (печатная версия)
120	+ project-publication-series-issn-print=ISSN (печатная версия)

165	- project-series-names=Названия серий
165	+ project-publication-series-names=Названия серий
197	+ filter-submission-year=Год подачи
198	+ project-publication-series-no=Серийный номер
199	+ project-submission-year=Год подачи

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

28	-
28	+ project-terms-of-agreement=Terms of agreement

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... CHANGED

29	+ project-userrole=Роли пользователя (включая системные роли)
30	+ project-terms-of-agreement=Лицензия на использование

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

95	+ create-award-from-application-no-save=Create award...
99	+ create-application-from-application-no-save=Create another application...
103	+ create-upmproject-from-application-no-save=Create project...
112	+ add-organisationassociation-button=Add co-managing organisation...
113	+ new-organisationassociation-panel-title=Add co-managing organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

90	+ create-award-from-application-no-save=Создать грант...
91	+ create-application-from-application-no-save=Создать еще одну заявку...
92	+ create-upmproject-from-application-no-save=Создать проект...
93	+ add-organisationassociation-button=Добавить соуправляющую организацию...
94	+ new-organisationassociation-panel-title=Добавить соуправляющую организацию

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

78	+ create-ethicalreview-from-award-no-save=Create ethical review...
126	+ create-award-from-award-no-save=Create another award...
130	+ create-award-from-application-no-save=Create award...
134	+ create-application-from-award-no-save=Create application...

```
138 + create-upmproject-from-award-no-save=Create project...
147 + add-organisationassociation-button=Add co-managing organisation...
148 + new-organisationassociation-panel-title=Add co-managing organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
115 + create-ethicalreview-from-award-no-save=Создать этическую оценку...
116 + create-award-from-award-no-save=Создать еще один грант...
117 + create-award-from-application-no-save=Создать грант...
118 + create-application-from-award-no-save=Создать заявку...
119 + create-upmproject-from-award-no-save=Создать проект...
120 + add-organisationassociation-button=Добавить соуправляющую организацию...
121 + new-organisationassociation-panel-title=Добавить соуправляющую организацию
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
70 + create-upmproject-from-project-no-save=Create another project...
80 + create-award-from-project-no-save=Create award...
84 + create-application-from-project-no-save=Create application...
101 +
102 + add-organisationassociation-button=Add co-managing organisation...
103 + new-organisationassociation-panel-title=Add co-managing organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... CHANGED

```
70 + create-upmproject-from-project-no-save=Создать еще один проект...
71 + create-award-from-project-no-save=Создать грант...
72 + create-application-from-project-no-save=Создать заявку...
73 + add-organisationassociation-button=Добавить соуправляющую организацию...
74 + new-organisationassociation-panel-title=Добавить соуправляющую организацию
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Co-managing organisational unit
2 + selected.organisations=Selected organisations
3 + please.select=Please select one or more organisations below to filter
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Соуправляющее организационное подразделение
2 + selected.organisations=Выбранная организация
3 + please.select=Выберите ниже одну организацию или несколько организаций для фильтра
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Co-managing organisation associated
2 + yes=Co-managing organisation associated
3 + no=No co-managing organisation associated
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... ADDED

```
1 + title=Соуправляющая связанная организация
2 + yes=Соуправляющая связанная организация
3 + no=Отсутствует соуправляющая связанная организация
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources\_en.pr... CHANGED

```
145 + coManagingOrganisations-legend=Enable co-managing organisations
146 + coManagingOrganisations-enabled=Enable feature of co-managing organisations on applications, awards and projects. When a given
organisation is added as a 'co-managing' organisation to the content, editors and assisting editors from these organisations can
help maintain the information of the content. The helping editors can edit all properties but not move content back/forward in
workflow.
147 + coManagingOrganisations-enabled-true=Enabled
148 + coManagingOrganisations-enabled-false=Disabled
149 +
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources\_ru.pro... CHANGED

```
235 + coManagingOrganisations-legend=Включить соуправляющие организации
236 + coManagingOrganisations-enabled=Включить функцию соуправляющих организаций по применению, вознаграждениям и проектам. Когда
данная организация добавляется в качестве «соуправляющей» организации к контенту, то редакторы и ассистирующие редакторы из этих
организаций могут помочь сохранить информацию о контенте. Помогающие редакторы могут редактировать все свойства, но в ходе
рабочего процесса они не могут перемещать содержимое вперед/назад.
237 + coManagingOrganisations-enabled-true=Включено
238 + coManagingOrganisations-enabled-false=Выключено
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul... CHANGED

```
360 +
361 + syncjob.award.usingNIHAwardsService-label=Using NIH Awards Service.
362 + syncjob.award.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it
    changes how the job processes the data.
363 + syncjob.upmproject.usingNIHAwardsService-label=Using NIH Awards Service.
364 + syncjob.upmproject.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it
    changes how the job processes the data.
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration/configuration-modul... CHANGED

```
321 +
322 + syncjob.award.usingNIHAwardsService-label=!!Using NIH Awards Service.
323 + syncjob.award.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it
    changes how the job processes the data.
324 + syncjob.upmproject.usingNIHAwardsService-label=!!Using NIH Awards Service.
325 + syncjob.upmproject.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as
    it changes how the job processes the data.
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

```
16 + overviewapplicationapprovalroute=My approver and checker tasks
54 + coManagingOrganisations=Co-managing organisational units
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... CHANGED

```
67 + overviewapplicationapprovalroute=Мои задачи утверждающего и проверяющего
68 + coManagingOrganisations=Соуправляющие организационные подразделения
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

```
1 + coManagingOrganisations=Co-managing organisational units
```

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/... ADDED

```
1 + coManagingOrganisations=Соуправляющие организационные подразделения
```

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

3 + awardFunder=Funding Body  
4 + choose=Select funding body...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar... CHANGED

5 + awardFunder=Финансирующая организация  
6 + choose=Добавить финансирующую организацию...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

3 + awardNatureOfActivityType=Nature of Activity  
4 + choose=Select nature of activity...

pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/award... CHANGED

5 + awardNatureOfActivityType=Характер деятельности  
6 + choose=Добавить характер деятельности...

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

43 + filter-co-managing-organisations=Co-managing organisational unit  
44 + filter-has-co-managing-organisation=Co-managing organisation associated  
45 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated  
46 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated  
47 +

62


-  
67 + project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED


82 + filter-co-managing-organisations=Соуправляющее организационное подразделение  
83 + filter-has-co-managing-organisation=Соуправляющая связанная организация  
84 + filter-has-co-managing-organisation-TRUE=Соуправляющая связанная организация  
85 + filter-has-co-managing-organisation-FALSE=Отсутствует соуправляющая связанная организация  
86 + project-co-managing-organisations=Соуправляющие организации

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED


```
86 + filter-co-managing-organisations=Co-managing organisational unit
87 + filter-has-co-managing-organisation=Co-managing organisation associated
88 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
89 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
90 +
136 + project-co-managing-organisations=Co-managing organisations
```

 pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
167 + filter-co-managing-organisations=Соуправляющее организационное подразделение
168 + filter-has-co-managing-organisation=Соуправляющая связанная организация
169 + filter-has-co-managing-organisation-TRUE=Соуправляющая связанная организация
170 + filter-has-co-managing-organisation-FALSE=Отсутствует соуправляющая связанная организация
171 + project-co-managing-organisations=Соуправляющие организации
```

 pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
53 + filter-co-managing-organisations=Co-managing organisational unit
54 + filter-has-co-managing-organisation=Co-managing organisation associated
55 + filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
56 + filter-has-co-managing-organisation-FALSE=No co-managing organisation associated
57 +
116 + project-co-managing-organisations=Co-managing organisations
```

 pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... CHANGED

```
105 + filter-co-managing-organisations=Соуправляющее организационное подразделение
106 + filter-has-co-managing-organisation=Соуправляющая связанная организация
107 + filter-has-co-managing-organisation-TRUE=Соуправляющая связанная организация
108 + filter-has-co-managing-organisation-FALSE=Отсутствует соуправляющая связанная организация
109 + project-co-managing-organisations=Соуправляющие организации
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources\_en.properties CHANGED

```
37 + summary-content-errors=Problems occurred while processing {count} pieces of content
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources\_ru.properties CHANGED

1	- #Added translations
2	- #Thu Sep 28 10:15:33 CEST 2017
41	+ summary-content-errors=При обработке {count} частей содержимого возникли проблемы

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED

69 + add-link-button=Add website...

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... CHANGED

1	- #Added translations
2	- #Sun Jan 29 14:23:09 CET 2017
55	+ add-link-button=Добавить веб-сайт...

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... CHANGED

106 + orcid-config-not-valid=Orcid is not configured correctly. Contact your local Pure Administrator to check the ORCID configuration page and upload a valid output mapping XML file.

169 +

170 + dataRetentionPolicy-group=Data cleanup policy

171 + retainPersonalData=Exempt personal data from cleanup

172 + retainPersonalData-yes=Yes

173 + retainPersonalData-no=No

174 + retentionPeriod=Exempt from cleanup until

175 +

176 + highlighted-content-group=Highlighted content

177 + fundingprofiles-group=Funding profiles

178 + fingerprints-group=Fingerprints

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... CHANGED

144 + dataRetentionPolicy-group=Политика очистки данных

145 + retainPersonalData=Исключить персональные данные из очистки

146 + retainPersonalData-yes=Да

147 + retainPersonalData-no=Нет

148 + retentionPeriod=Исключить из очистки до

149 + highlighted-content-group=Выделенный контент

150 + fundingprofiles-group=Профили финансирования



- 151 + fingerprints-group=Характерные признаки
- 152 + orcid-config-not-valid=Конфигурация Orcid выполнена неверно. Свяжитесь с местным администратором приложения Pure, чтобы увидеть страницу конфигурации ORCID и загрузить правильный файл Output Mapping XML.

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... CHANGED

- 7 - info-group-help=Select original language; the language that the current contribution is written in. The Title field is required.
- 7 + info-group-help=Select original language (the language that the current contribution is written in). The Title field is required.
- 161 - corresponding-author-association-button=Set corresponding author
- 162 - remove-corresponding-author-association-button=Remove corresponding author

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... CHANGED

- 137 - corresponding-author-association-button=Задать соответствующего автора
- 138 - remove-corresponding-author-association-button=Удалить соответствующего автора

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

- 1 + title=Exempted from data cleanup
- 2 + showDataCleanupExemptions=Only show exempted persons
- 3 + hideDataCleanupExemptions=Hide persons exempted from cleanup

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... ADDED

- 1 + title=Исключенные из очистки данных
- 2 + showDataCleanupExemptions=Показывать только исключенных лиц
- 3 + hideDataCleanupExemptions=Скрыть лиц, исключенных из очистки

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

- 1 + time-since-former=Time since former
- 2 + former-for-at-least=Former for at least

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... ADDED

- 1 + time-since-former=Время с момента бывшего

2 + former-for-at-least=Бывший по крайней мере

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources\_en.properties CHANGED

27 + fundingopportunity-import-wizard=Funding opportunity

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources\_ru.properties CHANGED

1 - #Added translations

2 - #Mon Jan 15 14:24:40 CET 2018

27 + fundingopportunity-import-wizard=Возможности спонсирования

pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources\_en.properties ADDED

1 + person-access=Person access grace period  
2 + person-access-legend=Grace period configuration  
3 + person-access-hint=Institutions may require non-active persons/users to access Pure to fulfill policy requirements and ensure data is updated. Administrators can specify grace periods for staff and student persons/users that are no longer active. General access rights set by an institution's single sign-on (SSO) policies supersede any grace periods set below.  
4 + person-access-note=Note: ALL staff and students will be affected.  
5 + grace-period-days-staff=Staff grace period (in days)  
6 + grace-period-days-staff-hint=This setting determines how many days staff will retain their Pure access rights after they are non-active  
7 + grace-period-days-student=Student grace period (in days)  
8 + grace-period-days-student-hint=This setting determines how many days students will retain their Pure access rights after they are non-active  
9 + refresh=Refresh  
10 + save=Save

pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources\_ru.properties ADDED

1 + refresh=Обновить  
2 + save=Сохранить  
3 + person-access=Льготный период доступа лица  
4 + person-access-legend=Настройка льготного периода  
5 + person-access-hint=Учреждения могут требовать от неактивных лиц/пользователей выполнить доступ к Pure для выполнения требований политики и обновления данных. Администраторы могут указывать льготный период для неактивных сотрудников и учащихся/пользователей. Общие права доступа, установленные политикой учреждения в отношении единого входа (SSO), заменяют любые льготные периоды, указанные ниже.

```
6 + person-access-note=Примечание. Это коснется ВСЕХ сотрудников и студентов.
7 + grace-period-days-staff=Льготный период для персонала (в днях)
8 + grace-period-days-staff-hint=Этот параметр определяет, сколько дней сотрудники будут сохранять свои права доступа к Pure после
того, как они не будут проявлять активность.
9 + grace-period-days-student=Льготный период для учащихся (в днях)
10 + grace-period-days-student-hint=Этот параметр определяет, сколько дней учащиеся будут сохранять свои права доступа к Pure после
того, как они не будут проявлять активность.
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources\_en.properties ADDED

```
1 + persondatacleanupconfiguration=Data cleanup configuration
2 +
3 + savedfilter-legend=Default values for saved filter 'Personal data cleanup'
4 + savedfilter-hint=Select which default values to include in the filters that are part of the saved filter 'Personal data
cleanup'.
5 + savedfilter-note=You must log out and log in again for the changes to appear.
6 +
7 + affiliationperiod-legend=Affiliation period
8 + exemptionperiod-label=All person affiliations must be former for at least
9 + exemptionperiod.ONE_MONTH=One month
10 + exemptionperiod.THREE_MONTHS=Three months
11 + exemptionperiod.SIX_MONTHS=Six months
12 + exemptionperiod.ONE_YEAR=One year
13 +
14 + employmenttype-legend=Type
15 + employmenttype-label=Include the following type of staff
16 + staff=Staff
17 + student=Student
18 + visitingScholar=Visiting scholar
19 +
20 + fieldstodelete-legend=Standard list of fields to delete
21 + fieldstodelete-hint=Select the default preset values to delete in the bulk action
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources\_ru.properties ADDED

```
1 + persondatacleanupconfiguration=Конфигурация очистки данных
2 + savedfilter-legend=Значения по умолчанию для сохраненного фильтра «Очистка персональных данных»
3 + savedfilter-hint=Выберите, какие значения по умолчанию включить в фильтры, которые являются частью сохраненного фильтра
«Очистка персональных данных».
4 + affiliationperiod-legend=Период принадлежности
5 + exemptionperiod-label=Все принадлежности лица должны быть прежними как минимум
```

```
6 + exemptionperiod.ONE_MONTH=Один месяц
7 + exemptionperiod.THREE_MONTHS=Три месяца
8 + exemptionperiod.SIX_MONTHS=За шесть месяцев
9 + exemptionperiod.ONE_YEAR=Один год
10 + employmenttype-legend=Тип
11 + employmenttype-label=Включить следующий тип персонала
12 + staff=Персонал
13 + student=Студент
14 + visitingScholar=Приглашенный эксперт
15 + fieldstodelete-legend=Стандартный список полей для удаления
16 + fieldstodelete-hint=Выберите предустановленные значения по умолчанию для массового удаления
17 + savedfilter-note=!!You must log out and log in again for the changes to appear.
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources\_en.proper... CHANGED

```
20 - upload-instruction.secondpart=Once the files has been uploaded you can proceed to the next step in the wizard where the data
in the XML will be validated against the xsd files.
20 + upload-instruction.secondpart=Once the files have been uploaded you can proceed to the next step in the wizard where the data
in the XML will be validated against the XSD files.
98 - xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the
mandatory elements are present verify if the ordering of the elements is as specified in the xsd.
98 + xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the
mandatory elements are present verify if the ordering of the elements is as specified in the XSD.
114 - supportedfile.errors=The import found files that it cannot import (See supported namespace in the xsd), please see the
documentation on how to generate the files or remove them from the upload screen:
114 + supportedfile.errors=The import found files that it cannot import (see supported namespace in the XSD), please see the
documentation on how to generate the files or remove them from the upload screen:
248 +
249 + FundingOpportunities=Funding opportunities
250 + verify.header.type.FundingOpportunities=Funding opportunity type
251 + verify.header.count.FundingOpportunities=Number of Funding opportunities
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources\_ru.propert... CHANGED

```
225 + FundingOpportunities=Возможности финансирования
226 + verify.header.type.FundingOpportunities=Тип возможности финансирования
227 + verify.header.count.FundingOpportunities=Количество возможностей финансирования
```

 pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources\_en.properties CHANGED

```
97 + fundingopportunity.xsd.description=XML schema file (fundingopportunity.xsd)
98 + fundingopportunity.simple.example.description=Simple examples file (fundingopportunity-simple-examples.xml)
99 + fundingopportunity.advanced.example.description=Advanced example file (fundingopportunity-advanced-example.xml)
100 +
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources\_ru.properties [CHANGED](#)

```
1 - #Added translations
2 - #Mon Jan 15 14:24:40 CET 2018
72 + fundingopportunity.xsd.description=XML-файл схемы (fundingopportunity.xsd)
73 + fundingopportunity.simple.example.description=Файл простых примеров (fundingopportunity-simple-examples.xml)
74 + fundingopportunity.advanced.example.description=Файл расширенных примеров (fundingopportunity-advanced-example.xml)
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources\_en.properties [CHANGED](#)

```
27 + personal.overview.downloads.publication.tooltip={citations} downloads
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources\_ru.properties [CHANGED](#)

```
22 + personal.overview.downloads.publication.tooltip={citations} загрузки
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... [CHANGED](#)

```
50 +
51 + globalsyncimport-header=Global sync/import configurations
52 + integrations-global-sync-import-configuration=Global sync/import
53 + globalsyncimport.pureIdFallbackEnabled-label=Enable Pure ID match
54 + globalsyncimport.pureIdFallbackEnabled-legend=
55 + globalsyncimport.pureIdFallbackEnabled-description=Enabling this feature will make it possible for the synchronizations in Pure to be able to match on Pure IDs on associations.\n This means that if you have manually added an association to a piece of content in Pure and you provide the Pure ID as the association ID in the import data (view/xml), the synchronisation will take ownership of it and update it accordingly. Use this feature with caution. \n Supported synchronizations: All synchronizations prefaced with 'Configurable' except the Award, Project and Application synchronisation.
```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... [CHANGED](#)

```
36 + globalsyncimport-header=Настройки общей синхронизации/импорта
37 + integrations-global-sync-import-configuration=Общая синхронизация/импорт
```

38 + globalsyncimport.pureIdFallbackEnabled-label=Включить сопоставление идентификаторов Pure  
39 + globalsyncimport.pureIdFallbackEnabled-description=Включение этой функции позволит синхронизации в Pure проводить сопоставление идентификаторов Pure по связям. Это означает, что если вы вручную добавили связь к части содержимого в Pure, и вы указали идентификатор Pure в качестве идентификатора связи в данных импорта (view/xml), синхронизация считает его и обновит соответствующим образом. Осторожно используйте эту функцию. Поддерживаемые виды синхронизации: все виды синхронизации, которые начинаются со слова «Настраиваемая», кроме синхронизации грантов, проектов и заявок.

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources\_en.pro... CHANGED

37 - ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external organisation. Separate each extension by ','

37 + ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external organisations. Separate each extension by ','

58 + contentCorrection.correct.family.Person-label=Correct persons  
59 + contentCorrection.correct.family.PreservedReportDefinition-label=Correct preserved report definitions  
60 + contentCorrection.correct.family.ConferenceSeries-label=Correct conference series  
61 + contentCorrection.correct.family.Publisher-label=Correct publishers  
62 + contentCorrection.correct.family.Semester-label=Correct semesters  
63 + contentCorrection.correct.family.StudentProject-label=Correct student projects  
64 + contentCorrection.correct.family.StudentThesis-label=Correct student thesis  
65 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Correct terms of agreement configurations  
66 + contentCorrection.correct.family.MessageTemplate-label=Correct message templates  
67 + contentCorrection.correct.family.User-label=Correct users  
68 + contentCorrection.correct.family.EditableMessageBundle-label=Correct editable message bundles  
69 + contentCorrection.correct.family.CurriculumVitae-label=Correct curriculum vitae  
70 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Correct content import search definitions  
71 + contentCorrection.correct.family.TermsOfAgreement-label=Correct terms of agreement  
72 + contentCorrection.correct.family.Suggestion-label=Correct suggestions  
73 + contentCorrection.correct.family.Project-label=Correct projects  
74 + contentCorrection.correct.family.PreservedContent-label=Correct preserved content information objects  
75 + contentCorrection.correct.family.Message-label=Correct message  
76 + contentCorrection.correct.family.Organisation-label=Correct organisational units  
77 + contentCorrection.correct.family.PublicationSuggestedAction-label=Correct research output claim/disclaims  
78 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Correct permanent store collection configurations  
79 + contentCorrection.correct.family.TemporaryFileInformation-label=Correct temporary file information objects  
80 + contentCorrection.correct.family.ImportResult-label=Correct import result objects  
81 + contentCorrection.correct.family.Clipping-label=Correct press/media  
82 + contentCorrection.correct.family.Event-label=Correct events  
83 + contentCorrection.correct.family.Publication-label=Correct research output  
84 + contentCorrection.correct.family.UserFilterModel-label=Correct user filter models  
85 + contentCorrection.correct.family.Activity-label=Correct activities  
86 + contentCorrection.correct.family.ExternalOrganisation-label=Correct external organisations

87 + contentCorrection.correct.family.UserProfile-label=Correct user profiles  
88 + contentCorrection.correct.family.Sticky-label=Correct stickies  
89 + contentCorrection.correct.family.Journal-label=Correct journals  
90 + contentCorrection.correct.family.ClassificationScheme-label=Correct classification schemes  
91 + contentCorrection.correct.family.Education-label=Correct educations  
92 + contentCorrection.correct.family.Award-label=Correct awards  
93 + contentCorrection.correct.family.Thesauri-label=Correct thesauri  
94 + contentCorrection.correct.family.EmailQueueEntry-label=Correct email queue entries  
95 + contentCorrection.correct.family.PhdThesis-label=Correct PhD theses  
96 + contentCorrection.correct.family.ExternalPerson-label=Correct external persons  
97 + contentCorrection.correct.family.MeasurementMetrics-label=Correct measurement metrics  
98 + contentCorrection.correct.family.Prize-label=Correct prizes  
99 + contentCorrection.correct.family.EthicalReview-label=Correct ethical reviews  
100 + contentCorrection.correct.family.AggregatedContentIdSet-label=Correct aggregated content ID sets  
101 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Correct user supporter role configurations  
102 + contentCorrection.correct.family.Fingerprint-label=Correct fingerprints  
103 + contentCorrection.correct.family.FileHandle-label=Correct filehandles  
104 + contentCorrection.correct.family.Course-label=Correct courses  
105 + contentCorrection.correct.family.UEOExternalOrganisation-label=Correct external organisations  
106 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Correct customer-defined workflow configurations  
107 + contentCorrection.correct.family.AwardMilestone-label=Correct milestones  
108 + contentCorrection.correct.family.Concept-label=Correct concepts  
109 + contentCorrection.correct.family.UPMProject-label=Correct UPM projects  
110 + contentCorrection.correct.family.SystemMessage-label=Correct system messages  
111 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Correct preserved customer-defined workflow definitions  
112 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Correct workflow step configurations  
113 + contentCorrection.correct.family.Impact-label=Correct impacts  
114 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Correct research performance indicators  
115 + contentCorrection.correct.family.SemanticGroup-label=Correct semantic groups  
116 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Correct keyword group configurations  
117 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Correct organisation research performance objectives  
118 + contentCorrection.correct.family.PreservedRendering-label=Correct preserved renderings  
119 + contentCorrection.correct.family.ContentIdSet-label=Correct content ID sets  
120 + contentCorrection.correct.family.AwardCluster-label=Correct award clusters  
121 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Correct preserved report export configurations  
122 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Correct milestones templates  
123 + contentCorrection.correct.family.DataSet-label=Correct datasets  
124 + contentCorrection.correct.family.FundingOpportunity-label=Correct funding opportunities  
125 + contentCorrection.correct.family.ApplicationCluster-label=Correct application clusters  
126 + contentCorrection.correct.family.BFIPublication-label=Correct BFI publications

```
127 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Correct preserved dashboard widgets
128 + contentCorrection.correct.family.Application-label=Correct applications
129 + contentCorrection.correct.family.Specialisation-label=Correct specialisation
130 + contentCorrection.correct.family.PersistentJobState-label=Correct persistent job states
```

 pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources\_ru.pro... CHANGED

```
53 + contentCorrection.correct.family.Person-label=Исправить лица
54 + contentCorrection.correct.family.PreservedReportDefinition-label=Исправить определения в сохранившихся отчетах
55 + contentCorrection.correct.family.ConferenceSeries-label=Исправить серии конференции
56 + contentCorrection.correct.family.Publisher-label=Исправить издателей
57 + contentCorrection.correct.family.Semester-label=Исправить семестры
58 + contentCorrection.correct.family.StudentProject-label=Исправить студенческие проекты
59 + contentCorrection.correct.family.StudentThesis-label=Исправить студенческую работу
60 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Исправить условия конфигураций соглашения
61 + contentCorrection.correct.family.MessageTemplate-label=Исправить шаблоны сообщений
62 + contentCorrection.correct.family.User-label=Исправить пользователей
63 + contentCorrection.correct.family.EditableMessageBundle-label=Исправить пакет редактируемых сообщений
64 + contentCorrection.correct.family.CurriculumVitae-label=Исправить резюме
65 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Исправить определения для поиска контента по импорту
66 + contentCorrection.correct.family.TermsOfAgreement-label=Исправить условия соглашения
67 + contentCorrection.correct.family.Suggestion-label=Исправить предложения
68 + contentCorrection.correct.family.Project-label=Исправить проекты
69 + contentCorrection.correct.family.PreservedContent-label=Исправить сохранившиеся объекты информационного контента
70 + contentCorrection.correct.family.Message-label=Исправить сообщение
71 + contentCorrection.correct.family.Organisation-label=Исправить организационные подразделения
72 + contentCorrection.correct.family.PublicationSuggestedAction-label=Исправить запрос/отказы от запросов по результатам
    исследования
73 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Исправить конфигурации коллекции постоянного
    хранения
74 + contentCorrection.correct.family.TemporaryFileInformation-label=Исправить информационные объекты временного файла
75 + contentCorrection.correct.family.ImportResult-label=Исправить объекты результата импорта
76 + contentCorrection.correct.family.Clipping-label=Исправить прессу / СМИ
77 + contentCorrection.correct.family.Event-label=Исправить события
78 + contentCorrection.correct.family.Publication-label=Исправить результат исследования
79 + contentCorrection.correct.family.UserFilterModel-label=Исправить модели пользовательского фильтра
80 + contentCorrection.correct.family.Activity-label=Исправить мероприятия
81 + contentCorrection.correct.family.ExternalOrganisation-label=Исправить внешние организации
82 + contentCorrection.correct.family.UserProfile-label=Исправить профили пользователей
83 + contentCorrection.correct.family.Sticky-label=Исправить Stickies
84 + contentCorrection.correct.family.Journal-label=Исправить журналы
```



85 + contentCorrection.correct.family.ClassificationScheme-label=Исправить схемы классификации  
86 + contentCorrection.correct.family.Education-label=Исправить образовательную программу  
87 + contentCorrection.correct.family.Award-label=Исправить вознаграждения  
88 + contentCorrection.correct.family.Thesauri-label=Исправить тезаурус  
89 + contentCorrection.correct.family.EmailQueueEntry-label=Исправить записи очереди по электронной почте  
90 + contentCorrection.correct.family.PhDThesis-label=Исправить кандидатские диссертации  
91 + contentCorrection.correct.family.ExternalPerson-label=Исправить посторонние лица  
92 + contentCorrection.correct.family.MeasurementMetrics-label=Исправить параметры для измерения  
93 + contentCorrection.correct.family.Prize-label=Исправить призы  
94 + contentCorrection.correct.family.EthicalReview-label=Исправить этические обзоры  
95 + contentCorrection.correct.family.AggregatedContentIdSet-label=Исправить идентификационные наборы агрегированного контента  
96 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Исправить конфигурации роли помощника пользователя  
97 + contentCorrection.correct.family.Fingerprint-label=Исправить отпечатки пальцев  
98 + contentCorrection.correct.family.FileHandle-label=Исправить дескрипторы файлов  
99 + contentCorrection.correct.family.Course-label=Исправить курсы  
100 + contentCorrection.correct.family.UEOExternalOrganisation-label=Исправить внешние организации  
101 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Исправить конфигурации рабочего процесса  
определенного пользователя  
102 + contentCorrection.correct.family.AwardMilestone-label=Исправить основные моменты  
103 + contentCorrection.correct.family.Concept-label=Исправить концепции  
104 + contentCorrection.correct.family.UPMProject-label=Исправить проекты UPM  
105 + contentCorrection.correct.family.SystemMessage-label=Исправить системные сообщения  
106 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Исправить сохраненные, заданные клиентом  
определения рабочих процессов.  
107 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Исправить конфигурации шага рабочего процесса  
108 + contentCorrection.correct.family.Impact-label=Исправить влияние  
109 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Исправить показатели эффективности исследования  
110 + contentCorrection.correct.family.SemanticGroup-label=Исправить семантические группы  
111 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Исправить конфигурации групп ключевых слов  
112 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Исправить цели исследования, проводимого  
организацией  
113 + contentCorrection.correct.family.PreservedRendering-label=Исправить сохранившиеся изображения  
114 + contentCorrection.correct.family.ContentIdSet-label=Исправить идентификационные наборы контента  
115 + contentCorrection.correct.family.AwardCluster-label=Исправить кластеры вознаграждения  
116 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Исправить экспортные конфигурации сохраненного  
отчета  
117 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Исправить основные шаблоны  
118 + contentCorrection.correct.family.DataSet-label=Исправить наборы данных  
119 + contentCorrection.correct.family.FundingOpportunity-label=Исправить возможности финансирования  
120 + contentCorrection.correct.family.ApplicationCluster-label=Исправить кластеры приложения  
121 + contentCorrection.correct.family.BFIPublication-label=Исправить публикации BFI  
122 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Исправить сохраненные виджеты приборной панели

123 + contentCorrection.correct.family.Application-label=Исправить приложения  
124 + contentCorrection.correct.family.Specialisation-label=Исправить специализацию  
125 + contentCorrection.correct.family.PersistentJobState-label=Исправить статусы постоянной работы

pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources\_en.properties CHANGED

4 + former-persons-for-cleanup=Personal data cleanup

pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources\_ru.properties CHANGED

1 - #Added translations  
2 - #Wed Sep 26 12:19:39 CEST 2018  
4 + former-persons-for-cleanup=Очистка персональных данных

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources\_en.properties CHANGED

38 + links=Journal website

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources\_ru.properties CHANGED

1 - #Added translations  
2 - #Sun Jan 29 14:23:09 CET 2017  
32 + links=Веб-сайт журнала

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources\_en.properties CHANGED

27 + organisationAssociations.supervisedByRelations=Supervision  
103 +  
104 + dataCleanupExemptionEndDate=Data cleanup exemption end date

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources\_ru.properties CHANGED

86 + organisationAssociations.supervisedByRelations=Руководство  
87 + dataCleanupExemptionEndDate=Дата окончания исключения из очистки данных

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources\_en.pro... CHANGED

140 + handleNet=Handle.net  
141 +

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources\_ru.prop... CHANGED

95 + handleNet=Handle.net

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... CHANGED

1 + show-documentLicense=Show licence  
2 +

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... CHANGED

1 - #Added translations  
2 - #Sun Jan 29 14:23:09 CET 2017  
2 + show-documentLicense=Показать лицензию

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... CHANGED

35 + contactAddress.subdivision=Subdivision

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... CHANGED

38 + contactAddress.subdivision=Подразделение

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... ADDED

1 + links.journal.description=Types of links for Journal  
2 + links.journal.website=Website  
3 + links.journal.website.description=Link to the journal website

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... ADDED

1 + links.journal.description=Типы ссылок для журнала  
2 + links.journal.website=Веб-сайт

3 + links.journal.website.description=Ссылка на веб-сайт журнала

pure-templates/rendering/src/main/resources/renderer/renderer-resources\_en.properties **CHANGED**

26	- render-format-others=others
26	+ render-format-others=more
27	+ render-format-show>Show
28	+ render-format-hide>Show less
29	+ render-show-all-authors-button>Show all related authors
30	+ render-hide-all-authors-button=Hide all related authors
31	+ render-format-authors-shown=Author list shown, click to hide author list
32	+ render-format-authors-hidden=Authors list hidden, click to show author list
53	- render-event-title=Title
59	+ render-event-title=Event title

pure-templates/rendering/src/main/resources/renderer/renderer-resources\_ru.properties **CHANGED**

40	- render-event-title=Заголовок
40	+ render-event-title=Название события
76	+ render-format-show=Отобразить
77	+ render-format-hide=Показать меньше
78	+ render-show-all-authors-button=Показать всех связанных авторов
79	+ render-hide-all-authors-button=Скрыть всех связанных авторов
80	+ render-format-authors-shown=Список авторов показан, нажмите, чтобы скрыть список авторов
81	+ render-format-authors-hidden=Список авторов скрыт, нажмите, чтобы отобразить список авторов