

Text resource changes in Pure (backend)

This is an overview of the text additions and modifications to Pure's default text resources for the locale **zh_CN** between versions **5.15.0** and **5.16.0**.

This content is confidential and should not be shared or reproduced.

Note: It does not include text changes made for individual customer sites, and may include some texts that are not visible on your Pure instance (used for Elsevier supporter role, inactive modules or modules from other countries such as REF, or different system configurations).

The keys in the translations are not necessarily indicative of the functionality. Changes in key between releases will override any custom text resource changes in your Pure.

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources_en.properties [CHANGED]

12	- overviewimpactTemplateREF2020=Impact case study overview
15	- overviewimpactCaseStudyREF2020=?Impact case study overview
14	+ overviewimpactCaseStudyREF2020=Impact case study overview

base-uk/admin/src/main/resources/META-INF/resources/search/search-base-resources_zh_CN.properties [CHANGED]

12	- overviewimpactTemplateREF2020=影响案例研究概述
----	--

pure-core/admin/client/components/modules/report/properties/report-resources_en.properties [CHANGED]

22	+ column-ignore-isolate-non-distinct-aggregation-on=Disable distinct aggregation (faster)
23	+ column-ignore-isolate-non-distinct-aggregation-off=Enable distinct aggregation (slower)
70	- filter-tab-placeholder-part-two=Select the filter bar above a column to activate the Filter tab.
72	+ filter-tab-placeholder-part-two>Select the filter control above a column to activate the Filter tab.
137	+ aria-share-component-ok-label=Confirm share report
139	+ aria-share-component-cancel-label=Cancel share report
161	- onboarding-tip-filterbar=Click the filter bar to filter a content type. Then add filters in the right-hand panel.
165	+ onboarding-tip-filterbar=Click the filter control to filter a content type. Then add filters in the right-hand panel.
256	- number-of-subcolumns-has-been-added={count} of max {total} subcolumns has been added
260	+ number-of-subcolumns-has-been-added={count} of max {total} subcolumns have been added
325	+ data-story-visualization-preview-scoreCard-title=Scorecard
340	

- format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.
341 - format-tab-placeholder-line2=This feature is currently under development.
650 - content-id-filter-placeholder-text=Type here to search
653 + content-id-filter-placeholder-multi-text=Type here to search
654 + content-id-filter-placeholder-dropdown-text>Select a filter item
677 - data-story-visualization-add-filter-bar=Filter bar
681 + data-story-visualization-add-filter-bar=Filter control
694 + data-story-value-tab-selected-element-does-not-support-value-selection>No selectable values
693 - data-story-filter-tab-no-filters-on-other-elements-to-target>Add additional filters to other widgets for use in the filter bar
698 + data-story-filter-tab-no-filters-on-other-elements-to-target>Add additional filters to other widgets for use in the filter control
704 - data-story-filters-tab-panel-aria-label=Filter bar - Filter tabs filtering individual content-type
709 + data-story-filters-tab-panel-aria-label=Filter control - Filter tabs filtering individual content-type
706 - report-settings-features-title=Experimental features
711 + report-settings-features-experimental-title=Experimental features
712 + report-settings-features-stable-title=Stable features
718 - upload-form-body-1>Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Load and replace to use the new workspace or cancel to keep the existing workspace.
724 + upload-form-body-1>Select a .json file to import an existing reporting workspace. If you have any changes to the current workspace you should save it before uploading a new. Any changes will be lost. After the upload click Import existing workspace to use the new workspace or cancel to keep the existing workspace.
731 + report-settings-concurrency-title=Performance
732 + report-settings-concurrency-itemIdBatching-title=Fetch batches of rows in separate threads (potentially exports much faster for large datasets at the cost of memory and server load)
733 + report-settings-concurrency-itemIdBatching-toggle-label=Enable multi-threading (rows)
734 + report-settings-concurrency-subSetFetching-title=Fetch batches of columns in separate threads (potentially fetches faster for a large number of columns at the cost of memory and server load)
735 + report-settings-concurrency-subSetFetching-toggle-label=Enable multi-threading (columns)
736 + data-story-visualization-add-layout=Add layout group
737 + data-story-layout-tab-placeholder-header=Use this tab to manipulate selected elements and change layout options.
738 + data-story-layout-tab-clear-search-label=Clear search
739 + data-story-layout-tab-teaser=This feature is currently under development.
740 + data-story-layout-tab-select-widgets=Widgets
741 +
742 + #export type VisualizationType = 'text' | 'pieChart' | 'barChart' | 'columnChart' | 'lineChart' | 'table' | 'complexTable' | 'filterBar' | 'header' | 'footer' | 'layout' | 'scoreCard';
743 + canvas-widget-default-table-name=Table
744 + canvas-widget-default-columnChart-name=Column chart
745 + canvas-widget-default-barChart-name=Bar chart
746 + canvas-widget-default-pieChart-name=Pie chart
747 + canvas-widget-default-text-name=Text

```
748 + canvas-widget-default-filterBar-name=Filter control
749 + canvas-widget-default-scoreCard-name=Scorecard
750 + canvas-widget-default-layout-name=Layout group
751 + canvas-widget-default-lineChart-name=Line chart
752 +
753 + format-tab-placeholder-line1=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.
754 + format-tab-placeholder-line2=This feature is currently under development.
755 + data-story-format-tab-no-annotatable-columns>No annotatable columns found
756 + data-story-format-tab-placeholder-header=Use this tab to change the layout of your data story, change the colours of visualisations and format text, e.g. paragraphs, alignment and bullet lists.
757 + data-story-format-tab-create-new-annotation>Create new visual cue
758 + data-story-format-tab-select-element-to-display-options>Select data story element to change formatting
759 + data-story-format-tab-selected-element-does-not-support-formatting=Selected data story element does not support formatting
760 + data-story-format-tab-teaser=This feature is currently under development.
761 +
762 + confirm-revert-to-original-are-you-sure=Are you sure you want to replace the workspace "{name}" with the original version?
763 + confirm-revert-to-original-header=Replace workspace with original
764 + confirm-revert-cancel=Cancel
765 + confirm-revert-do-revert=Replace with original
766 +
767 + confirm-replace-header=Import and replace reporting workspace
768 + confirm-replace-select-json>Select a .json file to import an existing reporting workspace. Any changes to the current workspace will be lost. After the upload click 'reset sharing and import from file' to use the new workspace in place of existing one or cancel to keep the existing workspace.
769 + confirm-replace-are-you-sure=Clicking the button below will load a workspace from file into the editor. Once the new workspace is saved it will replace the previous version of workspace "{name}". Please note that any sharing setup will be removed.
770 + confirm-replace-upload-label=Reset sharing and import workspace from file
771 + confirm-replace-cancel-label=Cancel
772 +
773 + attribution-algorithm-header=Attribution algorithm
774 + algorithmInfoDialogTitleText1=The Automated Attribution Algorithm helps you reach the highest possible GPA for a specific UoA, given the selected REF1s and the selected pool of outputs.
775 + algorithmInfoDialogTitleText2=If you want to ensure that specific outputs are attributed to individuals, you can do so by locking the output manually on the page of the publication. The algorithm will then respect this lock and calculate the highest GPA under those circumstances.
776 + algorithmInfoDialogTitleText3=The algorithm works as follows:
777 + algorithmInfoDialogTitleText4=1. Researchers with only one output in the pool have their one output attributed to them and the output is removed from the pool.
778 + algorithmInfoDialogTitleText5=2. Remaining researchers have their top graded output attributed to them. Where the grade is the same, single-authored outputs are prioritized over co-authored outputs.
779
```

```
+ algorithmInfoDialogTitleText6=3. Once each researcher has been attributed one output, the "best of the rest" is selected, starting with the strongest outputs where there is only one author to whom this output can be attributed. This includes outputs by former members of staff.
780 + algorithmInfoDialogTitleText7=4. When the number of remaining unattributed outputs is smaller than the number of outputs with the same grade, then the outputs are selected so that they optimize spread across Cat A staff within the UoA.
781 + attribution-algorithm-cancel=Cancel
782 + attribution-algorithm-reset=Reset
783 + attribution-algorithm-run=Run Attribution
784 + attribution-algorithm-last-run=Last run:
785 + attribution-algorithm-status=Status:
786 +
787 + attribution-cannot-run-algorithm=Cannot run attribution
788 + attribution-cannot-reset=Cannot reset attributions
789 + attribution-already-running=The attribution job is currently running.
790 + attribution-not-authorized=You are not authorized to perform this action.
791 + attribution-error=An error occurred while running the job.
792 +
793 + attribution-algorithm-cancel-aria-label=Button that will cancel the attribution algorithm while it is running
794 + attribution-algorithm-reset-aria-label=Button that will reset the attribution runner, once it has been run
795 + attribution-algorithm-run-aria-label=Button that will run the attribution algorithm
796 +
797 + display-table-total-count=Total count
798 + display-table-total-in-percent=Total in %
799 + cancel-export=Cancel Export
800 + report-datable-scroll-to-top=Scroll to top of the table
801 + logging=Logging
802 + download=download
803 + revert-to-original=Revert to original
804 + pinned-filter-icon=Start edit
805 + pinned-filter-trash-icon>Delete the filter
806 + themeAdjustment=Theme adjustment
807 + selectTargetColumn>Select target column
808 + filters=Filters
809 + legendExplanation=Legend explanation
810 + apply=Apply
811 + left=Left
812 + operator=Operator
813 + right=Right
814 + select-col-or-input-static-value>Select a column or input a static value
815 + add-filters>Add filters
816 + widget-filters=Widget filters
817 + when-column=When column
```

```

818 + or-value=Or value
819 + navigate-up=Navigate up
820 + create=Create
821 +
822 +
823 + report-settings-subSetFetcherMergeInOrchestrator-title=Merge 'SubSetFetchers' in orchestrator (Enables some queries to run
together in the same SubSetFetcher, it can boost performance when multiple when queries overlap and fetches information that is
co-located)
824 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=Enable merging of queries with co-located information
825 +
826 + report-settings-enableDifferenceLoggingOrchestrator-title=Replaces the default orchestrator with a version that in addition to
running the query, automatically runs a number of extra queries to determine if there is a difference in the output for
isolated / non-isolated aggregations
827 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=Enable difference logging
828 + plus-icon=Add a new column
829 + confirm-workspace-delete>Delete workspace

```

pure-core/admin/client/components/modules/report/properties/report-resources_zh_CN.properties CHANGED

112	- onboarding-tip-filterbar=单击过滤栏以过滤内容类型。然后在右侧面板中添加过滤器。
264	- filter-tab-placeholder-part-two=选择列上方的过滤器栏以激活过滤器选项卡。
300	- filter-staffref2020-added=已添加{count} REF1a/c (2021)
298	+ filter-staffref2020-added=已添加{count} REF1 (2021)
304	- filter-staffref2020-title=REF1a/c (2021)
302	+ filter-staffref2020-title=REF1 (2021)
313	- filter-staffref2020-summary=已添加{count} REF1a/c (2021)
311	+ filter-staffref2020-summary=已添加{count} REF1 (2021)
569	- series-filter-active-list-placeholder-text="此列没有应用主动过滤器。请尝试在“添加过滤器”选项卡中添加一个或多个过滤器。"
567	+ series-filter-active-list-placeholder-text=此列没有应用主动过滤器。请尝试在“添加过滤器”选项卡中添加一个或多个过滤器。
577	- content-id-filter-placeholder-text=在此键入搜索
611	- data-story-visualization-add-filter-bar=过滤栏
627	- data-story-filter-tab-no-filters-on-other-elements-to-target=将其他过滤添加到其他小部件以便在过滤栏中使用
637	- data-story-filters-tab-panel-aria-label=过滤栏 - 过滤单个内容类型的“过滤”选项卡
639	- report-settings-features-title=实验功能
633	+ report-settings-features-experimental-title=实验功能
650	+ filter-tab-placeholder-part-two=选择列上方的过滤控件以激活“过滤”选项卡。
651	+ onboarding-tip-filterbar=单击过滤控件来过滤内容类型。然后在右侧面板中添加过滤。
652	+ data-story-visualization-preview-scoreCard-title=计分卡
653	+ content-id-filter-placeholder-multi-text=在此键入搜索
654	+ content-id-filter-placeholder-dropdown-text=选择过滤项
655	+ data-story-visualization-add-filter-bar=过滤控件

656 + data-story-value-tab-selected-element-does-not-support-value-selection=没有可选择的值
657 + data-story-filter-tab-no-filters-on-other-elements-to-target=将其他过滤添加到其他小部件以便在过滤控件中使用
658 + data-story-filters-tab-panel-aria-label=过滤控件 - 用于过滤单个内容类型的“过滤”选项卡
659 + report-settings-features-stable-title=稳定的特性
660 + validation-status-error-title=无法验证工作区
661 + validation-status-error-ok=关闭
662 + report-settings-concurrency-title=绩效
663 + report-settings-concurrency-itemBatching-title=在单独的线程中获取批量行（对于大型数据集，可能会以内存和服务器负载为代价，更快地完成导出）
664 + report-settings-concurrency-itemBatching-toggle-label=启用多线程（行）
665 + report-settings-concurrency-subSetFetching-title=在单独的线程中获取批量列（对于大量列，可能会以内存和服务器负载为代价更快速地获取列）
666 + report-settings-concurrency-subSetFetching-toggle-label=启用多线程（列）
667 + data-story-visualization-add-layout=添加布局组
668 + data-story-layout-tab-placeholder-header=使用此选项卡操作选定的元素并更改布局选项。
669 + data-story-layout-tab-clear-search-label=清除搜索
670 + data-story-layout-tab-teaser=此功能目前正在开发中。
671 + data-story-layout-tab-select-widgets=小部件
672 + canvas-widget-default-table-name=表
673 + canvas-widget-default-columnChart-name=柱状图
674 + canvas-widget-default-barChart-name=条形图
675 + canvas-widget-default-pieChart-name=饼形图
676 + canvas-widget-default-text-name=文本
677 + canvas-widget-default-filterBar-name=过滤控件
678 + canvas-widget-default-scoreCard-name=计分卡
679 + canvas-widget-default-layout-name=布局组
680 + canvas-widget-default-lineChart-name=折线图
681 + data-story-format-tab-no-annotatable-columns=未找到可添加注释的列
682 + data-story-format-tab-placeholder-header=使用此选项卡可更改数据故事的布局，更改可视化的颜色和格式化文本，例如段落、对齐和项目符号列表。
683 + data-story-format-tab-create-new-annotation=创建新视觉提示
684 + data-story-format-tab-select-element-to-display-options=选择数据故事元素来更改格式
685 + data-story-format-tab-selected-element-does-not-support-formatting=选定的数据故事元素不支持格式化
686 + data-story-format-tab-teaser=此功能目前正在开发中。
687 + confirm-revert-to-original-are-you-sure=您是否确定想用原始版本替换工作区 "{name}"?
688 + confirm-revert-to-original-header=用原始工作区替换工作区
689 + confirm-revert-cancel=取消
690 + confirm-revert-do-revert=用原始替换
691 + confirm-replace-header=导入和替换报告工作区
692 + confirm-replace-select-json=选择一个 .json 文件以导入现有的报告工作区。对当前工作区的任何更改都将丢失。上传完成后，点击“重置共享并从文件导入”，以使用新工作区替代现有工作区，或者取消以保留现有工作区。
693 + confirm-replace-are-you-sure=单击下面的按钮将把工作区从文件加载到编辑器中。新工作区一经保存，它将取代以前版本的工作区 "{name}"。请注意，任何共享设置将被删除。
694 + confirm-replace-upload-label=重置共享和从文件导入工作区

695 + confirm-replace-cancel-label=取消
696 + attribution-algorithm-header=归因算法
697 + algorithmInfoDialogTooltipText1=如果获得选定的 REF1s 和选定的成果池，自动归因算法能帮助您达到特定 UoA 的最高可能 GPA。
698 + algorithmInfoDialogTooltipText2=如果希望确保特定的成果能归因到个人，可通过在发布页面上手动锁定成果来实现。算法将尊重该锁定，并在这种情况下计算出最高 GPA。
699 + algorithmInfoDialogTooltipText3=算法工作方法如下：
700 + algorithmInfoDialogTooltipText4=1. 在池中只有一个成果的研究人员将拥有归因于他们的一个成果，然后成果从池中删除。
701 + algorithmInfoDialogTooltipText5=2. 剩下的研究人员拥有归因于他们的最高等级的成果。在等级相同的情况下，单独编写的成果优先于合著的成果。
702 + algorithmInfoDialogTooltipText6=3. 每个研究人员被归因了一个成果之后，“其余最好的”即被选中，从最强的成果开始，其中只有一个作者可以被归因到这个成果。这包括之前工作人员的成果。
703 + algorithmInfoDialogTooltipText7=4. 当剩余未归因成果的数量小于相同级别成果的数量时，将选择成果，以便它们能优化 UoA 中的 Cat A 工作人员之间的分布。
704 + attribution-algorithm-cancel=取消
705 + attribution-algorithm-reset=重置
706 + attribution-algorithm-run=运行归因
707 + attribution-algorithm-last-run=最后运行：
708 + attribution-algorithm-status=状态：
709 + attribution-cannot-run-algorithm=无法运行归因
710 + attribution-cannot-reset=无法重置归因
711 + attribution-already-running=归因作业目前正在运行。
712 + attribution-not-authorized=您无权执行此操作。
713 + attribution-error=运行作业时发生错误。
714 + attribution-algorithm-cancel-aria-label=将在归因算法运行时取消归因算法的按钮
715 + attribution-algorithm-reset-aria-label=将在归因运行器运行之后重置归因运行器的按钮
716 + attribution-algorithm-run-aria-label=将运行归因算法的按钮
717 + display-table-total-count=总计数
718 + display-table-total-in-percent=总 %
719 + column-ignore-isolate-non-distinct-aggregation-on=禁用不同的聚合（更快）
720 + column-ignore-isolate-non-distinct-aggregation-off=启用不同的聚合（更慢）
721 + logging=记录
722 + download=下载
723 + revert-to-original=恢复为原始状态
724 + pinned-filter-icon=固定的过滤图标
725 + pinned-filter-trash-icon=固定的过滤垃圾桶图标
726 + themeAdjustment=主题调整
727 + selectTargetColumn=选择目标列
728 + filters=过滤
729 + legendExplanation=图例说明
730 + apply=申请
731 + left=左边
732 + operator=操作员
733 + right=右边

```
734 + select-col-or-input-static-value=选择一列或输入一个静态值
735 + add-filters=添加过滤器
736 + widget-filters=小部件过滤器
737 + when-column=当列
738 + or-value=或值
739 + navigate-up=向上导航
740 + create=创建
741 + report-settings-subSetFetcherMergeInOrchestrator-title=在编排器中合并“SubSetFetchers”（允许某些查询在同一个 SubSetFetcher 中一起运行，当多个查询重叠并获取位于同一位置的信息时，这样可以提高性能）
742 + report-settings-subSetFetcherMergeInOrchestrator-toggle-label=启用查询与共存信息的合并
743 + report-settings-enableDifferenceLoggingOrchestrator-title=将默认编排器替换为一个版本，该版本除了运行查询外，还自动运行许多额外的查询，以确定孤立/非孤立聚合的输出是否存在差异
744 + report-settings-enableDifferenceLoggingOrchestrator-toggle-label=启用差异记录
```

pure-core/admin/client/components/shared/pure-graphql-status-renderer/properties/PureGraphQLStatusRenderer-resources_zh_CN.properties [CHANGED]

4	- user-unauthorized-please-login=“要继续工作，请按‘打开 Pure 登录页面’按钮，然后使用打开的新选项卡登录。”
4	+ user-unauthorized-please-login=要继续工作，请按‘打开 Pure 登录页面’按钮，然后使用打开的新选项卡登录。

pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources_en.properties [CHANGED]

```
8 + timeline-dialog-title=Timeline
9 + timeline-dialog-description=Your window is too small to display an interactive timeline for your projects here. To view the
  timeline, enlarge your window or click the button to open it in a popup.
10 + view-timeline=Open timeline
11 + timeline-dialog-close=Close dialog
```

pure-core/admin/client/components/workspace/personal-overview/feature-blocks/project-timeline/projecttimeline-resources_zh_CN.properties [CHANGED]

6	- inventory-close-callout=关闭对话框
7	- inventory-show-more=显示更多
8	+ timeline-dialog-title=时间线
9	+ timeline-dialog-description=您的窗口太小，无法在这里为您的项目显示交互时间线。要查看时间线，请放大窗口或单击按钮在弹出窗口中打开它。
10	+ view-timeline=打开时间线
11	+ timeline-dialog-close=关闭对话框

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources_en.properties [CHANGED]

```
8 + originalUser-as-user={originalName} as {name}
```

pure-core/admin/client/components/workspace/tasks/properties/tasks-resources_zh_CN.properties [CHANGED]

8 + originalUser-as-user={originalName} 作为 {name}

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources_en.properties [CHANGED]

20 - Workflow-body-backward={fromUser} returned the workflow step to{workflowStep}:
20 + Workflow-body-created={fromUser} created new content inthe workflow step {workflowStep}:
21 + Workflow-body-backward={fromUser} returned the workflow step to {workflowStep} for:
64 - MendeleyDataSet-body-singular={countAndContent} was found in Mendeley Data
65 - MendeleyDataSet-body-plural={countAndContent} were found in Mendeley Data
65 + DataSearchDataSet-body-singular={countAndContent} was found in DataSearch
66 + DataSearchDataSet-body-plural={countAndContent} were found in DataSearch
104 - newsflo-import-personal-user-added-message-notification=You have been added to a Newsflo contentitem:
105 + newsflo-import-personal-user-added-message-notification=You have been added to new Newsflo item(s)
110 +
111 + Application-deadline-inconsistency-message-body=The {application} submission deadline differs from the {fundingOpportunity} deadline for:
112 +
113 + dialog-close=Close dialog

pure-core/admin/client/components/workspace/tasks/user-task-item/properties/usertaskitem-template-resources_zh_CN.properties [CHANGED]

56 - MendeleyDataSet-body-plural={countAndContent} 在 Mendeley 数据中找到
57 - MendeleyDataSet-body-singular={countAndContent} 在 Mendeley 数据中找到
85 - newsflo-import-personal-user-added-message-notification=您已添加到 Newsflo 内容项:
84 + DataSearchDataSet-body-singular={countAndContent} 在 DataSearch 中找到
85 + DataSearchDataSet-body-plural={countAndContent} 在 DataSearch 中找到
86 + newsflo-import-personal-user-added-message-notification=您已被添加到新 Newsflo 项
87 + Application-deadline-inconsistency-message-body={application} 提交截止期限不同于下列{fundingOpportunity}截止期限:
88 + dialog-close=关闭对话框
89 + Workflow-body-created={fromUser}在工作流程步骤中创建新内容{workflowStep}:

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources_en.properties [CHANGED]

108 - cron.jobLegend=Name, User & Job:
108 + cron.jobLegend=Name, User and Job:
124 + cron.searchNoResult=No cron jobs match your search
163 - joblog.contentId=Content-ID:

```
164 + joblog.contentId=ContentID:  
275 - logging.completed=Log session completed. Click button below to download results  
276 + logging.completed=Log session completed. Click button below to download results.  
290 - system-currency-country=System currency & country  
291 + system-currency-country=System currency and country  
300 - authentication-mechanism-test=Test  
301 + authentication-mechanism-test=Check certificates  
305 + authentication-mechanism-failure-help=The authentication configuration is invalid.  
306 + authentication-mechanism-success-help=The authentication configuration is valid.  
338 - ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ Authentication  
339 - ElsevierIDPlusAuthenticationMechanism=Authenticates users by using Elsevier's ID+  
341 + ElsevierIDPlusAuthenticationMechanism.label=Elsevier Account Authentication  
342 + ElsevierIDPlusAuthenticationMechanism=Authenticates users using their Elsevier account.
```

pure-core/admin/src/main/resources/META-INF/resources/admin/admin-resources_zh_CN.properties [CHANGED]

```
275 - authentication-mechanism-test=测试  
555 - oai-configuration-identifier-legends-hint="在 OAI 标识符格式中填入您想显示的信息，作为<i>识别</i>响应的部分。请参阅 <a href=""https://www.openarchives.org/OAI/2.0/guidelines-oai-identifier.htm"">OAI-PMH 实施指南</a>获取更多信息。"  
554 + oai-configuration-identifier-legends-hint=在 OAI 标识符格式中填入您想显示的信息，作为<i>识别</i>响应的部分。请参阅 <a href=""https://www.openarchives.org/OAI/2.0/guidelines-oai-identifier.htm">OAI-PMH 实施指南</a>获取更多信息。  
561 - oai-configuration-identifier-delimiter-hint="示例: """: """"  
560 + oai-configuration-identifier-delimiter-hint=示例: ":"  
575 - ElsevierIDPlusAuthenticationMechanism.label=Elsevier ID+ 认证  
576 - ElsevierIDPlusAuthenticationMechanism=使用 Elsevier's ID+ 来验证用户。  
574 + cron.searchNoResult=没有 cron 工作匹配您的搜索  
575 + authentication-mechanism-test=检查证书  
576 + authentication-mechanism-failure-help=认证配置无效。  
577 + authentication-mechanism-success-help=认证配置有效。  
578 + ElsevierIDPlusAuthenticationMechanism.label=Elsevier 帐户认证  
579 + ElsevierIDPlusAuthenticationMechanism=用其 Elsevier 帐户来认证用户。
```

pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources_en.properties [CHANGED]

```
18 + personDataCleanup.operation.name=Data cleanup  
19 + personDataCleanup.title=Clean up selected fields  
20 + personDataCleanup.refine.title>Select fields for cleanup  
21 + personDataCleanup.refine.title.description=Selected fields will be cleaned up or set to selected options. <br/> Configure pre-checked fields in Administrator > Persons > Data cleanup configuration.  
22 + personDataCleanup.summary.warning=Important! The data will be permanently deleted and cannot be restored.  
23 + personDataCleanup.error.updates.failed=Could not clean data on all selected persons
```

```
24 + personDataCleanup.error.content.update.failed=Error when cleaning fields on {content}
25 + personDataCleanup.error.content.update.skipped=No fields cleaned as there was nothing to clean - either the fields are
  synchronized or already clean
26 + personDataCleanup.set.to_lowercase=set to
27 + personDataCleanup.set.to_uppercase=Set to
28 + personDataCleanup.organisation.association.info=Only supplementary information will be deleted
29 + personDataCleanup.organisation.association.info.description=The link between persons and their associated organisations will
  be retained but information related to the organisation, e.g. telephone numbers, addresses, website URLs, will be deleted.
30 +
31 + exemptPersonFromDataCleanup.operation.name=Mark for data cleanup exemption
32 + exemptPersonFromDataCleanup.title=Mark for data cleanup exemption
33 + exemptPersonFromDataCleanup.refine.title=Specify data cleanup exemption period
34 + exemptPersonFromDataCleanup.refine.retention.period=Set exemption period of
35 + exemptPersonFromDataCleanup.refine.retention.period-hint=Person(s) marked for exemption will not be included in bulk data
  cleanup processes during this period (once the bulk action is completed). <br/> Exemption status can be found in: <br/> Person
  editor window > History and comments tab > Data cleanup policy section
36 + exemptPersonFromDataCleanup.error.updates.failed=Could not set exemption period on all selected persons
37 + exemptPersonFromDataCleanup.error.content.update.failed=Error when setting exemption period on {content}
38 +
```

pure-core/admin/src/main/resources/META-INF/resources/bulk/bulk-operation-resources_zh_CN.properties CHANGED

```
1 - #Added translations
2 - #Tue May 15 11:06:03 CEST 2018
37 + personDataCleanup.operation.name=数据清理
38 + personDataCleanup.title=清理选定的字段
39 + personDataCleanup.refine.title=选择要清理的字段
40 + personDataCleanup.refine.title.description=选定的字段将被清理或被设置到选定的选项。<br/>在管理员 > 人员 > 数据清理配置中配置预先选中的
  字段。
41 + personDataCleanup.summary.warning=重要提示！数据将被永久删除，无法恢复。
42 + personDataCleanup.error.updates.failed=无法清除关于所有选定人员的数据
43 + personDataCleanup.error.content.update.failed=清除字段时出现错误{content}
44 + personDataCleanup.error.content.update.skipped=未清理任何字段，因为没有要清理的内容—要么字段已同步，要么已被清理
45 + personDataCleanup.set.to_lowercase=设置为
46 + personDataCleanup.set.to_uppercase=设置为
47 + personDataCleanup.organisation.association.info=只有补充信息才会被删除
48 + personDataCleanup.organisation.association.info.description=人员及其关联组织之间的链接将会被保留，但组织的相关信息（例如电话号码、地
  址、网址等）将会被删除。
49 + exemptPersonFromDataCleanup.operation.name=数据清理豁免标记
50 + exemptPersonFromDataCleanup.title=数据清理豁免标记
51 + exemptPersonFromDataCleanup.refine.title=指定数据清理豁免期限
52 + exemptPersonFromDataCleanup.refine.retention.period=设定豁免期
```

53 + exemptPersonFromDataCleanup.refine.retention.period-hint=在此期间（批量操作一经完成），拥有豁免标记的人员将不包括在批量数据清理流程中。
豁免状态可按以下方式查找：
人员编辑器窗口 > “历史和评论”选项卡 > 数据清理政策部分

54 + exemptPersonFromDataCleanup.error.updates.failed=无法为所有选定的人员设置豁免期

55 + exemptPersonFromDataCleanup.error.content.update.failed=设置豁免期时出现错误{content}

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... [ADDED]

1 + agreed-terms-group=Agreed terms
2 + agreed-terms-help=Terms that the user has agreed to
3 + agreed-terms-version=Version: {version}
4 + agreed-terms-lastlogin=Last login: {lastLogin}

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/agreedterms/agreedterms-resource... [ADDED]

1 + agreed-terms-group=商定的条款
2 + agreed-terms-help=用户已同意的条款
3 + agreed-terms-version=版本: {version}
4 + agreed-terms-lastlogin=上次登录: {lastLogin}

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... [CHANGED]

76 - correspondingauthor-button=Set corresponding author
77 - removecorrespondingauthor-button=Remove corresponding author

76 + correspondingauthornote-singular-text=Note: There is already 1 other person selected as a corresponding author.
77 + correspondingauthornote-plural-text=Note: There are already {count} other persons selected as corresponding authors.
78 + correspondingAuthor=Corresponding author

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/personlist/personlistcomponent-r... [CHANGED]

58 - correspondingauthor-button=设置通讯作者
59 - removecorrespondingauthor-button=移除通讯作者

58 + correspondingauthornote-singular-text=注意：已经有 1 人被选为通讯作者。
59 + correspondingauthornote-plural-text=注意：已经有 {count} 人被选为通讯作者。
60 + correspondingAuthor=通讯作者

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... [CHANGED]

7 + unlinkUser=Unlink associated user

```
8 + cancelUnlinkUser=Cancel  
9 + unlinkDisclaimer-confirm=Upon saving, this person will be unlinked from the associated user. If the user has roles in Pure in  
addition to being a personal user, they will still be able to log into Pure and perform tasks according to those assigned roles.  
10 + unlinkDisclaimer=If the user has roles in Pure in addition to being a personal user, they will still be able to log into Pure  
and perform tasks according to those assigned roles.  
11 + unlinkSyncedAssociation=You cannot manually unlink a user when the user information is synchronised from another system.
```

pure-core/admin/src/main/resources/META-INF/resources/component/dk/atira/pure/client/ui/component/userassociation/userassociationc... [CHANGED]

```
1 - #Added translations  
2 - #Tue Sep 12 13:12:36 CEST 2017  
7 + unlinkUser=取消关联用户的链接  
8 + cancelUnlinkUser=取消  
9 + unlinkDisclaimer-confirm=保存后, 此人将与关联的用户断开链接。如果用户除了是个人用户之外还具有 Pure 角色, 则他们仍将能够登录 Pure 并根据分配的角色执行任务。  
10 + unlinkDisclaimer=如果用户除了是个人用户之外还具有 Pure 角色, 则他们仍将能够登录 Pure 并根据分配的角色执行任务。  
11 + unlinkSyncedAssociation=当用户信息从另一个系统同步时, 您无法手动取消链接用户。
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources_en.p... [CHANGED]

```
54 - select-bulk-action>Select the bulkaction you will performfor the files  
54 + select-bulk-action=Select the action you want to perform
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/bulk/editor/bulkoperation-resources_zh_... [CHANGED]

```
1 - #Added translations  
2 - #Thu Sep 28 10:19:37 CEST 2017  
50 - select-bulk-action=选择您为执行此文件的批量操作  
73 + select-bulk-action=选择要执行的操作
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources_en.pr... [CHANGED]

```
6 + agreed-terms-tab=Agreed terms  
7 +  
8 + #AGREED TERMS  
9 + agreed-terms=Agreed terms  
18 - idplus-group=ID+ configuration  
19 - idplus-group-help=Configuration of user access to ID+. <ul><li>This ID is used for matching a user in pure with a user  
from ID+</li></ul>
```

```
22 + idplus-group=Elsevier accountconfiguration  
23 + idplus-group-help=Configuration of user access to Elsevier account authentication.<ul><li>This ID is used for matching a user  
in Pure with an Elsevier user account.</li></ul>
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/system/editor/usereditor-resources_zh_... [CHANGED]

```
32 - idplus-group=ID+ 配置  
33 - idplus-group-help=配置用户对 ID+ 的访问权限。<ul><li>此 ID 用于匹配 Pure 的用户与来自 ID+</li></ul> 的用户  
32 + agreed-terms-tab=商定的条款  
33 + agreed-terms=商定的条款  
34 + idplus-group=Elsevier 帐户配置  
35 + idplus-group-help=配置用户访问 Elsevier 帐户认证的权限。<ul><li>此 ID 用于把 Pure 中的用户匹配到 Elsevier 用户帐户。</li></ul>
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsofagreement/model/editor/termso... [CHANGED]

```
15 + termsOfAgreement.information=Note: You cannot edit the text of a Terms of Agreement after it has been saved.
```

pure-core/admin/src/main/resources/META-INF/resources/editor/dk/atira/pure/server/services/impl/termsofagreement/model/editor/termso... [CHANGED]

```
1 - #Added translations  
2 - #Tue Sep 12 13:12:36 CEST 2017  
11 + termsOfAgreement.information=注意：保存后，您无法编辑协议条款的文本。
```

pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_en.properties [CHANGED]

```
135 + inconsistentworkflow.title=Inconsistent workflow for {path} ID {id}  
136 + inconsistentworkflow.message=The content you requested cannot be edited at this time  
137 + inconsistentworkflow.why=Why was this page displayed?  
138 + inconsistentworkflow.why.update.required=The workflow configuration for {path} is being modified by an administrator and is  
not completed yet  
139 + inconsistentworkflow.whatnow=Now what?  
140 + inconsistentworkflow.whatnow.support=Contact support  
141 + inconsistentworkflow.whatnow.close=Close this window  
142 +
```

pure-core/admin/src/main/resources/META-INF/resources/editor/editor-resources_zh_CN.properties [CHANGED]

```
266 + inconsistentworkflow.title=不一致的{path} ID {id}工作流
```

```
267 + inconsistentworkflow.message=目前无法编辑您请求的内容  
268 + inconsistentworkflow.why=为什么显示此页面?  
269 + inconsistentworkflow.why.update.required={path} 的工作流配置正在由管理员进行修改，并且尚未完成  
270 + inconsistentworkflow.whatnow=现在该怎么办?  
271 + inconsistentworkflow.whatnow.support=联系支持  
272 + inconsistentworkflow.whatnow.close=关闭此窗口
```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_en.properties CHANGED

```
1 - ssofail_title=Single Sign-On failed  
2 - ssofail=Single Sign-On failed  
3 - ssofail_description=You could not be logged into this service. In order to login with Single Sign-On it is necessary for the  
service to know your username. Please contact IT support.<br/>If enabled for your  
user you can use <a href="{login}">direct login</a>  
1 + ssofail_title=Login Failed for Pure at {institutionname}  
2 + ssofail=Login Failed for Pure at {institutionname}  
3 + ssofail_description=You may be able to <a href="{login}">log in to Pure directly</a> if your username and password are  
configured manually.<br/>Please contact your institution's local IT support if this problem persists.  
4 + ssofail_footer=Pure version {versionnumber} at {institutionname}, {dateandtime}  
5 - login_error_SAMLProcessingException=Communication with Single Sign-On server failed  
6 - login_error_ProcessingException=Communication with Single Sign-on server failed  
7 - login_error_LockedException=The account is locked  
8 - login_error_UsernameNotFoundException=The user is not present in Pure  
9 - login_error_BadCredentialsException=Bad credentials  
10 - login_error_InsufficientAuthenticationException=User has insufficient rights to login  
11 - login_error_InternalAuthenticatedAccountStatusException=The account cannot be used for external authentication  
12 - login_error_AuthenticationServiceException=An unknown system error occurred when processing the authentication request.  
6 + login_error_SAMLProcessingException=Pure could not connect with your institution's single sign-on server.  
7 + login_error_ProcessingException=Pure could not connect with your institution's single sign-on server.  
8 + login_error_LockedException=Your user account is unable to access Pure.  
9 + login_error_UsernameNotFoundException=Your user was not found in Pure.  
10 + login_error_BadCredentialsException=Your username or password were not entered correctly.  
11 + login_error_InsufficientAuthenticationException=You do not have permission to log into Pure.  
12 + login_error_InternalAuthenticatedAccountStatusException=Your user account cannot be used to log into Pure.  
13 + login_error_AuthenticationServiceException=An error occurred while logging in using your institution's single sign-on system.
```

pure-core/admin/src/main/resources/META-INF/resources/error/error-resources_zh_CN.properties CHANGED

```
1 - #Added translations  
2 - #Tue Sep 12 13:12:36 CEST 2017  
3 - ssofail_title=单点登录失败
```

```

4   - ssofail=单点登录失败
5   - ssofail_description=您无法登录此服务。要使用单点登录登录，服务需要知道您的用户名。请联系信息技术支持。<br/>如果为您的用户启用，您可以使用
<a href="/admin/login.xhtml">直接登录</a>
6   - login_error_SAMLProcessingException=与单点登录服务器的通信失败
7   - login_error_ProcessingException=与单点登录服务器的通信失败
8   - login_error_LockedException=帐户已锁定
9   - login_error_UsernameNotFoundException=用户不在 Pure 中
10  - login_error_BadCredentialsException=无效凭证
11  - login_error_InsufficientAuthenticationException=用户登录权限不足
12  - login_error_InternalAuthenticatedAccountStatusException=该帐户不能用于外部验证

1 + ssofail_title=Pure 登录失败{institutionname}
2 + ssofail=Pure 登录失败{institutionname}
3 +
ssofail_description=如果手动配置了您的用户名和密码，则您可以<a href="{login}">直接登录 Pure</a>。<br>如果此问题仍然存在，请联系您所在机构的本地 IT 支持部门。
4 + ssofail_footer=Pure 版本 {versionnumber}，位于 {institutionname}, {dateandtime}
5 + login_error_SAMLProcessingException=Pure 无法连接到您机构的单点登录服务器。
6 + login_error_ProcessingException=Pure 无法连接到您机构的单点登录服务器。
7 + login_error_LockedException=您的用户帐户无法访问 Pure。
8 + login_error_UsernameNotFoundException=在 Pure 中找不到您的用户。
9 + login_error_BadCredentialsException=您的用户名或密码输入错误。
10 + login_error_InsufficientAuthenticationException=您没有权限登录 Pure。
11 + login_error_InternalAuthenticatedAccountStatusException=您的用户帐户不能用于登录 Pure。
12 + login_error_AuthenticationServiceException=使用您机构的单点登录系统登录时发生错误。
13 - login_error_AuthenticationServiceException=处理身份认证请求时发生未知的系统错误。

```

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources_en.properties [CHANGED]

```

53 - suggestedaction-message.digest_listing=<a href="{link}">View all ({count}) </a>
53 + suggestedaction-message.digest_listing=<a href="{link}">View all ({count}) </a>
74 - workflow-message.digest_listing=<a href="{link}">View all ({count}) </a>
74 + workflow-message.digest_listing=<a href="{link}">View all ({count}) </a>
97 - plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of
technical limitations, such as large file (larger than 25 MB), password protected file, the file is not readable or file type is
not supported by the anti-plagiarism system Ephorus.
97 + plagiarism-message.error=The project has NOT been plagiarism scanned by the anti-plagiarism system Ephorus because of
technical limitations, such as large file (larger than 25MB), password protected file, the file is not readable or file type is
not supported by the anti-plagiarism system Ephorus.
115 - newsflo-message.velocity_title=You have been added to a Newsflo contentitem: {title}
116 - newsflo-message.velocity_subject=You have been added to aNewsflo content item: {title}
115 + newsflo-message.velocity_title=You have been added to new Newsflo item(s)
116 + newsflo-message.velocity_subject=Newsflo content created

```

pure-core/admin/src/main/resources/META-INF/resources/messaging/messaging-resources_zh_CN.properties [CHANGED]

78	- newsflo-message.velocity_title=您已添加至 Newsflo 内容项目中: {title}
79	- newsflo-message.velocity_subject=您已添加至 Newsflo 内容项目中: {title}
85	+ newsflo-message.velocity_title=您已被添加到新 Newsflo 项
86	+ newsflo-message.velocity_subject=创建 Newsflo 内容

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources_en.properties [ADDED]

```
1 + uptodate-subject=Pure is up to date
2 + uptodate-body=Good news, your Pure ({currentVersion}) is up to date.\nStaying up to date helps us best support you. Check out
the <a href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the release.</a>
3 + onebehind-subject=Pure is ready to update
4 + onebehind-body=A new Pure version ({latestVersion}) is available, check out the <a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the new release</a> and consider
updating.\nRight now you're running {currentVersion} - this will be supported until version {endOfLifeVersion} is released.
5 + twobehind-subject=It's time to update your Pure
6 + twobehind-body=A new Pure version ({latestVersion}) is available, please check out the <a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">highlights of the new release</a> and consider updating
soon.\nYour current version {currentVersion} will no longer be supported once the next version {endOfLifeVersion} is released.
7 + threebehind-subject=Pure version out of date
8 + threebehind-body=Your current version ({currentVersion}) is no longer fully supported and no further issues relating to this
version will be resolved.\nOnce you upgrade to version {minimumSupportedVersion} or higher, you can again benefit from full
support.\nPlease contact the <a href="mailto: pure-support@elsevier.com">Pure Support Team</a> to notify us which version you
wish to upgrade to, or in case you have any questions about Elsevier's Release Policy.
```

pure-core/admin/src/main/resources/META-INF/resources/pureversion/pureversion-resources_zh_CN.properties [ADDED]

```
1 + uptodate-subject=Pure 是最新版
2 + uptodate-body=好消息，您的 Pure ({currentVersion}) 是最新版。保持使用最新版将有助于我们更好地为您提供支持。查看该<a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">版本的亮点。</a>
3 + onebehind-subject=Pure 已准备好进行更新
4 + onebehind-body=有新的 Pure 版本 ({latestVersion}) 可用，请查看新版本的亮点<a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">并考虑更新。</a>现在您正在运行 {currentVersion}- 此版本将得到
支持，直到版本 {endOfLifeVersion} 发布。
5 + twobehind-subject=是时候更新您的 Pure 了
6 + twobehind-body=有新的 Pure 版本 ({latestVersion}) 可用，请立即查看新版本的亮点<a
href="https://doc.pure.elsevier.com/display/PureClient/Release+Notes">并考虑更新。</a>发布下一版本 {endOfLifeVersion} 之后，您当前版
本 {currentVersion} 即不再获得支持。
7 + threebehind-subject=Pure 版本已过时
8
```

+ threebehind-body=您的当前版本 ({currentVersion}) 不再得到完全支持，与此版本相关的其他问题也不会得到解决。您升级到版本 {minimumSupportedVersion} 或更高版本之后，即可再次享受完全支持。请联系 [Pure 支持团队](mailto:pure-support@elsevier.com)，通知我们您希望升级到哪个版本，或者如果您对 Elsevier 的发布政策有任何疑问，也请告知我们。

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources_en.properties [CHANGED]

100	- support_manual=Manual
100	+ support_manual=PureManual

pure-core/admin/src/main/resources/META-INF/resources/workspace/workspace-resources_zh_CN.properties [CHANGED]

80	- support_manual=手册
160	+ support_manual=Pure 手册

pure-core/admin/src/main/resources/renderer/dk/atira/pure/api/shared/editor/renderers/insufficientrolesexceptionrenderer-resources_zh_C... [CHANGED]

5	- error.systemdesc.header=系统消息
5	+ error.systemdesc.header =You do not have the correct permissions to modify/save this record.\n This could be due to a "Managing organisational unit" that you do not have the right to modify managed content for.\n Try selecting a different "Managing organisational unit".

pure-core/content-import/src/main/resources/META-INF/resources/configuration/configuration-contentimport-resources_en.properties [CHANGED]

4	- Scopus.authentication.apiKey-label=API Key
4	+ Scopus.authentication.apiKey-label=API key
42	+ Scopus.use.approximated.publication.date-label=Use approximated publication date
43	+ Scopus.use.approximated.publication.date-description=When set to True, Pure will import and use the Scopus-provided approximated publication date. When set to False, Pure will parse the date which Scopus has received from the journal and set the date accordingly. In some cases letting Pure handle the date parsing (configuration set to False) may yield better results. In the rare case that only the approximated date is available, Pure will use the approximated date.
44	- enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID. - Notice by enabling this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles will be removed.
46	+ enable.automated.search-Scopus-description=Enable automated search for all Persons with a Scopus author ID. Note: By enabling this setting, it is no longer possible to setup an automated search based on name variant. Existing name variant search profiles will be removed.
120	- crossref.pid-description=
122	+ crossref.pid-description=Email address or credentials used in the 'pid' parameter of Crossref's OpenURL request.
192	

- pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster response and import. An API key is not mandatory, but recommended. Information can be found here:
<https://www.ncbi.nlm.nih.gov/books/NBK25497>

193 -

194 + pubmed.content.api.apikey-description=With an API key, PubMed will accept more queries per second, and thus provide a faster response and import. An API key is not mandatory, but recommended. Information can be found here:
<https://www.ncbi.nlm.nih.gov/books/NBK25497>

195 + pubmed.content.api.esearch.url=URL to ESearch

196 + pubmed.content.api.efetch.url=URL to EFetch

197 + pubmed.content.api.epost.url=URL to EPost

198 + pubmed.content.api.etool.url=URL to ID converter tool

198 - EMBASE.authentication.apiKey-label=API Key

203 + EMBASE.authentication.apiKey-label=API key

pure-core/content-import/src/main/resources/META-INF/resources/configuration/contentimport-resources_zh_CN.properties [CHANGED]

235 + Scopus.use.approximated.publication.date-label=使用近似的发布日期

236 + Scopus.use.approximated.publication.date-description=当设置为“真”时, Pure 将导入并使用 Scopus 提供的近似发布日期。当设置为“假”时, Pure 将解析 Scopus 从期刊中收到的日期, 并相应地设置日期。在某些情况下, 让 Pure 处理日期解析(配置设置为“假”)可能会产生更好的结果。在只有近似日期可用的极少数情况下, Pure 才会使用近似日期。

237 + pubmed.content.api.esearch.url=ESearch 的 URL

238 + pubmed.content.api.efetch.url=EFetch 的 URL

239 + pubmed.content.api.epost.url=EPost 的 URL

240 + pubmed.content.api.etool.url=ID 转换工具的 URL

pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources_en.properties [CHANGED]

241 + DataSearch.label=DataSearch

242 +

332 - authorScopus=Author & affiliations in Scopus

334 + authorScopus=Author and affiliations in Scopus

364 - authorScielo=Author & affiliations in SciELO

366 + authorScielo=Author and affiliations in SciELO

418 - authorPure=Author & affiliations in Pure

420 + authorPure=Author and affiliations in Pure

513 - default-organisation-from-authors-hint=If there are no information regarding affiliations for internal authors from the source, then the most relevant organisations from Pure are added. The strategy is as follows:\n1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added.\n2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added.\n3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.

+ default-organisation-from-authors-hint=If there is no information regarding affiliations for internal authors from the source, then the most relevant organisations from Pure are added. The strategy is as follows:
1) Organisations that were active at date of publication of the given publication are added unless there is a primary organisation amongst them, then only that organisation is added.
2) If no organisations are found in 1) then presently active organisations are added unless there is a primary organisation amongst them, then only that organisation is added.
3) If no organisations are found in 2) then the first primary organisation or just the first organisation is added.

614 +
615 + researchoutputwizard.label=Research output import wizard

pure-core/content-import/src/main/resources/META-INF/resources/contentimport/contentimport-resources_zh_CN.properties [CHANGED]

535 + researchoutputwizard.label=科研成果导入向导
536 + DataSearch.label=DataSearch

pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources_en.properties [CHANGED]

7 - RoMEO_apiKey-label=SHERPA/RoMEO API Key
7 + RoMEO_apiKey-label=SHERPA/RoMEO API key
35 - limitToLastStepWCSF-description=Filter content based on the current work flowstep so that only last step is allowed.
35 + limitToLastStepWCSF-description=Filter content based on the current workflow step so that only last step is allowed.
43 - aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from. Eg. {"entityId1" : "Description 1", "entityId2" : "Description 2"}
43 + aeauthenticationmechanism.idps-json-label=JSON string containing entity ID and description of the identityproviders that the user can choose from, e.g. {"entityId1" : "Description 1", "entityId2" : "Description 2"}
45 - aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes Eg. ELS_eduPersonPrincipalName
45 + aeauthenticationmechanism.principalattribute-label=The SAML attribute from which to take the username. Principal name takes e.g. ELS_eduPersonPrincipalName
69 - elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth base URL
69 + elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier account OAuth base URL
71 - elsevieridplusauthenticationmechanism.failure-text-label=ID+ failure to authentication message
71 + elsevieridplusauthenticationmechanism.failure-text-label=Elsevier account failure to authenticate message
73 - elsevieridplusauthenticationmechanism.original-username-label=ID+ original username constant
73 + elsevieridplusauthenticationmechanism.original-username-label=Elsevier account original username constant
77 - elsevieridplusauthenticationmechanism.synchronize-label=Synchronise users with ID+
77 + elsevieridplusauthenticationmechanism.synchronize-label=Synchronise users with Elsevier account
79 - elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from PURE. Contact ID+ for assistance correcting the issue.
79 + elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier account original username constant (regex for post-processing of username)
80 + elsevieridplusauthenticationmechanism.original-username-regex-description=E.g. (?!.*)@(.*) to only extract the part after @ in e.g. some@user

81 + elsevieridplusauthenticationmechanism.editor.clear-id-description=If the ID is wrong, you can remove it from Pure. Contact Elsevier for assistance correcting the issue.

106 + saml2authenticationmechanism.sha256-signing-label=Use SHA-256 algorithm

107 + saml2authenticationmechanism.sha256-signing-description=

123 - casauthenticationmechanism.extra_login_url_parameters-description=Any extra URL parameters that should be appended to the URL to which the user is redirected for authentication. Eg. '&p_logintype=ad&language=da'

127 + casauthenticationmechanism.extra_login_url_parameters-description=Any extra URL parameters that should be appended to the URL that the user is redirected to for authentication, e.g. '&p_logintype=ad&language=da'

150 - ldapauthenticationmechanism.user-dn-patterns-description=Semicolon-separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'

154 + ldapauthenticationmechanism.user-dn-patterns-description=Semicolon-separated list of patterns used when constructing DN's for binding to the LDAP server. The default value is 'uid={0}'.

474 - syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child **ids** references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.

478 + syncjob.organisation.dataquality.hierarchy-description=If enabled, the synchronisation will check the hierarchy for invalid data, e.g. a parent or child **ID** references an organisational unit which is not in the organisational unit data view. If any error is detected, the synchronisation will not continue and a fatal error is logged.

555 - syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If **there exists** persons without organisational unit associations, the synchronisation will not continue and a fatal error is logged.

559 + syncjob.person.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any persons without organisational unit associations. If **persons without organisational unit associationsexist**, the synchronisation will not continue and a fatal error is logged.

580 -

584 + syncjob.associationType.allowChange-label=Remove and replace organisation associations if the type has changed

585 + syncjob.associationType.allowChange-description=Removes older association if matched with a new one of a different type. All data related to the old association is lost. A new association is made with new data from the input.

635 - syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If **there exists** students without organisational unit associations, the synchronisation will not continue and a fatal error is logged.

640 + syncjob.student.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any students without organisational unit associations. If **students without organisational unit associationsexist**, the synchronisation will not continue and a fatal error is logged.

702 - syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any **staffs** without organisational unit associations. If **there exists** staffs without organisational unit associations, the synchronisation will not continue and a fatal error is logged.

707 + syncjob.staff.dataquality.person.organisation.missing-description=If enabled, the synchronisation will check whether there are any **staff members** without organisational unit associations. If **staff members** without organisational unit associationsexist, the synchronisation will not continue and a fatal error is logged.

975 - e.g., <http://scival.com/overview/summary?uri=Institution/315028>

980 + e.g. <http://scival.com/overview/summary?uri=Institution/315028>

1082 - pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails.

1083

- pure.mail.forced-recipient-of-all-email-excludes-description=The email addresses provided will receive an email even though the "Forces recipient of all emails" has been set. The list of email addresses must be comma-separated. E.g. 'pure-talkback@atira.dk, example@elsevier.com'.

1087 + pure.mail.forced-recipient-of-all-email-excludes-label=Exclude email address from force recipient of all emails

1088 + pure.mail.forced-recipient-of-all-email-excludes-description=These email addresses will receive emails even if the 'Force recipient of all emails' has been set. The list of email addresses must be comma-separated, e.g. 'pure-talkback@atira.dk, example@elsevier.com'.

1085 - pure.mail.forced-recipient-exclude-internal-description=Enabling this option will ensure internally-managed users will receive emails even if the "Forces recipient of all emails" has been set. This option is complementary to the explicit email whitelist.

1090 + pure.mail.forced-recipient-exclude-internal-description=Enabling this option ensures internally-managed users will receive emails even if the 'Forces recipient of all emails' has been set. This option is complementary to the explicit email whitelist.

1090 - pure.mail.from-description=This changes the from email address. This should not be changed, unless otherwise instructed by Elsevier.

1095 + pure.mail.from-description=This changes the 'From' email address. This should not be changed, unless otherwise instructed by Elsevier.

1092 - pure.mail.reply-to-description=The reply email address on the emails sent from Pure

1097 + pure.mail.reply-to-description=The 'Reply to' email address on the emails sent from Pure.

1097 - pure.mail.username-label=Mail host user name

1098 - pure.mail.username-description=The user name used with the mail host.

1102 + pure.mail.username-label=Mail host username

1103 + pure.mail.username-description=The username used with the mail host.

1101 - pure.mail.starttls.enable-label=Enable or disable STARTTLS command.

1106 + pure.mail.starttls.enable-label=Enable or disable STARTTLS command

1103 - pure.mail.checkserveridentity-label=On will check the server identity.

1104 - pure.mail.checkserveridentity-description=If set to on, check the server identity as specified by RFC 2595.

1108 + pure.mail.checkserveridentity-label=Check the server identity

1109 + pure.mail.checkserveridentity-description=If set to On, check the server identity as specified by RFC 2595.

1106 - pure.mail.support-email-address-description=The support email address that appears in the Help and support section in the Pure admin.

1107 - pure.mail.connection.timeout.seconds-label=Mail connection timeout (In seconds)

1111 + pure.mail.support-email-address-description=The support email address that appears in the 'Help and support' section in the Pure interface.

1112 + pure.mail.connection.timeout.seconds-label=Mail connection timeout (in seconds)

1110 - pure.mail.require.logindate-label=Only send email messages to users that have been logged in to Pure

1115 + pure.mail.require.logindate-label=Only send email messages to users that have logged into Pure

1113 - pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format -e.g. "mail.smtp.starttls.enable=true", separated with line breaks.

1118 + pure.mail.advanced-description=Allow setting raw Java mail properties (key/value pairs) that will take precedence over other mail settings. Settings must be provided in Java properties format, e.g. "mail.smtp.starttls.enable=true", separated with line breaks.

1135 - mount.points.fullUrl.ws-label=Full URL for ws

1140 + mount.points.fullUrl.ws-label=Full URL for WS

1145 - dspace.user-label=User name
1150 + dspace.user-label=Username
1202 - researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advice against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.
1207 + researchoutput.model.bookSeries.enabled-description=If this is enabled then research output content types, which have a publication series field will have it replaced with a book series field. Restarting the server will migrate publication series data to book series. If book series is enabled and the migration has been completed then book series is not supposed to be disabled again and we therefore strongly advise against it. If disabled the book series field will be replaced by publication series using the publication series data from before the merge. However, data entered using book series field is not merged to publication series.

pure-core/core/src/main/resources/META-INF/resources/configuration/configuration-resources_zh_CN.properties [CHANGED]

1310 - elsevieridplusauthenticationmechanism.oAuthUrl-label=ID+ OAuth 基本 URL
1311 - elsevieridplusauthenticationmechanism.failure-text-label=ID+ 验证失败消息
1312 - elsevieridplusauthenticationmechanism.original-username-label=ID+ 原用户名常量
1314 - elsevieridplusauthenticationmechanism.synchronize-label=同步具有 ID+ 的用户
1315 - elsevieridplusauthenticationmechanism.editor.clear-id-description=如果 ID 有误，您可以将其从 Pure 中移除。请联系 ID+ 以获取纠正该问题的帮助。
1312 + elsevieridplusauthenticationmechanism.oAuthUrl-label=Elsevier 帐户 OAuth 基本 URL
1313 + elsevieridplusauthenticationmechanism.failure-text-label=Elsevier 帐户未能认证消息
1314 + elsevieridplusauthenticationmechanism.original-username-label=Elsevier 帐户原始用户名不变
1315 + elsevieridplusauthenticationmechanism.synchronize-label=同步用户与 Elsevier 帐户
1316 + elsevieridplusauthenticationmechanism.original-username-regex-label=Elsevier 帐户原始用户名不变（用于用户名后处理的正则表达式）
1317 + elsevieridplusauthenticationmechanism.original-username-regex-description=例如 (?!.*)@(.*) 只提取 @ 后面的部分，例如 some@user
1318 + elsevieridplusauthenticationmechanism.editor.clear-id-description=如果 ID 有误，您可以将其从 Pure 中移除。请联系 Elsevier 获取纠正该问题的帮助。
1319 + saml2authenticationmechanism.sha256-signing-label=使用 SHA-256 算法
1320 + syncjob.associationType.allowChange-label=如果类型已变更，则删除并替换组织关联
1321 + syncjob.associationType.allowChange-description=如果与不同类型的新关联匹配，则删除旧关联。所有与旧关联相关的数据都已丢失。用输入的新数据建立新关联。
1322 + creatable-by-roles-ADMINISTRATORS_AND_EDITORS_AND_ASSISTING_EDITORS=管理员、编辑和助理编辑

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources_en.properties [CHANGED]

13 +
14 + originalUserNameAsUserName={originalUserName} as {userName}

pure-core/core/src/main/resources/META-INF/resources/generic/generic-resources_zh_CN.properties [CHANGED]

1	- #Added translations
2	- #Thu Sep 28 10:19:37 CEST 2017
11	+ originalUserNameAsUserName={originalUserName} 作为 {userName}

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources_en.properties [CHANGED]

13	+ logger.grouping.elsevieridplus=Authentication - Elsevier account
----	--

pure-core/core/src/main/resources/META-INF/resources/logging/grouping-resources_zh_CN.properties [CHANGED]

13	+ logger.grouping.elsevieridplus=认证 - Elsevier 帐户
----	---

pure-core/core/src/main/resources/security/security-resources_en.properties [CHANGED]

12	- idplusMarkerRole=ID+ user
12	+ idplusMarkerRole=Elsevier account

pure-core/core/src/main/resources/security/security-resources_zh_CN.properties [CHANGED]

28	- idplusMarkerRole=ID+ 用户
28	+ idplusMarkerRole=Elsevier 帐户

pure-core/model/src/main/resources/validation/validation-core-model-resources_en.properties [CHANGED]

9	- validation.text.defined-group=The following fields are required
9	+ validation.text.defined-group=The following fields are required:
84	+ statement.mimeType=The type of the uploaded file
143	- validation.issn.format-group=The following fields have ISSN numbers with invalid format. ISSN must be of the format: "nnnn-nnnn"
144	- validation.issn.format=The ISSN number is not correctly formatted, it must be of the format nnnn-nnnn
145	- validation.issn.checkdigit-group=The following fields have invalid ISSN numbers; modulus check has failed. Please check that the ISSN numbers have been entered correctly.
146	- validation.issn.checkdigit=The ISSN number is not correct, modulus check has failed. Please check that the ISSN number has been entered correctly.
144	+ validation.issn.format-group=The following fields have ISSNs with an invalid format. ISSNs must have the format "nnnn-nnnn"
145	+ validation.issn.format=The ISSN is not correctly formatted, it must have the format nnnn-nnnn.
146	

```

+ validation.issn.checkdigit-group=The following fields have invalid ISSNs; modulus check has failed. Please check that the
ISSNs have been entered correctly.
147 + validation.issn.checkdigit=The ISSN is not correct, modulus check has failed. Please check that the ISSN has been entered
correctly.

161 - validation.text.inStep=The current work flowstep can only be {expectedStepName}, but is {currentStepName}
162 + validation.text.inStep=The current workflow step can only be {expectedStepName}, but is {currentStepName}
209 - validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour
210 + validation.text.compatibleJoinBehavior-group=The following fields have an incompatible join behaviour:
225 - validation.text.definedonobjects-group=The following fields are required
226 + validation.text.definedonobjects-group=The following fields are required:
234 - validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps has been used more than once
235 + validation.customerdefinedworkflowstepconfigurations.stepusedmorethanonce-group=Some steps have been used more than once
240 - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps has been used in
the definition
241 - validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps has been used in the
definition
241 + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps-group=Not all configuration steps have been used
in the definition
242 + validation.customerdefinedworkflowstepdefinitions.missingconfigurationsteps=Not all configuration steps have been used in the
definition
244 - validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps has been used more than once
245 + validation.customerdefinedworkflowstepdefinitions.stepusedmorethanonce-group=Some steps have been used more than once
285 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=The following fields contains an
incorrect keyword configuration
286 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} contains an incorrect keyword
configuration, which is only usable by {differentFamily}
328 +
329 + validation.text.limitCollectionToNotContain-group=Cannot save due to duplicate relations
330 + validation.text.limitCollectionToNotContain=You cannot use the entity '{value}' as '{field:lowercase}' because it is already
used as '{referencedFieldName}'

```

pure-core/model/src/main/resources/validation/validation-core-model-resources_zh_CN.properties CHANGED

```

242 -
242 + temporalCoverageStartDate.year=时间覆盖起始年份
243 + temporalCoverageEndDate.year=时间覆盖结束年份
244 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily-group=以下字段包含不正确的关键字配置
245 + validation.text.KeywordGroupStructure.keywordGroupConfigurationForDifferentFamily={field} 包含不正确的关键字配置, 该配置只能用于
{differentFamily}
246 + statement.mimeType=上传文件的类型
247 + validation.text.limitCollectionToNotContain-group=由于重复的关系而无法保存
248 + validation.text.limitCollectionToNotContain=您无法使用实体'{value}'做为'{field:lowercase}', 因为它已被用做'{referencedFieldName}''

```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources_en.properties [CHANGED]

```
6 +  
7 + scheduledreport-failure-message.title=Failure to generate scheduled report  
8 + scheduledreport-failure-message.velocity_subject=The report "{title}" failed to produce a result  
9 + scheduledreport-failure-message.velocity_title=The report "{title}" failed to produce a result  
10 + scheduledreport-failure-message.text=The scheduled report "{title}" executed by Pure on {date} failed to generate a result.  
Contact your Pure Administrator to investigate why the scheduled report failed to produce a result. Further information can be  
found in the job log (Pure > Administrator > Jobs > Job log). (You received this email because your user is the owner of the  
scheduled report).
```

pure-core/report/src/main/resources/META-INF/resources/messaging/messaging-report-resources_zh_CN.properties [CHANGED]

```
1 - #Added translations  
2 - #Tue Sep 12 13:12:36 CEST 2017  
5 + scheduledreport-failure-message.title=未能生成计划的报告  
6 + scheduledreport-failure-message.velocity_subject=报告 "{title}" 未能产生结果  
7 + scheduledreport-failure-message.velocity_title=报告 "{title}" 未能产生结果  
8 + scheduledreport-failure-message.text=由 Pure 在 {date} 执行的计划中的报告 "{title}" 未能生成结果。请与您的 Pure 管理员联系，以调查计  
划的报告为何未能生成结果。更多信息可以在作业日志中找到 (Pure > 管理员 > 作业 > 作业日志)。(您收到这封电子邮件是因为您的用户是计划的报告的所  
有者)。
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources_en.properties [CHANGED]

```
39 - pivot-multiple-fields-help=Data will be expanded horizontally this means that based on the data this definition may span  
multiple fields and each of these fields will then be prefixed with aID.x where the x is the position of the element.  
39 + pivot-multiple-fields-help=Data will be expanded horizontally -this means that based on the data this definition may span  
multiple fields and each of these fields will then be prefixed with ID.x where the x is the position of the element.  
62 +  
63 + exported-value-was-truncated=The value in row {rowNum} was truncated.
```

pure-core/report/src/main/resources/META-INF/resources/report/export/report-export-configuration-resources_zh_CN.properties [CHANGED]

```
1 - #Added translations  
2 - #Tue Sep 12 13:12:36 CEST 2017  
45 + exported-value-was-truncated={rowNum} 行中的值被截断。
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources_en.properties [CHANGED]

```
481 + preferences.maxRowsInExcelExport.label=Max rows in Excel export
482 + preferences.maxRowsInExcelExportButton.label=Save 'max rows in Excel export'
583 - visibilityAndConfidentiality=Visibility & confidentiality
585 + visibilityAndConfidentiality=Visibility and confidentiality
722 + pure-report-unable-to-load-react-mount-point-description=If the mount point configuration does not match the server address:  
Ask your system administrator to check configuration of the mount point in the Administrator tab  
(workspace/administrator/category/settings/configuration/mount-points/). A Pure server must know where to find the generated  
Javascript to display this page. Either there is no configuration value or the server has been moved to another domain or perhaps  
the mount point configuration was not updated accordingly. Still not working? Accessing Pure directly from a localhost address  
will cause a mismatch in login cookies and some features will be unavailable. In this case you should go to log in to  
'{mount_point}/report/start.xhtml' instead.
723 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}
724 + pure-report-unable-to-load-react-mount-point-label=Mount point
725 + pure-report-unable-to-load-react-sub-header=If you see this message it means that Pure was unable to retrieve information  
needed to generate the page
726 + pure-report-unable-to-load-react-header=Failed to load Javascript files
727 +
728 +
```

pure-core/report/src/main/resources/META-INF/resources/report/report-core-resources_zh_CN.properties [CHANGED]

```
568 + preferences.maxRowsInExcelExport.label=Excel 导出中的最大行数
569 + preferences.maxRowsInExcelExportButton.label=保存“Excel 导出中的最大行数”
570 + pure-report-unable-to-load-react-mount-point-description=如果挂载点配置与服务器地址不匹配：要求您的系统管理员在管理选项卡中检查挂载点  
的配置 (workspace/administrator/category/settings/configuration/mount-points/)。Pure 服务器必须了解在何处找到生成的 JavaScript 来显  
示此页面。无配置值或服务器已移动至另一个域，或者可能挂载点配置未相应更新。仍然不起作用？直接从本地主机地址访问 Pure 将导致登录 cookie 不匹  
配，且某些功能将不可用。在这种情况下，您应登录至“{mount_point}/report/start.xhtml”。
571 + pure-report-unable-to-load-react-mount-point-configuration={mount_point}
572 + pure-report-unable-to-load-react-mount-point-label=挂载点
573 + pure-report-unable-to-load-react-sub-header=如果您看到此消息，则表示 Pure 无法检索生成页面所需的信息
574 + pure-report-unable-to-load-react-header=未能加载 Javascript 文件
```

pure-modules/api516-module/templates/bundled/src/main/resources/META-INF/resources/modules/api516-module-resources_en.properties [ADDED]

```
1 + name=API v516
2 + description=Web Service API v516
```

pure-modules/api516-module/templates/bundled/src/main/resources/META-INF/resources/modules/api516-module-resources_zh_CN.prop... [ADDED]

```
1 + #Added translations
2 + #Tue Sep 12 13:12:36 CEST 2017
```

3 + name=API v516
4 + description=网络服务 API v516

pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... [CHANGED]

6 + personalInformationShown-hint=When this is enabled, the key exposes personal information, such as gender, nationality and date of birth.
16 + content-group=Access to personal information
17 + content-group-help=Choose what content you would like to expose

pure-modules/apisecurity-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/apisecu... [CHANGED]

15 + personalInformationShown-hint=启用此功能后，密钥将公开个人信息，如性别、国籍和出生日期。
16 + content-group=访问个人信息
17 + content-group-help=选择您想公开的内容

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... [CHANGED]

1 - type-name=API Key
2 - type-name-plural=API Keys
3 - family-name-plural=API Keys
4 - family-name=API Key
1 + type-name=API key
2 + type-name-plural=API keys
3 + family-name-plural=API keys
4 + family-name=API key
6 - apiKey=API Key
6 + apiKey=API key
14 + allowedProperties=Allow access to these fields

pure-modules/apisecurity-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/apisecurity/external/model/apikeym... [CHANGED]

1 - #Added translations
2 - #Tue Sep 12 13:12:36 CEST 2017
13 + allowedProperties=允许访问这些字段

pure-modules/awardmanagement-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimp... [CHANGED]

```
21 - header-external-erm-job-error="(<span class=""jobs_error"">有错误, 请参阅日志</span>)"  
22 - header-external-erm-job-warning="(<span class=""jobs_warn"">有警告, 请参阅日志</span>)"  
21 + header-external-erm-job-error=(<span class="jobs_error">有错误, 请参阅日志</span>)  
22 + header-external-erm-job-warning=(<span class="jobs_warn">有警告, 请参阅日志</span>)
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... [CHANGED]

```
21 - submissiondate=Submission date  
21 + submissiondate=Date submitted  
22 + submissiondeadline=Submission deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement-applicat... [CHANGED]

```
20 - submissiondate=提交日期  
23 + submissiondate=提交日期  
24 + submissiondeadline=提交截止期限
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... [CHANGED]

```
45 + application-submission-deadline-period-legend=Application approaching submission deadline  
46 + application-submission-deadline-period-hint=These settings configure the Application matrix view so that only Applications  
that have a submission deadline within the chosen period are shown.  
47 + application-submission-deadline-period=Submission deadline in next  
48 + applicationSubmissionDeadlinePeriodOptions.ALL=All ranges  
49 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=One week  
50 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=Two weeks  
51 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=One month  
52 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=Three months  
53 +  
54 +  
61 + application-submission-deadline-column=Approaching deadline
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/awardmanagement/award... [CHANGED]

```
40 + application-submission-deadline-period-legend=申请接近提交截止期限  
41 + application-submission-deadline-period-hint=这些设置配置申请矩阵视图, 用以只显示那些提交截止期限位于选定期间内的申请。  
42 + application-submission-deadline-period=提交截止期限在未来  
43 + applicationSubmissionDeadlinePeriodOptions.ALL=所有范围  
44 + applicationSubmissionDeadlinePeriodOptions.ONE_WEEK=一周
```

```
45 + applicationSubmissionDeadlinePeriodOptions.TWO_WEEKS=两周  
46 + applicationSubmissionDeadlinePeriodOptions.ONE_MONTH=一个月  
47 + applicationSubmissionDeadlinePeriodOptions.THREE_MONTHS=三个月  
48 + application-submission-deadline-column=接近截至期限
```

纯 - pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

```
1 + funderStatus-group=Funder status  
2 + funderStatus-group-help=  
3 +  
4 + submissionDeadline-group=Submission deadline  
5 + submissionDeadline-group-help=Enter the date that the application must be submitted by. If you associate a funding opportunity  
with this application, the deadline from the funding opportunity will be used if this date has not already been set on the  
application.  
6 +  
7 + same-submission-deadline-notification=Same as funding opportunity  
8 + earlier-submission-deadline-notification=Earlier than funding opportunity ({fundingOpportunityDeadline})  
9 + later-submission-deadline-notification=Later than funding opportunity ({fundingOpportunityDeadline})  
10 + not-set-submission-deadline-notification=Defined on funding opportunity ({fundingOpportunityDeadline})
```

纯 - pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... ADDED

```
1 + funderStatus-group=资助者状态  
2 + submissionDeadline-group=提交截止期限  
3 + submissionDeadline-group-help=输入必须提交申请的截止日期。如果您将资助机会与此申请相关联，且尚未在申请上设置截止期限，则将使用来自资助机  
会的截止期限。  
4 + same-submission-deadline-notification=资助机会也是如此  
5 + earlier-submission-deadline-notification=早于资助机会 ({fundingOpportunityDeadline})  
6 + later-submission-deadline-notification=晚于资助机会 ({fundingOpportunityDeadline})  
7 + not-set-submission-deadline-notification=以资助机会界定 ({fundingOpportunityDeadline})
```

纯 - pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... CHANGED

```
6 + create-new-ethical-review-no-save/Create ethical review...
```

纯 - pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/a... CHANGED

```
7 + create-new-ethical-review-no-save=创建伦理审查.....
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/externalerm/externalerm-re... CHANGED

7	- externalerm-display-name-hint="输入显示状态时要使用的名称。例如 \"Infonetica ERM\"." 7 + externalerm-display-name-hint=输入显示状态时要使用的名称。例如 "Infonetica ERM".
---	--

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

1	- title=Submission date 1 + title=Date submitted
---	---

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/... CHANGED

1	- #Added translations 2 - #Tue Sep 12 13:12:36 CEST 2017 3 - title=提交日期 5 + title=提交日期
---	---

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

1	+ title=Submission deadline 2 + noLimit=All 3 + noSubmissionDeadline=No submission deadline 4 + submissionDeadline=Submission deadline in next 5 + submissionDeadlineCustom=Submission deadline in custom date range 6 + oneWeek=One week 7 + twoWeeks= Two weeks 8 + oneMonth= One month 9 + threeMonths= Three months 10 + all= All ranges 11 + from=From 12 + to=To 13 + date=Date 14 + arrow=>
---	---

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/aw... ADDED

1	+ title=提交截止期限 2 + noLimit=全部
---	----------------------------------

```
3 + noSubmissionDeadline=无提交截止期限  
4 + submissionDeadline=提交截止期限在未来  
5 + submissionDeadlineCustom=提交截止期限在自定义日期范围内  
6 + oneWeek=一周  
7 + twoWeeks=两周  
8 + oneMonth=一个月  
9 + threeMonths=三个月  
10 + all=所有范围  
11 + from=开始  
12 + to=结束  
13 + date=日期  
14 + arrow=>
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... [CHANGED]

```
31 +  
32 + applicationdeadlineinconsistency.title=Inconsistent submission deadline dates
```

pure-modules/awardmanagement-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-awa... [CHANGED]

```
28 + applicationdeadlineinconsistency.title=提交截止期限不一致
```

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... [CHANGED]

```
1 - submissionDate=Submission date  
1 + submissionDate=Date submitted  
2 + submissionDeadline=Deadline  
10 - funderStatus-group=Funder status  
11 - funderStatus-group-help=  
12 -
```

pure-modules/awardmanagement-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/awardmanagement/extern... [CHANGED]

```
1 - submissionDate=提交日期  
8 - funderStatus-group=资助者状态  
9 - funderStatus-group-help=  
10 + submissionDate=提交日期  
11 + submissionDeadline=截止期限
```

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources_en.properties [CHANGED]

1	- applicationOrderBySubmissionDate.label=Submission date
1	+ applicationOrderBySubmissionDate.label=Date submitted
2	+ applicationOrderByApproachingSubmissionDeadline.label=Approaching deadline

pure-modules/awardmanagement-module/templates/runtime/src/main/resources/criteria/criteria-awardmanagement-resources_zh_CN.properties [CHANGED]

1	- #Added translations
2	- #Tue Sep 12 13:12:36 CEST 2017
3	- applicationOrderBySubmissionDate.label=提交日期
21	+ applicationOrderBySubmissionDate.label=提交日期
22	+ applicationOrderByApproachingSubmissionDeadline.label=接近截至期限

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-resources_en.properties [CHANGED]

55	- newsflo.api.token-legend=Vendor configuration: Newsflo API Key
56	- newsflo.api.token-description=The API Key for use with the API.
55	+ newsflo.api.token-legend=Vendor configuration: Newsflo API key
56	+ newsflo.api.token-description=The API key for use with the API.
64	+
65	+ newsflo.api.clienttoken-legend=Vendor configuration: Newsflo Client Token
66	+ newsflo.api.clienttoken-description=The client token to use with the API.

pure-modules/clipping-module/templates/admin-bundled/src/main/resources/META-INF/resources/configuration/configuration-newsflo-resources_zh_CN.properties [CHANGED]

1	- #Added translations
2	- #Mon Oct 08 11:03:15 CEST 2018
57	+ newsflo.api.clienttoken-legend=供应商配置: Newsflo 客户令牌
58	+ newsflo.api.clienttoken-description=客户令牌要与 API 一起使用。

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration-datasets-resources_en.properties [ADDED]

1	+ datasource-configuration-page=DataSearch
2	+ datasource-configuration-header=DataSearch integration
3	+ datasource-configuration-header-description=In this configuration page you can set up integration with DataSearch to automatically source Dataset content.
4	+ what-is-datasource-disclosure-header=What is the DataSearch integration

5 + what-is-datasearch-disclosure=Enabling the integration with DataSearch will automatically create Dataset content (associated with relevant Persons and Organisations) in Pure. Relations with Research Outputs will also automatically be created, where available.
</br><p>Enabling the DataSearch integration below will turn on the 'DataSearch: Import Datasets' job, and set it to run on a weekly basis. The settings can be changed in the 'Administrator > Jobs > Cron Job Scheduling' menu.</p>

6 + datasearch-integration-legend=DataSearch integration

7 + toggle-datasearch-hint=Turn on the DataSearch integration to source existing and future Dataset content.
Turn off the DataSearch integration to pause the integration and prevent new Dataset content being populated in Pure.

8 + datasearch-integration-label=DataSearch integration

9 + datasearch-configuration-save=Save

10 + datasearch-configuration-refresh=Refresh

11 + datasearch-institution-id-label=Institution IDs

12 + datasearch-institution-id-hint=Enter a comma-separated list of your institution's InstitutionID and ScopusID to find Datasets from DataSearch.

13 + datasearch-missing-institution-id-error-text=An institution ID is required before enabling the DataSearch integration

14 + datasearch-missing-default-managing-organisation-error-text=The default managing organisation is required before enabling the DataSearch integration

15 + datasearch-workflow-legend=Dataset workflow settings

16 + toggle-datasearch-workflow-hint=When the DataSearch integration is enabled, the Datasets imported automatically will be set in the workflow step configured below. Already imported Datasets will not be affected.

17 + clear-rejected-candidates-legend=Rejected candidates

18 + clear-rejected-candidates-hint=It is possible to clear any rejected candidates using the button below. Note: All previously rejected candidates will be cleared. The action is not reversible.

19 + rejected-candidates-will-be-cleared-message=rejected candidates will be cleared

20 + clear-rejected-candidates-label=Clear rejected candidates

21 + datasearch-default-organisation-legend=Default managing organisation

22 + datasearch-default-managing-organisation=Default managing organisation

23 + datasearch-default-managing-organisation-hint=This organisation will be used for candidates where a managing organisation could not be determined

24 + datasearch-enable-workflow-recommendation=It is recommended to enable workflow for datasets

25 + datasearch-clear-reject-candidate-dialogue-description=Are you sure you want to clear these rejected candidates?
 The action cannot be undone.

26 + datasearch-vendorfields-label=Specific fields only visible to the Elsevier vendor user

27 + datasearch-apiurl-label=API URL

28 + datasearch-apikey-label=API Key

29 + datasearch-apikey-description=Key for Elsevier DataSearch API.

30 + datasearch-pagesize-label=Page size

31 + datasearch-pagesize-description=Number of Datasets to include in each API request.

32 + datasearch-sources=DataSearch sources

33 + datasearch-sources-hint=A comma-separated list of sources to limit DataSearch to. Leave blank to not limit DataSearch sources. Source names must match the exact source names in DataSearch.

34 + datasearch-show-sources>Show available sources

35 + datasearch-available-sources=The following sources are available through DataSearch

36 + datasearch-invalid-source=One or more of the entered sources did not match a source in DataSearch.

```
37 + datasource-failed-to-get-sources=Pure failed to get the list of sources from DataSearch and will therefore not validate the  
sources.  
38 + delete-button=Confirm  
39 + cancel-button=Cancel
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configuration... ADDED

```
1 + datasource-configuration-page=DataSearch  
2 + datasource-configuration-header=DataSearch 集成  
3 + datasource-configuration-header-description=在此配置页面中，您可以设置与 DataSearch 的集成，以自动输出数据集内容。  
4 + what-is-datasource-disclosure-header=什么是 DataSearch 集成  
5 + what-is-datasource-disclosure=启用与 DataSearch 的集成将在 Pure 中自动创建数据集内容（与相关人员和组织相关联）。在可能的情况下，还将自动创建与研究成果的关系。<br><br><p>在下面启用 DataSearch 集成将打开“DataSearch：导入数据集”作业，并将其设置为每周运行一次。可以在“管理员 > 作业 > Cron 作业调度”菜单中更改设置。</p>  
6 + datasource-integration-legend=DataSearch 集成  
7 + toggle-datasource-hint=<b>打开</b> DataSearch 集成以输出现有和未来的数据集内容。<br/><b>关闭</b> DataSearch 集成以暂停集成，并防止新的数据集内容填充 Pure。  
8 + datasource-integration-label=DataSearch 集成  
9 + datasource-configuration-save=保存  
10 + datasource-configuration-refresh=刷新  
11 + datasource-institution-id-label=机构 ID  
12 + datasource-institution-id-hint=输入一个逗号分隔的机构 InstitutionID 和 ScopusID 列表，以从 DataSearch 查找数据集。  
13 + datasource-missing-institution-id-error-text=启用 DataSearch 集成之前，需要使用机构 ID  
14 + datasource-missing-default-managing-organisation-error-text=启用 DataSearch 集成之前，需要默认的管理组织  
15 + datasource-workflow-legend=数据集工作流程设置  
16 + toggle-datasource-workflow-hint=启用 DataSearch 集成后，自动导入的数据集将在下面配置的工作流步骤中设置。已导入的数据集将不受影响。  
17 + clear-rejected-candidates-legend=被拒绝的候选人  
18 + clear-rejected-candidates-hint=可以使用下面的按钮清除任何被拒绝的候选人。注释：将清除所有之前被拒绝的候选人。此流程不可逆。  
19 + rejected-candidates-will-be-cleared-message=将清除被拒绝的候选人  
20 + clear-rejected-candidates-label=清除被拒绝的候选人  
21 + datasource-default-organisation-legend=默认管理组织  
22 + datasource-default-managing-organisation=默认管理组织  
23 + datasource-default-managing-organisation-hint=该组织将用于无法确定管理组织的候选人  
24 + datasource-enable-workflow-recommendation=建议为数据集启用工作流程  
25 + datasource-clear-reject-candidate-dialogue-description=您确定要清除这些被拒绝的候选人吗？<br> 此操作无法撤消。  
26 + datasource-vendorfields-label=特定字段仅对 Elsevier 供应商用户可见  
27 + datasource-apiurl-label=API URL  
28 + datasource-apikey-label=API 密钥  
29 + datasource-apikey-description=Elsevier DataSearch API 的密钥。  
30 + datasource-pagesize-label=页面大小  
31 + datasource-pagesize-description=每个 API 请求中包含的数据集的数量。
```

```
32 + datasearch-sources=DataSearch 来源
33 + datasearch-sources-hint=一个逗号分隔的源列表，用于将 DataSearch 限制为。留空以不限制 DataSearch 来源。来源名称必须与 DataSearch 中的
34 确切来源名称匹配。
35 + datasearch-show-sources=显示可用的来源
36 + datasearch-available-sources=以下来源可通过 DataSearch 获得
37 + datasearch-invalid-source=输入的一个或多个源与 DataSearch 中的来源不匹配。
38 + datasearch-failed-to-get-sources=Pure 未能从 DataSearch 获取来源列表，因此将不验证来源。
39 + delete-button=确认
39 + cancel-button=取消
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... [CHANGED]

```
12 - mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found <a target="_blank"
12 href="https://data.mendeley.com/institutions">here</a> (requires Mendeley Data Institutional Edition subscription)
12 + mendeley-data-institution-id-hint=Enter your institution ID from Mendeley, which can be found <a target="_blank"
12 href="https://service.elsevier.com/app/contact/supporthub/mendeley/">here</a> (requires Mendeley Data Institutional Edition
subscription)
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/configuration/configurati... [CHANGED]

```
14 - mendeley-data-institution-id-hint=从 Mendeley 输入您的机构 ID，可以在 <a target=_blank href="https://data.mendeley.com/
14 institutions">此</a> 找到（需要 Mendeley 数据机构版订阅）
14 + mendeley-data-institution-id-hint=从 Mendeley 输入您的机构 ID，可以在 <a target=_blank href="https://service.elsevier.com/
app/contact/supporthub/mendeley/">此</a> 找到（需要 Mendeley 数据机构版订阅）
```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... [CHANGED]

```
3 - header-dataset-mendeley-all=List of import candidates from Mendeley Data not currently in Pure. \
4 - The datasets with the label Updated denotes datasets already in Pure, where the author(s) and/or the organisational unit have
changed in Mendeley Data. \
3 + header-dataset-datasearch-all=List of import candidates from DataSearch not currently in Pure. \
4 + The label 'Updated' denotes datasets already in Pure, where the author(s) and/or the organisational unit have changed in
DataSearch. \
6 - You can limit the result list using the drop down above to show either all, new import candidates or updated candidates
7 - mendeleyDataSetCandidateColumn=Import candidates
8 - mendeleyDataSetCandidateGroup=Mendeley import candidates for Dataset
9 - header-mendeley-dataset-text=Last Mendeley Data import occurred: {lastJobExecutionDate} {jobError} - the next import will
happen at: {nextJobExecutionDate}
10 - header-mendeley-dataset-job-error=(with errors, see log)
11 - header-mendeley-dataset-job-warning=(with warnings, see log)
12 - header-mendeley-dataset-date-not-available=N/A
```

```

13 - mendeley-dataset-task-group-name=Mendeley dataset candidates
6 + You can limit the result list using the drop down above to show either all, new import candidates or updated candidates.
7 + dataSearchDataSetCandidateColumn=Import candidates
8 + dataSearchDataSetCandidateGroup=DataSearch import candidates for Dataset
9 + header-datasearch-dataset-text=Last DataSearch import occurred: {lastJobExecutionDate} {jobError} - the next import will
happen at: {nextJobExecutionDate}
10 + header-datasearch-dataset-job-error=(<span class="jobs_error">with errors, see log</span>)
11 + header-datasearch-dataset-job-warning=(<span class="jobs_warn">with warnings, see log</span>)
12 + header-datasearch-dataset-date-not-available=N/A
13 + datasearch-dataset-task-group-name=DataSearch dataset candidates
16 - datasetauthorMendeleyData=People in Mendeley Data
17 - datasetorganisationMendeleyData=Institutions in Mendeley Data
16 + datasetauthorDataSearch=People in DataSearch
17 + authorDataSearch=People in DataSearch
18 + datasetorganisationDataSearch=Institutions in DataSearch

```

pure-modules/datasets-module/templates/admin-contentimport-runtime/src/main/resources/META-INF/resources/contentimport-datasets-... CHANGED

```

1 - #Added translations
2 - #Tue Sep 12 13:12:36 CEST 2017
5 - header-dataset-mendeley-all=来自 Mendeley 数据的导入候选人名单目前不在 Pure 中。带有“已更新”的数据集表示已在 Pure 中的数据集，其作者
和/或组织单位在 Mendeley 数据中已更改。导入已更新数据集非常重要，因为这些数据集将继续显示于导入候选列表中，直到完成。您可以使用上面的下拉列
表来限制结果列表，以显示所有、新导入候选人或更新的候选人。
6 - mendeleyDataSetCandidateColumn=导入候选人
7 - mendeleyDataSetCandidateGroup=Mendeley 导入数据集候选人
8 - header-mendeley-dataset-text=上次 Mendeley 数据导入发生: {lastJobExecutionDate} {jobError} - 下次导入将发生于:
{nextJobExecutionDate}
9 - header-mendeley-dataset-job-error= (<span class\="jobs_error">出现错误，见日志</span>)
10 - header-mendeley-dataset-job-warning= (<span class\="jobs_warn">出现警告，见日志</span>)
11 - header-mendeley-dataset-date-not-available=不适用
12 - mendeley-dataset-task-group-name=Mendeley 数据集候选人
13 - datasetauthorMendeleyData=Mendeley 数据中的人
14 - datasetorganisationMendeleyData=Mendeley 数据中的机构
15
16
9 + header-dataset-datasearch-all=从 DataSearch 导入的目前不在 Pure 中的候选人列表。\
10 + dataSearchDataSetCandidateColumn=导入候选人
11 + dataSearchDataSetCandidateGroup=DataSearch 为数据集导入候选人
12 + header-datasearch-dataset-text=上次 DataSearch 导入发生时间: {lastJobExecutionDate}{jobError}- 下一次导入将发生于:
{nextJobExecutionDate}
13 + header-datasearch-dataset-job-error= (<span class="jobs_error">有错误，请参阅日志</span>)
14 + header-datasearch-dataset-job-warning= (<span class="jobs_warn">有警告，请参阅日志</span>)
15 + header-datasearch-dataset-date-not-available=不适用

```

```
16 + datasearch-dataset-task-group-name=DataSearch 数据集候选人  
17 + datasetauthorDataSearch=DataSearch 中的人员  
18 + authorDataSearch=DataSearch 中的人员  
19 + datasetorganisationDataSearch=DataSearch 中的机构
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources_en.prop... [CHANGED]

```
1 - mendeleyDataSetImportJob-label=Mendeley Data: Import Datasets  
2 - mendeleyDataSetImportJob-description=Imports Datasets from Mendeley Data for the given institution.  
1 + dataSearchDataSetImportJob-label=DataSearch: Import Datasets  
2 + dataSearchDataSetImportJob-description=Imports Datasets from DataSearch for the given institution.
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/cron/cron-datasets-resources_zh_CN.... [CHANGED]

```
1 - #Added translations  
2 - #Tue Sep 12 13:12:36 CEST 2017  
1 + dataSearchDataSetImportJob-label=DataSearch: 导入数据集  
2 + dataSearchDataSetImportJob-description=从给定机构的 DataSearch 导入数据集  
3 - mendeleyDataSetImportJob-label=Mendeley 数据: 导入数据  
4 - mendeleyDataSetImportJob-description=从给定机构的 Mendeley 数据导入数据集
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... [CHANGED]

```
7 - widgetFactory.dataset_top_contributors.name=Top dataset contributors  
7 + widgetFactory.dataset_top_contributors.name=No. of datasets by employee
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/dashboard/properties/dashboard-data... [CHANGED]

```
1 - #Added translations  
2 - #Tue Sep 12 13:12:36 CEST 2017  
7 - widgetFactory.dataset_top_contributors.name=主要数据集投稿者  
5 + widgetFactory.dataset_top_contributors.name=按员工计算的数据集数量
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modul... [CHANGED]

```
3 - mendeleydataset-message.title=Dataset candidates from Mendeley  
3 + dataSearchdataset-message.title=Dataset candidates from DataSearch
```

pure-modules/datasets-module/templates/admin-runtime/src/main/resources/META-INF/resources/messaging/messaging-datasets-modul... [CHANGED]

1	- #Added translations
2	- #Tue Sep 12 13:12:36 CEST 2017
5	- mendeleydataset-message.title=Mendeley 的数据集候选人
12	+ dataSearchdataset-message.title=来自 DataSearch 的数据集候选人

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... [CHANGED]

61	- mendeleycategories=Mendeley categories
61	+ dataSearchcategories=DataSearch categories

pure-modules/datasets-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/datasets/external/model/dataset/data... [CHANGED]

1	- #Added translations
2	- #Wed Sep 26 12:21:27 CEST 2018
52	- mendeleycategories=Mendeley 类别
52	+ dataSearchcategories=DataSearch 类别

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... [CHANGED]

3	+ contactExpert-group=Contact Expert
12	- persons.personContactLink-hint=The portal will replace {id} with the person's ID and the {name} with the person's name.
13	+ persons.personContactLink-hint=Note: The Pure will replace {id} with the person's ID and the {name} with the person's name.
25	+ persons.enableContactExpert=Enable 'Contact Expert' button

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... [CHANGED]

24	+ contactExpert-group=联系专家
25	+ persons.enableContactExpert=启用联系专家

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/ddp/internal/co... [CHANGED]

11	- requestForCopyIncludingRestrictedDocuments=!!Include restricted documents
12	- requestForCopyIncludingRestrictedDocuments-hint=!!If this is turned on, documents which have 'Restricted' status are included in the request for copy function.
11	+ requestForCopyIncludingRestrictedDocuments=包括限制文档
12	+ requestForCopyIncludingRestrictedDocuments-hint=如果将其打开，具有“受限”状态的文档包含在复制功能请求中。

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... [CHANGED]

```
88 - campus-ip-ranges=CampusIP ranges
88 + campus-ip-ranges=IP ranges for campus network visibility
89 + campus-ip-ranges-help=Define one or more IP ranges for visibility of content for campus network. Multiple ranges must be
comma-separated, e.g. x.x.x.x - x.x.x.x, x.x.x.x - x.x.x.x
92 - campus-ip-ranges-help=
103 + enableContactExpert=Enable 'Contact Expert' button
104 + contactByUrl=An external web link
105 + contactByForm=Pure's default 'Contact Expert' web form
106 + howToContactExperts='Contact expert' button opens:
107 + contactFormReceiver=Default recipient email address of contact requests via Pure's web form:
108 + contactFormOrganisations=The email address associated with the organisational unit itself (Organisational unit editor window >
Metadata > Electronic addresses > Emails)
109 + contactFormResearchers=The email address associated with the organisational affiliation on the person (Person editor window >
Metadata > Organisational affiliations)
110 + contactFormEmailHint=If the person does not have an email address available on the organisational affiliation, the email will
be sent to the email address associated with the organisational unit.
111 + contactLink=Contact link URL
112 + contactLinkHint=Note: The Pure will replace {id} with the person's ID and the {name} with the person's name.
```

pure-modules/ddp-module/templates/admin-runtime/src/main/resources/META-INF/resources/layout/admin/configuration/portal-configurat... [CHANGED]

```
86 - campus-ip-ranges=校园 IP 范围
86 + campus-ip-ranges=用于校园网可见性的 IP 范围
109 + enableContactExpert=启用联系专家
110 + contactByUrl=外部 web 链接
111 + contactByForm=Pure 的默认联系专家 web 表单
112 + howToContactExperts=联系专家按钮打开:
113 + contactFormReceiver=通过 Pure 的 web 表单发送的联系请求的默认收件人电子邮箱地址:
114 + contactFormOrganisations=与组织单位本身关联的电子邮箱地址 (组织单位编辑器窗口 > 元数据 > 电子地址 > 电子邮箱)
115 + contactFormResearchers=与人员的组织从属关系相关联的电子邮箱地址 (人员编辑器窗口 > 元数据 > 组织从属关系)
116 + contactFormEmailHint=如果人员没有基于组织从属关系的电子邮箱地址, 则电子邮件将被发送到与该组织单位关联的电子邮箱地址。
117 + contactLink=联系链接 URL
118 + contactLinkHint=注意: Pure 将用人员 ID 来替换 {id}, 用人员姓名来替换 {name}.
```

pure-modules/ddp-module/templates/bundled/src/main/resources/renderer/portalng-rendering-resources_en.properties [CHANGED]

```
1772 - temporalissn/family-name-plural=ISSN numbers
```

1772	+ temporalissn/family-name-plural=ISSNs
1776	- temporalissn/type-name-plural=ISSN numbers
1776	+ temporalissn/type-name-plural=ISSNs
2728	- highlightedcontentconfiguration/description-body=Select some of your content to highlight (by default, the newest content is used). The list is shown on\:
2728	+ highlightedcontentconfiguration/description-body=Select some of your content to highlight (the newest content is used by default). The list is shown on\:
2739	+ dataset/dataSearchcategories=DataSearch categories
2740	+ documentlinkextensionaccessrendererportal/render-format-embargoEndDate=\!\!Embargo End Date
2741	+ documentlinkextensionaccessrendererportal/render-format-file=\!\!File
2742	+ documentlinkextensionaccessrendererportal/render-format-license=\!\!Licence
2743	+ documentlinkextensionaccessrendererportal/render-format-type=\!\!Type
2744	+ documentsattachedportalrendereng/render-format-file=\!\!File
2745	+ journal/links=Journal website
2746	+ organisationancestorsrendererportal/ended=\!\!Former organisational unit
2747	+ organisationancestorsrendererportal/taken-over=\!\!Taken over by
2748	+ person/dataCleanupExemptionEndDate=Data cleanup exemption end date
2749	+ person/organisationAssociations.supervisedByRelations=Supervision
2750	+ personcontactbuttonrendererportal/expert_contact_button=\!\!Contact Expert
2751	+ personexternalpositionsrendererddpportal/external_positions=\!\!External positions
2752	+ personorganisationcontactrendererportal/email=\!\!Email
2753	+ personorganisationcontactrendererportal/phone=\!\!Phone
2754	+ personorganisationcontactrendererportal/website=\!\!Website
2755	+ personsocialmediaorcidrendererportal/scopusProfile=\!\!View Scopus Profile
2756	+ personsocialmediarendererportal/scopusProfile=\!\!View Scopus Profile
2757	+ studentthesisdocument/show-documentLicense>Show licence
2758	+ ueoexternalorganisation/contactAddress.subdivision=Subdivision
2759	+ studentthesis/DOIs=DOIs
2760	+ studentthesis/DOIs-type-name=DOI
2761	+ studentthesis/ISMN=ISMN
2762	+ studentthesis/abstract=Abstract
2763	+ studentthesis/activityRelations=Activities
2764	+ studentthesis/activityRelations-add>Add activity...
2765	+ studentthesis/annualReportSelected=Selected for annual report
2766	+ studentthesis/author=Author
2767	+ studentthesis/awardDate=Date of Award
2768	+ studentthesis/awardDate.year=Year of Award
2769	+ studentthesis/awardingInstitution=Awarding Institution
2770	+ studentthesis/bibliographicalNote=Bibliographical note
2771	+ studentthesis/bibliometrics=Bibliometrics
2772	+ studentthesis/claim-action=Mine - claim content
2773	+ studentthesis/clippingRelations=Press/Media

2774 + studentthesis/clippingRelations-add=Add press/media...
2775 + studentthesis/clippingRelations-title=Find and select press/media
2776 + studentthesis/dateOfProcessingBibliometric=Date of bibliometric processing
2777 + studentthesis/disclaim-action=Not mine - disclaim content
2778 + studentthesis/displayInOthersPublicationList>Show in other persons' publication lists
2779 + studentthesis/documents=Documents
2780 + studentthesis/edition=Edition
2781 + studentthesis/electronicISBNs=ISBN (Electronic)
2782 + studentthesis/equipmentRelations=Facilities/Equipment
2783 + studentthesis/equipmentRelations-add=Add equipment...
2784 + studentthesis/family-count=Total
2785 + studentthesis/family-count-no-documents-sherpa=RoMEO colours without documents
2786 + studentthesis/family-count-with-documents=With documents
2787 + studentthesis/family-count-without-documents=Without documents
2788 + studentthesis/family-documents-visibility=Document visibility
2789 + studentthesis/family-name=Student thesis
2790 + studentthesis/family-name-plural=Student theses
2791 + studentthesis/family-with-documents={family} with documents
2792 + studentthesis/family-with-suggested-actions=Claimed/disclaimed publications
2793 + studentthesis/filter.family.mycontent=My student theses
2794 + studentthesis/generatePDF=Generate front page for uploaded PDF files
2795 + studentthesis/groupAuthor=Group author
2796 + studentthesis/handleNet=Handle.net
2797 + studentthesis/id=Internal-ID
2798 + studentthesis/impactRelations=Impacts
2799 + studentthesis/impactRelations-add=Add impact...
2800 + studentthesis/journal=Journal
2801 + studentthesis/journalNumber=Journal number
2802 + studentthesis/keywords=User-defined keywords
2803 + studentthesis/language=Original language
2804 + studentthesis/librarianKeywordContainers=Library Keywords
2805 + studentthesis/librarianKeywords=Keywords
2806 + studentthesis/links=URLs
2807 + studentthesis/links-type-name=URL
2808 + studentthesis/numberOfPages=Number of pages
2809 + studentthesis/organisations=Organisations
2810 + studentthesis/organisations-mark-as-primary=Set placement
2811 + studentthesis/organisations-primary=Placement
2812 + studentthesis/owner=Placement
2813 + studentthesis/pending-publication=Pending publications
2814 + studentthesis/pending-researchoutput=Pending research output
2815 + studentthesis/persons=Author

```

2816 + studentthesis/persons-singular=Author
2817 + studentthesis/persons.name=Author name
2818 + studentthesis/placeOfPublication=Place of Publication
2819 + studentthesis/printISBNs=ISBN (Print)
2820 + studentthesis/projectRelations=Projects
2821 + studentthesis/projects=Projects
2822 + studentthesis/publicationDate=Publication date
2823 + studentthesis/publicationDate.day=Day
2824 + studentthesis/publicationDate.month=Month
2825 + studentthesis/publicationDate.year=Year
2826 + studentthesis/publicationStatus=Publication status
2827 + studentthesis/publicationYear=Publication year
2828 + studentthesis/publisher=Publisher
2829 + studentthesis/qualification=Qualification name
2830 + studentthesis/relatedPublications=Research Outputs
2831 + studentthesis/researchOutputRelations=Research Outputs
2832 + studentthesis/researchOutputRelations-add=Add research output...
2833 + studentthesis/searchplaceholder=Search for student thesis...
2834 + studentthesis/sponsors=Sponsors
2835 + studentthesis/subTitle=Subtitle of the thesis in original language
2836 + studentthesis/supervisors=Supervisor
2837 + studentthesis/title=Title of the thesis in original language
2838 + studentthesis/translatedSubtitle=Translated subtitle of the thesis
2839 + studentthesis/translatedTitle=Translated title of the thesis
2840 + studentthesis/type-name=Student thesis
2841 + studentthesis/type-name-plural=Student theses
2842 + studentthesis/typeClassification=Qualification level
2843 + studentthesis/view-publications-by-action=View publications by
2844 + studentthesis/volume=Volume
2845 + studentthesis/yearSubmitted=Submission year
2846 + studentthesisdocument/embargoReason-label=Embargo reason
2847 + studentthesisrelationsrendererportal/clipping-relations=Press/Media
2848 + studentthesisrelationsrendererportal/researchoutput-relations=Research Outputs

```

pure-modules/ddp-module/templates/bundled/src/main/resources/renderer/portalng-rendering-resources_zh_CN.properties [CHANGED]

15	- abstractactivity/event.degreeOfRecognition=认可度
15	+ abstractactivity/event.degreeOfRecognition=级别
54	- abstractactivitypropertiesportalrenderer-base/event.degreeOfRecognition=认可度
54	+ abstractactivitypropertiesportalrenderer-base/event.degreeOfRecognition=级别
122	- abstractevent/degreeOfRecognition=认可度

	122	+ abstractevent/degreeOfRecognition=级别
822	- event/conferenceNumber=会议号	
823	- event/degreeOfRecognition=认可度	
822	+ event/conferenceNumber=届次	
823	+ event/degreeOfRecognition=级别	
1455	- researchoutputrendererlong/conferenceNumberLabel=会议号码	
1455	+ researchoutputrendererlong/conferenceNumberLabel=届次	
1942	- abstractactivityrendererportaldetails/event.degreeOfRecognition=认可度	
1942	+ abstractactivityrendererportaldetails/event.degreeOfRecognition=级别	
1993	- activity/degreeOfRecognition=认可度	
1993	+ activity/degreeOfRecognition=级别	
2003	- activity/event.degreeOfRecognition=认可度	
2003	+ activity/event.degreeOfRecognition=级别	
2042	- activitypropertiesportalrenderer/event.degreeOfRecognition=认可度	
2042	+ activitypropertiesportalrenderer/event.degreeOfRecognition=级别	
2194	- consultancyrendererportaldetails/event.degreeOfRecognition=认可度	
2194	+ consultancyrendererportaldetails/event.degreeOfRecognition=级别	
2249	- contributiontojournal/journalNumber=发行编号	
2249	+ contributiontojournal/journalNumber=期	
2293	- editorialworkrendererportaldetails/event.degreeOfRecognition=认可度	
2293	+ editorialworkrendererportaldetails/event.degreeOfRecognition=级别	
2441	- membershiprendererportaldetails/event.degreeOfRecognition=认可度	
2441	+ membershiprendererportaldetails/event.degreeOfRecognition=级别	
2479	- otherrendererportaldetails/event.degreeOfRecognition=认可度	
2479	+ otherrendererportaldetails/event.degreeOfRecognition=级别	
2520	- prize/degreeOfRecognition=认可度	
2520	+ prize/degreeOfRecognition=级别	
2553	- reference/degreeOfRecognition=认可度	
2553	+ reference/degreeOfRecognition=级别	
2656	- talkrendererportaldetails/event.degreeOfRecognition=认可度	
2656	+ talkrendererportaldetails/event.degreeOfRecognition=级别	
2707	- visitotherrendererportaldetails/event.degreeOfRecognition=认可度	
2707	+ visitotherrendererportaldetails/event.degreeOfRecognition=级别	
2712	- visitotherrendererportaldetails/event.title=标题	
2713	- visitotherrendererportaldetails/event.url=网址 (URL)	
2712	+ visitotherrendererportaldetails/event.title=题目	
2713	+ visitotherrendererportaldetails/event.url=网址 (URL)	
2718	- visitotherrendererportaldetails/externalOrganisation.name=姓名	
2719	- visitotherrendererportaldetails/externalOrganisation.url=网址 (URL)	
2718	+ visitotherrendererportaldetails/externalOrganisation.name=名称	
2719	+ visitotherrendererportaldetails/externalOrganisation.url=网址 (URL)	
2723	- visitotherrendererportaldetails/organisation.name=姓名	

2723 + visitotherrendererportaldetails/organisation.name=名称
2739 + dataset/dataSearchcategories=DataSearch 类别
2740 + documentlinkextensionaccessrendererportal/render-format-embargoEndDate=限制结束日期
2741 + documentlinkextensionaccessrendererportal/render-format-file=文件
2742 + documentlinkextensionaccessrendererportal/render-format-license=许可证
2743 + documentlinkextensionaccessrendererportal/render-format-type=类型
2744 + documentsattachedportalrendereng/render-format-file=文件
2745 + journal/links=期刊网站
2746 + organisationancestorsrendererportal/ended=前组织单位
2747 + organisationancestorsrendererportal/taken-over=接管人
2748 + person/dataCleanupExemptionEndDate=数据清理豁免结束日期
2749 + person/organisationAssociations.supervisedByRelations=监督
2750 + personcontactbuttonrendererportal/expert_contact_button=联系专家
2751 + personexternalpositionsrendererddpportal/external_positions=外部职位
2752 + personorganisationcontactrendererportal/email=电子邮件
2753 + personorganisationcontactrendererportal/phone=电话
2754 + personorganisationcontactrendererportal/website=网站
2755 + personsocialmediaorcidrendererportal/scopusProfile=查看 Scopus 资料
2756 + personsocialmediarendererportal/scopusProfile=查看 Scopus 资料
2757 + studentthesisdocument/show-documentLicense=显示许可
2758 + ueoexternalorganisation/contactAddress.subdivision=细分

纯 - pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderer... [ADDED]

1 + render-format-license=Licence
2 + render-format-type=Type
3 + render-format-file=File
4 + render-format-embargoEndDate=Embargo End Date

纯 - pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderer... [ADDED]

1 + render-format-license=许可证
2 + render-format-type=类型
3 + render-format-file=文档
4 + render-format-embargoEndDate=限制结束日期

纯 - pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderer... [ADDED]

1 + render-format-file=File

pure-modules/ddp-module/templates/shared-runtime/src/main/resources/META-INF/renderer/dk/atira/pure/modules/experts/internal/renderi... [ADDED]

1 + render-format-file=文档

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... [CHANGED]

5 + fingerprintSelectionModified=Fingerprint selection changed date

pure-modules/fingerprint-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/fingerpri... [CHANGED]

1 - #Added translations
2 - #Tue Sep 12 13:12:36 CEST 2017

7 + fingerprintSelectionModified=指纹选择变更日期

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... [ADDED]

1 + fundingDiscoveryProfiles=Funding profiles

pure-modules/fundingdiscovery-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/fundingdiscovery/external/mod... [ADDED]

1 + fundingDiscoveryProfiles=资助资料

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources_en.prop... [CHANGED]

4 + configuration.authentication=Authentication
5 + configuration.login=Login
6 + configuration.logout=Logout
11 + client-key=Client Key
13 + login-failed=Login failed
14 + error-details=Details
15 + close=Close
16 + test-failed=Test failed
17 + test-success=Test successful
18 + status.test=Test connection

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/admin/recordlog-resources_zh_CN.p... [CHANGED]

```
9 + configuration.authentication=认证  
10 + configuration.login=登录  
11 + configuration.logout=退出  
12 + client-key=客户端密钥  
13 + login-failed=登录失败  
14 + error-details=详情  
15 + close=关闭  
16 + test-failed=测试失败  
17 + test-success=测试成功  
18 + status.test=测试连接
```

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

3	+ authentication-configuration-label=Authentication configuration
4	-

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/configuration/configuration-recordlog-... CHANGED

4	+ authentication-configuration-label=认证配置
---	---

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

1	+ oauth-group=OAuth
2	+ oauthUrl=URL
3	+ oauthClientId=Client ID
4	+ oauthClientSecret=Secret
5	+ cognito-group=Cognito
6	+ cognitoPoolId=Pool ID
7	+ cognitoRegion=Region

pure-modules/recordlog-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules/recordlog/in... ADDED

1	+ oauth-group=OAuth
2	+ oauthUrl=URL
3	+ oauthClientId=客户 ID
4	+ oauthClientSecret=秘密
5	+ cognito-group=Cognito
6	+ cognitoPoolId=池 ID

7 + cognitoRegion=区域

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... [CHANGED]

166	+ category-proposals=Proposals
171	- category-state.dates=Dates
173	+ category-status.dates=Dates
174	+ category-status.dates.fullDate=Full date
175	+ category-status.dates.year=Year
176	+ category-status.dates.month=Month
177	+ category-status.dates.day=Day
343	+ count-contributors-internal-person=Number of internal persons
539	+ validation-dataset-annotation-is-missing-a-column-reference-id=Formatting of column with ref={annotationId} is missing a reference column id, it uses value={value}
540	+ validation-dataset-annotation-operator-no-longer-exists=Formatting of column with ref={annotationId} is using an unsupported operator={operator} and will revert to default
542	- report.standard.user.assignable.roles-description=An overview of the user role assignment across organisational units
550	+ report.standard.user.assignable.roles-description=An overview of the user role assignments across organisational units

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/reporting-resou... [CHANGED]

236	- category-state.dates=日期
498	+ category-proposals=提议
499	+ category-status.dates=日期
500	+ category-status.dates.fullDate=完整日期
501	+ category-status.dates.year=年
502	+ category-status.dates.month=月
503	+ category-status.dates.day=日
504	+ count-contributors-internal-person=外部人员数量
505	+ validation-dataset-failure-to-parse=未能解析输入数据集: '{message}'。
506	+ validation-dataset-no-series=数据集中未定义任何序列。
507	+ validation-dataset-annotation-is-missing-a-column-reference-id=拥有 ref={annotationId} 的列的格式缺少一个引用列 id, 它使用值={value}
508	+ validation-dataset-annotation-operator-no-longer-exists=拥有 ref={annotationId} 的列的格式正使用一个不被支持的操作符={operator}, 并将恢复到默认

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... [CHANGED]

66	- project-series-names=Series names
66	+ project-publication-series-names=Series name

67	+ project-publication-series-no=Series number
92	- project-issn-(electronic)=ISSN (Electronic)
93	+ project-publication-series-issn-electronic=ISSN (Electronic)
94	- project-issn-print=ISSN (print)
95	+ project-publication-series-issn-print=ISSN (print)

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/researchoutput/... [CHANGED]

118	- project-issn-(electronic)=ISSN (电子)
118	+ project-publication-series-issn-electronic=ISSN (电子)
120	- project-issn-print=ISSN (打印)
120	+ project-publication-series-issn-print=ISSN (打印)
165	- project-series-names=系列名称
165	+ project-publication-series-names=系列名称
197	+ filter-submission-year=提交年度
198	+ project-publication-series-no=序列号
199	+ project-submission-year=提交年度

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... [CHANGED]

28	-
28	+ project-terms-of-agreement=Terms of agreement

pure-modules/report-module/templates/runtime/src/main/resources/reporting/dk/atira/pure/modules/report/external/model/user/userreporti... [CHANGED]

29	+ project-userrole=用户角色 (包括系统角色)
30	+ project-terms-of-agreement=协议条款

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

95	+ create-award-from-application-no-save=Create award...
99	+ create-application-from-application-no-save=Create another application...
103	+ create-upmproject-from-application-no-save>Create project...
112	+ add-organisationassociation-button>Add co-managing organisation...
113	+ new-organisationassociation-panel-title>Add co-managing organisation

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
90 + create-award-from-application-no-save=创建奖励.....  
91 + create-application-from-application-no-save=创建另一个申请.....  
92 + create-upmproject-from-application-no-save=创建项目.....  
93 + add-organisationassociation-button=添加共同管理的组织...  
94 + new-organisationassociation-panel-title=添加共同管理的组织
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
78 + create-ethicalreview-from-award-no-save=Create ethical review...  
126 + create-award-from-award-no-save=Create another award...  
130 + create-award-from-application-no-save=Create award...  
134 + create-application-from-award-no-save=Create application...  
138 + create-upmproject-from-award-no-save=Create project...  
147 + add-organisationassociation-button>Add co-managing organisation...  
148 + new-organisationassociation-panel-title>Add co-managing organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
115 + create-ethicalreview-from-award-no-save=创建伦理审查.....  
116 + create-award-from-award-no-save=创建另一个奖励.....  
117 + create-award-from-application-no-save=创建奖励.....  
118 + create-application-from-award-no-save=创建申请.....  
119 + create-upmproject-from-award-no-save=创建项目.....  
120 + add-organisationassociation-button=添加共同管理的组织...  
121 + new-organisationassociation-panel-title=添加共同管理的组织
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
70 + create-upmproject-from-project-no-save=Create another project...  
80 + create-award-from-project-no-save=Create award...  
84 + create-application-from-project-no-save=Create application...  
101 +  
102 + add-organisationassociation-button>Add co-managing organisation...  
103 + new-organisationassociation-panel-title>Add co-managing organisation
```

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/editor/dk/atira/pure/modules... [CHANGED]

```
70 + create-upmproject-from-project-no-save=创建另一个项目.....  
71 + create-award-from-project-no-save=创建奖励.....
```

72 + create-application-from-project-no-save=创建申请.....
73 + add-organisationassociation-button=添加共同管理的组织...
74 + new-organisationassociation-panel-title=添加共同管理的组织

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... [ADDED]

1 + title=Co-managing organisational unit
2 + selected.organisations=Selected organisations
3 + please.select=Please select one or more organisations below to filter

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... [ADDED]

1 + title=共同管理的组织单位
2 + selected.organisations=选择的组织
3 + please.select=请选择以下一个或多个组织进行过滤

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... [ADDED]

1 + title=Co-managing organisation associated
2 + yes=Co-managing organisation associated
3 + no=No co-managing organisation associated

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/filter/dk/atira/pure/modules/uni... [ADDED]

1 + title=共同管理的关联组织
2 + yes=共同管理的关联组织
3 + no=无共同管理的关联组织

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources_en.pr... [CHANGED]

145 + coManagingOrganisations-legend=Enable co-managing organisations
146 + coManagingOrganisations-enabled=Enable feature of co-managing organisations on applications, awards and projects. When a given organisation is added as a 'co-managing' organisation to the content, editors and assisting editors from these organisations can help maintain the information of the content. The helping editors can edit all properties but not move content back/forward in workflow.
147 + coManagingOrganisations-enabled-true=Enabled
148 + coManagingOrganisations-enabled-false=Disabled
149 +

pure-modules/unifiedprojectmodel-module/templates/admin-runtime/src/main/resources/META-INF/resources/upm/upm-resources_zh_C... [CHANGED]

235 + coManagingOrganisations-legend=启用共同管理组织
236 + coManagingOrganisations-enabled=在申请、奖项和项目上启用共同管理机构的功能。当一个给定的组织作为“共同管理”组织添加到内容中时，这些组织的编辑器和辅助编辑器可以帮助维护内容的信息。帮助编辑器可以编辑所有属性，但不能在工作流中向前或向后移动内容。
237 + coManagingOrganisations-enabled-true=启用
238 + coManagingOrganisations-enabled-false=禁用

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration-modul... [CHANGED]

360 +
361 + syncjob.award.usingNIHAwardsService-label=Using NIH Awards Service.
362 + syncjob.award.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.
363 + syncjob.upmproject.usingNIHAwardsService-label=Using NIH Awards Service.
364 + syncjob.upmproject.usingNIHAwardsService-description=This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/META-INF/resources/configuration-modul... [CHANGED]

321 +
322 + syncjob.award.usingNIHAwardsService-label=!!Using NIH Awards Service.
323 + syncjob.award.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.
324 + syncjob.upmproject.usingNIHAwardsService-label=!!Using NIH Awards Service.
325 + syncjob.upmproject.usingNIHAwardsService-description=!!This setting should only be enabled if using the NIH Awards Service as it changes how the job processes the data.

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... [CHANGED]

16 + overviewapplicationapprovalroute=My approver and checker tasks
54 + coManagingOrganisations=Co-managing organisational units

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/extern... [CHANGED]

67 + overviewapplicationapprovalroute=我的批准人和检查人任务
68 + coManagingOrganisations=共同管理的组织单位

pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/...	
1	+ coManagingOrganisations=Co-managing organisational units
pure-modules/unifiedprojectmodel-module/templates/bundled/src/main/resources/model/dk/atira/pure/modules/unifiedprojectmodel/external/...	
1	+ coManagingOrganisations=共同管理的组织单位
pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar...	
3	+ awardFunder=Funding Body
4	+ choose>Select funding body...
pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar...	
5	+ awardFunder=资助机构
6	+ choose=选择资助机构.....
pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar...	
3	+ awardNatureOfActivityType=Nature of Activity
4	+ choose>Select nature of activity...
pure-modules/unifiedprojectmodel-module/templates/portal-runtime/src/main/resources/META-INF/resources/core/advancedsearch/awar...	
5	+ awardNatureOfActivityType=活动性质
6	+ choose=选择活动性质.....
pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro...	
43	+ filter-co-managing-organisations=Co-managing organisational unit
44	+ filter-has-co-managing-organisation=Co-managing organisation associated
45	+ filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
46	+ filter-has-co-managing-organisation-FALSE>No co-managing organisation associated
47	+
62	-
67	+ project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... [CHANGED]

82	+ filter-co-managing-organisations=共同管理的组织单位
83	+ filter-has-co-managing-organisation=共同管理的关联组织
84	+ filter-has-co-managing-organisation-TRUE=共同管理的关联组织
85	+ filter-has-co-managing-organisation-FALSE=无共同管理的关联组织
86	+ project-co-managing-organisations=共同管理的组织

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... [CHANGED]

86	+ filter-co-managing-organisations=Co-managing organisational unit
87	+ filter-has-co-managing-organisation=Co-managing organisation associated
88	+ filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
89	+ filter-has-co-managing-organisation-FALSE>No co-managing organisation associated
90	+
136	+ project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... [CHANGED]

167	+ filter-co-managing-organisations=共同管理的组织单位
168	+ filter-has-co-managing-organisation=共同管理的关联组织
169	+ filter-has-co-managing-organisation-TRUE=共同管理的关联组织
170	+ filter-has-co-managing-organisation-FALSE=无共同管理的关联组织
171	+ project-co-managing-organisations=共同管理的组织

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... [CHANGED]

53	+ filter-co-managing-organisations=Co-managing organisational unit
54	+ filter-has-co-managing-organisation=Co-managing organisation associated
55	+ filter-has-co-managing-organisation-TRUE=Co-managing organisation associated
56	+ filter-has-co-managing-organisation-FALSE>No co-managing organisation associated
57	+
116	+ project-co-managing-organisations=Co-managing organisations

pure-modules/unifiedprojectmodel-module/templates/shared-report-runtime/src/main/resources/reporting/dk/atira/pure/modules/unifiedpro... [CHANGED]

105	+ filter-co-managing-organisations=共同管理的组织单位
106	+ filter-has-co-managing-organisation=共同管理的关联组织

107 + filter-has-co-managing-organisation-TRUE=共同管理的关联组织
108 + filter-has-co-managing-organisation-FALSE=无共同管理的关联组织
109 + project-co-managing-organisations=共同管理的组织

pure-templates/admin-templates/src/main/resources/META-INF/resources/automaticimportupdateconfiguration-resources_en.properties [CHANGED]

3 - enable-search-for-import-candidates-headline=Search for import candidates
4 - enable-search-for-import-candidates-label=Enable Search for import candidates job
5 - enable-search-for-import-candidates-description=Enable Search for import candidates job
3 + enable-search-for-import-candidates-headline=Search for Import Candidates
4 + enable-search-for-import-candidates-label=Enable Search for Import Candidates
5 + enable-search-for-import-candidates-description=Enable Search for Import Candidates job

pure-templates/admin-templates/src/main/resources/META-INF/resources/automaticimportupdateconfiguration-resources_zh_CN.properties [CHANGED]

15 - available-updates-configuration-locked="当前已锁定配置以评估新规则和/或修改的规则，并在需要时处理数据。请导航至*管理员 > 作业 > 作业日志*以查看作业的状态。完成后，您可以添加或修改规则。"
15 + available-updates-configuration-locked=当前已锁定配置以评估新规则和/或修改的规则，并在需要时处理数据。请导航至*管理员 > 作业 > 作业日志*以查看作业的状态。完成后，您可以添加或修改规则。

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources_en.properties [CHANGED]

37 + summary-content-errors=Problems occurred while processing {count} pieces of content

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/cia/ciaexportcontent-resources_zh_CN.properties [CHANGED]

1 - #Added translations
2 - #Tue Sep 12 13:12:37 CEST 2017
41 + summary-content-errors=处理{count}块内容时出现问题

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... [CHANGED]

69 + add-link-button=Add website...

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/journal/editor/journaledito... [CHANGED]

1 - #Added translations

2 - #Tue Sep 12 13:12:37 CEST 2017

55 + add-link-button=添加网站.....

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... [CHANGED]

106 + orcid-config-not-valid=Orcid is not configured correctly. Contact your local Pure Administrator to check the ORCID configuration page and upload a valid output mapping XML file.
169 +
170 + dataRetentionPolicy-group=Data cleanup policy
171 + retainPersonalData=Exempt personal data from cleanup
172 + retainPersonalData-yes=Yes
173 + retainPersonalData-no=No
174 + retentionPeriod=Exempt from cleanup until
175 +
176 + highlighted-content-group=Highlighted content
177 + fundingprofiles-group=Funding profiles
178 + fingerprints-group=Fingerprints

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/person/editor/personedit... [CHANGED]

144 + dataRetentionPolicy-group=数据清理政策
145 + retainPersonalData=个人数据豁免清理
146 + retainPersonalData-yes=豁免个人数据
147 + retentionPeriod=豁免清理, 直到
148 + highlighted-content-group=突出显示内容
149 + fundingprofiles-group=资助资料
150 + fingerprints-group=指纹
151 + retainPersonalData-no=无需豁免
152 + orcid-config-not-valid=Orcid 配置不正确。请与您的本地 Pure 管理员联系, 以检查 ORCID 配置页面并上传一个有效的输出映射 XML 文件。

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... [CHANGED]

7 - info-group-help>Select original language; the language that the current contribution is written in. The Title field is required.

7 + info-group-help>Select original language (the language that the current contribution is written in). The Title field is required.

161 - corresponding-author-association-button=Set corresponding author
162 - remove-corresponding-author-association-button=Remove corresponding author

pure-templates/admin-templates/src/main/resources/META-INF/resources/editor/dk/atira/pure/api/shared/model/researchoutput/editor/res... [CHANGED]

137 - corresponding-author-association-button=设置通讯作者
138 - remove-corresponding-author-association-button=移除通讯作者

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... [ADDED]

1 + title=Exempted from data cleanup
2 + showDataCleanupExemptions=Only show exempted persons
3 + hideDataCleanupExemptions=Hide persons exempted from cleanup

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persondataclean... [ADDED]

1 + title=从数据清理中豁免
2 + showDataCleanupExemptions=只显示被豁免的人员
3 + hideDataCleanupExemptions=隐藏被豁免清理的人员

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... [ADDED]

1 + time-since-former=Time since former
2 + former-for-at-least=Former for at least

pure-templates/admin-templates/src/main/resources/META-INF/resources/filter/dk/atira/pure/api/shared/model/person/filter/persontimesince... [ADDED]

1 + time-since-former=自之前以来的时间
2 + former-for-at-least=之前至少

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources_en.properties [CHANGED]

27 + fundingopportunity-import-wizard=Funding opportunity

pure-templates/admin-templates/src/main/resources/META-INF/resources/importing/import-resources_zh_CN.properties [CHANGED]

1 - #Added translations
2 - #Mon Jan 15 14:29:11 CET 2018
27 + fundingopportunity-import-wizard=资助机会

pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources_en.properties [ADDED]

```
1 + person-access=Person access grace period
2 + person-access-legend=Grace period configuration
3 + person-access-hint=Institutions may require non-active persons/users to access Pure to fulfill policy requirements and ensure
data is updated. Administrators can specify grace periods for staff and student persons/users that are no longer active. General
access rights set by an institution's single sign-on (SSO) policies supersede any grace periods set below.
4 + person-access-note=Note: ALL staff and students will be affected.
5 + grace-period-days-staff=Staff grace period (in days)
6 + grace-period-days-staff-hint=This setting determines how many days staff will retain their Pure access rights after they are
non-active
7 + grace-period-days-student=Student grace period (in days)
8 + grace-period-days-student-hint=This setting determines how many days students will retain their Pure access rights after they
are non-active
9 + refresh=Refresh
10 + save=Save
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/personaccess-configuration-resources_zh_CN.properties [ADDED]

```
1 + refresh=刷新
2 + save=保存
3 + person-access=人员访问宽限期
4 + person-access-legend=宽限期配置
5 + person-access-hint=机构可能会要求非活动人员/用户访问 Pure，以满足政策要求，并确保数据得到更新。管理员可以为不再活动的员工和学生/用户指定
宽限期。根据机构的单点登录 (SSO) 政策设置的一般访问权限将取代下面设置的任何宽限期。
6 + person-access-note=注意：所有工作人员和学生都将受到影响。
7 + grace-period-days-staff=工作人员宽限期（天数）
8 + grace-period-days-staff-hint=此设置确定员工在不活动后保留其 Pure 访问权限的天数
9 + grace-period-days-student=学生宽限期（天数）
10 + grace-period-days-student-hint=此设置确定学生在不活动后保留其 Pure 访问权限的天数
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/persondatacleanupconfiguration-resources_en.properties [ADDED]

```
1 + persondatacleanupconfiguration=Data cleanup configuration
2 +
3 + savedfilter-legend=Default values for saved filter 'Personal data cleanup'
4 + savedfilter-hint>Select which default values to include in the filters that are part of the saved filter 'Personal data
cleanup'.
5 + savedfilter-note=You must log out and log in again for the changes to appear.
6 +
7 + affiliationperiod-legend=Affiliation period
```

```
8 + exemptionperiod-label>All person affiliations must be former for at least
9 + exemptionperiod.ONE_MONTH=One month
10 + exemptionperiod.THREE_MONTHS=Three months
11 + exemptionperiod.SIX_MONTHS=Six months
12 + exemptionperiod.ONE_YEAR=One year
13 +
14 + employmenttype-legend=Type
15 + employmenttype-label=Include the following type of staff
16 + staff=Staff
17 + student=Student
18 + visitingScholar=Visiting scholar
19 +
20 + fieldstodelete-legend=Standard list of fields to delete
21 + fieldstodelete-hint>Select the default preset values to delete in the bulk action
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/personadatacleanupconfiguration-resources_zh_CN.properties [ADDED]

```
1 + personadatacleanupconfiguration=数据清理配置
2 + savedfilter-legend=保存的过滤“个人资料清理”的默认值
3 + savedfilter-hint=选择要包含在过滤中的默认值，这些过滤是已保存过滤“个人数据清理”的组成部分。
4 + affiliationperiod-legend=附属期限
5 + exemptionperiod-label=所有的人员附属关系必须是之前至少
6 + exemptionperiod.ONE_MONTH=一个月
7 + exemptionperiod.THREE_MONTHS=三个月
8 + exemptionperiod.SIX_MONTHS=六个月
9 + exemptionperiod.ONE_YEAR=一年
10 + employmenttype-legend=类型
11 + employmenttype-label=包括下列工作人员类型
12 + staff=员工
13 + student=学生
14 + visitingScholar=访问学者
15 + fieldstodelete-legend=要删除的标准字段列表
16 + fieldstodelete-hint=选择要在批量操作中删除的默认预置值
17 + savedfilter-note=!!You must log out and log in again for the changes to appear.
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources_en.proper... [CHANGED]

```
20 - upload-instruction.secondpart=Once the files has been uploaded you can proceed to the next step in the wizard where the data
in the XML will be validated against the xsd files.
```

```
+ upload-instruction.secondpart=Once the files have been uploaded you can proceed to the next step in the wizard where the data  
in the XML will be validated against the XSD files.  
98 - xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the  
mandatory elements are present verify if the ordering of the elements is as specified in the xsd.  
98 + xmlvalidation.elementMissingInXmlOrWrongOrder=Please check the XML for missing mandatory elements. In the case that all the  
mandatory elements are present verify if the ordering of the elements is as specified in the XSD.  
114 - supportedfile.errors=The import found files that it cannot import (See supported namespace in the xsd), please see the  
documentation on how to generate the files or remove them from the upload screen:  
114 + supportedfile.errors=The import found files that it cannot import (see supported namespace in the XSD), please see the  
documentation on how to generate the files or remove them from the upload screen:  
248 +  
249 + FundingOpportunities=Funding opportunities  
250 + verify.header.type.FundingOpportunities=Funding opportunity type  
251 + verify.header.count.FundingOpportunities=Number of Funding opportunities
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/publicationimportconfiguration-templates-resources_zh_CN.pr... [CHANGED]

```
225 + FundingOpportunities=资助机会  
226 + verify.header.type.FundingOpportunities=资助机会类型  
227 + verify.header.count.FundingOpportunities=资助机会数量
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources_en.properties [CHANGED]

```
97 + fundingopportunity.xsd.description=XML schema file (fundingopportunity.xsd)  
98 + fundingopportunity.simple.example.description=Simple examples file (fundingopportunity-simple-examples.xml)  
99 + fundingopportunity.advanced.example.description=Advanced example file (fundingopportunity-advanced-example.xml)  
100 +
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/sync/documentation/sync-description-resources_zh_CN.prope... [CHANGED]

```
1 - #Added translations  
2 - #Mon Jan 15 14:29:11 CET 2018  
72 + fundingopportunity.xsd.description=XML 模式文件 (fundingopportunity.xsd)  
73 + fundingopportunity.simple.example.description=简单示例文件 (fundingopportunity-simple-examples.xml)  
74 + fundingopportunity.advanced.example.description=高级示例文件 (fundingopportunity-advanced-example.xml)
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources_en.properties [CHANGED]

```
27 + personal.overview.downloads.publication.tooltip={citations} downloads
```

pure-templates/admin-templates/src/main/resources/META-INF/resources/workspace/workspace-templates-resources_zh_CN.properties [CHANGED]

22 + personal.overview.downloads.publication.tooltip={citations} 下载

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... [CHANGED]

50 +
51 + globalsyncimport-header=Global sync/import configurations
52 + integrations-global-sync-import-configuration=Global sync/import
53 + globalsyncimport.pureIdFallbackEnabled-label=Enable Pure ID match
54 + globalsyncimport.pureIdFallbackEnabled-legend=
55 + globalsyncimport.pureIdFallbackEnabled-description=Enabling this feature will make it possible for the synchronizations in Pure to be able to match on Pure IDs on associations.\n This means that if you have manually added an association to a piece of content in Pure and you provide the Pure ID as the association ID in the import data (view/xml), the synchronisation will take ownership of it and update it accordingly. Use this feature with caution. \n Supported synchronizations: All synchronizations prefaced with 'Configurable' except the Award, Project and Application synchronisation.

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-integrations-model-templates-resou... [CHANGED]

36 + globalsyncimport-header=全球同步/导入配置
37 + integrations-global-sync-import-configuration=全球同步/导入
38 + globalsyncimport.pureIdFallbackEnabled-label=启用 Pure ID 匹配
39 + globalsyncimport.pureIdFallbackEnabled-description=启用此功能将使 Pure 中的同步能够在关联关系上匹配 Pure ID。这意味着，如果您手动将关联添加到 Pure 内容块中，并在导入数据（视图/xml）中提供 Pure ID 作为关联 ID，同步将拥有它并相应地更新它。谨慎使用此功能。支持同步：除了奖励、项目和申请同步之外，所有同步都以‘可配置’开头。

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources_en.pro... [CHANGED]

37 - ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external organisation. Separate each extension by ','

37 + ueoexternalorganisation.allowedFileExtensions-description=Specify the allowed file extensions for photos on external organisations. Separate each extension by ','

58 + contentCorrection.correct.family.Person-label=Correct persons

59 + contentCorrection.correct.family.PreservedReportDefinition-label=Correct preserved report definitions

60 + contentCorrection.correct.family.ConferenceSeries-label=Correct conference series

61 + contentCorrection.correct.family.Publisher-label=Correct publishers

62 + contentCorrection.correct.family.Semester-label=Correct semesters

63 + contentCorrection.correct.family.StudentProject-label=Correct student projects

64 + contentCorrection.correct.family.StudentThesis-label=Correct student thesis

65 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=Correct terms of agreement configurations

```
66 + contentCorrection.correct.family.MessageTemplate-label=Correct message templates
67 + contentCorrection.correct.family.User-label=Correct users
68 + contentCorrection.correct.family.EditableMessageBundle-label=Correct editable message bundles
69 + contentCorrection.correct.family.CurriculumVitae-label=Correct curriculum vitae
70 + contentCorrection.correct.family.ContentImportSearchDefinition-label=Correct content import search definitions
71 + contentCorrection.correct.family.TermsOfAgreement-label=Correct terms of agreement
72 + contentCorrection.correct.family.Suggestion-label=Correct suggestions
73 + contentCorrection.correct.family.Project-label=Correct projects
74 + contentCorrection.correct.family.PreservedContent-label=Correct preserved content information objects
75 + contentCorrection.correct.family.Message-label=Correct message
76 + contentCorrection.correct.family.Organisation-label=Correct organisational units
77 + contentCorrection.correct.family.PublicationSuggestedAction-label=Correct research output claim/disclaims
78 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=Correct permanent store collection configurations
79 + contentCorrection.correct.family.TemporaryFileInformation-label=Correct temporary file information objects
80 + contentCorrection.correct.family.ImportResult-label=Correct import result objects
81 + contentCorrection.correct.family.Clipping-label=Correct press/media
82 + contentCorrection.correct.family.Event-label=Correct events
83 + contentCorrection.correct.family.Publication-label=Correct research output
84 + contentCorrection.correct.family.UserFilterModel-label=Correct user filter models
85 + contentCorrection.correct.family.Activity-label=Correct activities
86 + contentCorrection.correct.family.ExternalOrganisation-label=Correct external organisations
87 + contentCorrection.correct.family.UserProfile-label=Correct user profiles
88 + contentCorrection.correct.family.Sticky-label=Correct stickies
89 + contentCorrection.correct.family.Journal-label=Correct journals
90 + contentCorrection.correct.family.ClassificationScheme-label=Correct classification schemes
91 + contentCorrection.correct.family.Education-label=Correct educations
92 + contentCorrection.correct.family.Award-label=Correct awards
93 + contentCorrection.correct.family.Thesauri-label=Correct thesauri
94 + contentCorrection.correct.family.EmailQueueEntry-label=Correct email queue entries
95 + contentCorrection.correct.family.PhDThesis-label=Correct PhD theses
96 + contentCorrection.correct.family.ExternalPerson-label=Correct external persons
97 + contentCorrection.correct.family.MeasurementMetrics-label=Correct measurement metrics
98 + contentCorrection.correct.family.Prize-label=Correct prizes
99 + contentCorrection.correct.family.EthicalReview-label=Correct ethical reviews
100 + contentCorrection.correct.family.AggregatedContentIdSet-label=Correct aggregated content ID sets
101 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=Correct user supporter role configurations
102 + contentCorrection.correct.family.Fingerprint-label=Correct fingerprints
103 + contentCorrection.correct.family.FileHandle-label=Correct filehandles
104 + contentCorrection.correct.family.Course-label=Correct courses
105 + contentCorrection.correct.family.UEOExternalOrganisation-label=Correct external organisations
106 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=Correct customer-defined workflow configurations
107 + contentCorrection.correct.family.AwardMilestone-label=Correct milestones
```

```

108 + contentCorrection.correct.family.Concept-label=Correct concepts
109 + contentCorrection.correct.family.UPMProject-label=Correct UPM projects
110 + contentCorrection.correct.family.SystemMessage-label=Correct system messages
111 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=Correct preserved customer-defined workflow definitions
112 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=Correct workflow step configurations
113 + contentCorrection.correct.family.Impact-label=Correct impacts
114 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=Correct research performance indicators
115 + contentCorrection.correct.family.SemanticGroup-label=Correct semantic groups
116 + contentCorrection.correct.family.KeywordGroupConfiguration-label=Correct keyword group configurations
117 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=Correct organisation research performance objectives
118 + contentCorrection.correct.family.PreservedRendering-label=Correct preserved renderings
119 + contentCorrection.correct.family.ContentIdSet-label=Correct content ID sets
120 + contentCorrection.correct.family.AwardCluster-label=Correct award clusters
121 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=Correct preserved report export configurations
122 + contentCorrection.correct.family.AwardMilestonesTemplate-label=Correct milestones templates
123 + contentCorrection.correct.family.DataSet-label=Correct datasets
124 + contentCorrection.correct.family.FundingOpportunity-label=Correct funding opportunities
125 + contentCorrection.correct.family.ApplicationCluster-label=Correct application clusters
126 + contentCorrection.correct.family.BFIPublication-label=Correct BFI publications
127 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=Correct preserved dashboard widgets
128 + contentCorrection.correct.family.Application-label=Correct applications
129 + contentCorrection.correct.family.Specialisation-label=Correct specialisation
130 + contentCorrection.correct.family.PersistentJobState-label=Correct persistent job states

```

pure-templates/model-templates/src/main/resources/META-INF/resources/configuration/configuration-model-templates-resources_zh_C... CHANGED

```

53 + contentCorrection.correct.family.Person-label=校正人员
54 + contentCorrection.correct.family.PreservedReportDefinition-label=校正保存的报告定义
55 + contentCorrection.correct.family.ConferenceSeries-label=校正会议系列
56 + contentCorrection.correct.family.Publisher-label=校正出版商
57 + contentCorrection.correct.family.Semester-label=校正学期
58 + contentCorrection.correct.family.StudentProject-label=校正学生项目
59 + contentCorrection.correct.family.StudentThesis-label=校正学生论文
60 + contentCorrection.correct.family.TermsOfAgreementConfiguration-label=校正协议条款配置
61 + contentCorrection.correct.family.MessageTemplate-label=校正消息模板
62 + contentCorrection.correct.family.User-label=校正用户
63 + contentCorrection.correct.family.EditableMessageBundle-label=校正可编辑消息包
64 + contentCorrection.correct.family.CurriculumVitae-label=校正课程安排
65 + contentCorrection.correct.family.ContentImportSearchDefinition-label=校正内容导入搜索定义

```

```
66 + contentCorrection.correct.family.TermsOfAgreement-label=校正协议条款
67 + contentCorrection.correct.family.Suggestion-label=校正建议
68 + contentCorrection.correct.family.Project-label=校正项目
69 + contentCorrection.correct.family.PreservedContent-label=校正保存的内容信息对象
70 + contentCorrection.correct.family.Message-label=校正消息
71 + contentCorrection.correct.family.Organisation-label=校正组织单位
72 + contentCorrection.correct.family.PublicationSuggestedAction-label=校正出版物声明/拒绝
73 + contentCorrection.correct.family.PermanentstoreCollectionConfiguration-label=校正永久存储集合配置
74 + contentCorrection.correct.family.TemporaryFileInformation-label=校正临时文件信息对象
75 + contentCorrection.correct.family.ImportResult-label=校正导入结果对象
76 + contentCorrection.correct.family.Clipping-label=校正新闻/媒体
77 + contentCorrection.correct.family.Event-label=校正事件
78 + contentCorrection.correct.family.Publication-label=校正出版物
79 + contentCorrection.correct.family.UserFilterModel-label=校正用户过滤器模型
80 + contentCorrection.correct.family.Activity-label=校正活动
81 + contentCorrection.correct.family.ExternalOrganisation-label=校正外部组织
82 + contentCorrection.correct.family.UserProfile-label=校正用户配置文件
83 + contentCorrection.correct.family.Sticky-label=校正便利贴
84 + contentCorrection.correct.family.Journal-label=校正期刊
85 + contentCorrection.correct.family.ClassificationScheme-label=校正分类方案
86 + contentCorrection.correct.family.Education-label=校正教育
87 + contentCorrection.correct.family.Award-label=校正奖项
88 + contentCorrection.correct.family.Thesauri-label=校正主题词表
89 + contentCorrection.correct.family.EmailQueueEntry-label=校正邮件队列条目
90 + contentCorrection.correct.family.PhdThesis-label=校正博士学位论文
91 + contentCorrection.correct.family.ExternalPerson-label=校正外部人员
92 + contentCorrection.correct.family.MeasurementMetrics-label=校正测量指标
93 + contentCorrection.correct.family.Prize-label=校正奖励
94 + contentCorrection.correct.family.EthicalReview-label=校正道德审查
95 + contentCorrection.correct.family.AggregatedContentIdSet-label=校正聚合内容 ID 集
96 + contentCorrection.correct.family.UserSupporterRoleConfiguration-label=校正用户支持者角色配置
97 + contentCorrection.correct.family.Fingerprint-label=校正指纹
98 + contentCorrection.correct.family.FileHandle-label=校正文件句柄
99 + contentCorrection.correct.family.Course-label=校正课程
100 + contentCorrection.correct.family.UEOExternalOrganisation-label=校正外部组织
101 + contentCorrection.correct.family.CustomerDefinedWorkflowConfiguration-label=校正客户定义的工作流配置
102 + contentCorrection.correct.family.AwardMilestone-label=校正时间表
103 + contentCorrection.correct.family.Concept-label=校正概念
104 + contentCorrection.correct.family.UPMProject-label=校正 UPM 项目
105 + contentCorrection.correct.family.SystemMessage-label=校正系统消息
106 + contentCorrection.correct.family.PreservedCustomerDefinedWorkflowDefinition-label=校正保存的客户定义的工作流配置
107 + contentCorrection.correct.family.WorkflowStatusConfiguration-label=校正工作流步骤配置
```

```
108 + contentCorrection.correct.family.Impact-label=校正影响
109 + contentCorrection.correct.family.ResearchPerformanceIndicator-label=校正研究绩效指标
110 + contentCorrection.correct.family.SemanticGroup-label=校正语义组
111 + contentCorrection.correct.family.KeywordGroupConfiguration-label=校正关键词组别配置
112 + contentCorrection.correct.family.OrganisationResearchPerformanceObjective-label=校正组织研究绩效目标
113 + contentCorrection.correct.family.PreservedRendering-label=校正保存的渲染
114 + contentCorrection.correct.family.ContentIdSet-label=校正内容 ID 集
115 + contentCorrection.correct.family.AwardCluster-label=校正奖项集群
116 + contentCorrection.correct.family.PreservedReportExportConfiguration-label=校正保存的报告导出配置
117 + contentCorrection.correct.family.AwardMilestonesTemplate-label=校正时间表模板
118 + contentCorrection.correct.family.DataSet-label=校正数据集
119 + contentCorrection.correct.family.FundingOpportunity-label=校正资助机会
120 + contentCorrection.correct.family.ApplicationCluster-label=校正申请集群
121 + contentCorrection.correct.family.BFIPublication-label=校正 BFI 出版物
122 + contentCorrection.correct.family.PreservedSharedDashboardWidget-label=校正保存的仪表板小部件
123 + contentCorrection.correct.family.Application-label=校正申请
124 + contentCorrection.correct.family.Specialisation-label=校正专业化
125 + contentCorrection.correct.family.PersistentJobState-label=校正持续的工作状态
```

pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources_en.properties [CHANGED]

```
4 + former-persons-for-cleanup=Personal data cleanup
```

pure-templates/model-templates/src/main/resources/META-INF/resources/filter/filter-person-resources_zh_CN.properties [CHANGED]

```
1 - #Added translations
2 - #Wed Sep 26 12:21:28 CEST 2018
4 + former-persons-for-cleanup=个人数据清理
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/event/event-resources_zh_CN.properties [CHANGED]

```
30 - conferenceNumber=会议号
30 + conferenceNumber=届次
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources_en.properties [CHANGED]

```
38 + links=Journal website
```

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/journal/journal-resources_zh_CN.properties	
1	- #Added translations
2	- #Wed Sep 26 12:21:28 CEST 2018
32	+ links=期刊网站
pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources_en.properties	
27	+ organisationAssociations.supervisedByRelations=Supervision
103	+
104	+ dataCleanupExemptionEndDate=Data cleanup exemption end date
pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/person/person-resources_zh_CN.properties	
86	+ organisationAssociations.supervisedByRelations=监督
87	+ dataCleanupExemptionEndDate=数据清理豁免结束日期
pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/researchoutput/researchoutput-resources_zh_... [CHANGED]	
68	- publicationStatus=州
68	+ publicationStatus=出版状态-出版年
pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources_en.pro... [CHANGED]	
140	+ handleNet=Handle.net
141	+
pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesis-resources_zh_CN... [CHANGED]	
95	+ handleNet=Handle.net
pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... [CHANGED]	
1	+ show-documentLicense>Show licence
2	+
pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/studentthesis/studentthesisdocument-resourc... [CHANGED]	

1 - #Added translations
2 - #Tue Sep 12 13:12:37 CEST 2017
2 + show-documentLicense=显示许可

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... [CHANGED]

35 + contactAddress.subdivision=Subdivision

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/api/shared/model/ueo/externalorganisation/ueoexternalorganisat... [CHANGED]

38 + contactAddress.subdivision=细分

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... [ADDED]

1 + links.journal.description=Types of links for Journal
2 + links.journal.website=Website
3 + links.journal.website.description=Link to the journal website

pure-templates/model-templates/src/main/resources/model/dk/atira/pure/server/migration/journallinksclassificationsmigrationscript-resource... [ADDED]

1 + links.journal.description=期刊链接的类型
2 + links.journal.website=网站
3 + links.journal.website.description=期刊网站链接

pure-templates/rendering/src/main/resources/model/dk/atira/pure/api/shared/model/activity/renderers/unified/membershiprendererportald... [CHANGED]

11 - event.degreeOfRecognition=认可度
11 + event.degreeOfRecognition=级别

pure-templates/rendering/src/main/resources/model/dk/atira/pure/api/shared/model/activity/renderers/unified/otherrendererportaldetails-re... [CHANGED]

11 - event.degreeOfRecognition=认可度
11 + event.degreeOfRecognition=级别

pure-templates/rendering/src/main/resources/model/dk/atira/pure/api/shared/model/activity/renderers/unified/talkrendererportaldetails-res... [CHANGED]

11 - event.degreeOfRecognition=认可度
11 + event.degreeOfRecognition=级别

pure-templates/rendering/src/main/resources/model/dk/atira/pure/api/shared/model/activity/renderers/unified/visitotherrendererportaldetail... [CHANGED]

11 - event.degreeOfRecognition=认可度
11 + event.degreeOfRecognition=级别

pure-templates/rendering/src/main/resources/renderer/dk/atira/pure/api/shared/model/activity/renderers/abstractactivityrendererportaldata... [CHANGED]

11 - event.degreeOfRecognition=认可度
11 + event.degreeOfRecognition=级别

pure-templates/rendering/src/main/resources/renderer/dk/atira/pure/api/shared/model/activity/renderers/activitypropertiesportalrenderer-r... [CHANGED]

11 - event.degreeOfRecognition=认可度
11 + event.degreeOfRecognition=级别

pure-templates/rendering/src/main/resources/renderer/dk/atira/pure/api/shared/model/researchoutput/renderers/longformat/researchoutp... [CHANGED]

59 - conferenceNumberLabel=会议号
59 + conferenceNumberLabel=届次

pure-templates/rendering/src/main/resources/renderer/renderer-resources_en.properties [CHANGED]

26 - render-format-others=others
26 + render-format-others=more
27 + render-format-show>Show
28 + render-format-hide>Show less
29 + render-show-all-authors-button>Show all related authors
30 + render-hide-all-authors-button>Hide all related authors
31 + render-format-authors-shown=Author list shown, click to hide author list
32 + render-format-authors-hidden=Authors list hidden, click to show author list
53 - render-event-title>Title
59 + render-event-title=Event title

pure-templates/rendering/src/main/resources/renderer/renderer-resources_zh_CN.properties [CHANGED]

```
46 - render-event-title=标题
46 + render-event-title=事件标题
54 - render-event-conference-number=会议号
54 + render-event-conference-number=届次
76 + render-format-show=显示
77 + render-format-hide=显示更少
78 + render-show-all-authors-button=显示所有相关作者
79 + render-hide-all-authors-button=隐藏所有相关作者
80 + render-format-authors-shown=显示了作者列表，单击以隐藏作者列表
81 + render-format-authors-hidden=隐藏了作者列表，单击以显示作者列表
```