



Price List Form: LP-923

Effective: **September 5, 2023**



Manufacturer's Suggested Retail Prices (MSRP) for 2023 - 2024

TABLE OF CONTENTS

All Prices are in US Dollars

Vented Products

Logs, Vented	2-6
Burners, Vented, Info	7
Match Lighted Hearth Kits	8-11
Manual Control/Burners (M)	12-13
Remote Ready Control/Burners (SE)	14-15
Transmitters for EASY Controls	15
Variable Remote Control/Burners (RE)	16-17
Valve Vanisher - Electronic Ignition (VEI)	18-19
Valve Vanisher – Variable Remote (VRP)	19-20
Valve Vanisher – Millivolt Control (VMV)	21-22
Transmitters for Millivolt Controls	20
Valve Vanisher – Manual Control (VSP)	22-23
Millivolt/Burners (S)	24-26
Rumford Tipi Logs	27
Rumford Burners / Controls	28-35
Rumford Andiron Classic Concept	30
FirePit Logs/Ring Burners	36
Volcanic Ash Calculator	36
FireGlitter (Glass)	37
Glass Calculator	37
FireGlitter, Vented	37-40
FireLine, Vented	38-40
Ceramic Stain Colors	41
FireBall Sets, Vented	41-43
FireBalls, Individual	41
FireBalls, Packs	42
FireStones Sets, Vented	43
FireStones, Packs	44

Vent-Free Products

Chillbuster, Vent-free	45-48
CoalFire, Vent-free	49-50
Alterna Vent-free Intro	51
FireGlitter, Vent-Free	52-54
FireBalls, Vent-Free	55-57
FireStones, Vent-Free	58-60
Safety Control Systems	61-62
Burners Only, Vented	63
Grates / Log Lighters	64
Chillbuster Parts	65
Control System Parts	66-67
Accessories	68
Warranty	69
Notes	70
Personalized Sizing Form	71
Resources; Index	72

WE DO CUSTOM

Contact us for assistance with large and unusual Vented fireplaces and fire pits, or any other special request.

Provide Log Set sizing info at:
<http://rasmussengaslogs.com/personalized-log-set-sizing>

Custom Vent-Free is not feasible.

Rasmussen Iron Works, Inc.

12028 Philadelphia St., Whittier, CA 90601 U.S.A.
 (562) 696-8718 FAX: (562) 698-3510
 orders@rasmussen.biz www.rasmussen.biz

Quality Products Since 1907

All items are subject to availability. Prices subject to change without notice. Possession of price list confers no right to purchase at these prices. All rights reserved. © 2023 - 2024 Rasmussen Iron Works, Inc.

SELECTING A VENTED SET

A Vented Gas Log "set" consist of three elements: Logs; Burner; and Lighting Control. You can accomplish this in two ways using this price list:

"Factory Assembled Burner/Lighting Control"

- (1) Select a Control Type: Manual, Remote Ready, Variable Remote, Valve Vanisher (EIS, Variable Remote, Millivolt, or Manual), or Millivolt, on **Pages 12-26**;
- (2) Select the Burner Type.
- (3) Select the correct size by comparing the dimensions of your firebox with those in the middle column.
- (4) Select the desired Logs (**Pages 2-6**) or Alterna Set (**Pages 41-44**), and the appropriate size to match the burner size.

– or –

"Build Your Own"

- (1) Select a Match Lighted/EIS Ready Burner on Page **8-11**.
- (2a) If Match Lighted, select the correct size comparing the dimensions of your firebox with those in the middle column of the burner listings for the Match Lighted Burners Pages 8-11. - **OR** -
- (2b) If with a Control, select a Safety Lighting Control on **Pages 61-62**; then find the corresponding Factory Assembled Burner/Control and select the correct size comparing the dimensions of your firebox with those in the middle column of the burner listings;
- (3) Select the desired Logs (**Pages 2-6**) or Alterna Set (**Pages 41-44**), and the appropriate size to match the burner size.

LOGS FOR VENTED SETS

Requires Hearth Kit and Safety Pilot Kit (where required or desired) to make a complete set.

Rasmussen uses **real pieces of wood** to develop its log patterns and a painstaking molding process to reproduce the finest detail. **Rasmussen logs are of the Ceramic Bonded Refractory Concrete type.** Rasmussen uses a high-heat resistant, high-alumina refractory cement with a maximum temperature rating of over 2300 degrees F, lightweight expanded clay aggregates and rigid steel rod reinforcing for strength and durability. **All of Rasmussen's logs are hand colored** with a multi-step (up to six colors) process utilizing environmentally-friendly non-paint-based ceramic colorations, which remain colorfast under fire, and which **do not create any odor when burned.**

PLEASE SEE PAGE 69 for WARRANTY AND EXCLUSIONS FROM WARRANTY

"Single Face" = One Opening

"Double Face" = See-Through = Two Opposing Openings

Evening Prestige (EPR) - Large scale set with heavy bark, split and char features. Two piece front log. Good for masonry and larger factory-built fireplaces.						
Set Size	Item # Single Face	No. Pieces	MSRP	No. Ctns	Wt	Use with Burner
20	EPR20	7	616.00	2	54	F, FX, LC, CS, CXF, TNA, RF-LD
24	EPR24	8	645.00	2	83	F, FX, LC, CS, CXF, TNA, RF-LD
30	EPR30	10	731.00	3	101	F, FX, LC, CS, CXF, TNA, RF-LD
36	EPR36	12	835.00	3	116	FX, LC, CS, CXF, TNA, RF-LD
Double Face						
20	DF-EPR20	8	731.00	2	66	DF-CF, CS
24	DF-EPR24	9	766.00	3	100	DF-CF, CS
30	DF-EPR30	11	888.00	3	120	DF-CF, CS
36	DF-EPR36	13	980.00	4	144	DF-CF, CS

Evening Desire (ED) - Reversible Bark/Split Logs with char features. Two piece front log. Taller profile is good for masonry and larger factory-built fireplaces.						
Set Size	Item # Single Face	No. Pieces	MSRP	No. Ctns	Wt	Use with Burner
20	ED20	7	587.00	1	45	F, FX, LC, CS, CXF, TNA, RF-LD
24	ED24	7	616.00	2	58	F, FX, LC, CS, CXF, TNA, RF-LD
30	ED30	8	685.00	2	77	F, FX, LC, CS, CXF, TNA, RF-LD
Double Face						
20	DF-ED20	8	697.00	2	56	DF-CF, CS
24	DF-ED24	8	761.00	2	64	DF-CF, CS
30	DF-ED30	9	818.00	2	81	DF-CF, CS

All items are subject to availability. Prices subject to change without notice. All rights reserved.

Possession of price list confers no right to purchase at these prices. © 2023-2024 Rasmussen Iron Works, Inc.

Evening CrossFire (EXF) - Reversible Bark/Split Logs with char features and pine cones.

Two piece front log. Lower profile good for standard factory-built and larger fireplaces.

Set Size	Item # Single Face	No. Pieces	MSRP	No. Ctns	Wt	Use with Burner
20	EXF20	9	587.00	1	46	F, FX, LC, CS, CXF, TNA, RF-LD
24	EXF24	9	611.00	2	60	F, FX, LC, CS, CXF, TNA, RF-LD
30	EXF30	10	674.00	2	71	F, FX, LC, CS, CXF, TNA, RF-LD
	Double Face					
20	DF-EXF20	10	697.00	2	55	DF-CF, CS
24	DF-EXF24	10	726.00	2	66	DF-CF, CS
30	DF-EXF30	11	801.00	2	77	DF-CF, CS

Evening Campfire (EC) - Gnarled driftwood with char features. Two piece front log.

Lower profile good for standard factory-built and larger fireplaces.

20	EC20	7	489.00	1	34	F, FX, LC, CS, CXF, TNA, RF-LD
24	EC24	8	512.00	1	46	F, FX, LC, CS, CXF, TNA, RF-LD
30	EC30	9	564.00	2	66	F, FX, LC, CS, CXF, TNA, RF-LD
	Double Face					
20	DF-EC20	8	576.00	1	37	DF-CF, CS
24	DF-EC24	9	604.00	1	48	DF-CF, CS
30	DF-EC30	10	674.00	2	70	DF-CF, CS

Evening Lone Star (ELS) - Bark and char front logs with mixed bark and split top logs and pine cones. Two piece front log. Lower profile good for standard factory-built and larger fireplaces.

20	ELS20	9	426.00	1	34	F, FX, LC, CS, CXF, TNA, RF-LD
24	ELS24	9	449.00	2	56	F, FX, LC, CS, CXF, TNA, RF-LD
30	ELS30	9	495.00	2	72	F, FX, LC, CS, CXF, TNA, RF-LD
	Double Face					
20	DF-ELS20	10	495.00	1	39	DF-CF, CS
24	DF-ELS24	10	523.00	2	61	DF-CF, CS
30	DF-ELS30	10	581.00	2	74	DF-CF, CS

Charred Chunk Kits Extends width (by 6") and fullness of ED, EPR, EXF, ELS and EC sets to create a unique burned-out front log appearance. Use next larger burner/grate size.

	20" set + Chunk = 26" ± width	24" set + Chunk = 32" ± width	30" set + Chunk = 38" ± width		
CHNK1	2	165.00	1	16	ED, EXF, ELS
CHNK2	2	172.00	1	17	EPR
CHNK3	4	188.00	1	17	ED, EXF, ELS
ECCHNK	4	188.00	1	15	EC

Birch (WB) – Specialty wood with smooth finish and lighter coloration for formal settings and regional preferences. Straight one piece front log, except for 36" & larger (2 piece front logs).

18	WB186	6	477.00	1	36	F, FX, LC, CS, CXF, RF-LD
24	WB246	6	495.00	2	67	F, FX, LC, CS, CXF, RF-LD
30	WB306	6	570.00	2	84	F, FX, LC, CS, CXF, RF-LD
36	WB36	9	1,182.00	3	114	LD36, RF-LD60/72
42	WB42	9	1,274.00	3	134	LD36, RF-LD60/72
48	WB48	10	1,558.00	3	165	LD48
60	WB60	11	1,979.00	3	206	LD60
	Double Face					
18	DF-WB186	6	541.00	1	42	DF-CF, CS
24	DF-WB246	6	576.00	2	75	DF-CF, CS
30	DF-WB306	6	662.00	2	85	DF-CF, CS

All items are subject to availability. Prices subject to change without notice. All rights reserved.
 Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Pine Cones (PC) - Use as either Single or Double Face. Combine sets for larger sizes.

Set Size	Item # Single Face	No. Pieces	MSRP	No. Ctns	Wt	Use with Burner
18	PC18	19	292.00	1	33	CS, CXF
24	PC24	28	443.00	1	47	CS, CXF
30	PC30	36	576.00	2	60	CS, CXF
36	PC36	55	858.00	2	75	CS, CXF

TimberFire (PH) – Large scale sets for large fireplaces. Multiple piece front log.

Note: PH24X and PH30X through PH96 logs do not include a rear log due to the design of the LD Burner.

See below if using these sets with a CS, CXF or FX burner.

18	PH18	10	668.00	1	50	F, FX, LC, CS, CXF, TNA
24	PH24	12	697.00	2	86	F, FX, LC, CS, CXF, TNA
24X	PH24X	10	576.00	2	70	LD24
30	PH30	12	784.00	3	107	F, FX, LC, CS, CXF, TNA
30X	PH30X	10	1,015.00	3	115	LD30
36	PH36	14	1,459.00	5	204	LD36
42	PH42	15	1,574.00	5	220	LD36
48	PH48	18	1,904.00	5	260	LD48
54	PH54	19	2,077.00	5	265	LD48
60	PH60	24	2,464.00	6	320	LD60
66	PH66	25	2,690.00	6	330	LD60
72	PH72	29	2,937.00	7	400	LD72
84	PH84	35	3,764.00	8	450	LD84
96	PH96	38	4,191.00	9	500	LD96

Rear Logs for PH sets - (PH30X through PH96 do not include rear logs needed for use with other burner systems than LD, such as CS, CXF and FX).

24X	S4	1	142.00	1		F, FX, CS, CXF
30X	S6	1	165.00	1		F, FX, CS, CXF
36	S6	1	165.00	1		F, FX, CS, CXF
42	MO4	1	414.00	1		F, FX, CS
48	MO5	1	553.00	1		F, FX, CS
54	MO6	1	703.00	1		F, FX, CS
60	MO7	1	835.00	1		F, FX, CS
66	MO8	1	858.00	1		F, FX, CS
72	1 ea - S6 and MO4	2	see above	2		F, FX, CS
84	2 ea – MO4	2	see above	2		F, FX, CS
96	2 ea – MO5	2	see above	2		F, FX, CS

Manzanita (ML) - Gnarled driftwood. One piece front log. Lower profile good for standard factory-built and larger fireplaces.

15	ML155	5	315.00	1	30	F, FX, CS, CXF
18	ML186	6	327.00	1	35	F, FX, LC, CS, CXF, RF-LD
24	ML246	6	350.00	2	52	F, FX, LC, CS, CXF, RF-LD
30	ML306	6	396.00	2	64	F, FX, LC, CS, CXF, RF-LD
36	ML368	8	639.00	3	126	FX, LC, CS, CXF
	Double Face					
15	DF-ML155	5	368.00	1	30	DF-CF, CS
18	DF-ML186	6	385.00	1	37	DF-CF, CS
24	DF-ML246	6	396.00	2	50	DF-CF, CS
30	DF-ML306	6	472.00	2	71	DF-CF, CS
36	DF-ML368	8	738.00	3	120	DF-CF, CS

All items are subject to availability. Prices subject to change without notice. All rights reserved.

Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Lone Star (LS) - Heavy bark straight front log with split and bark top logs and pine cones.

Lower profile good for standard factory-built and larger fireplaces.

Set Size	Item # Single Face	No. Pieces	MSRP	No. Ctns	Weight Each	Use with Burner
12	LS12	7	276.00	1	20	F, FX
15	LS15	7	287.00	1	27	F, FX, CS, CXF
18	LS18	8	299.00	1	36	F, FX, LC, CS, CXF, RF-LD
21	LS21	8	322.00	2	56	F, FX, LC, CS, CXF, RF-LD
24	LS24	8	333.00	2	62	F, FX, LC, CS, CXF, RF-LD
30	LS30	8	385.00	2	72	F, FX, LC, CS, CXF, RF-LD
Double Face						
12	DF-LS12	7	322.00	1	23	DF-CF, CS
15	DF-LS15	7	339.00	1	30	DF-CF, CS
18	DF-LS18	8	368.00	1	42	DF-CF, CS
21	DF-LS21	8	385.00	2	56	DF-CF, CS
24	DF-LS24	8	403.00	2	68	DF-CF, CS
30	DF-LS30	8	460.00	2	75	DF-CF, CS

CrossFire (XF) - Reversible Bark/Split Logs and pine cones. Straight one piece front log.

Larger scale is good for masonry and larger factory-built fireplaces.

18	XF18	9	553.00	2	55	F, FX, LC, CS, CXF, RF-LD
21	XF21	11	570.00	2	63	F, FX, LC, CS, CXF, RF-LD
24	XF24	11	593.00	2	69	F, FX, LC, CS, CXF, RF-LD
30	XF30	12	674.00	2	90	F, FX, LC, CS, CXF, RF-LD
Double Face						
18	DF-XF18	9	645.00	2	57	DF-CF, CS
21	DF-XF21	11	668.00	2	72	DF-CF, CS
24	DF-XF24	11	697.00	2	82	DF-CF, CS
30	DF-XF30	12	784.00	3	109	DF-CF, CS

Bonfire (BF) - Various sizes of bark logs with pine cones for a rustic appearance.

Good for use in peninsula fireplaces with CS burner

18	BF189	9	437.00	1	45	F, FX, CS, CXF
24	BF2411	11	512.00	2	66	F, FX, CS, CXF
30	BF3011	11	662.00	2	84	F, FX, CS, CXF
36	BF3614	14	738.00	3	111	FX, CS, CXF
42	BF4220	20	939.00	3	132	FX, CS
48	BF4822	22	1,015.00	4	152	FX, CS
54	BF5422	22	1,159.00	4	168	FX, CS
60	BF6031	31	1,592.00	5	200	FX, CS
Double Face						
18	DF-BF189	9	489.00	2	57	DF-CF, CS
24	DF-BF2411	11	576.00	2	71	DF-CF, CS
30	DF-BF3011	11	731.00	2	88	DF-CF, CS
36	DF-BF3614	14	835.00	3	118	DF-CF, CS
42	DF-BF4220	20	1,066.00	3	136	DF-CF, CS
48	DF-BF4822	22	1,147.00	4	158	DF-CF, CS
54	DF-BF5422	22	1,304.00	4	176	DF-CF, CS
60	DF-BF6031	31	1,789.00	5	210	DF-CF, CS

Prestige Oak (PR) – Heavy bark logs with straight one piece front log.

Full appearance for tall openings and larger fireplaces.

Set Size	Item # Single Face	No. Pieces	MSRP	No. Ctns	Weight Each	Use with Burner
18	PR186	6	523.00	2	64	F, FX, LC, CS, CXF, RF-LD
24	PR248	8	553.00	2	84	F, FX, LC, CS, CXF, RF-LD
30	PR308	8	616.00	3	109	F, FX, LC, CS, CXF, RF-LD
36	PR369	9	754.00	3	136	FX, LC, CS, CXF, RF-LD
42	PR42	10	939.00	3	150	FX, CS
48	PR48	12	1,038.00	3	175	FX, CS
54	PR54	14	1,396.00	4	265	FX, CS
60	PR60	14	1,488.00	4	275	FX, CS
	Double Face					
18	DF-PR186	6	604.00	2	79	DF-CF, CS
24	DF-PR248	8	645.00	3	104	DF-CF, CS
30	DF-PR308	8	726.00	3	126	DF-CF, CS
36	DF-PR369	9	962.00	4	151	DF-CF, CS
42	DF-PR42	10	1,159.00	4	199	DF-CF, CS
48	DF-PR48	12	1,274.00	5	225	DF-CF, CS
54	DF-PR54	14	1,667.00	7	275	DF-CF, CS
60	DF-PR60	14	1,754.00	7	295	DF-CF, CS

Frosted Oak (S) – Full rounded straight one piece front log with large knot and heavy bark.

Full appearance for larger fireplaces.

18	S186	6	391.00	1	42	F, FX, LC, CS, CXF, RF-LD
21	S216	6	414.00	2	65	F, FX, LC, CS, CXF, RF-LD
24	S246	6	426.00	2	69	F, FX, LC, CS, CXF, RF-LD
27	S276	6	449.00	2	73	F, FX, LC, CS, CXF, RF-LD
30	S306	6	483.00	2	75	F, FX, LC, CS, CXF, RF-LD
33	S338	8	627.00	2	90	FX, LC, CS, CXF, RF-LD
	Double Face					
18	DF-S186	6	437.00	1	48	DF-CF, CS
21	DF-S216	6	489.00	2	73	DF-CF, CS
24	DF-S246	6	500.00	2	77	DF-CF, CS
27	DF-S276	6	535.00	2	88	DF-CF, CS
30	DF-S306	6	581.00	2	92	DF-CF, CS
33	DF-S338	8	738.00	3	100	DF-CF, CS

Highland Oak (RD) - Promotional/Builder Complete Set for **Natural Gas Only**.

18	RD185	5	391.00	1	40	Complete Set. Z21.84 Certif.
24	RD246	6	437.00	2	64	Complete Set. Z21.84 Certif.
18	HL18	5	206.00	1	25	Logs Only
24	HL24	6	229.00	1	33	Logs Only

Read the installation manual thoroughly before installation and use of a gas log set. Manuals and other product information are available in our online knowledge base at www.RasBox.com

BURNERS FOR VENTED SETS

Vented Gas Burners are designed to burn with a yellow, smoky, wood-like flame that will produce carbon soot which must be fully exhausted up the chimney. Vented gas logs are **not** a cure for a smoking (non-drafting) chimney.

All Rasmussen **Vented Pan Burners** are constructed of heavy 16-gauge steel, with ½" schedule-40 pipe (not light duty tubing) for the main burner tube and ¼" steel tubing for the ember booster portions of the FX, CXF and DF-CF, LC and LD burners. All seams are welded for maximum performance and durability. Rasmussen vented pan burners utilize a pan filler, which completely covers the burner tube(s). The gas pressurizes beneath the filler, then breaks through into a dancing, smoky, wood-like flame. Pan filler varies with gas type: White Sand for Natural Gas; Black Volcanic Ash for Propane (plus an air mixer and orifice).

Safety Controls are required for all indoor Propane installations; for Natural Gas as desired or required by local custom or requirement. In all cases, Controls provide a convenient means of lighting the burner while providing shutdown of the gas flow to the burner in case of an interruption in the gas supply or a flame out.

<p><u>"F" Burner</u> - L-shaped half-pan burner that sits on the firebox floor underneath a Grate. Single pipe burner provides flame and ember glow.</p>
<p><u>"FX" Burner</u> - L-shaped half-pan burner that sits on the firebox floor underneath a Grate. Single pipe burner with ember boosters that increase the depth of the ember bed by 2 inches compared to the F burner.</p>
<p><u>"CS" Burner</u> - Rectangular-shaped full-pan burner. Single pipe with Ember Boosters or Baffle to distribute gas. Logs, FireBalls, etc. sit in the pan – no Grate is used. 4.25" high with the legs, 2" high without the legs. Use in Single, Double and Multi-sided fireplaces. "B"= Black Painted with Strap Legs; "SR"= Stainless Steel with Tubular Legs.</p>
<p><u>"CXF" Burner</u> - Full pan, tapered pan burner. Single pipe with baffle and ember booster to distribute gas. Logs, FireBalls, etc. sit in the pan – no Grate is used. 2" high. Use in Single-sided fireplaces. "B"= Black Painted; "SS"= Stainless Steel.</p>
<p><u>"LC" and "LD" Burners</u> - Lower burner for embers and upper burner for main flame are welded to a heavy Grate. Designed for larger scale fireplaces. The design of the LD burner eliminates the need for a rear log. Right side gas feed only - plumb behind the burner if gas is on the left side.</p>
<p><u>"DF-LC" and "DF-LD" Burners</u> - LC and LD burner designs applied for Double Face (See-Through) Fireplaces. Multiple burners are welded to the heavy Grate. These designs require ¾"-id and larger gas supply to provide adequate flame height. DF-LC is 21" deep; DF-LD is 25" deep.</p>
<p><u>"TNA" Burner</u> - Sloped burner with single pipe and ember boosters - no Grate is used. Specifically designed for Rumford Fireplaces (wide front width, narrow rear width, shallow depth), it can be used in "regular" fireplaces with Andirons and Evening-series logs to create a unique look.</p>
<p><u>"CSRF" Burner</u> - Tapered full-pan burner. Single pipe with Ember Boosters to distribute gas. No Grate is used. Specifically designed for 4-inch diameter FireBalls in Rumford Fireplaces (wide front width, narrow rear width, shallow depth), but can be used with fireplaces which meet the minimum dimensions.</p>
<p><u>"RF-LD" Burners</u> – Lower burner for embers and upper burner for main flame are welded to a heavy Grate. Specifically designed for Traditional and Evening Series Single Sided Log sets in Rumford Fireplaces (wide front width, narrow rear width, shallow depth), but can be used with fireplaces which meet the minimum dimensions. The Rear Log is used as a top log to build a taller log stack.</p>

All items are subject to availability. Prices subject to change without notice. All rights reserved. Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Match Lighted/EIS Ready Hearth Kits

Propane requires safety control. See Pages 61-62 for Safety Lighting Controls.

Hearth Kits Include: Pan Filler - Sand for Natural Gas (Indoors) or Volcanic Ash for Propane and Natural Gas (Outdoors); Ember Magic; Volcanic Ash (floor dressing), except CS and CXF; Flexible SS Non-Whistling Connector Kit; Damper Clamp; Instructions.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

For Outdoor Use (Natural Gas): Suffix Item # with "OS" and indicate "Outdoor use" in your purchase order description and we will send Volcanic Ash in place of Sand, which we recommend to achieve an even flame in outdoor use. ****Match Lighted only - Controls are not warranted for outdoors.**

Set Size	Item #	MSRP	Minimum Footprint Dimensions		Weight		BTU/hr	
			To Center	Assembly in FireBox	Ctns	NG / LP	Certif.	(NG / LP)
Flaming Ember Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
12, 15	B15FH-	241.00	21" front / 15" rear / 13" depth		1	25 / 24	Z21.84	32k / 27k
18	B18FH-	269.00	24" front / 18" rear / 13" depth		1	29 / 28	Z21.84	43k / 27k
20, 21	B20FH-	281.00	26" front / 20" rear / 13" depth		1	34 / 33	Z21.84	51k / 35k
24	B24FH-	292.00	30" front / 24" rear / 13" depth		1	42 / 39	Z21.84	72k / 37k
27, 30	B30FH-	356.00	36" front / 30" rear / 13" depth		2 / 1	60 / 46	Z21.84	75k / 50k

Flaming Ember Burner and Grate For Single Sided Fireplaces								
Stainless Steel Add N for Natural Gas; P for Propane after Item #								
12, 15	B15FH-SS-	662.00	21" front / 15" rear / 13" depth		1	25 / 24	Z21.84	32k / 27k
18	B18FH-SS-	743.00	24" front / 18" rear / 13" depth		1	29 / 28	Z21.84	43k / 27k
20, 21	B20FH-SS-	761.00	26" front / 20" rear / 13" depth		1	34 / 33	Z21.84	51k / 35k
24	B24FH-SS-	801.00	30" front / 24" rear / 13" depth		1	42 / 39	Z21.84	72k / 37k
27, 30	B30FH-SS-	969.00	36" front / 30" rear / 13" depth		2 / 1	60 / 46	Z21.84	75k / 50k

Flaming EmberXTRA Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
12, 15	B15FXH-	339.00	21" front / 15" rear / 15" depth		1	27 / 26	Z21.84	32k / 27k
18	B18FXH-	368.00	24" front / 18" rear / 15" depth		1	32 / 31	Z21.84	43k / 27k
20, 21	B20FXH-	385.00	26" front / 20" rear / 15" depth		1	36 / 33	Z21.84	51k / 35k
24	B24FXH-	403.00	30" front / 24" rear / 15" depth		1	46 / 43	Z21.84	72k / 37k
27, 30	B30FXH-	491.00	36" front / 30" rear / 15" depth		2	61 / 46	Z21.84	75k / 50k
36	FX36-HFG-	639.00	42" front / 36" rear / 17" depth		2	77 / 70	RIW	120k / 83k
42	FX42-HFG-	738.00	48" front / 42" rear / 17" depth		2	85 / 78	RIW	165k / 108k
48	FX48-HFG48-	824.00	54" front / 48" rear / 17" depth		2	104 / 96	RIW	175k / 116k
54	FX48-HFG54-	858.00	60" front / 54" rear / 17" depth		2	110/102	RIW	175k / 116k
60, 66	FX48-HFG60-	888.00	66" front / 60" rear / 17" depth		2	115/107	RIW	175k / 116k

Match Lighted/EIS Ready Hearth Kits (continued)

Propane requires safety control. See Pages 61-62 for Safety Lighting Controls.

Set Size	Item #	MSRP	Minimum Footprint Dimensions		Weight		BTU/hr	
			To Center	Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP
Flaming Ember XTRA Burner and Grate For Single Sided Fireplaces								
Stainless Steel Add N for Natural Gas; P for Propane after Item #								
12, 15	B15FXH-SS-	939.00	21" front / 15" rear / 16" depth		1	27 / 26	Z21.84	32k / 27k
18	B18FXH-SS-	1,020.00	24" front / 18" rear / 16" depth		1	32 / 31	Z21.84	43k / 27k
20, 21	B20FXH-SS-	1,055.00	26" front / 20" rear / 16" depth		1	36 / 33	Z21.84	51k / 35k
24	B24FXH-SS-	1,107.00	30" front / 24" rear / 16" depth		1	46 / 43	Z21.84	72k / 37k
27, 30	B30FXH-SS-	1,338.00	36" front / 30" rear / 16" depth		2 / 1	61 / 46	Z21.84	75k / 50k
36	FX36-HFG-SS-	1,898.00	42" front / 36" rear / 18" depth		2	77 / 70	RIW	120k / 83k
42	FX42-HFG-SS-	2,198.00	48" front / 42" rear / 18" depth		2	85 / 78	RIW	165k / 108k
48	FX48-HFG48-SS-	2,464.00	54" front / 48" rear / 18" depth		2	104 / 96	RIW	175k / 116k
54	FX48-HFG54-SS-	2,568.00	60" front / 54" rear / 18" depth		2	110/102	RIW	175k / 116k
60, 66	FX48-HFG60-SS-	2,655.00	66" front / 60" rear / 18" depth		2	115/107	RIW	175k / 116k

Multi-Burner/Grate Use with Evening Series Logs For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
18, 20, 21	LC18-	477.00	24" front / 18" rear / 14" depth		1	45 / 38	Z21.84	50k / 50k
24	LC24-	512.00	30" front / 24" rear / 14" depth		2	59 / 52	Z21.84	70k / 70k
27, 30	LC30-	593.00	36" front / 30" rear / 14" depth		2	72 / 62	Z21.84	80k / 80k
36, 42	LC36-	985.00	42" front / 36" rear / 14" depth		2	91 / 77	Z21.84	90k / 90k

Multi-Burner/Grate Use with Evening Series Logs For Single Sided Fireplaces								
Stainless Steel Add N for Natural Gas; P for Propane after Item #								
18, 20, 21	LC18-SS-	1,286.00	24" front / 18" rear / 14" depth		1	45 / 38	Z21.84	50k / 50k
24	LC24-SS-	1,373.00	30" front / 24" rear / 14" depth		2	59 / 52	Z21.84	70k / 70k
27, 30	LC30-SS-	1,621.00	36" front / 30" rear / 14" depth		2	72 / 62	Z21.84	80k / 80k
36, 42	LC36-SS-	2,949.00	42" front / 36" rear / 14" depth		2	91 / 77	Z21.84	90k / 90k

Multi-Burner/Grate Use with TimberFire Logs For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
24	LD24-	674.00	30" front / 24" rear / 18" depth		2	78 / 79	RIW	90k / 75k
27, 30	LD30-	708.00	36" front / 30" rear / 18" depth		2 / 3	94 / 104	RIW	140k / 89k
36, 42	LD36-	1,008.00	42" front / 36" rear / 20" depth		3	119 / 119	RIW	150k / 105k
48	LD48-	1,413.00	54" front / 48" rear / 20" depth		3	130	RIW	170k / 150k
60, 66	LD60-	1,812.00	66" front / 60" rear / 20" depth		4	150	RIW	190k / 175k
72	LD72-	2,314.00	78" front / 72" rear / 20" depth		4	170	RIW	220k / 185k
84	LD84-	2,914.00	90" front / 84" rear / 20" depth		5	195	RIW	340k / 260k
96	LD96-	3,313.00	102" front / 96" rear / 20" depth		6	215	RIW	400k / 300k

Multi-Burner/Grate Use with TimberFire Logs For Single Sided Fireplaces								
Stainless Steel Add N for Natural Gas; P for Propane after Item #								
24	LD24-SS-	1,858.00	30" front / 24" rear / 18" depth		2	77 / 77	RIW	90k / 75k
27, 30	LD30-SS-	1,939.00	36" front / 30" rear / 18" depth		2 / 3	92 / 102	RIW	140k / 89k
36, 42	LD36-SS-	3,001.00	42" front / 36" rear / 20" depth		3	117 / 117	RIW	150k / 105k
48	LD48-SS-	4,219.00	54" front / 48" rear / 20" depth		3	130	RIW	170k / 150k
60, 66	LD60-SS-	5,432.00	66" front / 60" rear / 20" depth		4	150	RIW	190k / 175k
72	LD72-SS-	6,928.00	78" front / 72" rear / 20" depth		4	170	RIW	220k / 185k
84	LD84-SS-	8,730.00	90" front / 84" rear / 20" depth		5	195	RIW	340k / 260k
96	LD96-SS-	9,925.00	102" front / 96" rear / 20" depth		6	215	RIW	400k / 300k

All items are subject to availability. Prices subject to change without notice. All rights reserved.
 Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Match Lighted/EIS Ready Hearth Kits (continued)

Propane requires safety control. See Pages 61-62 for Safety Lighting Controls.

Set Size	Item #	MSRP	Minimum Footprint Dimensions		Weight		BTU/hr
			To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP
Custom Pan Burner with Strap Legs, 12" deep For Single, Double and Multi-Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
12, 15, 16	CS16-B-	258.00	22" front / 17" rear / 14" depth	1	27 / 27	RIW	65k / 27k
18	CS18-B-	287.00	24" front / 19" rear / 14" depth	1	30 / 30	RIW	75k / 27k
20, 21	CS21-B-	310.00	27" front / 22" rear / 14" depth	1	33 / 33	RIW	76k / 35k
24	CS24-B-	333.00	30" front / 25" rear / 14" depth	1	37 / 37	RIW	90k / 37k
27, 30	CS30-B-	419.00	36" front / 31" rear / 14" depth	1	47 / 47	RIW	110k / 50k

Custom Pan Burner with Strap Legs, 16" deep For Single, Double and Multi-Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
24, 27	CS27W-B-	500.00	33" front / 28" rear / 18" depth	2	67 / 67	RIW	100k / 60k
27, 30	CS30W-B-	558.00	36" front / 31" rear / 18" depth	2	69 / 69	RIW	120k / 70k
30, 33	CS33W-B-	611.00	39" front / 34" rear / 18" depth	2	72 / 72	RIW	130k / 75k
36	CS36-B-	662.00	42" front / 37" rear / 18" depth	2	74 / 74	RIW	140k / 85k
42	CS42-B-	777.00	48" front / 43" rear / 18" depth	3	97 / 97	RIW	150k / 95k
48	CS48-B-	881.00	54" front / 49" rear / 18" depth	3	104 / 104	RIW	175k / 105k
54	CS54-B-	997.00	60" front / 55" rear / 18" depth	3	111 / 111	RIW	215k / 145k
60	CS60-B-	1107.00	66" front / 61" rear / 18" depth	3	118 / 118	RIW	225k / 185k

Custom Pan Burner with Round Legs, 12" deep For Single, Double and Multi-Sided Fireplaces							
Stainless Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
12, 15, 16	CS16-SR-	645.00	22" front / 17" rear / 14" depth	1	26 / 26	RIW	65k / 27k
18	CS18-SR-	708.00	24" front / 19" rear / 14" depth	1	29 / 29	RIW	75k / 27k
20, 21	CS21-SR-	769.00	27" front / 22" rear / 14" depth	1	32 / 32	RIW	76k / 35k
24	CS24-SR-	830.00	30" front / 25" rear / 14" depth	1	36 / 36	RIW	90k / 37k
27, 30	CS30-SR-	1038.00	36" front / 31" rear / 14" depth	1	46 / 46	RIW	110k / 50k

Custom Pan Burner with Round Legs, 16" deep For Single, Double and Multi-Sided Fireplaces							
Stainless Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
24, 27	CS27W-SR-	1,239.00	33" front / 28" rear / 18" depth	2	66 / 66	RIW	100k / 60k
27, 30	CS30W-SR-	1,384.00	36" front / 31" rear / 18" depth	2	68 / 68	RIW	120k / 70k
30, 33	CS33W-SR-	1,523.00	39" front / 34" rear / 18" depth	1	71 / 71	RIW	130k / 75k
36	CS36-SR-	1,650.00	42" front / 37" rear / 18" depth	2	73 / 73	RIW	140k / 85k
42	CS42-SR-	1,932.00	48" front / 43" rear / 18" depth	3	96 / 96	RIW	150k / 95k
48	CS48-SR-	2,204.00	54" front / 49" rear / 18" depth	3	103 / 103	RIW	175k / 105k
54	CS54-SR-	2,487.00	60" front / 55" rear / 18" depth	3	110 / 110	RIW	215k / 145k
60	CS60-SR-	2,770.00	66" front / 61" rear / 18" depth	3	117 / 117	RIW	225k / 185k

Custom Embers Tapered Pan Burner For Single Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
12	CXF12-B-	292.00	23" front / 14" rear / 12" depth	1	22 / 16	RIW	50k / 27k
12, 15, 16	CXF15-B-	327.00	26" front / 16" rear / 12" depth	1	26 / 19	RIW	60k / 30k
18	CXF18-B-	362.00	29" front / 19" rear / 15" depth	1	38 / 38	RIW	70k / 35k
20, 21	CXF21-B-	380.00	32" front / 22" rear / 15" depth	1	46 / 46	RIW	85k / 37k
24	CXF24-B-	396.00	35" front / 25" rear / 15" depth	2	58 / 58	RIW	100k / 50k
27, 30	CXF30-B-	477.00	41" front / 31" rear / 15" depth	2	66 / 66	RIW	110k / 60k
36	CXF36-B-	703.00	47" front / 37" rear / 18" depth	3	99 / 99	RIW	120k / 70k
42	CXF42-B-	870.00	53" front / 43" rear / 18" depth	3	127 / 127	RIW	150k / 95k

All items are subject to availability. Prices subject to change without notice. All rights reserved.

Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Match Lighted/EIS Ready Hearth Kits (continued)

BTU/hr

Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	Wt (NG/LP)	Certif.	NG / LP
Custom Embers Tapered Pan Burner For Single Sided Fireplaces							
Stainless Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
12	CXF12-SS-	657.00	23" front / 14" rear / 12" depth	1	21 / 15	RIW	50k / 27k
12, 15, 16	CXF15-SS-	738.00	26" front / 16" rear / 12" depth	1	25 / 18	RIW	60k / 30k
18	CXF18-SS-	818.00	29" front / 19" rear / 15" depth	1	37 / 37	RIW	70k / 35k
20, 21	CXF21-SS-	835.00	32" front / 22" rear / 15" depth	1	45 / 45	RIW	85k / 37k
24	CXF24-SS-	881.00	35" front / 25" rear / 15" depth	2	57 / 57	RIW	100k / 50k
27, 30	CXF30-SS-	1,015.00	41" front / 31" rear / 15" depth	2	65 / 65	RIW	110k / 60k
36	CXF36-SS-	1,500.00	47" front / 37" rear / 18" depth	3	98 / 98	RIW	120k / 70k
42	CXF42-SS-	1,932.00	53" front / 43" rear / 18" depth	3	126 / 126	RIW	150k / 95k

Double Face Custom Embers Pan Burner w/Grate, 16" deep For See-Thru Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
12, 15	DF-CF15-HFG-	639.00	21" front / 21" rear / 18" depth	1	38 / 35	Z21.84	50k / 40k
18	DF-CF18-HFG-	680.00	24" front / 24" rear / 18" depth	1	45 / 42	Z21.84	60k / 45k
20, 21	DF-CF20-HFG-	708.00	26" front / 26" rear / 18" depth	2	58 / 53	Z21.84	75k / 50k
24	DF-CF24-HFG-	743.00	30" front / 30" rear / 18" depth	2	76 / 70	Z21.84	85k / 60k
27, 30	DF-CF30-HFG-	888.00	36" front / 36" rear / 18" depth	3 / 2	99 / 89	Z21.84	90k / 70k
36	DF-CF36-HFG-	1,112.00	42" front / 42" rear / 20" depth	3	118 / 89	RIW	120k / 90k
42	DF-CF42-HFG-	1,327.00	48" front / 48" rear / 20" depth	3	125 / 99	RIW	200k / 140k
48	DF-CF48-HFG48-	1,431.00	54" front / 54" rear / 20" depth	3	133 / 109	RIW	260k / 155k
60	DF-CF48-HFG60-	1,511.00	66" front / 66" rear / 20" depth	4	145 / 120	RIW	260k / 155k

Double Face Custom Embers Pan Burner w/Grate 16" deep For See-Thru Fireplaces							
Stainless Steel Add N for Natural Gas; P for Propane after Item #							
12, 15	DF-CF15-HFG-SS-	1,748.00	21" front / 21" rear / 18" depth	1	37 / 34	Z21.84	50k / 40k
18	DF-CF18-HFG-SS-	1,869.00	24" front / 24" rear / 18" depth	1	44 / 41	Z21.84	60k / 45k
20, 21	DF-CF20-HFG-SS-	1,939.00	26" front / 26" rear / 18" depth	2	57 / 52	Z21.84	75k / 50k
24	DF-CF24-HFG-SS-	2,036.00	30" front / 30" rear / 18" depth	2	75 / 69	Z21.84	85k / 60k
27, 30	DF-CF30-HFG-SS-	2,424.00	36" front / 36" rear / 18" depth	3 / 2	97 / 87	Z21.84	90k / 70k
36	DF-CF36-HFG-SS-	3,330.00	42" front / 42" rear / 20" depth	3	118 / 89	RIW	120k / 90k
42	DF-CF42-HFG-SS-	3,960.00	48" front / 48" rear / 20" depth	3	125 / 99	RIW	200k / 140k
48	DF-CF48-HFG48-SS-	4,289.00	54" front / 54" rear / 20" depth	3	133 / 109	RIW	260k / 155k
60	DF-CF48-HFG60-SS-	4,526.00	66" front / 66" rear / 20" depth	4	145 / 120	RIW	260k / 155k

Double Face Multi-Burner/Grate, 21" deep Use 2-PH logs per burner							
Black Painted Steel Add N for Natural Gas; P for Propane after Item # For See-Thru F/P							
18, 20, 21	DF-LC18-	934.00	24" front / 24" rear / 23" depth	2	70 / 68	RIW	190k / 160k
24	DF-LC24-	997.00	30" front / 30" rear / 23" depth	2 / 3	109 / 113	RIW	210k / 180k
27, 30	DF-LC30-	1,170.00	36" front / 36" rear / 23" depth	3	130 / 125	RIW	230k / 200k
36, 42	DF-LC36-	1,355.00	42" front / 42" rear / 23" depth	4	160 / 155	RIW	250k / 220k

Double Face Multi-Burner/Grate, 25" deep Use 2-PH logs per burner							
Black Painted Steel Add N for Natural Gas; P for Propane after Item # For See-Thru F/P							
18, 20, 21	DF-LD18-	997.00	24" front / 24" rear / 27" depth	2	80 / 78	RIW	200k / 170k
24	DF-LD24-	1,078.00	30" front / 30" rear / 27" depth	3	105 / 100	RIW	220k / 190k
27, 30	DF-LD30-	1,263.00	36" front / 36" rear / 27" depth	3	135 / 130	RIW	240k / 210k
36, 42	DF-LD36-	1,632.00	42" front / 42" rear / 27" depth	4	165 / 160	RIW	260k / 230k
48, 54	DF-LD48-	2,048.00	54" front / 54" rear / 27" depth	5	205 / 200	RIW	280k / 250k
60, 66	DF-LD60-	2,498.00	66" front / 66" rear / 27" depth	6	250 / 240	RIW	350k / 300k
72	DF-LD72-	3,122.00	78" front / 78" rear / 27" depth	7	290 / 280	RIW	400k / 350k

All items are subject to availability. Prices subject to change without notice. All rights reserved.

Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Manual Safety Pilot Control – Factory Installed SPK1 (M)

**SPK1 Manual Control with Standing Pilot –
Turn the knob to light the main burner and adjust flame height.**

SPK1 Manual Controls are not upgradeable to "Remote Control" functionality.

Hearth Kits Include: Pan Filler - Sand for Natural Gas (Indoors) or Volcanic Ash for Propane;
Ember Magic; Volcanic Ash (floor dressing) except CS and CXF;
Flexible SS Non-Whistling Connector Kit; Damper Clamp; Instructions.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Standard Connection is on the Right Side.
You may specify "Left Side Feed" when ordering if you wish to have the connection on the Left Side

Standing Pilot Control System			Minimum Footprint Dimensions		Weight		BTU/hr	
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP	
Flaming Ember Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
12, 15	B15FH-M-	587.00	27" front / 18" rear / 13" depth	1	28 / 27	Z21.84	32k / 27k	
18	B18FH-M-	616.00	30" front / 21" rear / 13" depth	1	33 / 32	Z21.84	43k / 27k	
20, 21	B20FH-M-	627.00	32" front / 23" rear / 13" depth	1	38 / 37	Z21.84	51k / 35k	
24	B24FH-M-	639.00	36" front / 27" rear / 13" depth	1	44 / 41	Z21.84	72k / 37k	
27, 30	B30FH-M-	703.00	42" front / 33" rear / 13" depth	2	63 / 56	Z21.84	75k / 50k	

Flaming Ember XTRA Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
12, 15	B15FXH-M-	685.00	27" front / 18" rear / 15" depth	1	31 / 30	Z21.84	32k / 27k	
18	B18FXH-M-	714.00	30" front / 21" rear / 15" depth	1	36 / 35	Z21.84	43k / 27k	
20, 21	B20FXH-M-	731.00	32" front / 23" rear / 15" depth	1	38 / 35	Z21.84	51k / 35k	
24	B24FXH-M-	749.00	36" front / 27" rear / 15" depth	1	49 / 46	Z21.84	72k / 37k	
27, 30	B30FXH-M-	837.00	42" front / 33" rear / 15" depth	2	63 / 58	Z21.84	75k / 50k	
36	FX36-HFG-M-	986.00	48" front / 39" rear / 17" depth	2	79 / 71	RIW	120k / 83k	

Multi-Burner/Grate Use with Evening Series Logs For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
18, 20, 21	LC18-M-	824.00	30" front / 21" rear / 14" depth	1	47 / 40	Z21.60	50k / 50k	
24	LC24-M-	858.00	36" front / 27" rear / 14" depth	2	60 / 53	Z21.60	70k / 70k	
27, 30	LC30-M-	939.00	42" front / 33" rear / 14" depth	2	73 / 63	Z21.60	80k / 80k	
36, 42	LC36-M-	1,332.00	48" front / 39" rear / 14" depth	2	94 / 80	Z21.60	90k / 90k	

Multi-Burner/Grate Use with TimberFire Logs For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
24	LD24-M-	1,020.00	36" front / 27" rear / 18" depth	2	82 / 83	RIW	90k / 75k	
27, 30	LD30-M-	1,055.00	42" front / 33" rear / 18" depth	2 / 3	95 / 105	RIW	140k / 89k	
36, 42	LD36-M-	1,355.00	48" front / 39" rear / 20" depth	3	121/121	RIW	150k / 105k	

Manual Safety Pilot Control – Factory Installed (M)

Standing Pilot Control System		Minimum Footprint Dimensions			Weight		BTU/hr
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP
Custom Pan Burner with Strap Legs, 12" deep (16" for 27W and 30W)							
Black Painted Steel For Single, Double and Multi-Sided Fireplaces							
Add N for Natural Gas; P for Propane after Item #				[Not for use with a Grate]			
12, 15, 16	CS16-B-M-	604.00	28" front / 20" rear / 14" depth	1	28 / 28	RIW	65k / 27k
18	CS18-B-M-	634.00	30" front / 22" rear / 14" depth	1	32 / 32	RIW	75k / 27k
20, 21	CS21-B-M-	657.00	33" front / 25" rear / 14" depth	1	35 / 35	RIW	76k / 35k
24	CS24-B-M-	680.00	36" front / 28" rear / 14" depth	1	42 / 42	RIW	90k / 37k
24, 27	CS27W-B-M-	847.00	39" front / 31" rear / 18" depth	2	69 / 69	RIW	100k / 60k
27, 30	CS30-B-M-	766.00	42" front / 34" rear / 14" depth	2	56 / 56	RIW	110k / 50k
27, 30	CS30W-B-M-	905.00	42" front / 34" rear / 18" depth	2	71 / 71	RIW	120k / 70k
30, 33	CS33W-B-M-	958.00	45" front / 37" rear / 18" depth	2	78 / 78	RIW	130k / 75k
36	CS36-B-M-	1009.00	48" front / 40" rear / 18" depth	2	83 / 83	RIW	140k / 85k

Custom Pan Burner with Round Legs, 12" deep (16" for 27W and 30W)							
Stainless Steel For Single, Double and Multi-Sided Fireplaces							
Add N for Natural Gas; P for Propane after Item #				[Not for use with a Grate]			
12, 15, 16	CS16-SR-M-	992.00	28" front / 20" rear / 14" depth	1	27 / 27	RIW	65k / 27k
18	CS18-SR-M-	1,055.00	30" front / 22" rear / 14" depth	1	31 / 31	RIW	75k / 27k
20, 21	CS21-SR-M-	1,116.00	33" front / 25" rear / 14" depth	1	34 / 34	RIW	76k / 35k
24	CS24-SR-M-	1,176.00	36" front / 28" rear / 14" depth	1	38 / 38	RIW	90k / 37k
24, 27	CS27W-SR-M-	1,586.00	39" front / 31" rear / 18" depth	2	68 / 68	RIW	100k / 60k
27, 30	CS30-SR-M-	1,384.00	42" front / 34" rear / 14" depth	2	55 / 55	RIW	110k / 50k
27, 30	CS30W-SR-M-	1,731.00	42" front / 34" rear / 18" depth	2	70 / 70	RIW	120k / 70k
30, 33	CS33W-SR-M-	1,870.00	45" front / 37" rear / 18" depth	2	77 / 77	RIW	130k / 75k
36	CS36-SR-M-	1,997.00	48" front / 40" rear / 18" depth	2	82 / 82	RIW	140k / 85k

Custom Embers Tapered Pan Burner For Single Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
12	CXF12-B-M-	639.00	29" front / 17" rear / 12" depth	1	23 / 17	RIW	50k / 27k
12, 15, 16	CXF15-B-M-	674.00	32" front / 19" rear / 12" depth	1	27 / 20	RIW	60k / 30k
18	CXF18-B-M-	708.00	35" front / 22" rear / 15" depth	1	40 / 40	RIW	70k / 35k
20, 21	CXF21-B-M-	726.00	38" front / 25" rear / 15" depth	1	48 / 48	RIW	85k / 37k
24	CXF24-B-M-	743.00	41" front / 28" rear / 15" depth	2	60 / 60	RIW	100k / 50k
27, 30	CXF30-B-M-	824.00	46" front / 34" rear / 15" depth	2	69 / 69	RIW	110k / 60k
36	CXF36-B-M-	1050.00	52" front / 40" rear / 18" depth	3	103/103	RIW	120k / 70k

Double Face Custom Embers Pan Burner w/Grate, 16" deep For See-Thru Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
12, 15	DF-CF15-HFG-M-	985.00	27" front / 27" rear / 18" depth	1	40 / 37	Z21.84	50k / 40k
18	DF-CF18-HFG-M-	1,026.00	30" front / 30" rear / 18" depth	1	46 / 43	Z21.84	60k / 45k
20, 21	DF-CF20-HFG-M-	1,055.00	32" front / 32" rear / 18" depth	2	59 / 54	Z21.84	75k / 50k
24	DF-CF24-HFG-M-	1,089.00	36" front / 36" rear / 18" depth	2	77 / 71	Z21.84	85k / 60k
27, 30	DF-CF30-HFG-M-	1,234.00	42" front / 42" rear / 18" depth	3 / 2	103 / 93	Z21.84	90k / 70k
36	DF-CF36-HFG-M-	1,460.00	48" front / 48" rear / 18" depth	3	120 / 110	RIW	120k / 90k

Manual Controls are not upgradeable to "Remote Control" functionality.

Remote Ready "EASY" Safety Control – Factory Assembled (SE)

RPK3E Standing Pilot Control System

Latching solenoid system that controls the ON/OFF of the burner(s) with the receiver switch or one of five Wireless Remote Transmitter Devices (sold separately – see bottom of Page 15):

- Wireless Hand-Held Remote Control with Simple ON/OFF (SR-2R) or Thermostat feature (THR-2R).
- Wireless Wall Timer (WT-2R) •Wireless Wall Switch (WS-2R) •Wireless Wall Thermostat (TS-2R)

"RPK3E" and "SE" are not "millivolt" systems. The Latching Solenoid is powered by 4-AA Batteries. ON/OFF control with no flame height modulation.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Standard Connection is on the Right Side. You may specify "Left Side Feed" when ordering if you wish to have the connection on the Left Side.

Standing Pilot Control System			Minimum Footprint Dimensions		Weight		BTU/hr
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	(NG/LP)
Flaming Ember Burner and Grate For Single Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
12, 15	B15FH-SE-	860.00	27" front / 18" rear / 13" depth	1	28 / 27	Z21.84	32k / 27k
18	B18FH-SE-	888.00	30" front / 21" rear / 13" depth	1	33 / 32	Z21.84	43k / 27k
20, 21	B20FH-SE-	899.00	32" front / 23" rear / 13" depth	1	39 / 38	Z21.84	51k / 35k
24	B24FH-SE-	911.00	36" front / 27" rear / 13" depth	1	44 / 41	Z21.84	72k / 37k
27, 30	B30FH-SE-	976.00	42" front / 33" rear / 13" depth	2	64 / 57	Z21.84	75k / 50k
Flaming Ember XTRA Burner and Grate For Single Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
12, 15	B15FXH-SE-	957.00	27" front / 18" rear / 15" depth	1	31 / 30	Z21.84	32k / 27k
18	B18FXH-SE-	987.00	30" front / 21" rear / 15" depth	1	35 / 34	Z21.84	43k / 27k
20, 21	B20FXH-SE-	1003.00	32" front / 23" rear / 15" depth	1	38 / 35	Z21.84	51k / 35k
24	B24FXH-SE-	1022.00	36" front / 27" rear / 15" depth	1	49 / 46	Z21.84	72k / 37k
27, 30	B30FXH-SE-	1109.00	42" front / 33" rear / 15" depth	2	63 / 58	Z21.84	75k / 50k
Multi-Burner/Grate Use with Evening Series Logs For Single Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
18, 20, 21	LC18-SE-	1,096.00	30" front / 21" rear / 14" depth	1	47 / 40	RIW	50k / 50k
24	LC24-SE-	1,130.00	36" front / 27" rear / 14" depth	2	60 / 53	RIW	70k / 70k
27, 30	LC30-SE-	1,211.00	42" front / 33" rear / 14" depth	2	73 / 63	RIW	80k / 80k
36, 42	LC36-SE-	1,604.00	48" front / 39" rear / 14" depth	2	94 / 80	RIW	90k / 90k
Multi-Burner/Grate Use with TimberFire Logs For Single Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
24	LD24-SE-	1,292.00	36" front / 27" rear / 18" depth	2	82 / 83	RIW	90k / 75k
27, 30	LD30-SE-	1,327.00	42" front / 33" rear / 18" depth	2 / 3	95 / 105	RIW	140k / 89k
36, 42	LD36-SE-	1,627.00	48" front / 39" rear / 20" depth	3	121/121	RIW	150k / 105k
Custom Pan Burner with Strap Legs, 12" deep (16" for 27W & 30W)							
Black Painted Steel For Single, Double and Multi-Sided Fireplaces							
Add N for Natural Gas; P for Propane after Item #				[Not for use with a Grate]			
12, 15, 16	CS16-B-SE-	876.00	28" front / 20" rear / 14" depth	1	27 / 27	RIW	65k / 27k
18	CS18-B-SE-	907.00	30" front / 22" rear / 14" depth	1	31 / 31	RIW	75k / 27k
20, 21	CS21-B-SE-	929.00	33" front / 25" rear / 14" depth	1	34 / 34	RIW	76k / 35k
24	CS24-B-SE-	953.00	36" front / 28" rear / 14" depth	1	41 / 41	RIW	90k / 37k
24, 27	CS27W-B-SE-	1,119.00	39" front / 31" rear / 18" depth	2	68 / 68	RIW	100k / 60k
27, 30	CS30-B-SE-	1,038.00	42" front / 34" rear / 14" depth	2	55 / 55	RIW	110k / 50k
27, 30	CS30W-B-SE-	1,176.00	42" front / 34" rear / 18" depth	2	70 / 70	RIW	120k / 70k

All items are subject to availability. Prices subject to change without notice. All rights reserved.

Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Remote Ready "EASY" Safety Control – Factory Assembled (SE)

RPK3E Standing Pilot Control System

Latching solenoid system that controls the ON/OFF of the burner(s) with the receiver switch or one of five Wireless Remote Transmitter Devices (sold separately – see bottom of this page):

- Wireless Hand-Held Remote Control with Simple ON/OFF (SR-2R) or Thermostat feature (THR-2R).
- Wireless Wall Timer (WT-2R) •Wireless Wall Switch (WS-2R) •Wireless Wall Thermostat (TS-2R)

"RPK3E" and "SE" are not "millivolt" systems. The Latching Solenoid is powered by 4-AA Batteries. ON/OFF control with no flame height modulation.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Standard Connection is on the Right Side. You may specify "Left Side Feed" when ordering if you wish to have the connection on the Left Side.

Standing Pilot Control System			Minimum Footprint Dimensions		Weight		BTU/hr	
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP	

Custom Pan Burner with Round Legs, 12" deep (16" for 27W and 30W)								
Stainless Steel For Single, Double and Multi-Sided Fireplaces								
Add N for Natural Gas; P for Propane after Item #					[Not for use with a Grate]			

12, 15, 16	CS16-SR-SE-	1,265.00	28" front / 20" rear / 14" depth	1	27 / 27	RIW	65k / 27k	
18	CS18-SR-SE-	1,327.00	30" front / 22" rear / 14" depth	1	31 / 31	RIW	75k / 27k	
20, 21	CS21-SR-SE-	1,389.00	33" front / 25" rear / 14" depth	1	34 / 34	RIW	76k / 35k	
24	CS24-SR-SE-	1,449.00	36" front / 28" rear / 14" depth	1	38 / 38	RIW	90k / 37k	
24, 27	CS27W-SR-SE-	1,858.00	39" front / 31" rear / 18" depth	2	68 / 68	RIW	100k / 60k	
27, 30	CS30-SR-SE-	1,657.00	42" front / 34" rear / 14" depth	2	55 / 55	RIW	110k / 50k	
27, 30	CS30W-SR-SE-	2,004.00	42" front / 34" rear / 18" depth	2	70 / 70	RIW	120k / 70k	

Custom Embers Tapered Pan Burner			For Single Sided Fireplaces					
Black Painted Steel					Add N for Natural Gas; P for Propane after Item #			
					[Not for use with a Grate]			

12	CXF12-B-SE-	911.00	29" front / 17" rear / 12" depth	1	23 / 17	RIW	50k / 27k	
12, 15, 16	CXF15-B-SE-	945.00	32" front / 19" rear / 12" depth	1	27 / 20	RIW	60k / 30k	
18	CXF18-B-SE-	980.00	35" front / 22" rear / 15" depth	1	40 / 40	RIW	70k / 35k	
20, 21	CXF21-B-SE-	999.00	38" front / 25" rear / 15" depth	1	48 / 48	RIW	85k / 37k	
24	CXF24-B-SE-	1015.00	41" front / 28" rear / 15" depth	2	60 / 60	RIW	100k / 50k	
27, 30	CXF30-B-SE-	1096.00	46" front / 34" rear / 15" depth	2	69 / 69	RIW	110k / 60k	

Double Face Custom Embers Pan Burner, w/Grate, 16" deep			For See-Thru Fireplaces					
Black Painted Steel					Add N for Natural Gas; P for Propane after Item #			

12, 15	DF-CF15-HFG-SE-	1,257.00	27" front / 27" rear / 18" depth	1	40 / 37	Z21.84	60k / 30k	
18	DF-CF18-HFG-SE-	1,299.00	30" front / 30" rear / 18" depth	1	46 / 43	Z21.84	60k / 45k	
20, 21	DF-CF20-HFG-SE-	1,327.00	32" front / 32" rear / 18" depth	2	59 / 54	Z21.84	75k / 50k	
24	DF-CF24-HFG-SE-	1,361.00	36" front / 36" rear / 18" depth	2	77 / 71	Z21.84	85k / 60k	
27, 30	DF-CF30-HFG-SE-	1,507.00	42" front / 42" rear / 18" depth	3	103 / 93	Z21.84	90k / 70k	

Item #	Wireless Remote Transmitter Devices for RPK3E and SE Remote Ready	MSRP	Wt
SR-2R	Wireless Hand-held Transmitter with simple ON/OFF function	110.00	2
THR-2R	Wireless Hand-held Transmitter with Thermostat function	165.00	2
TS-2R	Wireless Wall Thermostat Control	200.00	2
WS-2R	Wireless Wall Switch	165.00	5
WT-2R	Wireless 30/60/120 minute Wall Timer	165.00	5
RH2	Ceramic Log House for "SE", "RE" and Millivolt receivers	67.00	4
RH3	Smooth-sided Receiver House - use with FireBalls, FireShapes and FireStones for contemporary look **SPECIFY CERAMIC COLOR** (See Pg.41)	67.00	4

Variable Remote "EASY" Safety Control - Factory Assembled (RE)

RMC1E Standing Pilot Control System

Light the burner and control the flame height with the hand-held wireless remote control.

Hearth Kits Include: Remote Transmitter, Pan Filler - Sand for Natural Gas (Indoors) or Volcanic Ash for Propane; Ember Magic; Volcanic Ash (floor dressing) except CS and CXF; Flexible SS Non-Whistling Connector Kit; Damper Clamp; Instructions.
Powered by 4 - AA Batteries (included).

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
RMC1E and RE include the Hand-held Remote Transmitter.
RH2 or RH3 recommended to protect receiver from heat.

Standard Connection is on the Right Side. You may specify "Left Side Feed" when ordering if you wish to have the connection on the Left Side.

Standing Pilot Control System			Minimum Footprint Dimensions		Weight		BTU/hr	
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP	
Flaming Ember Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
12, 15	B15FH-RE-	1,142.00	27" front / 18" rear / 13" depth	1	29 / 28	Z21.84	32k / 27k	
18	B18FH-RE-	1,170.00	30" front / 21" rear / 13" depth	1	33 / 32	Z21.84	43k / 27k	
20, 21	B20FH-RE-	1,182.00	32" front / 23" rear / 13" depth	1	38 / 37	Z21.84	51k / 35k	
24	B24FH-RE-	1,193.00	36" front / 27" rear / 13" depth	1	44 / 41	Z21.84	72k / 37k	
27, 30	B30FH-RE-	1,257.00	42" front / 33" rear / 13" depth	2	63 / 56	Z21.84	75k / 50k	
Flaming Ember XTRA Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
12, 15	B15FXH-RE-	1,239.00	27" front / 18" rear / 15" depth	1	31 / 30	Z21.84	32k / 27k	
18	B18FXH-RE-	1,269.00	30" front / 21" rear / 15" depth	1	35 / 34	Z21.84	43k / 27k	
20, 21	B20FXH-RE-	1,286.00	32" front / 23" rear / 15" depth	1	38 / 35	Z21.84	51k / 35k	
24	B24FXH-RE-	1,304.00	36" front / 27" rear / 15" depth	1	49 / 46	Z21.84	72k / 37k	
27, 30	B30FXH-RE-	1,392.00	42" front / 33" rear / 15" depth	2	63 / 58	Z21.84	75k / 50k	
Multi-Burner/Grate Use with Evening Series Logs For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
18,20,21	LC18-RE-	1,378.00	30" front / 21" rear / 14" depth	1	47 / 40	Z21.60	50k / 50k	
24	LC24-RE-	1,413.00	36" front / 27" rear / 14" depth	2	60 / 53	Z21.60	70k / 70k	
27, 30	LC30-RE-	1,494.00	42" front / 33" rear / 14" depth	2	73 / 63	Z21.60	80k / 80k	
36, 42	LC36-RE-	1,886.00	48" front / 39" rear / 14" depth	2	94 / 80	Z21.60	90k / 90k	
Multi-Burner/Grate Use with TimberFire Logs For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
24	LD24-RE-	1,574.00	36" front / 27" rear / 18" depth	2	82 / 83	RIW	90k / 75k	
27, 30	LD30-RE-	1,609.00	42" front / 33" rear / 18" depth	2 / 3	95 / 105	RIW	140k / 89k	
36, 42	LD36-RE-	1,909.00	48" front / 39" rear / 20" depth	3	121/121	RIW	150k / 105k	

To Protect Receiver from Heat				
RH2	67.00	Ceramic Log House for "SE", "RE" and Millivolt receivers	1	4

Variable Remote "EASY" Safety Control - Factory Assembled (RE)

RMC1E Standing Pilot Control System - Light the burner and control the flame height with the hand-held wireless remote control. **Hearth Kits Include:** Remote Transmitter; Pan Filler - Sand for Natural Gas (Indoors) or Volcanic Ash for Propane; Ember Magic; Volcanic Ash (floor dressing) except CS and CXF; Flexible SS Non-Whistling Connector Kit; Damper Clamp; Instructions. Powered by 4 - AA Batteries (included).

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
RMC1E and RE include the Hand-held Remote Transmitter.
RH2 or RH3 recommended to protect receiver from heat.

Standing Pilot Control System		Minimum Footprint Dimensions		Weight		BTU/hr	
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP

Custom Pan Burner with Strap Legs, 12" deep (16" for 27W and 30W)							
Black Painted Steel For Single, Double and Multi-Sided Fireplaces							
Add N for Natural Gas; P for Propane after Item #				[Not for use with a Grate]			
12,15,16	CS16-B-RE-	1,159.00	28" front / 20" rear / 14" depth	1	28 / 28	RIW	65k / 27k
18	CS18-B-RE-	1,188.00	30" front / 22" rear / 14" depth	1	32 / 32	RIW	75k / 27k
20, 21	CS21-B-RE-	1,211.00	33" front / 25" rear / 14" depth	1	35 / 35	RIW	76k / 35k
24	CS24-B-RE-	1,234.00	36" front / 28" rear / 14" depth	1	42 / 42	RIW	90k / 37k
24, 27	CS27W-B-RE-	1,401.00	39" front / 31" rear / 18" depth	2	69 / 69	RIW	100k / 60k
27, 30	CS30-B-RE-	1,320.00	42" front / 34" rear / 14" depth	2	56 / 56	RIW	110k / 50k
27, 30	CS30W-B-RE-	1,459.00	42" front / 34" rear / 18" depth	2	71 / 71	RIW	120k / 70k

Custom Pan Burner with Round Legs, 12" deep (16" for 27W and 30W)							
Stainless Steel For Single, Double and Multi-Sided Fireplaces							
Add N for Natural Gas; P for Propane after Item #				[Not for use with a Grate]			
12,15,16	CS16-SR-RE-	1,546.00	28" front / 20" rear / 14" depth	1	27 / 27	RIW	65k / 27k
18	CS18-SR-RE-	1,609.00	30" front / 22" rear / 14" depth	1	31 / 31	RIW	75k / 27k
20, 21	CS21-SR-RE-	1,670.00	33" front / 25" rear / 14" depth	1	34 / 34	RIW	76k / 35k
24	CS24-SR-RE-	1,731.00	36" front / 28" rear / 14" depth	1	38 / 28	RIW	90k / 37k
24, 27	CS27W-SR-RE-	2,140.00	39" front / 31" rear / 18" depth	2	68 / 68	RIW	100k / 60k
27, 30	CS30-SR-RE-	1,939.00	42" front / 34" rear / 14" depth	2	55 / 55	RIW	110k / 50k
27, 30	CS30W-SR-RE-	2,285.00	42" front / 34" rear / 18" depth	2	70 / 70	RIW	120k / 70k

Custom Embers Tapered Pan Burner For Single Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
12	CXF12-B-RE-	1,193.00	29" front / 17" rear / 12" depth	1	23 / 17	RIW	50k / 27k
12,15,16	CXF15-B-RE-	1,228.00	32" front / 19" rear / 12" depth	1	27 / 20	RIW	60k / 30k
18	CXF18-B-RE-	1,263.00	35" front / 22" rear / 15" depth	1	40 / 40	RIW	70k / 35k
20, 21	CXF21-B-RE-	1,280.00	38" front / 25" rear / 15" depth	1	48 / 48	RIW	85k / 37k
24	CXF24-B-RE-	1,297.00	41" front / 28" rear / 15" depth	2	60 / 60	RIW	100k / 50k
27, 30	CXF30-B-RE-	1,378.00	46" front / 34" rear / 15" depth	2	69 / 69	RIW	110k / 60k

Double Face Custom Embers Pan Burner, w/Grate, 16" deep For See-Thru Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
12, 15	DF-CF15-HFG-RE-	1,540.00	27" front / 27" rear / 18" depth	1	40 / 37	Z21.84	50k / 40k
18	DF-CF18-HFG-RE-	1,581.00	30" front / 30" rear / 18" depth	1	46 / 43	Z21.84	60k / 45k
20, 21	DF-CF20-HFG-RE-	1,609.00	32" front / 32" rear / 18" depth	2	59 / 54	Z21.84	75k / 50k
24	DF-CF24-HFG-RE-	1,644.00	36" front / 36" rear / 18" depth	2	77 / 71	Z21.84	85k / 60k
27, 30	DF-CF30-HFG-RE-	1,789.00	42" front / 42" rear / 18" depth	3 / 2	103 / 93	Z21.84	90k / 70k

RH3	67.00	Smooth-sided Receiver House **SPECIFY CERAMIC COLOR** (See Page 41)	1	4
------------	--------------	--	---	---

Variable Remote Electronic Ignition with Valve Vanisher (VEI)

EIS Pilot-on-Demand System

Raises log set 2 5/8" above the floor.

Factory assembled Chassis/Burner/Control System. **Right side gas feed only.**

Includes: Remote Transmitter, Pan Filler, Ember Magic, Volcanic Ash (floor dressing) except CS and CXF; Damper Clamp, Instructions, Flexible SS Non-Whistling Connector Kit.

Powered by 4-AA Batteries (included)

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use **ONLY** in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
Includes Handheld Remote Transmitter

EIS Pilot-on-Demand System			Minimum Footprint Dimensions		Weight		BTU/hr	
Set Size	Item #	MSRP	To Center Assembly in FireBox		NG/LP	Certif.	NG / LP	
Flaming Ember Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
15	B15FH-VEI-	1,678.00	25 1/2" front / 15 3/4" rear / 12 7/8" depth		2	41 / 40	Z21.60	32k / 20k
18	B18FH-VEI-	1,725.00	28 1/2" front / 18 3/4" rear / 12 7/8" depth		2	50 / 49	Z21.60	37k / 33k
20, 21	B20FH-VEI-	1,766.00	30 1/2" front / 20 3/4" rear / 12 7/8" depth		2	55 / 54	Z21.60	42k / 35k
24	B24FH-VEI-	1,794.00	34 1/2" front / 24 3/4" rear / 12 7/8" depth		2	61 / 58	Z21.60	70k / 55k
27, 30	B30FH-VEI-	1,898.00	40 1/2" front / 30 3/4" rear / 12 7/8" depth		2	77 / 70	Z21.60	80k / 60k
Flaming EmberXTRA Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
15	B15FXH-VEI-	1,782.00	25 1/8" front / 15 7/8" rear / 14 7/8" depth		2	42 / 41	Z21.60	32k / 20k
18	B18FXH-VEI-	1,835.00	28 1/8" front / 18 7/8" rear / 14 7/8" depth		2	51 / 50	Z21.60	37k / 33k
20, 21	B20FXH-VEI-	1,869.00	30 1/8" front / 20 7/8" rear / 14 7/8" depth		2	56 / 54	Z21.60	42k / 35k
24	B24FXH-VEI-	1,904.00	34 1/8" front / 24 7/8" rear / 14 7/8" depth		2	64 / 61	Z21.60	70k / 55k
27, 30	B30FXH-VEI-	2,031.00	40 1/8" front / 30 7/8" rear / 14 7/8" depth		2	78 / 73	Z21.60	80k / 60k
Multi-Burner/Grate Use with Evening Series Logs For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
18	LC18-VEI-	1,927.00	28 1/8" front / 18 7/8" rear / 14 7/8" depth		2	62 / 55	Z21.60	50k / 50k
24	LC24-VEI-	2,002.00	34 1/8" front / 24 7/8" rear / 14 7/8" depth		2	73 / 66	Z21.60	70k / 70k
27, 30	LC30-VEI-	2,124.00	40 1/8" front / 30 7/8" rear / 14 7/8" depth		2	84 / 74	Z21.60	80k / 80k
Double Face Custom Embers Pan Burner w/Grate, 16" deep For See-Thru Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
15	DF-CF15-VEI-	2,100.00	17 1/2" front / 17 1/2" rear / 19 1/4" depth		2	52 / 49	Z21.60	50k / 40k
18	DF-CF18-VEI-	2,175.00	20 1/2" front / 20 1/2" rear / 19 1/4" depth		2	62 / 59	Z21.60	60k / 45k
20, 21	DF-CF20-VEI-	2,239.00	22 1/2" front / 22 1/2" rear / 19 1/4" depth		2	69 / 64	Z21.60	65k / 50k
24	DF-CF24-VEI-	2,308.00	26 1/2" front / 26 1/2" rear / 19 1/4" depth		2	88 / 82	Z21.60	70k / 55k
27, 30	DF-CF30-VEI-	2,493.00	32 1/2" front / 32 1/2" rear / 19 1/4" depth		3 / 2	113/103	Z21.60	80k / 65k
Custom Embers Tapered Pan Burner For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]								
15, 16	CXF15-B-VEI-	1,766.00	27 1/8" front / 17 3/8" rear / 15 1/2" depth		2	44 / 36	RIW	60k / 30k
18	CXF18-B-VEI-	1,812.00	30 1/8" front / 20 3/8" rear / 15 1/2" depth		2	52 / 52	RIW	70k / 35k
20, 21	CXF21-B-VEI-	1,858.00	33 1/8" front / 23 3/8" rear / 15 1/2" depth		2	62 / 62	RIW	85k / 37k
24	CXF24-B-VEI-	1,893.00	36 1/8" front / 26 3/8" rear / 15 1/2" depth		2	69 / 69	RIW	100k / 50k
27, 30	CXF30-B-VEI-	2,020.00	42 1/8" front / 32 3/8" rear / 15 1/2" depth		2	81 / 81	RIW	110k / 60k
GV60-WMB		37.00	Wall Mounting Bracket for VEI Handheld Transmitters (1ctn, 1 lb)					
GV60-WS1		200.00	Wired Wall Switch w/ Variable Flame Height Control for VEI. Includes 26' of wires. (2lb)					

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Variable Remote Electronic Ignition with Valve Vanisher (VEI)

EIS Pilot-on-Demand System			Minimum Footprint Dimensions		Weight		BTU/hr
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG/LP	Certif.	NG / LP
Custom Pan Burner, 12" deep (16" for 27W and 30W)							
Black Painted Steel For Single, Double and Multi-Sided Fireplaces							
Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
15, 16	CS16-BR-VEI-	1,725.00	20" front / 20" rear / 14" depth	2	39 / 39	RIW	65k / 27k
18	CS18-BR-VEI-	1,772.00	22" front / 22" rear / 14" depth	2	44 / 44	RIW	75k / 27k
20, 21	CS21-BR-VEI-	1,806.00	26" front / 26" rear / 14" depth	2	49 / 49	RIW	75k / 35k
24	CS24-BR-VEI-	1,863.00	28" front / 28" rear / 14" depth	2	53 / 53	RIW	90k / 37k
27, 30	CS27W-BR-VEI-	2,100.00	31" front / 31" rear / 18" depth	2	75 / 75	RIW	110k / 60k
27, 30	CS30-BR-VEI-	1,990.00	34" front / 34" rear / 14" depth	2	65 / 65	RIW	100k / 50k
27, 30	CS30W-BR-VEI-	2,193.00	34" front / 34" rear / 18" depth	2	79 / 79	RIW	120k / 70k

Variable Remote Standing Pilot with Valve Vanisher (VRP)

Standing Pilot Remote Control System **Raises log set 2 5/8" above the floor.**

Factory assembled Chassis/Burner/Control System. **Right side gas feed only.**

Includes: Remote Transmitter; Pan Filler, Ember Magic, Volcanic Ash (floor dressing) except CS and CXF; Damper Clamp; Instructions; Flexible SS Non-Whistling Connector Kit, Damper Clamp.

Powered by 4 - AA Batteries (included)

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
Includes Handheld Remote Transmitter

Standing Pilot Control System			Minimum Footprint Dimensions		Weight		BTU/hr
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG/LP	Certif.	(NG / LP)
Flaming Ember Burner and Grate For Single Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
15	B15FH-VRP-	1,319.00	25 1/2" front / 15 3/4" rear / 12 7/8" depth	2	41 / 40	Z21.60	32k / 21k
18	B18FH-VRP-	1,365.00	28 1/2" front / 18 3/4" rear / 12 7/8" depth	2	50 / 49	Z21.60	37k / 33k
20, 21	B20FH-VRP-	1,406.00	30 1/2" front / 20 3/4" rear / 12 7/8" depth	2	55 / 54	Z21.60	42k / 35k
24	B24FH-VRP-	1,435.00	34 1/2" front / 24 3/4" rear / 12 7/8" depth	2	61 / 58	Z21.60	70k / 55k
27, 30	B30FH-VRP-	1,539.00	40 1/2" front / 30 3/4" rear / 12 7/8" depth	2	77 / 70	Z21.60	80k / 60k

Flaming Ember XTRA Burner and Grate			For Single Sided Fireplaces				
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
15	B15FXH-VRP-	1,423.00	25 1/8" front / 15 7/8" rear / 14 7/8" depth	2	42 / 41	Z21.60	32k / 21k
18	B18FXH-VRP-	1,476.00	28 1/8" front / 18 7/8" rear / 14 7/8" depth	2	51 / 50	Z21.60	37k / 33k
20, 21	B20FXH-VRP-	1,510.00	30 1/8" front / 20 7/8" rear / 14 7/8" depth	2	56 / 54	Z21.60	42k / 35k
24	B24FXH-VRP-	1,545.00	34 1/8" front / 24 7/8" rear / 14 7/8" depth	2	64 / 61	Z21.60	70k / 55k
27, 30	B30FXH-VRP-	1,672.00	40 1/8" front / 30 7/8" rear / 14 7/8" depth	2	78 / 73	Z21.60	80k / 60k

Multi-Burner/Grate		Use with Evening Series Logs		For Single Sided Fireplaces			
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
18	LC18-VRP-	1,568.00	28 1/8" front / 18 7/8" rear / 14 7/8" depth	2	62 / 55	Z21.60	50k / 50k
24	LC24-VRP-	1,643.00	34 1/8" front / 24 7/8" rear / 14 7/8" depth	2	73 / 66	Z21.60	70k / 70k
27, 30	LC30-VRP-	1,764.00	40 1/8" front / 30 7/8" rear / 14 7/8" depth	2	84 / 74	Z21.60	80k / 80k

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Variable Remote Standing Pilot with Valve Vanisher (VRP)

Standing Pilot Remote Control System

Raises log set 2 5/8" above the floor.

Factory assembled Chassis/Burner/Control System. **Right side gas feed only.**

Includes: Remote Transmitter; Pan Filler, Ember Magic, Volcanic Ash (floor dressing) except CS and CXF; Damper Clamp; Instructions; Flexible SS Non-Whistling Connector Kit, Damper Clamp.

Powered by 4 - AA Batteries (included)

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
Includes Handheld Remote Transmitter

Standing Pilot Control System			Minimum Footprint Dimensions		Weight		BTU/hr		
Set Size	Item #	MSRP	To Center Assembly in FireBox		Ctns	NG/LP	Certif.	NG / LP	
Custom Pan Burner, 12" deep (16" for 27W and 30W)									
Black Painted Steel For Single, Double and Multi-Sided Fireplaces									
Add N for Natural Gas; P for Propane after Item #				[Not for use with a Grate]					
15, 16	CS16-BR-VRP-	1,365.00	20" front / 20" rear / 14" depth		2	39 / 39	RIW	65k / 35k	
18	CS18-BR-VRP-	1,413.00	22" front / 22" rear / 14" depth		2	44 / 44	RIW	75k / 40k	
20, 21	CS21-BR-VRP-	1,447.00	26" front / 26" rear / 14" depth		2	49 / 49	RIW	75k / 45k	
24	CS24-BR-VRP-	1,504.00	28" front / 28" rear / 14" depth		2	53 / 53	RIW	80k / 50k	
27, 30	CS27W-BR-VRP-	1,741.00	31" front / 31" rear / 18" depth		2	75 / 75	RIW	85k / 65k	
27, 30	CS30-BR-VRP-	1,631.00	34" front / 34" rear / 14" depth		2	65 / 65	RIW	90k / 75k	
27, 30	CS30W-BR-VRP-	1,834.00	34" front / 34" rear / 18" depth		2	79 / 79	RIW	100k / 80k	
Custom Embers Tapered Pan Burner For Single Sided Fireplaces									
Black Painted Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]									
15, 16	CXF15-B-VRP-	1,406.00	27 1/8" front / 17 3/8" rear / 15 1/2" depth		2	44 / 36	RIW	60k / 30k	
18	CXF18-B-VRP-	1,453.00	30 1/8" front / 20 3/8" rear / 15 1/2" depth		2	52 / 52	RIW	70k / 35k	
20, 21	CXF21-B-VRP-	1,499.00	33 1/8" front / 23 3/8" rear / 15 1/2" depth		2	62 / 62	RIW	85k / 37k	
24	CXF24-B-VRP-	1,533.00	36 1/8" front / 26 3/8" rear / 15 1/2" depth		2	69 / 69	RIW	90k / 50k	
27, 30	CXF30-B-VRP-	1,661.00	42 1/8" front / 32 3/8" rear / 15 1/2" depth		2	81 / 81	RIW	100k / 60k	
Double Face Custom Embers Pan Burner w/Grate, 16" deep For See-Thru Fireplaces									
Black Painted Steel Add N for Natural Gas; P for Propane after Item #									
15	DF-CF15-VRP-	1,741.00	17 1/2" front / 17 1/2" rear / 19 1/4" depth		2	52 / 49	Z21.60	50k / 40k	
18	DF-CF18-VRP-	1,816.00	20 1/2" front / 20 1/2" rear / 19 1/4" depth		2	62 / 59	Z21.60	60k / 45k	
20, 21	DF-CF20-VRP-	1,880.00	22 1/2" front / 22 1/2" rear / 19 1/4" depth		2	69 / 64	Z21.60	65k / 50k	
24	DF-CF24-VRP-	1,949.00	26 1/2" front / 26 1/2" rear / 19 1/4" depth		2	88 / 82	Z21.60	70k / 55k	
27, 30	DF-CF30-VRP-	2,134.00	32 1/2" front / 32 1/2" rear / 19 1/4" depth		3 / 2	113/103	Z21.60	80k / 65k	
Remote Accessories/Parts for Millivolt Controls (VMV, S, RPK) and EIS-24V									
THR-MV1	RF Wireless Hand-held ON/OFF/Thermostat/Count-down Timer/ Non-Programmable Transmitter/Receiver (batteries included)						339.00	2	
SR-MV1	RF Wireless Hand-held ON/OFF Transmitter/Receiver (batteries included)						241.00	2	
WS-MV1	RF Wireless Wall Switch ON/OFF Transmitter/Receiver (batteries included)						264.00	2	
WT-MV1	RF Wireless Wall Timer ON/OFF Transmitter/Receiver (batteries included)						264.00	2	
TS-1	Wall Thermostat Control, 20' wire						84.00	1	
WS-1	Wall Switch, Cover, 20' wire						45.00	1	
WT-1	60 minute Wall Timer, Cover, 20' wire						149.00	1	
RH2	Ceramic Log House for remote receivers						67.00	4	
RH3	Smooth-sided Receiver House - use with FireBalls, FireShapes and FireStones for contemporary look (specify Ceramic Color – See Page 41)						67.00	4	

All items are subject to availability. Prices subject to change without notice. All rights reserved.

Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Millivolt/Switch/Remote Ready with Valve Vanisher (VMV)

Standing Pilot Millivolt Control System

Raises log set 2 5/8" above the floor.

Factory assembled Chassis/Burner/Control System with Toggle Switch. **Right side gas feed only.**

Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
See Page 20 for Remote Switch and Transmitter options.

Standing Pilot Control System			Minimum Footprint Dimensions		Weight		BTU/hr	
Set Size	Item #	MSRP	To Center Assembly in FireBox		Ctns	NG/LP	Certif.	(NG / LP)
Flaming Ember Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
15	B15FH-VMV-	1,176.00	25 1/2" front / 15 3/4" rear / 12 7/8" depth		2	40 / 39	Z21.60	32k / 21k
18	B18FH-VMV-	1,223.00	28 1/2" front / 18 3/4" rear / 12 7/8" depth		2	49 / 48	Z21.60	37k / 33k
20, 21	B20FH-VMV-	1,257.00	30 1/2" front / 20 3/4" rear / 12 7/8" depth		2	54 / 53	Z21.60	42k / 35k
24	B24FH-VMV-	1,292.00	34 1/2" front / 24 3/4" rear / 12 7/8" depth		2	60 / 57	Z21.60	70k / 55k
27, 30	B30FH-VMV-	1,396.00	40 1/2" front / 30 3/4" rear / 12 7/8" depth		2	76 / 69	Z21.60	80k / 60k

Flaming Ember XTRA Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
15	B15FXH-VMV-	1,274.00	25 1/8" front / 15 7/8" rear / 14 7/8" depth		2	41 / 40	Z21.60	32k / 21k
18	B18FXH-VMV-	1,327.00	28 1/8" front / 18 7/8" rear / 14 7/8" depth		2	50 / 49	Z21.60	37k / 33k
20, 21	B20FXH-VMV-	1,361.00	30 1/8" front / 20 7/8" rear / 14 7/8" depth		2	55 / 53	Z21.60	42k / 35k
24	B24FXH-VMV-	1,401.00	34 1/8" front / 24 7/8" rear / 14 7/8" depth		2	63 / 60	Z21.60	70k / 55k
27, 30	B30FXH-VMV-	1,528.00	40 1/8" front / 30 7/8" rear / 14 7/8" depth		2	77 / 72	Z21.60	80k / 60k

Multi-Burner/Grate Use with Evening Series Logs For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
18	LC18-VMV-	1,419.00	28 1/8" front / 18 7/8" rear / 14 7/8" depth		2	61 / 54	Z21.60	50k / 50k
24	LC24-VMV-	1,494.00	34 1/8" front / 24 7/8" rear / 14 7/8" depth		2	72 / 65	Z21.60	70k / 70k
27, 30	LC30-VMV-	1,621.00	40 1/8" front / 30 7/8" rear / 14 7/8" depth		2	83 / 73	Z21.60	80k / 80k

Custom Pan Burner, 12" deep (16" for 27W and 30W)								
Black Painted Steel For Single, Double and Multi-Sided Fireplaces								
Add N for Natural Gas; P for Propane after Item #					[Not for use with a Grate]			
15, 16	CS16-BR-VMV-	1,211.00	20" front / 20" rear / 14" depth		2	38 / 38	RIW	65k / 35k
18	CS18-BR-VMV-	1,239.00	22" front / 22" rear / 14" depth		2	43 / 43	RIW	75k / 40k
20, 21	CS21-BR-VMV-	1,298.00	26" front / 26" rear / 14" depth		2	48 / 48	RIW	75k / 45k
24	CS24-BR-VMV-	1,338.00	28" front / 28" rear / 14" depth		2	52 / 52	RIW	80k / 50k
27, 30	CS27W-BR-VMV-	1,586.00	31" front / 31" rear / 18" depth		2	74 / 74	RIW	85k / 65k
27, 30	CS30-BR-VMV-	1,482.00	34" front / 34" rear / 14" depth		2	64 / 64	RIW	90k / 75k
27, 30	CS30W-BR-VMV-	1,678.00	34" front / 34" rear / 18" depth		2	78 / 78	RIW	100k / 80k

Custom Embers Tapered Pan Burner For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]								
15, 16	CXF15-B-VMV-	1,257.00	27 1/8" front / 17 3/8" rear / 15 1/2" depth		2	43 / 35	RIW	60k / 30k
18	CXF18-B-VMV-	1,309.00	30 1/8" front / 20 3/8" rear / 15 1/2" depth		2	51 / 51	RIW	70k / 35k
20, 21	CXF21-B-VMV-	1,343.00	33 1/8" front / 23 3/8" rear / 15 1/2" depth		2	61 / 61	RIW	85k / 37k
24	CXF24-B-VMV-	1,390.00	36 1/8" front / 26 3/8" rear / 15 1/2" depth		2	68 / 68	RIW	90k / 50k
27, 30	CXF30-B-VMV-	1,505.00	42 1/8" front / 32 3/8" rear / 15 1/2" depth		2	80 / 80	RIW	100k / 60k

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Millivolt/Switch/Remote Ready with Valve Vanisher (VMV)

Standing Pilot Millivolt Control System

Raises log set 2 5/8" above the floor.

Factory assembled Chassis/Burner/Control System with Toggle Switch. **Right side gas feed only.**

Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
See Page 20 for Remote Switch and Transmitter options.

Standing Pilot Control System			Minimum Footprint Dimensions		Weight		BTU/hr
Set Size	Item #	MSRP	To Center Assembly in FireBox		Ctns	NG/LP	Certif. (NG / LP)
Double Face Custom Embers Pan Burner w/Grate, 16" deep					For See-Thru Fireplaces		
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
15	DF-CF15-VMV-	1,592.00	17 1/2" front / 17 1/2" rear / 19 1/4" depth		2	51 / 48	Z21.60 50k / 40k
18	DF-CF18-VMV-	1,667.00	20 1/2" front / 20 1/2" rear / 19 1/4" depth		2	61 / 58	Z21.60 60k / 45k
20, 21	DF-CF20-VMV-	1,731.00	22 1/2" front / 22 1/2" rear / 19 1/4" depth		2	68 / 63	Z21.60 65k / 50k
24	DF-CF24-VMV-	1,800.00	26 1/2" front / 26 1/2" rear / 19 1/4" depth		2	87 / 81	Z21.60 70k / 55k
27, 30	DF-CF30-VMV-	1,990.00	32 1/2" front / 32 1/2" rear / 19 1/4" depth		3 / 2	112/102	Z21.60 80k / 65k

Manual Safety Pilot Control with Valve Vanisher (VSP)

Standing Pilot Manual Control System

Raises log set 2 5/8" above the floor.

**Manual Control with Standing Pilot –
turn the knob to light the main burner and adjust flame height**

Factory assembled Chassis/Burner/Control System. **Right side gas feed only.**

Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions.

Manual Controls are not upgradeable to "Remote Control" functionality.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Standing Pilot Control System			Minimum Footprint Dimensions		Weight		BTU/hr
Set Size	Item #	MSRP	To Center Assembly in FireBox		Ctns	NG / LP	Certif. NG / LP
Flaming Ember Burner and Grate					For Single Sided Fireplaces		
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
15	B15FH-VSP-	865.00	25 1/2" front / 15 3/4" rear / 12 7/8" depth		2	40 / 39	Z21.60 32k / 21k
18	B18FH-VSP-	911.00	28 1/2" front / 18 3/4" rear / 12 7/8" depth		2	49 / 48	Z21.60 37k / 33k
20, 21	B20FH-VSP-	945.00	30 1/2" front / 20 3/4" rear / 12 7/8" depth		2	54 / 53	Z21.60 42k / 35k
24	B24FH-VSP-	980.00	34 1/2" front / 24 3/4" rear / 12 7/8" depth		2	60 / 57	Z21.60 70k / 55k
27, 30	B30FH-VSP-	1,084.00	40 1/2" front / 30 3/4" rear / 12 7/8" depth		2	76 / 69	Z21.60 80k / 60k

Flaming EmberXTRA Burner and Grate					For Single Sided Fireplaces		
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
15	B15FXH-VSP-	962.00	25 1/8" front / 15 7/8" rear / 14 7/8" depth		2	41 / 40	Z21.60 32k / 21k
18	B18FXH-VSP-	1,015.00	28 1/8" front / 18 7/8" rear / 14 7/8" depth		2	50 / 49	Z21.60 37k / 33k
20, 21	B20FXH-VSP-	1,049.00	30 1/8" front / 20 7/8" rear / 14 7/8" depth		2	55 / 53	Z21.60 42k / 35k
24	B24FXH-VSP-	1,089.00	34 1/8" front / 24 7/8" rear / 14 7/8" depth		2	63 / 60	Z21.60 70k / 55k
27, 30	B30FXH-VSP-	1,257.00	40 1/8" front / 30 7/8" rear / 14 7/8" depth		2	77 / 72	Z21.60 80k / 60k

All items are subject to availability. Prices subject to change without notice. All rights reserved.

Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Manual Safety Pilot Control with Valve Vanisher (VSP)

Standing Pilot Manual Control System Raises log set 2 5/8" above the floor.

Manual Control with Standing Pilot –
 Turn the knob to light the main burner and adjust flame height

Factory assembled Chassis/Burner/Control System. **Right side gas feed only.**

Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions.

Manual Controls are not upgradeable to "Remote Control" functionality.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Standing Pilot Control System			Minimum Footprint Dimensions	Weight	BTU/hr		
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG/LP	Certif.	NG / LP
Multi-Burner/Grate		Use with Evening Series Logs		For Single Sided Fireplaces			
18	LC18-VSP-	1,107.00	28 1/8" front / 18 7/8" rear / 14 7/8" depth	2	61 / 54	RIW	50k / 50k
24	LC24-VSP-	1,182.00	34 1/8" front / 24 7/8" rear / 14 7/8" depth	2	72 / 65	RIW	70k / 70k
27, 30	LC30-VSP-	1,309.00	40 1/8" front / 30 7/8" rear / 14 7/8" depth	2	83 / 73	RIW	80k / 80k

Custom Pan Burner, 12" deep (16" for 27W and 30W) For Single, Double & Multi-Sided Fireplaces							
15, 16	CS16-BR-VSP-	893.00	20" front / 20" rear / 14" depth	2	38 / 38	RIW	65k / 35k
18	CS18-BR-VSP-	928.00	22" front / 22" rear / 14" depth	2	43 / 43	RIW	75k / 40k
20, 21	CS21-BR-VSP-	980.00	26" front / 26" rear / 14" depth	2	48 / 48	RIW	75k / 45k
24	CS24-BR-VSP-	1,020.00	28" front / 28" rear / 14" depth	2	52 / 52	RIW	80k / 50k
27, 30	CS27W-BR-VSP-	1,274.00	31" front / 31" rear / 18" depth	2	74 / 74	RIW	85k / 65k
27, 30	CS30-BR-VSP-	1,153.00	34" front / 34" rear / 14" depth	2	64 / 64	RIW	90k / 75k
27, 30	CS30W-BR-VSP-	1,343.00	34" front / 34" rear / 18" depth	2	78 / 78	RIW	100k / 80k

Custom Embers Tapered Pan Burner For Single Sided Fireplaces							
Black Painted Steel		Add N for Natural Gas; P for Propane after Item #			[Not for use with a Grate]		
15, 16	CXF15-B-VSP-	945.00	27 1/8" front / 17 3/8" rear / 15 1/2" depth	2	43 / 35	RIW	60k / 30k
18	CXF18-B-VSP-	997.00	30 1/8" front / 20 3/8" rear / 15 1/2" depth	2	51 / 51	RIW	70k / 35k
20, 21	CXF21-B-VSP-	1,038.00	33 1/8" front / 23 3/8" rear / 15 1/2" depth	2	61 / 61	RIW	85k / 37k
24	CXF24-B-VSP-	1,078.00	36 1/8" front / 26 3/8" rear / 15 1/2" depth	2	68 / 68	RIW	90k / 50k
27, 30	CXF30-B-VSP-	1,200.00	42 1/8" front / 32 3/8" rear / 15 1/2" depth	2	80 / 80	RIW	100k / 60k

Double Face Custom Embers Pan Burner w/Grate, 16" deep For See-Thru Fireplaces							
Black Painted Steel		Add N for Natural Gas; P for Propane after Item #					
15	DF-CF15-VSP-	1,176.00	17 1/2" front / 17 1/2" rear / 19 1/4" depth	2	51 / 48	Z21.60	50k / 40k
18	DF-CF18-VSP-	1,355.00	20 1/2" front / 20 1/2" rear / 19 1/4" depth	2	61 / 58	Z21.60	60k / 45k
20, 21	DF-CF20-VSP-	1,419.00	22 1/2" front / 22 1/2" rear / 19 1/4" depth	2	68 / 63	Z21.60	65k / 50k
24	DF-CF24-VSP-	1,488.00	26 1/2" front / 26 1/2" rear / 19 1/4" depth	2	87 / 81	Z21.60	70k / 55k
27, 30	DF-CF30-VSP-	1,678.00	32 1/2" front / 32 1/2" rear / 19 1/4" depth	3 / 2	112/102	Z21.60	80k / 65k

Millivolt/Remote Ready Controls – Factory Assembled (S)

Light the burner with the installed Toggle Switch, or with the millivolt accessories found on **Page 20**.

Adjust the flame height manually by adjusting the knob at the valve. **Standing Pilot Control System**

Hearth Kits Include: Pan Filler - Sand for Natural Gas (Indoors) or Volcanic Ash for Propane; Ember Magic; Volcanic Ash (floor dressing) except CS and CXF; Flexible SS Non-Whistling Connector Kit; Damper Clamp; Instructions.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
See **Page 20** for Remote Switch and Transmitter options

Standard Connection is on the Right Side. You may specify "Left Side Feed" when ordering if you wish to have the connection on the Left Side.

Millivolt Standing Pilot		Minimum Footprint Dimensions			Weight		BTU/hr	
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP	
Flaming Ember Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
12, 15	B15FH-S-	907.00	27" front / 18" rear / 13" depth	1	29 / 28	Z21.84	32k / 27k	
18	B18FH-S-	934.00	30" front / 21" rear / 13" depth	1	33 / 32	Z21.84	43k / 27k	
20, 21	B20FH-S-	945.00	32" front / 23" rear / 13" depth	1	38 / 37	Z21.84	51k / 35k	
24	B24FH-S-	957.00	36" front / 27" rear / 13" depth	1	45 / 42	Z21.84	72k / 37k	
27, 30	B30FH-S-	1022.00	42" front / 33" rear / 13" depth	2	63 / 56	Z21.84	75k / 50k	
Flaming EmberXTRA Burner and Grate For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
12, 15	B15FXH-S-	1,003.00	27" front / 18" rear / 15" depth	1	30 / 29	Z21.84	32k / 27k	
18	B18FXH-S-	1,034.00	30" front / 21" rear / 15" depth	1	36 / 35	Z21.84	43k / 27k	
20, 21	B20FXH-S-	1,049.00	32" front / 23" rear / 15" depth	1	38 / 35	Z21.84	51k / 35k	
24	B24FXH-S-	1,068.00	36" front / 27" rear / 15" depth	1	49 / 46	Z21.84	72k / 37k	
27, 30	B30FXH-S-	1,155.00	42" front / 33" rear / 15" depth	2	63 / 58	Z21.84	75k / 50k	
36	FX36-HFG-S-	1,320.00	48" front / 42" rear / 18" depth	3	80 / 80	RIW	120k / 83k	
42	FX42-HFG-S-	1,419.00	54" front / 48" rear / 18" depth	3	87 / 87	RIW	120k / 108k	
48	FX48-HFG48-S-	1,505.00	60" front / 54" rear / 18" depth	3	107 / 107	RIW	120k / 116k	
54	FX48-HFG54-S-	1,540.00	66" front / 60" rear / 18" depth	4	114 / 114	RIW	120k / 116k	
60, 66	FX48-HFG60-S-	1,569.00	72" front / 66" rear / 18" depth	4	124 / 124	RIW	120k / 116k	
Multi-Burner/Grate, 12" Deep Grate Use with TimberFire Logs For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
18,20,21	LC18-S-	1,142.00	30" front / 21" rear / 14" depth	1	47 / 40	Z21.60	50k / 50k	
24	LC24-S-	1,176.00	36" front / 27" rear / 14" depth	2	60 / 53	Z21.60	70k / 70k	
27, 30	LC30-S-	1,257.00	42" front / 33" rear / 14" depth	2	73 / 63	Z21.60	80k / 80k	
36, 42	LC36-S-	1,650.00	48" front / 39" rear / 14" depth	2	94 / 80	Z21.60	90k / 90k	
Multi-Burner/Grate, 16" Deep Grate. Use with TimberFire Logs For Single Sided Fireplaces								
Black Painted Steel Add N for Natural Gas; P for Propane after Item #								
24	LD24-S-	1,338.00	36" front / 30" rear / 18" depth	2	82 / 83	RIW	90k / 75k	
27, 30	LD30-S-	1,390.00	42" front / 36" rear / 18" depth	2 / 3	95 / 105	RIW	140k / 90k	
36, 42	LD36-S-	1,690.00	48" front / 42" rear / 20" depth	3	121 / 121	RIW	150k / 105k	
48	LD48-S-	2,094.00	60" front / 54" rear / 20" depth	3	135 / 135	RIW	170k / 150k	
60, 66	LD60-S-	2,747.00	72" front / 66" rear / 20" depth	3	155 / 155	RIW	190k / 175k	
72	LD72-S-	4,092.00	84" front / 78" rear / 20" depth	4	175 / 175	RIW	220k / 185k	
84	LD84-S-	4,693.00	96" front / 90" rear / 20" depth	4	195 / 195	RIW	340k / 260k	
96	LD96-S-	5,092.00	108" front / 102" rear / 20" depth	5	220 / 220	RIW	400k / 300k	

Millivolt/Remote Ready Controls – Factory Assembled (S)

Light the burner with the included wired wall switch, or with the millivolt accessories found on **Page 20**.

Adjust the flame height manually by adjusting the knob at the valve. **Standing Pilot Control System**

Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
See **Page 20** for Remote Switch and Transmitter options

Standard Connection is on the Right Side. You may specify "Left Side Feed" when ordering if you wish to have the connection on the Left Side (right side only for LC and LD).

Millivolt Standing Pilot		Minimum Footprint Dimensions				BTU/hr	
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	Wt	Certif.	(NG / LP)
Custom Pan Burner with Strap Legs, 12" deep For Single, Double and Multi-Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
12,15,16	CS16-B-S-	922.00	28" front / 20" rear / 14" depth	1	28 / 28	RIW	65k / 27k
18	CS18-B-S-	953.00	30" front / 22" rear / 14" depth	1	32 / 32	RIW	75k / 27k
20, 21	CS21-B-S-	975.00	33" front / 25" rear / 14" depth	1	35 / 35	RIW	76k / 35k
24	CS24-B-S-	999.00	36" front / 28" rear / 14" depth	1	42 / 42	RIW	90k / 37k
27, 30	CS30-B-S-	1084.00	42" front / 34" rear / 14" depth	2	56 / 56	RIW	110k / 50k

Custom Pan Burner with Strap Legs, 16" deep For Single, Double and Multi-Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
24, 27	CS27W-B-S-	1,165.00	39" front / 33" rear / 18" depth	2	69 / 69	RIW	100k / 60k
27, 30	CS30W-B-S-	1,239.00	42" front / 36" rear / 18" depth	2	71 / 71	RIW	120k / 70k
30, 33	CS33W-B-S-	1,292.00	45" front / 39" rear / 18" depth	2	79 / 79	RIW	125k / 75k
36	CS36-B-S-	1,343.00	48" front / 42" rear / 18" depth	2	84 / 84	RIW	130k / 85k
42	CS42-B-S-	1,459.00	54" front / 48" rear / 18" depth	3	103 / 103	RIW	150k / 95k
48	CS48-B-S-	1,563.00	60" front / 54" rear / 18" depth	3	112 / 112	RIW	175k / 105k
54	CS54-B-S-	1,932.00	66" front / 60" rear / 18" depth	3	119 / 119	RIW	215k / 145k
60	CS60-B-S-	2,043.00	72" front / 66" rear / 18" depth	3	126 / 126	RIW	225k / 185k

Custom Pan Burner with Round Legs, 12" deep For Single, Double and Multi-Sided Fireplaces							
Stainless Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
12,15,16	CS16-SR-S-	1,311.00	28" front / 20" rear / 14" depth	1	28 / 28	RIW	65k / 27k
18	CS18-SR-S-	1,373.00	30" front / 22" rear / 14" depth	1	32 / 32	RIW	75k / 27k
20, 21	CS21-SR-S-	1,435.00	33" front / 25" rear / 14" depth	1	35 / 35	RIW	76k / 35k
24	CS24-SR-S-	1,496.00	36" front / 28" rear / 14" depth	1	39 / 39	RIW	90k / 37k
27, 30	CS30-SR-S-	1,704.00	42" front / 34" rear / 14" depth	2	56 / 56	RIW	110k / 50k

Custom Pan Burner with Round Legs, 16" deep For Single, Double and Multi-Sided Fireplaces							
Stainless Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
24, 27	CS27W-SR-S-	1,904.00	39" front / 33" rear / 18" depth	2	69 / 69	RIW	100k / 60k
27, 30	CS30W-SR-S-	2,066.00	42" front / 36" rear / 18" depth	2	71 / 71	RIW	120k / 70k
30, 33	CS33W-SR-S-	2,204.00	45" front / 39" rear / 18" depth	2	78 / 78	RIW	125k / 75k
36	CS36-SR-S-	2,331.00	48" front / 42" rear / 18" depth	2	83 / 83	RIW	130k / 85k
42	CS42-SR-S-	2,614.00	54" front / 48" rear / 18" depth	3	102 / 102	RIW	150k / 95k
48	CS48-SR-S-	2,886.00	60" front / 54" rear / 18" depth	3	111 / 111	RIW	175k / 105k
54	CS54-SR-S-	3,422.00	66" front / 60" rear / 18" depth	3	118 / 118	RIW	215k / 145k
60	CS60-SR-S-	3,706.00	72" front / 66" rear / 18" depth	3	125 / 125	RIW	225k / 185k

Millivolt/Remote Ready Controls – Factory Assembled (S)

Light the burner with the included wired wall switch, or with the millivolt accessories found on **Page 20**.

Adjust the flame height manually by adjusting the knob at the valve. **Standing Pilot Control System**

Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
See **Page 20** for Remote Switch and Transmitter options

Standard Connection is on the Right Side. You may specify "Left Side Feed" when ordering if you wish to have the connection on the Left Side (right side only for LC and LD).

Millivolt Standing Pilot		Minimum Footprint Dimensions				BTU/hr	
Set Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	Wt	Certif.	(NG / LP)
Custom Embers Tapered Pan Burner For Single Sided Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item # [Not for use with a Grate]							
12	CXF12-B-S-	957.00	29" front / 17" rear / 12" depth	1	23 / 17	RIW	50k / 27k
12,15,16	CXF15-B-S-	992.00	32" front / 19" rear / 12" depth	1	27 / 20	RIW	60k / 30k
18	CXF18-B-S-	1,026.00	35" front / 22" rear / 15" depth	1	40 / 40	RIW	70k / 35k
20, 21	CXF21-B-S-	1,045.00	38" front / 25" rear / 15" depth	1	48 / 48	RIW	85k / 37k
24	CXF24-B-S-	1,061.00	41" front / 28" rear / 15" depth	2	60 / 60	RIW	100k / 50k
27, 30	CXF30-B-S-	1,142.00	46" front / 34" rear / 15" depth	2	69 / 69	RIW	110k / 60k
36	CXF36-B-S-	1,384.00	52" front / 42" rear / 18" depth	3	104 / 104	RIW	120k / 70k
Double Face Custom Embers Pan Burner w/Grate, 16" deep For See-Thru Fireplaces							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
12, 15	DF-CF15-HFG-S-	1,304.00	27" front / 27" rear / 18" depth	1	40 / 37	Z21.84	50k / 40k
18, 20, 21	DF-CF18-HFG-S-	1,346.00	30" front / 30" rear / 18" depth	1	46 / 43	Z21.84	60k / 45k
20, 21	DF-CF20-HFG-S-	1,373.00	32" front / 32" rear / 18" depth	2	59 / 54	Z21.84	75k / 50k
24	DF-CF24-HFG-S-	1,407.00	36" front / 36" rear / 18" depth	2	77 / 71	Z21.84	85k / 60k
27, 30	DF-CF30-HFG-S-	1,569.00	42" front / 42" rear / 18" depth	3 / 2	103 / 93	Z21.84	90k / 70k
36	DF-CF36-HFG-S-	1,794.00	48" front / 48" rear / 20" depth	3	118 / 100	RIW	120k / 90k
42	DF-CF42-HFG-S-	2,008.00	54" front / 54" rear / 20" depth	3	133 / 115	RIW	200k / 140k
48	DF-CF48-HFG48-S-	2,366.00	60" front / 60" rear / 20" depth	3	140 / 127	RIW	260k / 155k
60	DF-CF48-HFG60-S-	2,447.00	72" front / 72" rear / 20" depth	4	160 / 142	RIW	260k / 155k
Double Face Multi-Burner/Grate, 21" deep. Use 2 sets of PH or Evening Series logs. For See-Thru FP							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
18	DF-LC18-S-	1,615.00	30" front / 30" rear / 23" depth	2	75 / 73	RIW	190k / 160k
24	DF-LC24-S-	1,678.00	36" front / 36" rear / 23" depth	2	99 / 97	RIW	210k / 180k
30	DF-LC30-S-	2,106.00	42" front / 42" rear / 23" depth	3	135 / 130	RIW	230k / 200k
36, 42	DF-LC36-S-	2,291.00	48" front / 48" rear / 23" depth	4	165 / 160	RIW	250k / 220k
Double Face Multi-Burner/Grate, 25" deep. Use 2 sets of PH or Evening Series logs. For See-Thru FP							
Black Painted Steel Add N for Natural Gas; P for Propane after Item #							
18	DF-LD18-S-	1,678.00	30" front / 30" rear / 27" depth	2	85 / 83	RIW	200k / 170k
24	DF-LD24-S-	1,759.00	36" front / 36" rear / 27" depth	3	110 / 105	RIW	220k / 190k
30	DF-LD30-S-	2,198.00	42" front / 42" rear / 27" depth	3	140 / 135	RIW	240k / 210k
36, 42	DF-LD36-S-	2,568.00	48" front / 48" rear / 27" depth	4	170 / 165	RIW	260k / 230k
48, 54	DF-LD48-S-	3,827.00	60" front / 60" rear / 27" depth	4	215 / 205	RIW	280k / 250k
60, 66	DF-LD60-S-	4,277.00	72" front / 72" rear / 27" depth	5	255 / 245	RIW	350k / 300k
72	DF-LD72-S-	4,901.00	84" front / 84" rear / 27" depth	5	300 / 290	RIW	400k / 350k

Gas Logs for Rumford Fireplaces

Traditional Rumford Fireplaces have a wide front, narrow back, shallow depth and a height nearly as tall or taller than its width. They have a unique aerodynamic throat and smoke chamber that create greater efficiency than traditional fireplace designs.

- Rasmussen has designed these two Tipi stacks to fit within the Traditional Rumford Fireplace Dimensions listed below.
- Model numbers for the Rumford Log Sets are keyed to Traditional Rumford Fireplace Dimensions, not the size of the logs.
- These Tipi sets are intended for use with the Tipi/Andiron Burner (“TNA” and “TNA-E” models).
- These sets may be used in fireplaces with more standard tapers and depths, but you may need to step up to the next size and/or add individual logs in order to satisfactorily fill the fireplace opening. Please contact Rasmussen if you need sizing and product selection assistance.

Traditional Rumford Fireplace Dimensions

Rumford F/P Size	Front Width	Rear Width	Depth	Opening Height	Use with TNA Burner	Burner Rear Width
24	24”	13.5”	12”	24” – 28”	TNA20, TNA20E	9 1/8”
30	30”	13.5”	12”	28” – 32”	TNA20, TNA20E	9 1/8”
36	36”	13.5”	14”	32” – 38”	TNA20, TNA20E	9 1/8”
42	42”	15”	15”	38” – 42”	TNA24, TNA24E	12 1/8”
48	48”	18”	16”	42” – 48”	TNA24, TNA24E	12 1/8”
60	60”	22.50	20”	45” – 54”	TNA30, TNA30E	18 1/8”
72	72”	24”	24”	45” – 60”	TNA36, TNA36E	24 1/8”

Retiring Tipi (RF-R) Short Vertically Stacked Logs for use with TNA Burners.

Rumford F/P Size	Item # Single Face	No. Pieces	MSRP	No. Ctns	Wt	Use with Burner	Stack Height
24	RF-R24LOG	9	431.00	1	28	TNA20, TNA20E	15
30	RF-R30LOG	9	449.00	1	31	TNA20, TNA20E	15
36	RF-R36LOG	10	460.00	1	35	TNA20, TNA20E	16
42	RF-R42LOG	10	483.00	1	39	TNA24, TNA24E	16
48	RF-R48LOG	10	495.00	2	52	TNA24, TNA24E	16
60	RF-R60LOG	10	645.00	2	76	TNA30, TNA30E	23
72	RF-R72LOG	11	754.00	3	95	TNA36, TNA36E	23

Rumford Tipi (RF-T) Tall Vertically Stacked Logs for use with TNA Burners.

Good for Rumford Fireplaces and Fireplaces with square or vertically oriented openings.

Rumford F/P Size	Item # Single Face	No. Pieces	MSRP	No. Ctns	Wt	Use with Burner	Stack Height
24	RF-T24LOG	9	518.00	1	42	TNA20, TNA20E	19
30	RF-T30LOG	9	519.00	1	42	TNA20, TNA20E	19
36	RF-T36LOG	11	639.00	2	73	TNA20, TNA20E	23
42	RF-T42LOG	11	708.00	3	117	TNA24, TNA24E	31
48	RF-T48LOG	11	865.00	3	140	TNA24, TNA24E	34
60	RF-T60LOG	13	1,188.00	5	219	TNA30, TNA30E	36
72	RF-T72LOG	14	1,459.00	6	235	TNA36, TNA36E	36

Rumford Fireplaces - Match Lighted/EIS Ready Hearth Kits

Propane requires safety control. See next pages for Burners with Safety Lighting Controls.

Hearth Kits Includes: Pan Filler - Sand for Natural Gas (Indoors) or Volcanic Ash for Propane and Natural Gas (Outdoors), Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

For Outdoor Use (Natural Gas): Suffix Item # with "OS" and indicate "Outdoor use" in your purchase order description and we will send Volcanic Ash in place of Sand, which we recommend to achieve an even flame in outdoor use. ****Match Lighted only - Controls are not warranted for outdoors.**

Rumford		Minimum Footprint Dimensions			Weight		BTU/hr	
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP	
Tipi/Andiron Burner <u>Black Painted Steel</u> Add N for Natural Gas; P for Propane after Item #								
24, 30, 36	TNA20-	327.00	24" front / 13.5" rear / 12" depth	1	34 / 28	RIW	80k / 50k	
42, 48	TNA24-	356.00	42" front / 15" rear / 13" depth	1	37 / 38	RIW	90k / 62k	
60	TNA30-	396.00	60" front / 22.5" rear / 14" depth	1	45 / 45	RIW	100k / 72k	
72	TNA36-	426.00	72" front / 24" rear / 16" depth	2	55 / 50	RIW	110k / 80k	

Tipi/Andiron Burner <u>Stainless Steel</u> Add N for Natural Gas; P for Propane after Item #								
24, 30, 36	TNA20-SS-	731.00	24" front / 13.5" rear / 12" depth	1	32 / 26	RIW	80k / 50k	
42, 48	TNA24-SS-	801.00	42" front / 15" rear / 13" depth	1	35 / 36	RIW	90k / 62k	
60	TNA30-SS-	888.00	60" front / 22.5" rear / 14" depth	1	43 / 43	RIW	100k / 72k	
72	TNA36-SS-	1,269.00	72" front / 24" rear / 16" depth	2	60 / 60	RIW	110k / 80k	

Tipi/Andiron Burner - Enhanced (has additional front burner for more front flames). <u>Black Painted Steel</u> Add N for Natural Gas; P for Propane after Item #								
24, 30, 36	TNA20E-	419.00	24" front / 13.5" rear / 14" depth	1	36 / 30	RIW	110k / 55k	
42, 48	TNA24E-	472.00	42" front / 15" rear / 15" depth	1	39 / 40	RIW	120k / 85k	
60	TNA30E-	512.00	60" front / 22.5" rear / 16" depth	1	48 / 48	RIW	125k / 95k	
72	TNA36E-	553.00	72" front / 24" rear / 18" depth	1	63 / 61	RIW	195k / 105k	

Tipi/Andiron Burner - Enhanced (has additional front burner for more front flames). <u>Stainless Steel</u> Add N for Natural Gas; P for Propane after Item #								
24, 30, 36	TNA20E-SS-	945.00	24" front / 13.5" rear / 14" depth	1	34 / 28	RIW	110k / 55k	
42, 48	TNA24E-SS-	1,049.00	42" front / 15" rear / 15" depth	1	37 / 38	RIW	120k / 85k	
60	TNA30E-SS-	1,153.00	60" front / 22.5" rear / 16" depth	1	46 / 46	RIW	125k / 95k	
72	TNA36E-SS-	1,644.00	72" front / 24" rear / 18" depth	1	61 / 59	RIW	195k / 105k	

Tapered Multi-Burner & Grate - Use with Traditional and Evening Series Logs Sets <u>Black Painted Steel</u> Add N for Natural Gas; P for Propane after Item # ANSI Z21.84 Certification								
--	--	--	--	--	--	--	--	--

Rumford		Minimum Footprint Dimensions			Log Set		BTU/hr	
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	Wt	Size	(NG / LP)	
30	RF-LD30/36-	754.00	30" front / 13.5" rear / 12" depth	2	75 / 76	18"	50k / 40k	
36	RF-LD30/36-	754.00	36" front / 13.5" rear / 14" depth	2	75 / 76	20"/21"	50k / 40k	
42	RF-LD42/48-	905.00	42" front / 15" rear / 15" depth	2	90 / 91	24"	70k / 60k	
48	RF-LD42/48-	905.00	48" front / 18" rear / 16" depth	2	90 / 91	24"	70k / 60k	
60	RF-LD60/72-	1,084.00	60" front / 22.5" rear / 20" depth	3	112 / 111	30"	90k / 80k	
72	RF-LD60/72-	1,084.00	72" front / 24" rear / 24" depth	3	112 / 111	36"	90k / 80k	

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Rumford Fireplaces - Match Lighted/EIS Ready Hearth Kits

Propane requires safety control. See next pages for Burners with Safety Lighting Controls.

Rumford		Minimum Footprint Dimensions			Weight	Needs	BTU/hr
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	# FB-4	NG / LP
Tapered Custom Pan Burner <u>Black Painted Steel</u> Use with 4" FireBalls (see below)							
Add N for Natural Gas; P for Propane after Item #				RIW Certification			
24	CSRF24-B-	172.00	24" front / 13.5" rear / 12" depth	1	19 / 17	10	50k / 27k
30	CSRF30-B-	229.00	30" front / 13.5" rear / 12" depth	1	24 / 20	13	60k / 35k
36	CSRF36-B-	315.00	36" front / 14" rear / 14" depth	1	37 / 27	28	95k / 70k
42	CSRF42-B-	380.00	42" front / 15" rear / 15" depth	1	42 / 35	34	105k / 85k
48	CSRF48-B-	443.00	48" front / 18" rear / 16" depth	2	67 / 60	40	115k / 105k
60	CSRF60-B-	680.00	60" front / 22.5" rear / 20" depth	3	102 / 94	80	155k / 135k
72	CSRF72-B-	847.00	72" front / 24" rear / 24" depth	3	127 / 117	100	200k / 165k

Tapered Custom Pan Burner <u>Stainless Steel</u> Use with 4" FireBalls (see below)							
Add N for Natural Gas; P for Propane after Item #				RIW Certification			
24	CSRF24-SR-	431.00	24" front / 13.5" rear / 12" depth	1	18 / 16	10	50k / 27k
30	CSRF30-SR-	546.00	30" front / 13.5" rear / 12" depth	1	23 / 19	13	60k / 35k
36	CSRF36-SR-	777.00	36" front / 14" rear / 14" depth	1	35 / 25	28	95k / 70k
42	CSRF42-SR-	916.00	42" front / 15" rear / 15" depth	1	40 / 33	34	105k / 85k
48	CSRF48-SR-	1,078.00	48" front / 18" rear / 16" depth	2	66 / 59	40	115k / 105k
60	CSRF60-SR-	1,696.00	60" front / 22.5" rear / 20" depth	3	100 / 92	80	155k / 135k
72	CSRF72-SR-	2,089.00	72" front / 24" rear / 24" depth	3	125 / 115	100	200k / 165k

Item #	MSRP	Description	Wt	Dia.
FB-4-	25.00	4" Diameter FireBall	1.75	4.00

*Suffix FB-4- with Color Codes: •Beige = BE •Black = BL •Brown = BR
 •Dark Gray = DG •Light Gray = LG •Natural = NA •Adobe Red = RD

Rumford Fireplaces - Manual Safety Pilot Control – Factory Assembled (M)

SPK1 Manual Control with Standing Pilot – turn the knob to light the main burner.

Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions.

Manual Controls are not upgradeable to "Remote Control" functionality.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Manual Standing Pilot Control		Minimum Footprint Dimensions			Weight	Certif.	BTU/hr
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	Wt		(NG / LP)
Tipi/Andiron Burner <u>Black Painted Steel</u> Add N for Natural Gas; P for Propane after Item #							
36	TNA20-M-	674.00	33" front / 13" rear / 15" depth	1	35 / 29	RIW	80k / 50k
48	TNA24-M-	703.00	39.5" front / 16.5" rear / 16" depth	1	38 / 39	RIW	90k / 62k
60	TNA30-M-	743.00	45.5" front / 21.7" rear / 18" depth	1	46 / 46	RIW	100k / 72k
72	TNA36-M-	772.00	51.5" front / 26" rear / 18" depth	2	56 / 50	RIW	110k / 80k

Tipi/Andiron Burner - Enhanced (has additional front burner for more front flames). <u>Black Painted</u>							
36	TNA20E-M-	766.00	33" front / 13" rear / 15" depth	1	37 / 31	RIW	110k / 55k
48	TNA24E-M-	818.00	39.5" front / 16.5" rear / 16" depth	1	40 / 41	RIW	120k / 85k
60	TNA30E-M-	858.00	45.5" front / 21.7" rear / 18" depth	2	55 / 55	RIW	125k / 95k

All items are subject to availability. Prices subject to change without notice. All rights reserved.
 Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Rumford Fireplaces - Remote Ready "EASY" (SE)

Safety Control – Factory Assembled

RPK3E Standing Pilot Control System

Latching solenoid system that controls the ON/OFF of the burner(s) with the receiver switch or one of five Wireless Remote Transmitter Devices (sold separately – **see below on this page**):

- Wireless Hand-Held Remote Control with Simple ON/OFF (**SR-2R**) or Thermostat feature (**THR-2R**).
- Wireless Wall Timer (**WT-2R**) •Wireless Wall Switch (**WS-2R**) •Wireless Wall Thermostat (**TS-2R**)

"RPK3E" and "SE" are not "millivolt" systems. The Latching Solenoid is powered by 4-AA Batteries. Adjust the flame height manually by adjusting the knob at the valve (minimal adjustment available).

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety

Please Note:
See below for Wireless Remote Transmitter options

Rumford Remote-Ready Pilot		Minimum Footprint Dimensions				BTU/hr	
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	Wt	Certif.	(NG / LP)
Tipi/Andiron Burner <u>Black Painted Steel</u> Add N for Natural Gas; P for Propane after Item #							
36	TNA20-SE-	945.00	33" front / 13" rear / 15" depth	1	35 / 29	RIW	80k / 50k
48	TNA24-SE-	976.00	39.5" front / 16.5" rear / 16" depth	1	38 / 39	RIW	90k / 62k
60	TNA30-SE-	1015.00	45.5" front / 21.7" rear / 18" depth	1	46 / 46	RIW	100k / 72k

Tipi/Andiron Burner - Enhanced (has additional front burner for more front flames). <u>Black Painted Steel</u> Add N for Natural Gas; P for Propane after Item #							
36	TNA20E-SE-	1038.00	33" front / 13" rear / 15" depth	1	37 / 31	RIW	110k / 55k
48	TNA24E-SE-	1091.00	39.5" front / 16.5" rear / 16" depth	1	40 / 41	RIW	120k / 85k
60	TNA30E-SE-	1130.00	45.5" front / 21.7" rear / 18" depth	2	56 / 56	RIW	125k / 95k

Item #	Wireless Remote Transmitter Devices for RPK3E and SE Remote	MSRP	Wt
SR-2R	Wireless Hand-held Transmitter with simple ON/OFF function	110.00	1
THR-2R	Wireless Hand-held Transmitter with Thermostat function	165.00	1
TS-2R	Wireless Wall Thermostat Control	200.00	1
WS-2R	Wireless Wall Switch	165.00	1
WT-2R	Wireless 30/60/120 minute Wall Timer	165.00	1
RH2	Ceramic Log House for "SE", "RE" and Millivolt receivers	67.00	3

SE-UP1	Kit to upgrade to Remote Ready (SE) functionality. Includes solenoid, receiver & batteries. See above for Wireless Remote Device.	284.00	2
RE-UP1	Kit to upgrade to Variable Flame Height Remote Control (RE) function. Incl: motor drive, receiver, transmitter & batteries.	561.00	3

Andiron Classic Concept

The Andiron Classic Concept is created by using the Evening Prestige Logs (or any other "Evening Series" logs), TNA burner, and your favorite pair of andirons (the ends of the logs are propped on the andiron shanks, creating a "falling into the ember bed" appearance).

In place of andirons, you may use the Chunkers in item #**BOC** (see Page 68)

Rasmussen does not make nor sell andirons.

Rumford F/P Size	Use with Burner	Use with Logs
24, 30, 36	TNA20, TNA20E	EPR20
42, 48	TNA24, TNA24E	EPR24
60	TNA30, TNA30E	EPR30
72	TNA36, TNA36E	EPR36

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Rumford Fireplaces - Variable Remote "EASY" (RE)

Safety Control – Factory Assembled

RMC1E Standing Pilot Control System

Light the burner and control the flame height with the hand-held wireless remote control.
Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions, Remote Transmitter. Powered by 4 - AA Batteries (included).

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Please Note:
RMC1 includes the Hand-held Remote Transmitter.
RH2 recommended to protect receiver from heat.

Rumford	Remote Standing Pilot	Minimum Footprint Dimensions			Weight		BTU/hr	
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP	
Tipi/Andiron Burner <u>Black Painted Steel</u> Add N for Natural Gas; P for Propane after Item #								
36	TNA20-RE-	1,228.00	33" front / 13" rear / 15" depth	1	35 / 29	RIW	80k / 50k	
48	TNA24-RE-	1,257.00	39.5" front / 16.5" rear / 16" depth	1	38 / 39	RIW	90k / 62k	
60	TNA30-RE-	1,297.00	45.5" front / 21.7" rear / 18" depth	1	46 / 46	RIW	100k / 72k	

Tipi/Andiron Burner - Enhanced (has additional front burner for more front flames). <u>Black Painted Steel</u> Add N for Natural Gas; P for Propane after Item #								
36	TNA20E-RE-	1,320.00	33" front / 13" rear / 15" depth	1	37 / 31	RIW	110k / 55k	
48	TNA24E-RE-	1,373.00	39.5" front / 16.5" rear / 16" depth	1	40 / 41	RIW	120k / 85k	
60	TNA30E-RE-	1,413.00	45.5" front / 21.7" rear / 18" depth	2	56 / 56	RIW	125k / 95k	

Rumford Fireplaces - Millivolt/Remote Ready (S)

Safety Control – Factory Assembled

RPK3 or RPK1 (for TNA36) Standing Pilot Control System

Light the burner with the included wired wall switch, or with the millivolt accessories found on **Page 20**
Adjust the flame height manually by adjusting the knob at the valv.

Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions.

Rumford	Millivolt Standing Pilot	Minimum Footprint Dimensions					BTU/hr	
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	Wt	Certif.	(NG / LP)	
Tipi/Andiron Burner <u>Black Painted Steel</u> Add N for Natural Gas; P for Propane after Item #								
36	TNA20-S-	992.00	33" front / 13" rear / 15" depth	1	35 / 29	RIW	80k / 50k	
48	TNA24-S-	1022.00	39.5" front / 16.5" rear / 16" depth	1	38 / 39	RIW	90k / 62k	
60	TNA30-S-	1061.00	45.5" front / 21.7" rear / 18" depth	1	46 / 46	RIW	100k / 72k	
60	TNA36-S-	1107.00	51.5" front / 26" rear / 18" depth	2	57 / 51	RIW	110k / 80k	

Tipi/Andiron Burner - Enhanced (has additional front burner for more front flames). <u>Black Painted Steel</u> Add N for Natural Gas; P for Propane after Item #								
36	TNA20E-S-	1,084.00	33" front / 13" rear / 15" depth	1	37 / 31	RIW	110k / 55k	
48	TNA24E-S-	1,138.00	39.5" front / 16.5" rear / 16" depth	1	40 / 41	RIW	120k / 85k	
60	TNA30E-S-	1,176.00	45.5" front / 21.7" rear / 18" depth	1	56 / 56	RIW	125k / 95k	
60	TNA36E-S-	1,234.00	51.5" front / 26" rear / 18" depth	2	64 / 62	RIW	195k / 105k	

See Page 20 for Remote Switch and Transmitter options

Rumford Fireplaces - Variable Remote Electronic Ignition with Valve Vanisher (VEI)

EIS Pilot-on-Demand System

Raises log set 2 5/8" above the floor.

Factory assembled Chassis/Burner/Control System. **Right side gas feed only.**

Includes: Remote Transmitter, Pan Filler, Ember Magic,

Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

**Please Note:
Includes Handheld Remote Transmitter**

Tipi/Andiron Burner Black Painted Add N for Natural Gas; P for Propane after Item #

Rumford	EIS Pilot-on-Demand	Minimum Footprint Dimensions			Weight	BTU/hr	
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP
30	TNA20-R30-VEI-	1,777.00	26.5" front / 13.5" rear / 13" depth	2	47 / 42	RIW	80k / 50k
36	TNA20-R36-VEI-	1,805.00	33" front / 13" rear / 15" depth	2	50 / 45	RIW	80k / 50k
42	TNA24-R42-VEI-	1,835.00	37" front / 15.25" rear / 15" depth	2	55 / 56	RIW	90k / 62k
48	TNA24-R48-VEI-	1,863.00	39.5" front / 16.5" rear / 16" depth	2	57 / 58	RIW	90k / 62k
60	TNA30-R60-VEI-	1,893.00	45.5" front / 21.7" rear / 18" depth	2	57 / 58	RIW	100k / 72k

**Tapered Multi-Burner & Grate - Use with Traditional and Evening Series Logs Sets
Black Painted Add N for Natural Gas; P for Propane after Item # ANSI Z21.60 Certification**

Rumford	EIS Pilot-on-Demand	Minimum Footprint Dimensions			Weight	Log Set	BTU/hr
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Size	(NG / LP)
30	RF-LD30/36-VEI-	2,233.00	30" front / 13.5" rear / 12" depth	2	88 / 89	18"	50k / 35k
36	RF-LD30/36-VEI-	2,233.00	36" front / 13.5" rear / 14" depth	2	88 / 89	20"/21"	50k / 35k
42	RF-LD42/48-VEI-	2,418.00	42" front / 15" rear / 15" depth	3	102 / 103	24"	60k / 60k
48	RF-LD42/48-VEI-	2,418.00	48" front / 18" rear / 16" depth	3	102 / 103	24"	60k / 60k
60	RF-LD60/72-VEI-	2,602.00	60" front / 22.5" rear / 20" depth	3	133 / 131	30"	85k / 80k
72	RF-LD60/72-VEI-	2,602.00	72" front / 24" rear / 24" depth	3	133 / 131	36"	85k / 80k

**Tapered Custom Pan Burner Black Painted Use with 4" FireBalls (see below for FB-4)
Add N for Natural Gas; P for Propane after Item # RIW Certification**

Rumford	EIS Pilot-on-Demand	Minimum Footprint Dimensions			Weight	Needs	BTU/hr
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	# FB-4	(NG / LP)
24	CSRF24-BR-VEI-	1,638.00	24" front / 13.5" rear / 12" depth	2	42 / 40	10	40k / 27k
30	CSRF30-BR-VEI-	1,701.00	30" front / 13.5" rear / 12" depth	2	47 / 43	13	50k / 35k
36	CSRF36-BR-VEI-	1,829.00	36" front / 14" rear / 14" depth	2	58 / 48	28	85k / 70k
42	CSRF42-BR-VEI-	1,904.00	42" front / 15" rear / 15" depth	2	62 / 54	34	105k / 85k
48	CSRF48-BR-VEI-	1,990.00	48" front / 18" rear / 16" depth	2	69 / 62	40	105k / 105k

Item #	MSRP	Description	Wt	Dia.
FB-4-	25.00	4" Diameter FireBall	1.75	4.00

*Suffix FB-4- with Color Codes: •Beige = BE •Black = BL •Brown = BR
•Dark Gray = DG •Light Gray = LG •Natural = NA •Adobe Red = RD

Rumford Fireplaces - Variable Remote Standing Pilot with Valve Vanisher (VRP)

Standing Pilot Remote Control System

Raises log set 2 5/8" above the floor.

Factory assembled Chassis/Burner/Control System. **Right side gas feed only.**

Includes: Remote Transmitter, Pan Filler, Ember Magic,

Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

**Please Note:
Includes Handheld Remote
Transmitter**

Tipi/Andiron Burner Black Painted Add N for Natural Gas; P for Propane after Item #

Rumford Remote Standing Pilot		Minimum Footprint Dimensions		Weight		BTU/hr	
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP
30	TNA20-R30-VRP-	1,418.00	26.5" front / 13.5" rear / 13" depth	2	47 / 42	RIW	80k / 50k
36	TNA20-R36-VRP-	1,446.00	33" front / 13" rear / 15" depth	2	50 / 45	RIW	80k / 50k
42	TNA24-R42-VRP-	1,476.00	37" front / 15.25" rear / 15" depth	2	55 / 56	RIW	90k / 62k
48	TNA24-R48-VRP-	1,504.00	39.5" front / 16.5" rear / 16" depth	2	57 / 58	RIW	90k / 62k
60	TNA30-R60-VRP-	1,533.00	45.5" front / 21.7" rear / 18" depth	2	57 / 58	RIW	100k / 72k

**Tapered Multi-Burner & Grate - Use with Traditional and Evening Series Logs Sets
Black Painted Add N for Natural Gas; P for Propane after Item # ANSI Z21.60 Certification**

Rumford Remote Standing Pilot		Minimum Footprint Dimensions		Weight		Log Set		BTU/hr	
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Size		(NG / LP)	
30	RF-LD30/36-VRP-	1,874.00	30" front / 13.5" rear / 12" depth	2	88 / 89	18"		50k / 35k	
36	RF-LD30/36-VRP-	1,874.00	36" front / 13.5" rear / 14" depth	2	88 / 89	20"/21"		50k / 35k	
42	RF-LD42/48-VRP-	2,058.00	42" front / 15" rear / 15" depth	3	102 / 103	24"		60k / 60k	
48	RF-LD42/48-VRP-	2,058.00	48" front / 18" rear / 16" depth	3	102 / 103	24"		60k / 60k	
60	RF-LD60/72-VRP-	2,243.00	60" front / 22.5" rear / 20" depth	3	133 / 131	30"		85k / 80k	
72	RF-LD60/72-VRP-	2,243.00	72" front / 24" rear / 24" depth	3	133 / 131	36"		85k / 80k	

**Tapered Custom Pan Burner Black Painted Use with 4" FireBalls (see below for FB-4)
Add N for Natural Gas; P for Propane after Item # RIW Certification**

Rumford Remote Standing Pilot		Minimum Footprint Dimensions		Weight		Needs		BTU/hr	
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	# FB-4		(NG / LP)	
24	CSRF24-BR-VRP-	1,279.00	24" front / 13.5" rear / 12" depth	2	42 / 40	10		40k / 27k	
30	CSRF30-BR-VRP-	1,342.00	30" front / 13.5" rear / 12" depth	2	47 / 43	13		50k / 35k	
36	CSRF36-BR-VRP-	1,469.00	36" front / 14" rear / 14" depth	2	58 / 48	28		85k / 70k	
42	CSRF42-BR-VRP-	1,545.00	42" front / 15" rear / 15" depth	2	62 / 54	34		105k / 85k	
48	CSRF48-BR-VRP-	1,631.00	48" front / 18" rear / 16" depth	2	69 / 62	40		105k / 105k	

Item #	MSRP	Description	Wt	Dia.
FB-4-	25.00	4" Diameter FireBall	1.75	4.00

*Suffix FB-4- with Color Codes: •Beige = BE •Black = BL •Brown = BR
•Dark Gray = DG •Light Gray = LG •Natural = NA •Adobe Red = RD

Rumford / Tapered Fireplaces - Millivolt/Switch/Remote Ready with Valve Vanisher (VMV)

Millivolt Standing Pilot Control System Raises log set 2 5/8" above the floor.

Factory assembled Chassis/Burner/Control System. **Right side gas feed only.**

Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit,
Damper Clamp, Instructions.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and

See Page 20 for
Remote Switch and Transmitter options

Tipi/Andiron Burner Black Painted Add N for Natural Gas; P for Propane after Item #

Rumford Millivolt Standing Pilot		Minimum Footprint Dimensions			Weight		BTU/hr
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP
30	TNA20-R30-VMV-	1,269.00	26.5" front / 13.5" rear / 13" depth	2	46 / 41	RIW	80k / 50k
36	TNA20-R36-VMV-	1,304.00	33" front / 13" rear / 15" depth	2	49 / 44	RIW	80k / 50k
42	TNA24-R42-VMV-	1,327.00	37" front / 15.25" rear / 15" depth	2	54 / 55	RIW	90k / 62k
48	TNA24-R48-VMV-	1,367.00	39.5" front / 16.5" rear / 16" depth	2	56 / 57	RIW	90k / 62k
60	TNA30-R60-VMV-	1,390.00	45.5" front / 21.7" rear / 18" depth	2	75 / 75	RIW	100k / 72k

**Tapered Multi-Burner & Grate - Use with Traditional and Evening Series Logs Sets
Black Painted Add N for Natural Gas; P for Propane after Item # ANSI Z21.60 Certification**

Rumford Millivolt Standing Pilot		Minimum Footprint Dimensions			Log Set		BTU/hr
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	Wt	Size	(NG / LP)
30	RF-LD30/36-VMV-	1,731.00	30" front / 13.5" rear / 12" depth	2	87 / 88	18"	50k / 40k
36	RF-LD30/36-VMV-	1,731.00	36" front / 13.5" rear / 14" depth	2	87 / 88	20"/21"	50k / 40k
42	RF-LD42/48-VMV-	1,916.00	42" front / 15" rear / 15" depth	3	101 / 102	24"	70k / 60k
48	RF-LD42/48-VMV-	1,916.00	48" front / 18" rear / 16" depth	3	101 / 102	24"	70k / 60k
60	RF-LD60/72-VMV-	2,100.00	60" front / 22.5" rear / 20" depth	3	131 / 130	30"	90k / 80k
72	RF-LD60/72-VMV-	2,100.00	72" front / 24" rear / 24" depth	3	131 / 130	36"	90k / 80k

**Tapered Custom Pan Burner Black Painted Use with 4" FireBalls (see below for FB-4)
Add N for Natural Gas; P for Propane after Item # RIW Certification**

Rumford Millivolt Standing Pilot		Minimum Footprint Dimensions			Needs		BTU/hr
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	Wt	# FB-4	(NG / LP)
24	CSRF24-BR-VMV-	1,124.00	24" front / 13.5" rear / 12" depth	2	41 / 39	10	40k / 27k
30	CSRF30-BR-VMV-	1,176.00	30" front / 13.5" rear / 12" depth	2	46 / 42	13	50k / 35k
36	CSRF36-BR-VMV-	1,304.00	36" front / 14" rear / 14" depth	2	57 / 47	28	85k / 70k
42	CSRF42-BR-VMV-	1,378.00	42" front / 15" rear / 15" depth	2	61 / 53	34	105k / 85k
48	CSRF48-BR-VMV-	1,477.00	48" front / 18" rear / 16" depth	2	70 / 63	40	105k / 105k
60	CSRF60-BR-VMV-	1,800.00	60" front / 22.5" rear / 20" depth	3	103 / 97	80	155k / 135k
72	CSRF72-BR-VMV-	2,089.00	72" front / 24" rear / 24" depth	3	130 / 120	100	200k / 165k

Item #	MSRP	Description	Wt	Dia.
FB-4-	25.00	4" Diameter FireBall	1.75	4.00

*Suffix FB-4- with Color Codes: •Beige = BE •Black = BL •Brown = BR
•Dark Gray = DG •Light Gray = LG •Natural = NA •Adobe Red = RD

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Rumford / Tapered Fireplaces - Manual Safety Pilot Control with Valve Vanisher (VSP)

Standing Pilot Manual Control System Raises log set 2 5/8" above the floor.

Factory assembled Chassis/Burner/Control System. **Right side gas feed only.**

Includes: Pan Filler, Ember Magic, Flexible SS Non-Whistling Connector Kit, Damper Clamp, Instructions.

NOTE: Burners for Vented Sets produce soot and other combustion products and are for use ONLY in fully functioning fireplaces in which it is safe to burn wood and with the damper wide open. Glass Doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety control valves and components.

Tipi/Andiron Burner Black Painted Add N for Natural Gas; P for Propane after Item #

Rumford Manual Standing Pilot		Minimum Footprint Dimensions			Weight		BTU/hr
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Certif.	NG / LP
30	TNA20-R30-VSP-	957.00	26.5" front / 13.5" rear / 13" depth	2	46 / 41	RIW	80k / 50k
36	TNA20-R36-VSP-	992.00	33" front / 13" rear / 15" depth	2	49 / 44	RIW	80k / 50k
42	TNA24-R42-VSP-	1,015.00	37" front / 15.25" rear / 15" depth	2	54 / 55	RIW	90k / 62k
48	TNA24-R48-VSP-	1,055.00	39.5" front / 16.5" rear / 16" depth	2	56 / 57	RIW	90k / 62k
60	TNA30-R60-VSP-	1,078.00	45.5" front / 21.7" rear / 18" depth	3	75 / 75	RIW	100k / 72k

Multi-Burner & Grate - Use with Traditional and Evening Series Logs Sets
Black Painted Add N for Natural Gas; P for Propane after Item # ANSI Z21.60 Certification

Rumford Manual Standing Pilot		Minimum Footprint Dimensions			Weight	Log Set	BTU/hr
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	Size	NG / LP
30	RF-LD30/36-VSP-	1,454.00	30" front / 13.5" rear / 12" depth	2	87 / 88	18"	50k / 40k
36	RF-LD30/36-VSP-	1,454.00	36" front / 13.5" rear / 14" depth	2	87 / 88	20"/21"	50k / 40k
42	RF-LD42/48-VSP-	1,638.00	42" front / 15" rear / 15" depth	3	101 / 102	24"	70k / 60k
48	RF-LD42/48-VSP-	1,638.00	48" front / 18" rear / 16" depth	3	101 / 102	24"	70k / 60k
60	RF-LD60/72-VSP-	1,829.00	60" front / 22.5" rear / 20" depth	3	131 / 130	30"	90k / 80k
72	RF-LD60/72-VSP-	1,829.00	72" front / 24" rear / 24" depth	3	131 / 130	36"	90k / 80k

Tapered Custom Pan Burner Black Painted Use with 4" FireBalls (see below for FB-4)
Add N for Natural Gas; P for Propane after Item # RIW Certification

Rumford Manual Standing Pilot		Minimum Footprint Dimensions			Weight	Needs	BTU/hr
F/P Size	Item #	MSRP	To Center Assembly in FireBox	Ctns	NG / LP	# FB-4	NG / LP
24	CSRF24-BR-VSP-	807.00	24" front / 13.5" rear / 12" depth	2	41 / 39	10	40k / 27k
30	CSRF30-BR-VSP-	870.00	30" front / 13.5" rear / 12" depth	2	46 / 42	13	50k / 35k
36	CSRF36-BR-VSP-	992.00	36" front / 14" rear / 14" depth	2	57 / 47	28	85k / 70k
42	CSRF42-BR-VSP-	1,066.00	42" front / 15" rear / 15" depth	2	61 / 53	34	105k / 85k
48	CSRF48-BR-VSP-	1,216.00	48" front / 18" rear / 16" depth	2	70 / 63	40	105k / 105k

Item #	MSRP	Description	Wt	Dia.
FB-4-	25.00	4" Diameter FireBall	1.75	4.00

*Suffix FB-4- with Color Codes: •Beige = BE •Black = BL •Brown = BR
•Dark Gray = DG •Light Gray = LG •Natural = NA •Adobe Red = RD

Fire Pit Log Sets (FP) - Arrangements for 360° viewing

Sizes based on footprint diameter of the log stack - allow min. 3" to 6" more for pit.

	Footprint Diameter	Item #	No. Pieces	MSRP	Wt
Bark/Split Logs	12	FP12BR	8	292.00	24
	20	FP20B	7	570.00	48
	24	FP24B	11	1,188.00	115
	30	FP30B	9	1,234.00	124
	30	FP30BR	19	1,690.00	185
	36	FP36B	18	3,163.00	305
	36 square	FP36SQB	33	3,792.00	365
	42	FP42B	22	3,792.00	390
	48	FP48B	15	5,259.00	450
	48	FP48F	35	2,013.00	240
	48	FP48G	42	3,053.00	310
	54	FP54B	17	6,460.00	777
	64	FP64B	17	7,026.00	1020
Birch Logs	20	FP20WB	9	523.00	44
	20	FP20WBR	10	680.00	60
Driftwood Logs	12	FP12D	7	281.00	21
	18	FP18D	9	414.00	43
	24	FP24D	16	807.00	83
	27x16	FP27WD	12	662.00	78
	30	FP30D	10	743.00	77
	36	FP36D	16	2,112.00	251

Fire Pit Ring Burners (FRB)

Install with holes pointed down. Cover with 2" of volcanic ash to create a level platform for FirePit Logs, and to diffuse flame for longer log life. Match light.

Stainless Steel Pipe

1/2-inch Stainless Steel Schedule 10 pipe; Center inlet with 1/2-inch FIP threads and plug. Natural Gas.

Black Iron Pipe

1/2-inch Black Iron Schedule 40 pipe; Painted Black. Center inlet with 1/2-inch FIP threads and plug. Natural Gas.

Ring Diameter	Rings	Stainless Steel		Black Iron	
		Item #	MSRP	Item No.	Price Ea.
12"	Single	FRB12-S	322.00	FRB12-B	125.00
18"	Single	FRB18-S	380.00	FRB18-B	154.00
22"	Double	FRB22-S	495.00	FRB22-B	188.00
24"	Double	FRB24-S	541.00	FRB24-B	200.00
30"	Double	FRB30-S	616.00	FRB30-B	218.00
36"	Double	FRB36-S	738.00	FRB36-B	322.00

Volcanic Ash (VA) Calculations for Fire Pits (see Page 68 for VA items)

For **Rectangular** uses (average front and rear widths for tapered fireplaces):

___ Width **times** ___ Depth **times** ___ Thickness **divided by** 33.2 = ___ Pounds of VA required

Example: 24" Width, 12" Depth, 2" Thickness 24 X 12 X 2 ÷ 33.2 = 17.2 Pounds of VA

For **Circular** uses (FirePits, flowerpots, etc.):

___ Diameter **times** ___ Diameter **times** ___ Thickness **divided by** 42.3 = ___ Pounds of VA req'd

Example: 24" Diameter, 2" Thickness 24 X 24 X 2 ÷ 42.3 = 27.2 Pounds of VA

FireGlitter For Accenting your Alterna set or FirePit

Glass have many uses as an accent and design element. Flame reflecting off of these elements create a dynamic flicker. When cold, they are a design element, in both color and design, all by itself. When used with FireBalls, FireShapes or FireStones, you have created a complete look.

- Uses:**
- Vented burner topper (CS or CXF). 1" thick over sand or volcanic ash is sufficient.
 - For FireBalls, FireShapes or FireStones, first nestle them in sand/volcanic ash pan filler, then place FireGlitter around the objects. **Do not place these object on top of the glass.**
 - Place around a set to reflect the flickering flame and to provide an additional design element.
 - Use in an outdoor fire pit. • Use as a decorative outdoor landscape feature.

FireGlitter are tempered for long-term heat consumption and tumbled to eliminate sharp edges. They will not melt, degrade, or emit toxic fumes.

90 pounds of FireGlitter, will fill approximately 1 cubic foot.

To determine the minimum amount of glass required, compute using the following formulas by filling in the blanks (measure target area in inches):

FireGlitter (glass):

For Rectangular uses (average front and rear widths for tapered fireplaces):

____ Width **times** ____ Depth **times** ____ Thickness **divided by** 19.2 = ____ Pounds of Glass required
 Example: 24" Width, 12" Depth, 2" Thickness 24 X 12 X 2 ÷ 19.2 = 30 Pounds of Glass

For Circular uses (FirePits, flowerpots, etc.):

____ Diameter **times** ____ Diameter **times** ____ Thickness **divided by** 24.4 = ____ Pounds of Glass req.
 Example: 24" Diameter, 2" Thickness 24 X 24 X 2 ÷ 24.4 = 47 Pounds of Glass

Item	MSRP	Description
colorpack-2G	18.00	Pack with small sample of each of the below five glass
GLX-BG	151.00	Blue-Green Glass - 10 lb. bag
GLX-BL	151.00	Black Glass - 10 lb. bag
GLX-CB	151.00	Cobalt Blue Glass - 10 lb. bag
GLX-CU	151.00	Copper Glass - 10 lb. bag
GLX-PL	151.00	Platinum Glass - 10 lb. bag

FireLine Sets for Vented Fireplaces

(sizes relate to equivalent gas log set size) (see Page 61-62 for Safety Controls)

Includes: L-Shaped Burner Pan that gives a "Line of Fire" appearance; Painted Black or Stainless Steel Burner Pan; FireGlitter (where shown) to provide a bed that is about 10" wider than the burner pan and 11" deep; Natural Gas items include Sand to cover pipe to quiet flow noise;

Blocks to place behind burner to form glass bed; Flexible SS Non-Whistling Connector Kit; Damper Clamp; Instructions.

ANSI Z21.84 certification for Match Lighted sets. ANSI Z21.60 certification for VEI, VRP, VMV and VSP sets.

FireGlitter Sets – With Glass Match Lighted/Control Ready - Black Painted Burner				
Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt. NG/LP
18" to 21"	FGV18N-B-	368.00	12.75" Wide Burner; 15 lbs. Glass; 2-LL. Specify Glass Color. 43k BTU. Min. Footprint Dimensions = 24"front/18" rear/13" depth	32 / 27
24" to 30"	FGV24N-B-	535.00	18.75" Wide Burner; 25 lbs. Glass; 3-LL. Specify Glass Color. 72k BTU. Min. Footprint Dimensions = 30"front/24" rear/13" depth	45 / 38
33" to 42"	FGV30N-B-	720.00	24.75" Wide Burner; 35 lbs Glass; 4-LL. Specify Glass Color. 75k BTU. Min. Footprint Dimensions = 36"front/30" rear/13" depth	88 / 73
45" to 54"	FGV36N-B-	1,020.00	30.75" Wide Burner; 45 lbs. Glass; 5-LL. Specify Glass Color. 90k BTU. Min. Footprint Dimensions = 42"front/36" rear/13" depth	120 / 100

FireLine Sets for Vented Fireplaces

(sizes relate to equivalent gas log set size) (see Page 61-62 for Safety Controls)

Includes: L-Shaped Burner Pan that gives a "Line of Fire" appearance; Painted Black or Stainless Steel Burner Pan;
FireGlitter (where shown) to provide a bed that is about 10" wider than the burner pan and 11" deep;
Sand (to cover pipe to quiet flow noise);

Blocks to place behind burner to form glass bed; Flexible SS Non-Whistling Connector Kit; Damper Clamp; Instructions.

ANSI Z21.84 certification for Match Lighted sets. ANSI Z21.60 certification for VEI, VRP, VMV and VSP sets.

FireGlitter Sets – With Glass

Match Lighted/Control Ready - Stainless Steel Burner

Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt. NG/LP
18" to 21"	FGV18N-SS-	554.00	12.75" Wide Burner; 15 lbs. Glass; 2-LL. Specify Glass Color. 43k BTU. Min. Footprint Dimensions = 24" front/18" rear/13" depth	31 / 26
24" to 30"	FGV24N-SS-	738.00	18.75" Wide Burner; 25 lbs. Glass; 3-LL. Specify Glass Color. 72k BTU. Min. Footprint Dimensions = 30" front/24" rear/13" depth	44 / 37
33" to 42"	FGV30N-SS-	929.00	24.75" Wide Burner; 35 lbs Glass; 4-LL. Specify Glass Color. 75k BTU. Min. Footprint Dimensions = 36" front/30" rear/13" depth	86 / 71
45" to 54"	FGV36N-SS-	1,111.00	30.75" Wide Burner; 45 lbs. Glass; 5-LL. Specify Glass Color. 90k BTU. Min. Footprint Dimensions = 42" front/36" rear/13" depth	118 / 98

FireLine Burner Kit Only (no glass)

Match Lighted/Control Ready - Black Painted Burner

Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt. NG/LP
18" to 21"	FLB18N-B-	172.00	No Glass - 12.75" Wide Burner Pan, 2-LL. 43k BTU	16 / 12
24" to 30"	FLB24N-B-	185.00	No Glass - 18.75" Wide Burner Pan, 3-LL. 72k BTU	21 / 15
33" to 42"	FLB30N-B-	200.00	No Glass - 24.75" Wide Burner Pan, 4-LL. 75k BTU	29 / 17
45" to 54"	FLB36N-B-	215.00	No Glass - 30.75" Wide Burner Pan, 5-LL. 90k BTU	35 / 21

FireLine Burner Kit Only (no glass)

Match Lighted/Control Ready - Stainless Steel Burner

Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt. NG/LP
18" to 21"	FLB18N-SS-	350.00	No Glass - 12.75" Wide Burner Pan, 2-LL. 43k BTU	15 / 11
24" to 30"	FLB24N-SS-	391.00	No Glass - 18.75" Wide Burner Pan, 3-LL. 72k BTU	20 / 14
33" to 42"	FLB30N-SS-	426.00	No Glass - 24.75" Wide Burner Pan, 4-LL. 75k BTU	28 / 16
45" to 54"	FLB36N-SS-	477.00	No Glass - 30.75" Wide Burner Pan, 5-LL. 90k BTU	32 / 20

FireGlitter Sets – With Glass (Includes Remote Transmitter)

Variable Remote EIS in Valve Vanisher - Black Painted

Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt. NG/LP
18" to 21"	FGV18-VEI-B-	1,829.00	12.75" Wide Burner; 15 lbs. Glass - Specify Glass Color. 2-LL. Factory assembled EIS in Valve Vanisher. 37K / 33k BTU Min. Footprint Dimensions = 28.25" front/18.75" rear/13" depth	47 / 42
24" to 30"	FGV24-VEI-B-	2,008.00	18.75" Wide Burner; 25 lbs. Glass - Specify Glass Color. 3-LL. Factory assembled EIS in Valve Vanisher. 70K / 55k BTU. Min. Footprint Dimensions = 34.25" front/24.75" rear/13" depth	66 / 59
33" to 42"	FGV30-VEI-B-	2,204.00	24.75" Wide Burner; 35 lbs Glass - Specify Glass Color. 4-LL. Factory assembled EIS in Valve Vanisher. 80K / 60k. Min. Footprint Dimensions = 40.25" front/30.75" rear/13" depth	90 / 75

Please Note: Valve Vanisher chassis air slots and sides must remain open for cooling air flow. Burying in glass will result in heat damage to control components, which is not covered by warranty.

FireLine Burner Only (no glass) (Includes Remote Transmitter) Variable Remote EIS in Valve Vanisher - Black Painted

Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt.
18" to 21"	FLB18-VEI-B-	1,609.00	No Glass. 12.75" Wide Burner; 15 lbs. Glass; 2-LL. Factory assembled EIS in Valve Vanisher. 37K / 33k BTU Min. Footprint Dimensions = 28.25" front/18.75" rear/13" depth	32 / 26
24" to 30"	FLB24-VEI-B-	1,644.00	No Glass. 18.75" Wide Burner; 25 lbs. Glass; 3-LL. Factory assembled EIS in Valve Vanisher. 70K / 55k BTU. Min. Footprint Dimensions = 34.25" front/24.75" rear/13" depth	38 / 31
33" to 42"	FLB30-VEI-B-	1,696.00	No Glass. 24.75" Wide Burner; 35 lbs Glass; 4-LL. Factory assembled EIS in Valve Vanisher. 80K / 60k. Min. Footprint Dimensions = 40.25" front/30.75" rear/13" depth	46 / 40

FireGlitter Sets – With Glass - Variable Remote Standing Pilot in Valve Vanisher - Black Painted (Includes Remote Transmitter)

Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt.
18" to 21"	FGV18-VRP-B-	1,469.00	12.75" Wide Burner; 15 lbs. Glass - Specify Glass Color. 2-LL. Factory assembled Millivolt Control in Valve Vanisher. 37K/33k. Min. Footprint Dimensions = 28.25" front/18.75" rear/13" depth	46 / 41
24" to 30"	FGV24-VRP-B-	1,649.00	18.75" Wide Burner; 25 lbs. Glass - Specify Glass Color. 3-LL. Factory assembled Millivolt Control in Valve Vanisher. 70K/55k Min. Footprint Dimensions = 34.25" front/24.75" rear/13" depth	65 / 58
33" to 42"	FGV30-VRP-B-	1,845.00	24.75" Wide Burner; 35 lbs Glass - Specify Glass Color. 4-LL. Factory assembled Millivolt Control in Valve Vanisher. 80K/60k. Min. Footprint Dimensions = 40.25" front/30.75" rear/13" depth	88 / 73

FireLine Burner Only (no glass) – Variable Remote Standing Pilot in Valve Vanisher - Black Painted (Includes Remote Transmitter)

Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt.
18" to 21"	FLB18-VRP-B-	1,250.00	No Glass. 12.75" Wide Burner; 2-LL. Factory assembled Millivolt Control in Valve Vanisher. 37K/ 33k BTU. Min. Footprint Dimensions = 28.25" front/18.75" rear/13" depth	31 / 25
24" to 30"	FLB24-VRP-B-	1,285.00	No Glass. 18.75" Wide Burner; 3-LL. Factory assembled Millivolt Control in Valve Vanisher. 70K / 55k BTU. Min. Footprint Dimensions = 34.25" front/24.75" rear/13" depth	37 / 30
33" to 42"	FLB30-VRP-B-	1,337.00	No Glass. 24.75" Wide Burner; 4-LL. Factory assembled Millivolt Control in Valve Vanisher. 80K / 60k BTU. Min. Footprint Dimensions = 40.25" front/30.75" rear/13" depth	45 / 39

Please Note: Valve Vanisher chassis air slots and sides must remain open for cooling air flow. Burying in glass will result in heat damage to control components, which is not covered by warranty.

FireGlitter Sets – With Glass - Millivolt/Remote Ready in Valve Vanisher - Black Painted (See Page 20 or 46 for Remote Control Options)

Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt.
18" to 21"	FGV18-VMV-B-	1,390.00	12.75" Wide Burner; 15 lbs. Glass - Specify Glass Color. 2-LL. Factory assembled Millivolt Control in Valve Vanisher. 37K/33k. Min. Footprint Dimensions = 28.25" front/18.75" rear/13" depth	46 / 41
24" to 30"	FGV24-VMV-B-	1,551.00	18.75" Wide Burner; 25 lbs. Glass - Specify Glass Color. 3-LL. Factory assembled Millivolt Control in Valve Vanisher. 70K/55k. Min. Footprint Dimensions = 34.25" front/24.75" rear/13" depth	65 / 58
33" to 42"	FGV30-VMV-B-	1,708.00	24.75" Wide Burner; 35 lbs Glass - Specify Glass Color. 4-LL. Factory assembled Millivolt Control in Valve Vanisher. 80K/60k. Min. Footprint Dimensions = 40.25" front/30.75" rear/13" depth	88 / 73

FireLine Burner Only (no glass) – Millivolt/Remote Ready in Valve Vanisher - Black Painted (See Page 20 or 46 for Remote Control Options)

Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt.
18" to 21"	FLB18-VMV-B-	1,170.00	No Glass. 12.75" Wide Burner; 2-LL. Factory assembled Millivolt Control in Valve Vanisher. 37K/ 33k BTU. Min. Footprint Dimensions = 28.25" front/18.75" rear/13" depth	31 / 25
24" to 30"	FLB24-VMV-B-	1,188.00	No Glass. 18.75" Wide Burner; 3-LL. Factory assembled Millivolt Control in Valve Vanisher. 70K / 55k BTU. Min. Footprint Dimensions = 34.25" front/24.75" rear/13" depth	37 / 30
33" to 42"	FLB30-VMV-B-	1,200.00	No Glass. 24.75" Wide Burner; 4-LL. Factory assembled Millivolt Control in Valve Vanisher. 80K / 60k BTU. Min. Footprint Dimensions = 40.25" front/30.75" rear/13" depth	45 / 39

FireLine Burner Only (no glass) – Manual Standing Pilot in Valve Vanisher - Black Painted

Set Size	Item #	MSRP	Description - Add N for Natural Gas; P for Propane	Wt.
18" to 21"	FLB18-VSP-B-	858.00	No Glass (needs 15 lbs). 12.75" Wide Burner; 2-LL. Factory assembled Manual Control in Valve Vanisher. 37K/ 33k BTU. Min. Footprint Dimensions = 28.25" front/18.75" rear/13" depth	31 / 25
24" to 30"	FLB24-VSP-B-	876.00	No Glass (needs 25 lbs). 18.75" Wide Burner; 3-LL. Factory assembled Manual Control in Valve Vanisher. 70K / 55k BTU. Min. Footprint Dimensions = 34.25" front/24.75" rear/13" depth	37 / 30
33" to 42"	FLB30-VSP-B-	929.00	No Glass (needs 35 lbs). 24.75" Wide Burner; 4-LL. Factory assembled Manual Control in Valve Vanisher. 80K / 60k BTU. Min. Footprint Dimensions = 40.25" front/30.75" rear/13" depth	45 / 39

ALTERNA™ Vented Fire Balls™

About Our Ceramic Stain Coloration

Rasmussen uses our own proprietary, environmentally-friendly ceramic stain coloration, which differs from paint in the following qualities:

- 1) Ceramic Stain produces a transparent, non-uniform appearance, as it absorbs into the material's pores, rather than merely covering the surface of the shape, like paint.
- 2) Unlike paint, ceramic stain will not burn away under fire. Ceramic stain will age gracefully.
- 3) Color appearance may vary from piece to piece, enhancing the uniqueness of our products.
- 4) **Darker colors, like Black, Dark Gray, Brown, or Coal, make soot, a natural byproduct of a yellow pan burner or firepit flame, less noticeable than against the lighter colors.**

Color Codes for Smooth Balls and Shapes: •Beige = BE •Black = BL •Brown = BR
 •Dark Gray = DG •Light Gray = LG •Natural = NA •Adobe Red = RD
 Please suffix above codes to Item Numbers, eg. FB24-NA

FireBalls™ Sets (FB) - Uniform Size Smooth Balls

4-inch diameter

Use as either Single or Double Face.

Set Size	Item #	No. Pieces	MSRP	# Ctns	Wt	Use with Burner
18	FB18-	20	435.00	1	43	CS16 / CS18
21	FB21-	26	566.00	2	56	CS21
24	FB24-	32	696.00	2	70	CS24
27	FB27-	50	1,087.00	3	109	CS27W
30	FB30-	38	827.00	2	82	CS30
30	FB30W-	60	1,305.00	3	129	CS30W
33	FB33-	70	1,522.00	4	152	CS33W
36	FB36-	80	1,733.00	4	172	CS36
42	FB42-	90	1,957.00	5	195	CS42
48	FB48-	110	2,391.00	6	238	CS48
54	FB54-	120	2,609.00	6	258	CS54
60	FB60-	140	3,043.00	7	301	CS60

Individual FireBalls™

Suffix with above Color Codes

Description	Item #	MSRP	Indiv. Wt (lbs)	Dia.	Height	Packed Weight
2" Dia. Ball	FB-2-	16.00	0.30	2.00		2
3" Dia. Ball	FB-3-	19.00	0.80	3.00		3
4" Dia. Ball	FB-4-	25.00	1.75	4.00		3
4" Half Ball	FB-4H-	23.00	1.05	4.00	2.00	2
5" Dia. Ball	FB-5-	59.00	3.50	5.00		5
6" Dia. Ball	FB-6-	91.00	5.35	5.75		7
6" Half Ball	FB-6H-	59.00	2.40	5.75	2.83	4
7" Dia. Ball	FB-7-	142.00	8.75	6.63		11
7" Half Ball	FB-7H-	91.00	4.30	6.63	3.32	6
8" Dia. Ball	FB-8-	228.00	14.05	8.00		23
12" Dia. Ball	FB-12-	921.00	44.00	12.00		55

Sample of Ceramic Colors - 1 of each color

Item #	No. Pieces	MSRP	# Ctns	Wt	
colorpack-1	8	24.00	1	2	Pebbles
colorpack-FB2	7	97.00	1	4	2" FireBalls
colorpack-FB4	7	153.00	1	19	4" FireBalls

Color Codes for Smooth Balls and Shapes: •Beige = BE •Black = BL •Brown = BR
 •Dark Gray = DG •Light Gray = LG •Natural = NA •Adobe Red = RD
 Please suffix above codes to Item Numbers, eg. MFB-24-1-BL

Massive FireBalls™ Sets (MFB) - Uniform Size Smooth Balls

5-, 6-, 7- and 8-inch diameter

Use as either Single or Double Face.

Set Size	Item #	No. Pieces	MSRP	# Ctns	Wt	Use with Burner
16	MFB-16-1-	8 (5")	425.00	1	35	CS16
18	MFB-18-1-	8 (6")	650.00	2	58	CS18
21	MFB-21-1-	11 (5")	583.00	2	50	CS21
24	MFB-24-1-	11 (6")	895.00	2	80	CS24
27	MFB-27-1-	11 (7")	1,404.00	3	131	CS27W / CS30W
27	MFB-27-2-	8 (8")	1,641.00	4	148	CS27W
27	MFB-27-3-	26 (5")	1,377.00	3	114	CS27W
30	MFB-30-1-	14 (6")	1,139.00	3	105	CS30
30	MFB-30-2-	17 (5")	900.00	2	75	CS30
30	MFB-30-3-	32 (5")	1,694.00	4	144	CS30W/CS33W
30	MFB-30-4-	11 (7")	1,404.00	3	131	CS30W
36	MFB-36-1-	14 (7")	1,787.00	4	168	CS33W / CS36
36	MFB-36-2-	11 (8")	2,257.00	6	208	CS33W / CS36
36	MFB-36-3-	38 (5")	2,012.00	5	170	CS36
42	MFB-42-1-	17 (7")	2,170.00	5	205	CS42
42	MFB-42-2-	14 (8")	2,872.00	7	259	CS42
42	MFB-42-3-	44 (5")	2,329.00	5	192	CS42
48	MFB-48-1-	20 (7")	2,552.00	5	235	CS48
48	MFB-48-2-	17 (8")	3,488.00	9	319	CS48
48	MFB-48-3-	50 (5")	2,646.00	6	222	CS48
54	MFB-54-1-	23 (7")	2,935.00	6	272	CS54
54	MFB-54-2-	62 (5")	3,282.00	7	270	CS54
60	MFB-60-1-	26 (7")	3,317.00	7	309	CS60
60	MFB-60-2-	20 (8")	4,102.00	10	370	CS60
60	MFB-60-3-	68 (5")	3,600.00	8	300	CS60

FireBalls™ Packs

No mixing of colors within pack - one color only.

Please suffix above codes to Item Numbers, eg. FBPK-4-NA

Item #	Description	MSRP	Pack Wt (lbs) (1 ctn each)
FBPK-2-	12 each - Smooth Ball - 2" dia. (FB-2)	165.00	6
FBPK-3-	12 each - Smooth Ball - 3" dia. (FB-3)	199.00	12
FBPK-4-	12 each - Smooth Ball - 4" dia. (FB-4)	262.00	25
FBPK-4H-	12 each - Smooth Half Ball - 4" dia. (FB-4H)	239.00	17
FBPK-5-	10 each - Smooth Ball - 5" dia. (FB-5)	530.00	42
FBPK-6-	6 each - Smooth Ball - 5.75" dia. (FB-6)	489.00	45
FBPK-6H-	6 each - Smooth Half Ball - 5.75" dia. (FB-6H)	319.00	24
FBPK-7-	4 each - Smooth Ball - 6.63" dia. (FB-7)	511.00	43
FBPK-7H-	8 each - Smooth Half Ball - 6.63" dia. (FB-7H)	650.00	42
FBPK-8-	2 each - Smooth Ball - 8" dia. (FB-8)	411.00	37

Color Codes for FireBalls: •Beige = BE •Black = BL •Brown = BR
 •Dark Gray = DG •Light Gray = LG •Natural = NA •Adobe Red = RD
 Please suffix above codes to Item Numbers, eg. BALL24-A-BL

Mixed FireBalls™ Sets (BALL)

Various sizes of smooth balls and half-balls Use as either Single or Double Face.

Set Compositions are at <http://rasmussen.host4kb.com/article/AA-00612> (RasBox.com --> search "mixed")

Set Size	Item #	No. Pieces	MSRP	# Ctns	Wt	Use with Burner	Sq. Ft. Area Coverage
18	BALL18-A-	18	497.00	1	37	CS18, CXF18	1.5
20	BALL20-A-	20	844.00	2	70	CS21, CXF21	1.8
24	BALL24-A-	14	709.00	2	56	CS24, CXF24	2.0
30	BALL30-A-	29	976.00	2	80	CS30, CXF30	2.5
36	BALL36-A-	46	1,680.00	3	130	CS36, CXF36	4.0
42	BALL42-A-	52	2,077.00	4	159	CS42, CXF42	4.7
48	BALL48-A-	59	2,625.00	5	210	CS48, CXF48	5.3

Color Codes for FireStones: •Beige = BE •Black = BL •Brown = BR
 •Dark Gray = DG •Light Gray = LG •Natural = NA •Adobe Red = RD •White = WH

FireStones™ Sets (ST) - A Pleasing Alternative to Logs

[See bottom of next page for Set Compositions] Use as either Single or Double Face.

Item #	Size	No. Pieces	MSRP	# Ctns	Wt	Use w/ Burner	Sq. Ft. Area Coverage
Single Color - Specify BE, BL, BR, DG, LG, NA, RD, WH							
ST_-18A	18	19	395.00	1	26	CS18, CXF18	1.5
ST_-24A	24	32	587.00	1	36	CS24, CXF24	2
ST_-30A	30	45	881.00	1	47	CS30, CXF30	2.5
ST_-36A	36	36	1,586.00	3	110	CS36, CXF36	4
Calico Colors - Mixture of BE, BL, BR, DG, LG, RD, WH							
STCX-18A	18	19	395.00	1	26	CS18, CXF18	1.5
STCX-24A	24	32	587.00	1	36	CS24, CXF24	2
STCX-30A	30	45	881.00	1	47	CS30, CXF30	2.5
STCX-36A	36	36	1,586.00	3	110	CS36, CXF36	4
Black/White/Light Gray							
STBX-18A	18	19	395.00	1	26	CS18, CXF18	1.5
STBX-24A	24	32	587.00	1	36	CS24, CXF24	2
STBX-30A	30	45	881.00	1	47	CS30, CXF30	2.5
STBX-36A	36	36	1,586.00	3	110	CS36, CXF36	4
Black/White/Beige							
STBWB-18A	18	19	395.00	1	26	CS18, CXF18	1.5
STBWB-24A	24	32	587.00	1	36	CS24, CXF24	2
STBWB-30A	30	45	881.00	1	47	CS30, CXF30	2.5
STBWB-36A	36	36	1,586.00	3	110	CS36, CXF36	4

Sample of Ceramic Colors - 8 Pebbles showing each of the 8 ceramic colors

Item #	No. Pieces	MSRP	# Ctns	Wt
colorpack-1	8	24.00	1	2

All items are subject to availability. Prices subject to change without notice. All rights reserved.
 Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Size Ranges of Individual Stones used in FireStone Assortment Packs

Item #	Type	Wt (lbs)	Length (in.)	Width (in.)	Height (in.)
STA1	Large	1.05 - 2.2	5.5 to 7.0	3.25 to 4.0	1.88 to 2.75
STA2	Medium	.50 - 1.75	3.63 to 4.75	3.0 to 3.5	1.13 to 2.75
STA3	Small	.25 - .65	2.75 to 3.88	2.5 to 3.25	1.0 to 2.0
STA4	ExtraLarge	1.75 - 3.55	6.0 to 7.5	3.75 to 4.5	2.5 to 4.0
STA5	Pebbles	1.0 - 2.6 oz.	1.75 to 2.75	1.5 to 2.0	.62 to 1.06

**FireStones are ONLY sold in packs or sets.
Sorry, no individual stone sales.**

FireStones™ Assortment Packs (STA)			Pack Wt (lbs)
Item #	Description	MSRP	
STA4-	6 Extra Large Stones - Specify Color(s) -1.25 sf.	278.00	22
STA1-	6 Large Stones - Specify Color(s) - .75 sq.ft.	200.00	11
STA2-	6 Medium Stones - Specify Color(s) -.50 sq.ft.	100.00	6
STA3-	7 Small Stones - Specify Color(s) - .50 sq.ft.	96.00	5
STA5-	Approx. 40 Pebbles - Specify Color(s) - 1.0 sf	139.00	7

Suffix above Item numbers with the following color codes - one or more Color(s) as desired.

Beige-BE Black-BL Brown-BR Dark Gray-DG Light Gray-LG Natural-NA Adobe Red-RD White-WH

Sq. ft. above represents amount of flat surface coverage each assortment will cover if FireStones are positioned flat on burner surface. For example, a **CS24 burner (24" x 12") is 2 sq. ft.**

Add FireStones assortments to create your desired effect.

STA4-BX	6 Extra Large Stones-Black/Gray/White – 1.25 sq.ft	278.00	22
STA1-BX	6 Large Stones - Black/Gray/White - .75 sq.ft.	200.00	11
STA2-BX	6 Medium Stones - Black/Gray/White- .50 sq.ft.	100.00	6
STA3-BX	7 Small Stones - Black/Gray/White - .50 sq.ft.	96.00	5
STA5-BX	Approx. 40 Pebbles - Black/Gray/White - 1.0 sq.ft.	139.00	7

STA4-BWB	6 Extra Large Stones-Black/White/Beige -1.25 sq.ft	278.00	22
STA1-BWB	6 Large Stones – Black/White/Beige - .75 sq.ft.	200.00	11
STA2-BWB	6 Medium Stones - Black/White/Beige - .50 sq.ft.	100.00	6
STA3-BWB	7 Small Stones - Black/White/Beige - .50 sq.ft.	96.00	5
STA5-BWB	Approx. 40 Pebbles - Black/White/Beige - 1.0 sq.ft.	139.00	7

STA4-CX	6 Extra Large Stones - Calico Colors -1.25 sq.ft.	278.00	22
STA1-CX	6 Large Stones - Calico Colors - .75 sq.ft.	200.00	11
STA2-CX	6 Medium Stones - Calico Colors - .50 sq.ft.	100.00	6
STA3-CX	7 Small Stones - Calico Colors - .50 sq.ft.	96.00	5
STA5-CX	Approx. 40 Pebbles - Calico Colors - 1.0 sq.ft.	139.00	7

Sq. ft. above represents amount of flat surface coverage each assortment will cover if FireStones are positioned flat on burner surface. For example, a **CS24 burner (24" x 12") is 2 sq. ft.**

Add FireStones assortments to create your desired effect.

Create your own unique FireStones™ arrangement by combining colors and sizes from the above Packs.

**FireStone Sets (on previous page) consist of the
combination of the following FireStones Assortments:**

18" = 1-STA1 + 1-STA2 + 1-STA3

24" = 1-STA1 + 2-STA2 + 2-STA3

30" = 2-STA1 + 2-STA2 + 3-STA3

36" = 1-STA1 + 5-STA4



VENT-FREE GAS LOG FIREPLACE HEATERS

All **CHILLBUSTER** sets are certified to two standards:
ANSI Z21.11.2 (Unvented Room Heaters) and ANSI Z21.60 (Vented Decorative Appliance).

For use in indoor wood-burning fireplaces or approved vent-free firebox enclosures.
They may be used with the damper open, closed or anywhere in between.

**Vent-Free sets are supplemental zone heaters -
They are not intended for continuous use or whole house heating.**

Glass doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety controls. With adequate combustion and ventilation air, the damper may be closed for vent-free use. The damper may be opened slightly for reduced venting.

Check local codes and ordinances for permitted uses.

Vent-free sets are the only safe alternative for burning in a vented fireplace with smoking/spillage issues.

**A complete certified set consists of Chillbuster Logs and Chillbuster Hearth Kit.
DO NOT MIX LOGS AND HEARTH KITS FROM DIFFERENT SETS, CATEGORIES, OR FROM DIFFERENT
MANUFACTURERS. Doing so could result in unsafe operation.**

CHILLBUSTER™ LOGS include: Specially designed logs for use exclusively on CHILLBUSTER Hearth Kits. Logs have holes and pins that properly locate the logs in order to promote proper burner performance.

CHILLBUSTER™ HEARTH KITS include: Assembled burner/grate/safety control, Oxygen Depletion Sensor (ODS) pilot, connector and fitting, volcanic ash, embers (C8, C5, C7, DFC7, and C2 only), damper clamp.

M - Basic Manual Control - turn the valve knob to light the main burner and adjust the flame height. Is not upgradable to remote control.

SE - Remote Ready "EASY" – Latching solenoid system that controls the ON/OFF of the burner(s) with the receiver switch or one of five Wireless Remote Transmitter Devices (sold separately - see Page 46). "SE" is not a "millivolt" system ON/OFF control (minimal flame height adjustment).

RE - Variable Flame Height Remote "EASY" Control - Light the burner and control the flame height with the hand-held wireless remote control (included).

M, SE and RE controls have standing pilots that consume 300 BTU/hour (1 therm of natural gas every 13.9 days, or 1 gallon of propane every 12.7 days).

S Millivolt Controls have a standing pilot that consumes 575 BTU/hour (1 therm of natural gas every 7.2 days, or 1 gallon of propane every 6.6 days). They have an installed switch for ON/OFF control and may be also used with the SR-MV1, THR-MV1, WS-MV1, and WT-MV1 remote controls, or with a wired wall switch, wired wall timer, or a home automation system. See Page 46.

EI controls are pilot-on-demand systems – there is no gas being consumed while the unit is OFF. They include the hand-held remote control transmitter, with which the unit is turned ON, OFF, and the flame height adjusted. Powered by 4 - AA batteries (included).

Please Note: The #1 Service Call for Vent-Free sets (for all manufacturers) is the result of clogged ODS pilot air intakes. This is not a warranty issue, but is easily corrected.

Symptom: Either the pilot is hard to light or, after a period of burning, the unit shuts down.

Cause: ODS pilot air intake holes are located at the rear of the pilot assembly near where the pilot gas line attaches to the pilot. They draw in air to mix with the gas for a proper pilot flame. Over time lint and dust can be drawn into the holes with the air, resulting in an improper gas/air mix and a poor pilot flame that results in nuisance pilot outage.

Fix: Clean out the ODS pilot air intake holes with a pipe cleaner or compressed air. In most cases, no parts replacement is needed. This procedure should be accomplished seasonally, or as needed.

Detailed instructions may be found at www.rasbox.com

The Original CHILLBUSTER™

Traditional styling of logs. Reversible front log for either bark or split look. Use "KW" logs with C1.

C1 Minimum Fireplace Dimensions

Set Size	Front Width	Rear Width	Depth	Height
18"	24"	18"	11"	17"
24"	30"	24"	11"	17"
30"	36"	30"	11"	17"

Log Size	Model	Use With Hearth Kits:	# Logs	MSRP	Wt
18	KW18	C1A, C1C, C2A (1 carton)	5	350.00	34
24	KW24	C1A, C1C, C2A, C2B (2 cartons)	6	426.00	54
30	KW30	C1B, C2B (2 cartons)	6	553.00	75

The Original CHILLBUSTER™ - "C1"

"C1" burners provide a concentrated rear flame. Use with "KW" logs.

(suffix with "N" for Natural Gas, "P" for Propane)

Use Log	Model	Hearth Kit Description. (1 carton per item)	BTU/hr	MSRP	Wt
18, 24	C1A-M-	Single Burner, Adjustable Manual Control	40,000	495.00	21
18, 24	C1A-SE-	Single Burner, Wireless Remote Ready "EASY" Control	40,000	754.00	22
18, 24	C1A-RE-	Single Burner, Variable Flame Wireless Remote "EASY"	40,000	1,020.00	23
18, 24	C1A-S-	Single Burner, Millivolt Switch Control	40,000	801.00	21
18, 24	C1A-EI-	Single Burner, Electronic Ignition Variable Remote	40,000	1,373.00	23
30	C1B-M-	Single Burner, Adjustable Manual Control	40,000	570.00	22
30	C1B-SE-	Single Burner, Wireless Remote Ready "EASY" Control	40,000	824.00	23
30	C1B-RE-	Single Burner, Variable Flame Wireless Remote "EASY"	40,000	1,089.00	24
30	C1B-S-	Single Burner, Millivolt Switch Control	40,000	870.00	22
30	C1B-EI-	Single Burner, Electronic Ignition Variable Remote	40,000	1,436.00	24
18, 24	C1C-M-	Single Burner, Adjustable Manual Control	23,000	495.00	21
18, 24	C1C-SE-	Single Burner, Wireless Remote Ready "EASY" Control	23,000	754.00	22
18, 24	C1C-RE-	Single Burner, Variable Flame Wireless Remote "EASY"	23,000	1,020.00	23
18, 24	C1C-S-	Single Burner, Millivolt Switch Control	23,000	801.00	21
18, 24	C1C-EI-	Single Burner, Electronic Ignition Variable Remote	23,000	1,373.00	23

• **RE** and **EI** include the Hand-held Remote Transmitter

Wireless Remote Transmitter Devices for "SE" Remote Ready Controls

SR-2R	Wireless Hand-held Transmitter with simple ON/OFF function	110.00	2
THR-2R	Wireless Hand-held Transmitter with Thermostat function	165.00	2
TS-2R	Wireless Wall Thermostat Control	200.00	2
WS-2R	Wireless Wall Switch	165.00	5
WT-2R	Wireless 30/60/120 minute Wall Timer	165.00	5

Remote Accessories/Parts for Millivolt Controls (S models) and EIS-24V

THR-MV1	RF Wireless Hand-held ON/OFF/Thermostat/Count-down Timer/Non-	339.00	2
SR-MV1	RF Wireless Hand-held ON/OFF Transmitter/Receiver (batteries included)	241.00	2
WS-MV1	RF Wireless Wall Switch ON/OFF Transmitter/Receiver (batteries included)	264.00	2
WT-MV1	RF Wireless Wall Timer ON/OFF Transmitter/Receiver (batteries included)	264.00	2
TS-1	Wall Thermostat Control, 20' wire	84.00	1
WS-1	Wall Switch, Cover, 20' wire	45.00	1
WT-1	60 minute Wall Timer, Cover, 20' wire	149.00	1

RH2	Ceramic Log House for remote receivers to protect from heat	67.00	4
------------	---	--------------	---

“C5” CHILLBUSTER™ Evening Embers Triple Burner

Charred and burned-through middle logs, charring on top logs and rear log. Deep bark logs with split accents. C5's opposed louver, lanced port burners provide a massive bed of embers and a split rear flame on a heavy 5/8" grate.

C5 Minimum Fireplace Dimensions

Set Size	Front Width	Rear Width	Depth	Height
18"	26"	20"	14"	17"
24"	30"	24"	14"	17"
30"	36"	30"	14"	17"

Log Size	Item #	Use With Hearth Kits:	# Logs	MSRP	Wt
18	HF18	C5A, C5B (1 carton)	8	403.00	39
24	HF24	C5A, C5B (2 cartons)	8	466.00	54
30	HF30	C5A, C5B (2 cartons)	9	570.00	74

(suffix with "N" for Natural Gas, "P" for Propane)

Use Log	Item #	Hearth Kit Description. (1 carton per item)	BTU/hr	MSRP	Wt
18, 24, 30	C5A-M-	Triple (Ember) Burner, 3-Way Manual Control	30,000	812.00	28
18, 24, 30	C5A-SE-	Triple (Ember) Burner, Wireless Remote Ready "EASY"	30,000	1,066.00	29
18, 24, 30	C5A-RE-	Triple (Ember) Burner, Variable Flame Wireless Remote	30,000	1,338.00	30
18, 24, 30	C5A-S-	Triple (Ember) Burner, Millivolt Switch Control	30,000	1,119.00	28
18, 24, 30	C5A-EI-	Triple (Ember) Burner, Electronic Ignition Variable Remote	30,000	1,690.00	30
18, 24, 30	C5B-M-	Triple (Ember) Burner, 3-Way Manual Control	40,000	812.00	28
18, 24, 30	C5B-SE-	Triple (Ember) Burner, Wireless Remote Ready "EASY"	40,000	1,066.00	29
18, 24, 30	C5B-RE-	Triple (Ember) Burner, Variable Flame Wireless Remote	40,000	1,338.00	30
18, 24, 30	C5B-S-	Triple (Ember) Burner, Millivolt Switch Control	40,000	1,119.00	28
18, 24, 30	C5B-EI-	Triple (Ember) Burner, Electronic Ignition Variable Remote	40,000	1,690.00	30

“C7” CHILLBUSTER™ Evening Embers Single Burner

The look of a multi-burner set with the reliability and performance of a single burner design. Detailed logs with heavy bark, natural split, and a charred window to the burning embers. Opposed louver, lanced port burner with Enhanced Ember-Lift™ technology and a heavy 5/8" grate.

C7 Minimum Fireplace Dimensions

Set Size	Front Width	Rear Width	Depth	Height
18"	24"	20"	12"	17"
24"	30"	24"	12"	17"
30"	36"	30"	12"	17"

Log Size	Item #	Use With Hearth Kits:	# Logs	MSRP	Wt
18	HG18	C7 (1 carton)	5	385.00	47
24	HG24	C7 (2 cartons)	5	431.00	53
30	HG30	C7 (2 cartons)	5	541.00	65

(suffix with "N" for Natural Gas, "P" for Propane)

Use Log	Item #	Hearth Kit Description. (1 carton per item)	BTU/hr	MSRP	Wt
18, 24, 30	C7-M-	Single (Ember) Burner, 3-Way Manual Control	33,000	622.00	25
18, 24, 30	C7-SE-	Single (Ember) Burner, Wireless Remote Ready "EASY"	33,000	881.00	26
18, 24, 30	C7-RE-	Single (Ember) Burner, Variable Flame Wireless Remote	33,000	1,147.00	27
18, 24, 30	C7-S-	Single (Ember) Burner, Millivolt Switch Control	33,000	928.00	25
18, 24, 30	C7-EI-	Single (Ember) Burner, Electronic Ignition Variable	33,000	1,501.00	27

Please Note:

- SE – See Page 46 for Wireless Remote Transmitter options
- S – See Page 46 for Remote Switch and Transmitter options
- RE and EI include the Hand-held Remote Transmitter

“DFC7” CHILLBUSTER™ Double Face Evening Embers Single Burner for See-Through Fireplaces

Detailed logs with heavy bark, natural split, and a charred window to the burning embers.
Opposed louver, lanced port burner with Enhanced Ember-Lift™ technology and a heavy 5/8" grate.

DFC7 Minimum Fireplace Dimensions

Set Size	Front Width	Rear Width	Depth	Height
18"	24"	24"	16"	17"
24"	30"	30"	16"	17"
30"	36"	36"	16"	17"

Log Size	Model	Use With Hearth Kits:	# Logs	MSRP	Wt
18	HH18	DFC7 (1 carton)	5	546.00	41
24	HH24	DFC7 (2 cartons)	5	622.00	58
30	HH30	DFC7 (2 cartons)	5	754.00	77

(suffix with "N" for Natural Gas, "P" for Propane)

Use Log	Item #	Hearth Kit Description – For See-Thru Fireplaces (1 ctn)	BTU/hr	MSRP	Wt
18, 24, 30	DFC7-M-	Single (Ember) Burner, 3-Way Manual Control	33,000	738.00	33
18, 24, 30	DFC7-SE-	Single (Ember) Burner, Wireless Remote Ready "EASY"	33,000	992.00	34
18, 24, 30	DFC7-RE-	Single (Ember) Burner, Variable Flame Wireless Remote	33,000	1,263.00	35
18, 24, 30	DFC7-S-	Single (Ember) Burner, Millivolt Switch Control	33,000	1,043.00	33
18, 24, 30	DFC7-EI-	Single (Ember) Burner, Electronic Ignition Variable	33,000	1,615.00	35

“C8” CHILLBUSTER™ Evening Embers Double Burner

Two log styles: Heavy bark and Birch, both with char and split features. Two opposed louver, lanced port burners provide a huge glowing ember bed of radiant energy. Hidden log supports and controls.

C8 Minimum Fireplace Dimensions

Set Size	Front Width	Rear Width	Depth	Height
18"	24"	18"	14"	17"
24"	30"	24"	14"	17"
30"	36"	30"	14"	17"

Log Size	Item #	Use With Hearth Kits:	# Logs	MSRP	Wt
18	HR18	C8 (1 carton) Bark	8	443.00	45
24	HR24	C8 (2 cartons) Bark	8	518.00	57
30	HR30	C8 (2 cartons) Bark	8	611.00	60
18	HB18	C8 (1 carton) Birch	8	489.00	45
24	HB24	C8 (2 cartons) Birch	8	558.00	57
30	HB30	C8 (2 cartons) Birch	8	657.00	60

(suffix with "N" for Natural Gas, "P" for Propane)

Use Log	Item #	Hearth Kit Description (1 carton per item)	BTU/hr	MSRP	Wt
18, 24, 30	C8-M-	Double (Ember) Burner, Adjustable Manual Control	33,000	812.00	21
18, 24, 30	C8-SE-	Double (Ember) Burner, Wireless Remote Ready "EASY"	33,000	1,066.00	22
18, 24, 30	C8-RE-	Double (Ember) Burner, Variable Flame Wireless Remote	33,000	1,338.00	23
18, 24, 30	C8-S-	Double (Ember) Burner, Millivolt Switch Control	33,000	1,119.00	21
18, 24, 30	C8-EI-	Double(Ember) Burner, Electronic Ignition Variable Remote	33,000	1,690.00	23

ENHANCEMENT PACKAGE

For use with CHILLBUSTER™ Hearth Kits: C1, C5, C7, DFC7 **NOTE: DO NOT place log or pine cones on the log stack or in the flame.** Doing so may result in improper combustion and may be harmful.

Use Log Size	Model	Description	MSRP	Wt
18, 24, 30	EP	Two small pine cones, one 15" split log	86.00	8

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Chillbuster™ CoalFire™ Fireplace Heater

Chillbuster™ CoalFire™ is a vent-free coal-effect gas fire set designed for small, shallow depth Victorian, coal and wood burning fireplaces.

Chillbuster CoalFire is a vent-free coal effect gas fire set designed for:

- Victorian, coal burning or fireplaces which were not designed for burning wood, but has a flue.
- Flue area is very small in comparison to the area of the opening, resulting in spillage of combustion products.
- Chimney is old. As a result, fireplace cannot be used without an expensive reline or reconstruction.
- Shallow depth of the fireplace. Most traditional gas log sets require a minimum of 12" of depth.
- You like the appearance of a coal-effect basket as a pleasing alternative to traditional gas logs
- You want to turn your unused fireplace into a source of heat for the room.

Chillbuster CoalFire Fireplace Heater ("C9" series) incorporates the following features:

- State-of-the-art lanced-port opposed-louver burner, the heart of all Rasmussen Chillbuster vent-free sets
- Infinite Manual Control; SE and RE EASY Remote Control Systems; or Millivolt Control.
- Heating Unit (burners, coals and control) can be purchased separately to be used with any basket in which the bottom is removed, or purchased with one of the three baskets made by Rasmussen.
- Two sizes of Heating Units: (1) C9A - 33,000 BTU/hour max.; and (2) C9B - 40,000 BTU/hour max.
- The coals are made from the same refractory material from which we make our gas log sets. No potentially harmful ceramic fiber.
- Certified to both the vent-free (ANSI Z21.11.2) and vented (ANSI Z21.60) standards, so CoalFire can be used in vent-free, vented and reduced vent installations.

Chillbuster™ CoalFire™ Specifications:

- Height (to top of burner) = 6.625"
- Height (to top of coals) = 10.5"
- Lowest point of flame = approx. 5 1/8" from the floor. Everything below that is the "guts" of the system (burner venturis, control valve, plumbing). The glow starts at about 5.5" and emanates from the coals as well as the stainless steel pieces that hold the coals.
- Absolute minimum fireplace depth required = 6.5", the maximum forward-most projection of the flame.
- Minimum Fireplace Depth Required for Baskets: Classic = 9.5"; Americana and Moderne = 8.375"

Please Note:

- **SE** – See Page 46 for EASY Wireless Remote Transmitter options
- **S** – See Page 46 for Millivolt Wireless & Switch options
- **RE** includes the Hand-held Remote Transmitter

CoalFire Minimum Fireplace Dimensions

Basket Size	Front Width	Rear Width	Depth	Height
CLAS-A	17"	17"	9.5"	16"
CLAS-B	21"	21"	9.5"	16"
AMER/MOD-A	16"	16"	8.375"	16"
AMER/MOD-B	20"	20"	8.375"	16"

Complete Set with "Classic" Style Basket

(suffix with "N" for Natural Gas, "P" for Propane)

Size	Item #	Description (1 carton per item)	BTU/hr	MSRP	Wt
16 7/8"	CLAS-A-C9A-M-	Small Classic Basket with C9A Manual Control	33,000	1,340.00	41
16 7/8"	CLAS-A-C9A-SE-	Small Classic Basket with C9A Remote Ready "EASY" Control	33,000	1,594.00	42
16 7/8"	CLAS-A-C9A-RE-	Small Classic Basket with C9A Variable Flame Height Remote "EASY" Control	33,000	1,860.00	43
16 7/8"	CLAS-A-C9A-S-	Small Classic Basket with C9A Millivolt Remote Ready Control	33,000	1,641.00	42
20 7/8"	CLAS-B-C9B-M-	Large Classic Basket with C9B Manual Control	40,000	1,467.00	46
20 7/8"	CLAS-B-C9B-SE-	Large Classic Basket with C9B Remote Ready "EASY" Control	40,000	1,721.00	47
20 7/8"	CLAS-B-C9B-RE-	Large Classic Basket with C9B Variable Flame Height Remote "EASY" Control	40,000	1,987.00	48
20 7/8"	CLAS-B-C9B-S-	Large Classic Basket with C9B Millivolt Remote Ready Control	40,000	1,768.00	47

• SE & S – See Page 46 for Wireless Remote Transmitter options • RE includes the Hand-held Remote Transmitter

Complete Set with “Americana” Style Basket

(suffix with "N" for Natural Gas, "P" for Propane)

Size	Item #	Description (1 carton per item)	BTU/hr	MSRP	Wt
15"	AMER-A-C9A-M-	Small Americana Basket with C9A Manual Control	33,000	1,221.00	36
15"	AMER-A-C9A-SE-	Small Americana Basket with C9A Remote Ready "EASY" Control	33,000	1,475.00	37
15"	AMER-A-C9A-RE-	Small Americana Basket with C9A Variable Flame Height Remote "EASY" Control	33,000	1,740.00	38
15"	AMER-A-C9A-S-	Small Americana Basket with C9A Millivolt Remote Ready Control	33,000	1,521.00	37
19"	AMER-B-C9B-M-	Large Americana Basket with C9B Manual Control	40,000	1,325.00	41
19"	AMER-B-C9B-SE-	Large Americana Basket with C9B Remote Ready "EASY" Control	40,000	1,579.00	42
19"	AMER-B-C9B-RE-	Large Americana Basket with C9B Variable Flame Height Remote "EASY" Control	40,000	1,844.00	43
19"	AMER-B-C9B-S-	Large Americana Basket with C9B Millivolt Remote Ready Control	40,000	1,625.00	42

Complete Set with “Moderne” Style Basket

(suffix with "N" for Natural Gas, "P" for Propane)

Size	Item #	Description (1 carton per item)	BTU/hr	MSRP	Wt
15"	MOD-A-C9A-M-	Small Moderne Basket with C9A Manual Control	33,000	1,221.00	36
15"	MOD-A-C9A-SE-	Small Moderne Basket with C9A Remote Ready "EASY" Control	33,000	1,475.00	37
15"	MOD-A-C9A-RE-	Small Moderne Basket with C9A Variable Flame Height Remote "EASY" Control	33,000	1,740.00	38
15"	MOD-A-C9A-S-	Small Moderne Basket with C9A Millivolt Remote Ready Control	33,000	1,521.00	37
19"	MOD-B-C9B-M-	Large Moderne Basket with C9B Manual Control	40,000	1,325.00	41
19"	MOD-B-C9B-SE-	Large Moderne Basket with C9B Remote Ready "EASY" Control	40,000	1,579.00	42
19"	MOD-B-C9B-RE-	Large Moderne Basket with C9B Variable Flame Height Remote "EASY" Control	40,000	1,844.00	43
19"	MOD-B-C9B-S-	Large Moderne Basket with C9B Millivolt Remote Ready Control	40,000	1,625.00	42

Chillbuster™ CoalFire™ All Steel Baskets

Size	Item #	Description (1 carton per item)	MSRP	Wt
16 7/8"	CLAS-A	Classic Basket – 16 7/8" w x 9 1/2" deep. All steel. Use with C9A	523.00	30
20 7/8"	CLAS-B	Classic Basket – 20 7/8" w x 9 1/2" deep. All steel. Use with C9B	604.00	32
15"	AMER-A	Americana Basket - 15" w x 8 3/8" deep. All steel. Use with C9A	403.00	21
19"	AMER-B	Americana Basket - 19" w x 8 3/8" deep. All steel. Use with C9B	460.00	23
15"	MOD-A	Moderne Basket - 15" w x 8 3/8" deep. All steel. Use with C9A	403.00	25
19"	MOD-B	Moderne Basket - 19" w x 8 3/8" deep. All steel. Use with C9B	460.00	27

Chillbuster™ CoalFire™ Burner/Control/Coal Assemblies Only (can use with other baskets or frets) – 7" deep

(suffix with "N" for Natural Gas, "P" for Propane)

Size	Item #	Description (1 carton per item)	BTU/hr	MSRP	Wt
13"	C9A-M-	Coal-Fire Burner Assembly & Coals, Manual Control	33,000	818.00	19
13"	C9A-SE-	Coal-Fire Burner Assembly & Coals, Remote Ready "EASY" Control	33,000	1,073.00	20
13"	C9A-RE-	Coal-Fire Burner Assembly & Coals, Variable Flame Wireless Remote "EASY" Control	33,000	1,338.00	21
13"	C9A-S-	Coal-Fire Burner Assembly & Coals, Millivolt Remote Ready Control	33,000	1,119.00	20
16.5"	C9B-M-	Coal-Fire Burner Assembly & Coals, Manual Control	40,000	865.00	20
16.5"	C9B-SE-	Coal-Fire Burner Assembly & Coals, Remote Ready "EASY" Control	40,000	1,119.00	21
16.5"	C9B-RE-	Coal-Fire Burner Assembly & Coals, Variable Flame Wireless Remote "EASY" Control	40,000	1,384.00	22
16.5"	C9B-S-	Coal-Fire Burner Assembly & Coals, Millivolt Remote Ready Control	40,000	1,165.00	21

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.



VENT-FREE CONTEMPORARY FIREPLACE HEATERS

All ALTERNA VF sets are certified to two standards: ANSI Z21.11.2 (Unvented Room Heaters) and ANSI Z21.60 (Vented Decorative Appliance). For use in indoor wood-burning fireplaces or approved vent-free firebox enclosures. They may be used with the damper open, closed or anyplace in between. Vent-Free sets are supplemental zone heaters - they are not intended for continuous use or whole house heating.

Glass doors must be wide open when burning for proper ventilation, proper combustion and cooling of safety controls. With adequate combustion and ventilation air, the damper may be closed for vent-free use. The damper may be opened slightly for reduced venting. Check local codes and ordinances for permitted uses. Vent-free sets are the only safe alternative for burning in a vented fireplace with smoking/spillage issues.

**A complete certified set consists of Alterna Objects and Alterna VF Hearth Kit.
DO NOT MIX OBJECTS AND HEARTH KITS FROM DIFFERENT CATEGORIES OR FROM DIFFERENT MANUFACTURERS.
Doing so could result in unsafe operation, and voids all warranties.**

ALTERNA™ VF OBJECTS include: Glass, FireBalls, or FireStones to fit the location slots in the hearth chassis.

ALTERNA™ VF HEARTH KITS include: Assembled burner/grate/safety control, Oxygen Depletion Sensor (ODS) pilot, connector and fitting, damper clamp. Available in either Stainless Steel or Black Chassis.

M, SE and RE controls have **standing pilots** that consume 300 BTU/hour (1 therm of natural gas every 13.9 days, or 1 gallon of propane every 12.7 days).

- **M** provides ON/OFF control with full flame height adjustment by turning the knob.
- **SE** provides ON/OFF with no flame height adjustment.
- **RE** has a motor drive for remote flame height adjustment. **Includes** hand-held remote transmitter.
- **S** millivolt control has a **standing pilot** that consumes 575 BTU/hour (1 therm of natural gas every 7.2 days, or 1 gallon of propane every 6.6 days). They have an installed switch for ON/OFF control and may be also used with the SR-MV1, THR1-MV1 and WS-MV1 remote controls, or with a wired wall switch, wired wall timer, or a home automation system. The flame height can be adjusted manually at the control valve.
- **EI** is a pilot-on-demand system – there is no gas being consumed while the unit is OFF.

Includes the hand-held remote control transmitter for turning the set ON, OFF and adjusting the flame height.

Two Chassis Finishes: **B** = Black Painted **SS** = Stainless Steel **NOTE: INDOOR USE ONLY**

Single Face = one fireplace opening. **Double Face** = See-Through = two opposing openings

Alterna VF (all Single Face sets) Minimum Fireplace Dimensions

Set Size	Front Width	Rear Width	Depth	Height
20"	26"	20"	11"	16"
24"	30"	24"	11"	16"
30"	36"	30"	11"	16"

Alterna VF (all Double Face sets) Minimum Fireplace Dimensions

Set Size	Front Width	Rear Width	Depth	Height
20"	26"	26"	14"	16"
24"	30"	30"	14"	16"
30"	36"	36"	14"	16"

Please Note:

- **SE** – See Page 46 for Wireless Remote Transmitter options
- **S** – See Page 46 for Remote Switch and Transmitter options
- **RE** and **EI** include the Hand-held Remote Transmitter

Maximum BTU/hour inputs for Alterna VF Sets:
20" = 30,000 24" and 30" = 40,000

ALTERNA VF FireGlitter™

(use with or without Glass)

- **SE & S** – See Page 46 for Wireless Remote Transmitter options
- **RE & EI** include the Hand-held Remote Transmitter

Glass Color Codes: •Blue/Green = **BG** •Cobalt Blue = **CB** •Black = **BL** •Copper = **CU** •Platinum = **PL**
 Please suffix above codes to "Carton 1 of 2" Item Number. Example: **GM20-BG**

Set Size	Item #	Description	MSRP	Wt
20" Single Face	GM20-	Carton 1 of 2 - Glass - Specify Color. 7 lbs. of Glass.	108.00	8
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFM20-M-B-	Hearth Kit with Manual Control for 20" FireGlitter GM20	714.00	16
	AFM20-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 20" FireGlitter GM20	980.00	17
	AFM20-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 20" FireGlitter GM20	1,269.00	18
	AFM20-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireGlitter GM20	1,032.00	17
	AFM20-EI-B-	Hearth Kit w/ Electronic Ignition Remote for 20" FireGlitter GM20	1,592.00	19
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFM20-M-SS-	Hearth Kit with Manual Control for 20" FireGlitter GM20	992.00	16
	AFM20-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 20" FireGlitter GM20	1,257.00	16
	AFM20-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 20" FireGlitter GM20	1,540.00	17
	AFM20-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireGlitter GM20	1,309.00	16
	AFM20-EI-SS-	Hearth Kit with Electronic Ignition Remote for 20" FireGlitter GM20	1,869.00	18

Set Size	Item #	Description	MSRP	Wt
20" Double Face	DF-GM20-	Carton 1 of 2 - Glass - Specify Color. 10 lbs. of Glass.	151.00	12
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFM20-M-B-	Hearth Kit with Manual Control for 20" FireGlitter DF-GM20	749.00	18
	DF-AFM20-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 20" FireGlitter DF-GM20	1,020.00	19
	DF-AFM20-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 20" FireGlitter DF-GM20	1,304.00	20
	DF-AFM20-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireGlitter DF-GM20	1,066.00	19
	DF-AFM20-EI-B-	Hearth Kit w/Electronic Ignition Remote for 20" FireGlitter DF-GM20	1,627.00	21
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFM20-M-SS-	Hearth Kit with Manual Control for 20" FireGlitter DF-GM20	1,061.00	17
	DF-AFM20-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 20" FireGlitter DF-GM20	1,332.00	18
	DF-AFM20-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 20" FireGlitter DF-GM20	1,615.00	19
	DF-AFM20-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireGlitter DF-GM20	1,380.00	18
	DF-AFM20-EI-SS-	Hearth Kit with Electronic Ignition Remote for 20" FireGlitter DF-GM20	1,939.00	20

ALTERNA VF FireGlitter™

(use with or without Glass)

- **SE & S** – See Page 46 for Wireless Remote Transmitter options
- **RE & EI** include the Hand-held Remote Transmitter

Glass Color Codes: •Blue/Green = **BG** •Cobalt Blue = **CB** •Black = **BL** •Copper = **CU** •Platinum = **PL**
 Please suffix above codes to "Carton 1 of 2" Item Number. Example: **GM24-BG**

Set Size	Item #	Description	MSRP	Wt
24" Single Face	GM24-	Carton 1 of 2 - Glass - Select Color . 8 lbs. of Glass.	121.00	8
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFM24-M-B-	Hearth Kit with Manual Control for 24" FireGlitter GM24	766.00	19
	AFM24-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 24" FireGlitter GM24	1,032.00	20
	AFM24-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 24" FireGlitter GM24	1,315.00	21
	AFM24-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 24" FireGlitter GM24	1,084.00	20
	AFM24-EI-B-	Hearth Kit w/ Electronic Ignition Remote for 24" FireGlitter GM24	1,644.00	22
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFM24-M-SS-	Hearth Kit with Manual Control for 24" FireGlitter GM24	1,061.00	18
	AFM24-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 24" FireGlitter GM24	1,327.00	19
	AFM24-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 24" FireGlitter GM24	1,615.00	20
	AFM24-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 24" FireGlitter GM24	1,378.00	19
	AFM24-EI-SS-	Hearth Kit with Electronic Ignition Remote for 24" FireGlitter GM24	1,939.00	21

Set Size	Item #	Description	MSRP	Wt
24" Double Face	DF-GM24-	Carton 1 of 2 - Glass - Specify Color . 12 lbs. of Glass.	181.00	13
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFM24-M-B-	Hearth Kit with Manual Control for 24" FireGlitter DF-GM24	853.00	20
	DF-AFM24-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 24" FireGlitter DF-GM24	1,119.00	21
	DF-AFM24-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 24" FireGlitter DF-GM24	1,401.00	22
	DF-AFM24-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 24" FireGlitter DF-GM24	1,170.00	21
	DF-AFM24-EI-B-	Hearth Kit w/ Electronic Ignition Remote for 24" FireGlitter DF-GM24	1,725.00	23
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFM24-M-SS-	Hearth Kit with Manual Control for 24" FireGlitter DF-GM24	1,176.00	19
	DF-AFM24-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 24" FireGlitter DF-GM24	1,442.00	20
	DF-AFM24-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 24" FireGlitter DF-GM24	1,725.00	21
	DF-AFM24-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 24" FireGlitter DF-GM24	1,482.00	20
	DF-AFM24-EI-SS-	Hearth Kit with Electronic Ignition Remote for 24" FireGlitter DF-GM24	2,054.00	22

ALTERNA VF FireGlitter™

(use with or without Glass)

- **SE & S** – See Page 46 for Wireless Remote Transmitter options
- **RE & EI** include the Hand-held Remote Transmitter

Glass Color Codes: •Blue/Green = BG •Cobalt Blue = CB •Black = BL •Copper = CU •Platinum = PL
Please suffix above codes to "Carton 1 of 2" Item Number. Example: GM30-BG

Set Size	Item #	Description	MSRP	Wt
30" Single Face	GM30-	Carton 1 of 2 - Glass - Specify Color. 10 lbs. of Glass.	151.00	12
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFM30-M-B-	Hearth Kit with Manual Control for 30" FireGlitter GM30	881.00	21
	AFM30-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 30" FireGlitter GM30	1,147.00	22
	AFM30-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 30" FireGlitter GM30	1,431.00	23
	AFM30-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireGlitter GM30	1,200.00	22
	AFM30-EI-B-	Hearth Kit w/ Electronic Ignition Remote for 30" FireGlitter GM30	1,685.00	24
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFM30-M-SS-	Hearth Kit with Manual Control for 30" FireGlitter GM30	1,234.00	20
	AFM30-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 30" FireGlitter GM30	1,500.00	21
	AFM30-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 30" FireGlitter GM30	1,789.00	22
	AFM30-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireGlitter GM30	1,551.00	21
	AFM30-EI-SS-	Hearth Kit with Electronic Ignition Remote for 30" FireGlitter GM30	2,112.00	23

Set Size	Item #	Description	MSRP	Wt
30" Double Face	DF-GM30-	Carton 1 of 2 - Glass - Specify Color. 15 lbs. of Glass.	226.00	18
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFM30-M-B-	Hearth Kit with Manual Control for 30" FireGlitter DF-GM30	980.00	22
	DF-AFM30-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 30" FireGlitter DF-GM30	1,251.00	23
	DF-AFM30-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 30" FireGlitter DF-GM30	1,535.00	24
	DF-AFM30-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireGlitter DF-GM30	1,304.00	23
	DF-AFM30-EI-B-	Hearth Kit w/ Electronic Ignition Remote for 30" FireGlitter DF-GM30	1,858.00	25
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFM30-M-SS-	Hearth Kit with Manual Control for 30" FireGlitter DF-GM30	1,320.00	21
	DF-AFM30-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 30" FireGlitter DF-GM30	1,586.00	22
	DF-AFM30-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 30" FireGlitter DF-GM30	1,869.00	23
	DF-AFM30-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireGlitter DF-GM30	1,638.00	22
	DF-AFM30-EI-SS-	Hearth Kit w/ Electronic Ignition Remote for 30" FireGlitter DF-GM30	2,193.00	24

ALTERNA VF FireBalls™

• **SE & S** – See Page 46 for Wireless Remote Transmitter options
 • **RE & EI** include the Hand-held Remote Transmitter

Ceramic Color Codes for Smooth FireBalls: •Beige = **BE** •Brown = **BR** •Black = **BL**
 •Dark Gray = **DG** •Light Gray = **LG** •Natural = **NA** •Adobe Red = **RD** Example: AFB20-DG

Set Size	Item #	Description	MSRP	Wt
20" Single Face	AFB20-	Carton 1 of 2 - Smooth FireBalls Objects - Specify Color. 9 Pieces (7 - FB-4, 2 - FB-4H)	193.00	19
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFB20-M-B-	Hearth Kit with Manual Control for 20" FireBall AFB20	714.00	18
	AFB20-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 20" FireBalls AFB20	980.00	19
	AFB20-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 20" FireBalls AFB20	1,269.00	20
	AFB20-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireBalls AFB20	1,032.00	19
	AFB20-EI-B-	Hearth Kit with Electronic Ignition Remote for 20" FireBalls	1,592.00	21
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFB20-M-SS-	Hearth Kit with Manual Control for 20" FireBalls AFB20	992.00	17
	AFB20-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 20" FireBalls AFB20	1,257.00	18
	AFB20-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 20" FireBalls AFB20	1,540.00	19
	AFB20-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireBalls AFB20	1,309.00	18
	AFB20-EI-SS-	Hearth Kit with Electronic Ignition Remote for 20" FireBalls AFB20	1,869.00	20
	20" Double Face	DF-AFB20-	Carton 1 of 2 - Smooth FireBalls Objects - Specify Color. 14 Pieces. (14 - FB-4)	306.00
Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)				
DF-AFB20-M-B-		Hearth Kit with Manual Control for 20" FireBalls DF-AFB20	749.00	19
DF-AFB20-SE-B-		Hearth Kit with Remote Ready "EASY" Control for 20" FireBalls DF-AFB20	1,020.00	20
DF-AFB20-RE-B-		Hearth Kit with Variable Remote "EASY" Control for 20" FireBalls DF-AFB20	1,304.00	21
DF-AFB20-S-B-		Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireBalls DF-AFB20	1,066.00	20
DF-AFB20-EI-B-		Hearth Kit with Electronic Ignition Remote for 20" FireBalls DF-AFB20	1,627.00	22
Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)				
DF-AFB20-M-SS-		Hearth Kit with Manual Control for 20" FireBalls DF-AFB20	1,061.00	18
DF-AFB20-SE-SS-		Hearth Kit with Remote Ready "EASY" Control for 20" FireBalls DF-AFB20	1,332.00	19
DF-AFB20-RE-SS-		Hearth Kit with Variable Remote "EASY" Control for 20" FireBalls DF-AFB20	1,615.00	20
DF-AFB20-S-SS-		Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireBalls DF-AFB20	1,380.00	19
DF-AFB20-EI-SS-		Hearth Kit with Electronic Ign.Remote for 20" FireBalls DF-AFB20	1,939.00	21

All items are subject to availability. Prices subject to change without notice. All rights reserved.
 Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

ALTERNA VF FireBalls™

• **SE & S** – See Page 46 for Wireless Remote Transmitter options
 • **RE & EI** include the Hand-held Remote Transmitter

Ceramic Color Codes for Smooth FireBalls: •Beige = **BE** •Brown = **BR** •Black = **BL**
 •Light Gray = **LG** •Dark Gray = **DG** •Natural = **NA** •Adobe Red = **RD** Example: AFB24-BL

Set Size	Item #	Description	MSRP	Wt
24" Single Face	AFB24-	Carton 1 of 2 - Smooth FireBalls Objects - Specify Color. 12 Pieces (9 - FB-4, 3 - FB-4H)	258.00	23
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFB24-M-B-	Hearth Kit with Manual Control for 24" FireBalls AFB24	766.00	20
	AFB24-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 24" FireBalls AFB24	1,032.00	21
	AFB24-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 24" FireBalls AFB24	1,315.00	22
	AFB24-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 24" FireBalls AFB24	1,084.00	21
	AFB24-EI-B-	Hearth Kit with Electronic Ignit. Remote for 24" FireBalls AFB24	1,644.00	23
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFB24-M-SS-	Hearth Kit with Manual Control for 24" FireBalls AFB24	1,061.00	19
	AFB24-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 24" FireBalls AFB24	1,327.00	20
	AFB24-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 24" FireBalls AFB24	1,615.00	21
	AFB24-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 24" FireBalls AFB24	1,378.00	20
	AFB24-EI-SS-	Hearth Kit with Electronic Ignition Remote for 24" FireBalls AFB24	1,939.00	22
	Set Size	Item #	Description	MSRP
24" Double Face	DF-AFB24-	Carton 1 of 2 - Smooth FireBalls Objects - Select Color. 18 Pieces (18 - FB-4)	393.00	36
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFB24-M-B-	Hearth Kit with Manual Control for 24" FireBalls DF-AFB24	853.00	21
	DF-AFB24-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 24" FireBalls DF-AFB24	1,119.00	22
	DF-AFB24-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 24" FireBalls DF-AFB24	1,401.00	23
	DF-AFB24-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 24" FireBalls DF-AFB24	1,170.00	22
	DF-AFB24-EI-B-	Hearth Kit with Electronic Ignition Remote for 24" FireBalls DF-AFB24	1,725.00	24
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFB24-M-SS-	Hearth Kit with Manual Control for 24" FireBalls DF-AFB24	1,176.00	20
	DF-AFB24-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 24" FireBalls DF-AFB24	1,442.00	21
	DF-AFB24-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 24" FireBalls DF-AFB24	1,725.00	22
	DF-AFB24-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 24" FireBalls DF-AFB24	1,482.00	21
	DF-AFB24-EI-SS-	Hearth Kit with Electronic Ignition Remote for 24" FireBalls DF-AFB24	2,054.00	23

All items are subject to availability. Prices subject to change without notice. All rights reserved.
 Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

ALTERNA VF FireBalls™

• **SE & S** – See Page 46 for Wireless Remote Transmitter options
 • **RE & EI** include the Hand-held Remote Transmitter

Ceramic Color Codes for Smooth FireBalls: •Beige = BE •Brown = BR •Black = BL
 •Light Gray = LG •Dark Gray = DG •Natural = NA •Adobe Red = RD Example: AFB30-BR

Set Size	Item #	Description	MSRP	Wt	
30" Single Face	AFB30-	Carton 1 of 2 - Smooth FireBalls Objects - Specify Color. 15 Pieces (11 - FB-4, 4 - FB-4H)	320.00	28	
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)				
	AFB30-M-B-	Hearth Kit with Manual Control for 30" FireBalls AFB30	881.00	24	
	AFB30-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 30" FireBalls AFB30	1,147.00	25	
	AFB30-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 30" FireBalls AFB30	1,431.00	26	
	AFB30-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireBalls AFB30	1,200.00	25	
	AFB30-EI-B-	Hearth Kit with Electronic Ignition Remote for 30" FireBalls AFB30	1,685.00	27	
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)				
	AFB30-M-SS-	Hearth Kit with Manual Control for 30" FireBalls AFB30	1,234.00	23	
	AFB30-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 30" FireBalls AFB30	1,500.00	24	
	AFB30-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 30" FireBalls AFB30	1,789.00	25	
	AFB30-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireBalls AFB30	1,551.00	24	
	AFB30-EI-SS-	Hearth Kit with Electronic Ignition Remote for 30" FireBalls AFB30	2,112.00	26	
	Set Size	Item #	Description	MSRP	Wt
	30" Double Face	DF-AFB30-	Carton 1 of 2 - Smooth FireBalls Objects - Specify Color. 22 Pieces (22 - FB-4)	481.00	44
Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)					
DF-AFB30-M-B-		Hearth Kit with Manual Control for 30" FireBalls DF-AFB30	980.00	24	
DF-AFB30-SE-B-		Hearth Kit with Remote Ready "EASY" Control for 30" FireBalls DF-AFB30	1,251.00	25	
DF-AFB30-RE-B-		Hearth Kit with Variable Remote "EASY" Control for 30" FireBalls DF-AFB30	1,535.00	26	
DF-AFB30-S-B-		Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireBalls DF-AFB30	1,304.00	25	
DF-AFB30-EI-B-		Hearth Kit with Electronic Ignition Remote for 30" FireBalls DF-AFB30	1,858.00	27	
Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)					
DF-AFB30-M-SS-		Hearth Kit with Manual Control for 30" FireBalls DF-AFB30	1,320.00	23	
DF-AFB30-SE-SS-		Hearth Kit with Remote Ready "EASY" Control for 30" FireBalls DF-AFB30	1,586.00	24	
DF-AFB30-RE-SS-		Hearth Kit with Variable Remote "EASY" Control for 30" FireBalls DF-AFB30	1,869.00	25	
DF-AFB30-S-SS-		Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireBalls DF-AFB30	1,638.00	25	
DF-AFB30-EI-SS-		Hearth Kit with Electronic Ignition Remote for 30" FireBalls DF-AFB30	2,193.00	26	

All items are subject to availability. Prices subject to change without notice. All rights reserved.
 Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

ALTERNA VF FireStones™

- **SE & S** – See Page 46 for Wireless Remote Transmitter options
- **RE & EI** include the Hand-held Remote Transmitter

Ceramic Color Codes: •Natural = **NA** •Black = **BL** •Light Gray = **LG** •Dark Gray = **DG**
 •Beige = **BE** •White = **WH** •Brown = **BR** •Adobe Red = **RD**
Multi-color combinations: •Calico (6) colors = **CX** •BL/LG/WH = **BX** •BR/NA/RD = **BNR**
Please suffix above codes to Object Item Number. Example: AFS24-BX

Set Size	Item #	Description	MSRP	Wt
20" Single Face	AFS20-	Carton 1 of 2 - FireStones Objects - Specify Color. 8 Pieces.	206.00	17
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFS20-M-B-	Hearth Kit with Manual Control for 20" FireStones AFS20	714.00	16
	AFS20-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 20" FireStones AFS20	980.00	17
	AFS20-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 20" FireStones AFS20	1,269.00	18
	AFS20-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireStones AFS20	1,032.00	17
	AFS20-EI-B-	Hearth Kit with Electronic Ignition Remote for 20" FireStones AFS20	1,592.00	19
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFS20-M-SS-	Hearth Kit with Manual Control for 20" FireStones AFS20	992.00	15
	AFS20-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 20" FireStones AFS20	1,257.00	16
	AFS20-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 20" FireStones AFS20	1,540.00	17
	AFS20-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireStones AFS20	1,309.00	16
	AFS20-EI-SS-	Hearth Kit with Electronic Ignition Remote for 20" FireStones AFS20	1,869.00	18

Set Size	Item #	Description	MSRP	Wt
20" Double Face	DF-AFS20-	Carton 1 of 2 - FireStones Objects- Specify Color. 12 Pieces.	327.00	24
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFS20-M-B-	Hearth Kit with Manual Control for 20" FireStones DF-AFS20	749.00	18
	DF-AFS20-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 20" FireStones DF-AFS20	1,020.00	19
	DF-AFS20-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 20" FireStones DF-AFS20	1,304.00	20
	DF-AFS20-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireStones DF-AFS20	1,066.00	19
	DF-AFS20-EI-B-	Hearth Kit with Electronic Ignit. Remote for 20" FireStones DF-AFS20	1,627.00	21
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFS20-M-SS-	Hearth Kit with Manual Control for 20" FireStones DF-AFS20	1,061.00	17
	DF-AFS20-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 20" FireStones DF-AFS20	1,332.00	18
	DF-AFS20-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 20" FireStones DF-AFS20	1,615.00	19
	DF-AFS20-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 20" FireStones DF-AFS20	1,380.00	18
	DF-AFS20-EI-SS-	Hearth Kit with Electronic Ignit. Remote for 20" FireStones DF-AFS20	1,939.00	20

All items are subject to availability. Prices subject to change without notice. All rights reserved.
 Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

ALTERNA VF FireStones™

• **SE & S** – See Page 46 for Wireless Remote Transmitter options
 • **RE & EI** include the Hand-held Remote Transmitter

Ceramic Color Codes: •Natural = **NA** •Black = **BL** •Light Gray = **LG** •Dark Gray = **DG**
 •Beige = **BE** •White = **WH** •Brown = **BR** •Adobe Red = **RD**
Multi-color combinations: •Calico (6) colors = **CX** •BL/LG/WH = **BX** •BR/NA/RD = **BNR**
 Please suffix above codes to Object Item Number. Example: AFS24-BX

Set Size	Item #	Description	MSRP	Wt
24" Single Face	AFS24-	Carton 1 of 2 - FireStones Objects- Specify Color . 11 Pieces	281.00	21
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFS24-M-B-	Hearth Kit with Manual Control for 24" FireStones AFS24	766.00	19
	AFS24-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 24" FireStones AFS24	1,032.00	20
	AFS24-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 24" FireStones AFS24	1,315.00	21
	AFS24-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 24" FireStones AFS24	1,084.00	20
	AFS24-EI-B-	Hearth Kit with Electronic Ignition Remote for 24" FireStones AFS24	1,644.00	22
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFS24-M-SS-	Hearth Kit with Manual Control for 24" FireStones AFS24	1,061.00	18
	AFS24-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 24" FireStones AFS24	1,327.00	19
	AFS24-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 24" FireStones AFS24	1,615.00	20

Set Size	Item #	Description	MSRP	Wt
24" Double Face	DF-AFS24-	Carton 1 of 2 - FireStones Objects- Specify Color . 16 Pieces	437.00	28
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFS24-M-B-	Hearth Kit with Manual Control for 24" FireStones DF-AFS24	853.00	20
	DF-AFS24-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 24" FireStones DF-AFS24	1,119.00	21
	DF-AFS24-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 24" FireStones DF-AFS24	1,401.00	22
	DF-AFS24-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 24" FireStones DF-AFS24	1,170.00	21
	DF-AFS24-EI-B-	Hearth Kit with Electronic Ignit. Remote for 24" FireStones DF-AFS24	1,725.00	23
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFS24-M-SS-	Hearth Kit with Manual Control for 24" FireStones DF-AFS24	1,176.00	19
	DF-AFS24-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 24" FireStones DF-AFS24	1,442.00	20
	DF-AFS24-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 24" FireStones DF-AFS24	1,725.00	21

All items are subject to availability. Prices subject to change without notice. All rights reserved.
 Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

ALTERNA VF FireStones™

• **SE & S** – See Page 46 for Wireless Remote Transmitter options
 • **RE & EI** include the Hand-held Remote Transmitter

Ceramic Color Codes: •Natural = **NA** •Black = **BL** •Light Gray = **LG** •Dark Gray = **DG**
 •Beige = **BE** •White = **WH** •Brown = **BR** •Adobe Red = **RD**
Multi-color combinations: •Calico (6) colors = **CX** •BL/LG/WH = **BX** •BR/NA/RD = **BNR**
 Please suffix above codes to Object Item Number. Example: AFS30-BX

Set Size	Item #	Description	MSRP	Wt
30" Single Face	AFS30-	Carton 1 of 2 - FireStones Objects- Specify Color. 14 Pieces	356.00	26
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFS30-M-B-	Hearth Kit with Manual Control for 30" FireStones AFS30	881.00	21
	AFS30-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 30" FireStones AFS30	1,147.00	22
	AFS30-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 30" FireStones AFS30	1,431.00	23
	AFS30-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireStones AFS30	1,200.00	22
	AFS30-EI-B-	Hearth Kit with Electronic Ignition Remote for 30" FireStones AFS30	1,685.00	24
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	AFS30-M-SS-	Hearth Kit with Manual Control for 30" FireStones AFS30	1,234.00	20
	AFS30-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 30" FireStones AFS30	1,500.00	21
	AFS30-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 30" FireStones AFS30	1,789.00	22
	AFS30-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireStones AFS30	1,551.00	21
	AFS30-EI-SS-	Hearth Kit with Electronic Ignition Remote for 30" FireStones AFS30	2,112.00	23

Set Size	Item #	Description	MSRP	Wt
30" Double Face	DF-AFS30-	Carton 1 of 2 - FireStones Objects- Specify Color. 20 Pieces	518.00	36
	Black Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFS30-M-B-	Hearth Kit with Manual Control for 30" FireStones DF-AFS30	980.00	22
	DF-AFS30-SE-B-	Hearth Kit with Remote Ready "EASY" Control for 30" FireStones DF-AFS30	1,251.00	23
	DF-AFS30-RE-B-	Hearth Kit with Variable Remote "EASY" Control for 30" FireStones DF-AFS30	1,535.00	24
	DF-AFS30-S-B-	Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireStones DF-AFS30	1,304.00	23
	DF-AFS30-EI-B-	Hearth Kit with Electronic Ignit. Remote for 30" FireStones DF-AFS30	1,858.00	25
	Stainless Steel Chassis Carton 2 of 2 (suffix with "N" for Natural Gas, "P" for Propane)			
	DF-AFS30-M-SS-	Hearth Kit with Manual Control for 30" FireStones DF-AFS30	1,320.00	21
	DF-AFS30-SE-SS-	Hearth Kit with Remote Ready "EASY" Control for 30" FireStones DF-AFS30	1,586.00	22
	DF-AFS30-RE-SS-	Hearth Kit with Variable Remote "EASY" Control for 30" FireStones DF-AFS30	1,869.00	23
	DF-AFS30-S-SS-	Hearth Kit with Millivolt Switch/Remote Ready Control for 30" FireStones DF-AFS30	1,638.00	22
	DF-AFS30-EI-SS-	Hearth Kit with Electronic Ignit. Remote for 30" FireStones DF-AFS30	2,193.00	24

Safety Control Lighting Kits for Vented Sets

Safety Lighting Kits provide safety shutdown in the event of an interruption in the gas supply or flameout. They also provide a convenient means of lighting the main burner(s) and controlling the flame height. They are required for all indoor propane installations, advisable for indoor natural gas, and are required for installations in certain jurisdictions. There are two main categories of Safety Lighting Kits:

- 1) Standing Pilots (SP) (Manual, "EASY" and Millivolt); and
- 2) Pilot on Demand-Electronic Ignition Systems (EIS)

Basic Manual Control (SPK1) - turn the valve knob to light the main burner and adjust the flame height. Is not upgradable to remote control. Has 150,000 BTU/hour capacity (up to 42" set size) with 3/4" i.d. gas line.

"EASY" System SPs are available in the following types (all 90,000 BTU/hour maximum capacity):

A) **Remote Ready (RPK3E)** – Latching solenoid system that controls the ON/OFF of the burner(s) with the receiver switch or one of five Wireless Remote Transmitter Devices (sold separately - see below).

"SE" is not a "millivolt" system. Minimal flame height adjustment by manually turning the knob at the valve.

- Wireless Hand-Held Remote Control with Simple ON/OFF or Thermostat feature.
- Wireless Wall Timer •Wireless Wall Switch •Wireless Wall Thermostat

B) **Variable Flame Height Remote Control (RMC1E)** - Light the burner and control the flame height with the hand-held wireless remote control (included).

*****Please note:** Both of the above "EASY" options use the same valve body. This means that a kit may be upgraded at any time to either "Remote Ready" or "Variable Flame Height Remote Control" functionality with the addition of either the SE-UP1 or RE-UP1 upgrade kits. The all use a thermocouple pilot system.

Millivolt Switch/Remote Ready (RPK1 & RPK3) - Light the burner with the included wired wall switch, or with the accessories found on Page 62. Adjust the flame height manually by adjusting the knob at the valve.

There are two main types of EIS: 1) Battery powered; and 2) 120V AC powered

A) **Battery Powered** are designed to be installed either inside or outside of the firebox. When an AC adapter is used, the batteries become a back-up in case of power outage. Can be used with home automation system.

B) **120V AC Powered** require the components to be installed outside of the firebox in a "vault" with gas and electricity. They are the systems to use if you require the ignition to be tied into an exhaust fan or for use with a home automation system. No gas modulation control - requires manual valve at burner to control flame height (such as V17, V1, or V2, or one of sufficient gas capacity).

Have our factory assemble a Manual, "EASY" or RPK Safety Control to any of the following Match Lighted gas log burners up to and including the 30" set size: F, FX, CS, CXF, TNA, and DF-CF.

To order, suffix the burner kit item number with the Safety Control item number.

The price is the sum of the **Burner + Control + \$79.00 list**

For Example: B24FXH + RMC1E-N \$403 + \$824 + \$79 = \$1306.00 list

Standing Pilot Lighting Kits (suffix with "N" for Natural Gas, "P" for Propane)			
Item #	Description	MSRP	Wt
SPK1-	(M) Manual Safety Pilot Control - Not upgradable to Remote. 150,000	269.00	3
RPK3E-	(SE) Remote Ready "EASY" Safety Pilot Control - Wireless Remote Transmitter Device recommended (see below for choices)	541.00	3
RMC1E-	(RE) Variable Flame Height Remote Safety Pilot Control - Includes Remote	824.00	4

Wireless Remote Transmitter Devices for RPK3E and SE Remote Ready

SR-2R	Wireless Hand-held Transmitter with simple ON/OFF function	110.00	2
THR-2R	Wireless Hand-held Transmitter with Thermostat function	165.00	2
TS-2R	Wireless Wall Thermostat Control	200.00	2
WS-2R	Wireless Wall Switch	165.00	5
WT-2R	Wireless 30/60/120 minute Wall Timer	165.00	5
RH2	Ceramic Log House for "SE", "RE" and Millivolt receivers	67.00	4
RH3	Smooth-sided Receiver House - use with FireBalls, FireShapes and FireStones for contemporary look **SPECIFY CERAMIC COLOR** (Pg.41)	67.00	4

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

Item #	Description	MSRP	Wt
SE-UP1	Kit to upgrade to SE On/Off Remote Ready functionality. Includes solenoid, receiver & batteries. Wireless Remote Device - see previous page.	284.00	2
RE-UP1	Kit to upgrade to RE Variable Flame Height Remote Control function. Incl: motor drive, receiver, transmitter & batteries.	561.00	3

Millivolt Safety Pilot Controls (S) – Can be used with home automation systems.

(suffix with "N" for Natural Gas, "P" for Propane) Includes Toggle Switch at valve

RPK1XHC-	Millivolt Switch Safety Pilot Control – 720,000 BTU/hr - Good for use on 72" and larger sets (60" and larger for see-through). 1" x 1"	1,701.00	4
RPK1HC-	Millivolt Switch Safety Pilot Control – 300,000 BTU/hr - Good for use on 54" to 60" sets (42" to 48" for see-through). 3/4" x 3/4"	858.00	4
RPK1-	Millivolt Switch Safety Pilot Control – 210,000 BTU/hr - Good for use on 33" to 48" sets (30" to 36" for see-through). 1/2" x 1/2"	604.00	4
RPK3-	Millivolt Switch Safety Pilot Control - 100,000 BTU/hr - Good for use on 30" and smaller sets (24" for see-through). 3/8" x 3/8"	587.00	4

Remote Accessories/Parts for Millivolt Controls (S, RPK1, RPK3) & EIS-24V

THR-MV1	RF Wireless Hand-held ON/OFF/Thermostat/Count-down Timer/Non-Programmable Transmitter/Receiver (batteries included)	339.00	2
SR-MV1	RF Wireless Hand-held ON/OFF Transmitter/Receiver (batteries included)	241.00	1
WS-MV1	RF Wireless Wall Switch ON/OFF Transmitter/Receiver (batteries included)	264.00	1
WT-MV1	RF Wireless Wall Timer ON/OFF Transmitter/Receiver (batteries included)	264.00	1
TS-1	Wall Thermostat Control, 20' wire	84.00	1
WS-1	Wall Switch, Cover, 20' wire	45.00	1
WT-1	60 minute Wall Timer, Cover, 20' wire	149.00	1
RH2	Ceramic Log House for remote receivers	67.00	4
RH3	Smooth-sided Receiver House - use with FireBalls, FireShapes and FireStones for contemporary look (specify Ceramic Color – pg 38)	67.00	4
V11EHC	Millivolt Valve for RPK1XHC	1,407.00	3
V11HC	Millivolt Valve for RPK1HC	738.00	3
V11	Millivolt Valve for RPK1 (specify N or P)	477.00	3
V11Z	Millivolt Valve for RPK3 (specify N or P)	477.00	3
JPG9-	Pilot/Multicouple Assembly for RPK1 and RPK3 (specify N or P)	128.00	1
JPG9C	Multicouple for JPG9 (RPK1 and RPK3)	87.00	1

Electronic Ignition/Pilot on Demand Systems – Battery Powered

(suffix with "N" for Natural Gas, "P" for Propane) FACTORY ASSEMBLY - Add \$101 List

EIS-RL150-	120V AC/battery powered. Variable Flame Height Remote Control with transmitter. 6-foot leads to install within 5-feet of burner outside of the firebox. Max 100k BTU/hour.	1,211.00	6
EIS-RS150-	Battery powered. Variable Flame Height Remote Control. Includes Remote. 24-inch pilot leads to install within 18-inches of burner inside the firebox. Max 100k BTU/hour. Add 12" to Match Light width min. dims.	1,119.00	6

Electronic Ignition/Pilot on Demand Systems – 24 Volt

The below Electronic Ignition Systems are intended to be installed outside of the firebox in an adjacent vault. 120V AC Powered, stepped down to 24V with included transformer. Requires external switch or remote device to operate (not included). No gas modulation control - requires manual valve at burner to control flame height (such as V17, V1, or V2, or one of sufficient gas capacity). Can be used with home automation systems.

EIS-N135	Discontinued by component manufacturer		
EIS-N200	Natural Gas Only. 200,000 max BTU/hr. 1/2" inlet x 3/4" outlet	1,304.00	6
EIS-N350	Natural Gas Only. 350,000 max BTU/hr. 3/4" inlet x 3/4" outlet	1,858.00	7
EIS-N720	Natural Gas Only. 720,000 max BTU/hr. 1" inlet x 1" outlet	2,701.00	8
EIS-P200	Propane Only. 320,000 max BTU/hr. 1/2" inlet x 3/4" outlet	1,390.00	6
EIS-P350	Propane Only. 560,000 max BTU/hr. 3/4" inlet x 3/4" outlet	1,956.00	7

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.

For Outdoor Use (Natural Gas): Suffix Item # with "OS" and indicate "Outdoor use" in your purchase order description and we will send Volcanic Ash in place of Sand, which we recommend to achieve an even flame in outdoor use. **Match Lighted only - Controls are not warranted for outdoors.

**Add 1 1/2" to pan widths below for overall width
(Pipe extends 3/4" out each side)**

(F") Flaming Ember Burner (only) for Vented Installations

Includes: Burner; Sand (Natural Gas pan filler) or Volcanic Ash (Propane pan filler); Ember Magic; SS Flexible Non-Whistling Connector Kit; Damper Clamp; Instructions.

Grate required but not included. Suffix item # with "N" for Natural Gas, "P" for Propane

Flaming Ember "XTRA" (FX) Burner Only - Black Painted Steel

Pan Dims	Item #	MSRP	Wt. NG/LP
9 3/8" w x 7 3/8" d	FX15-	278.00	21 / 20
12 3/8" w x 7 3/8" d	FX18-	284.00	26 / 25
14 3/8" w x 7 3/8" d	FX20-	292.00	31 / 29
18 3/8" w x 7 3/8" d	FX24-	307.00	34 / 31
24 3/8" w x 7 3/8" d	FX30-	370.00	39 / 34
30 3/8" w x 7 3/8" d	FX36-	462.00	43 / 36
36 3/8" w x 7 3/8" d	FX42-	546.00	54 / 49
42 3/8" w x 7 3/8" d	FX48-	597.00	59 / 54

Flaming Ember "XTRA" (FX) Burner Only - Stainless Steel

Pan Dims	Item #	MSRP	Wt. NG/LP
9 3/8" w x 7 3/8" d	FX15-SS-	624.00	21 / 20
12 3/8" w x 7 3/8" d	FX18-SS-	640.00	26 / 25
14 3/8" w x 7 3/8" d	FX20-SS-	659.00	31 / 29
18 3/8" w x 7 3/8" d	FX24-SS-	687.00	33 / 31
24 3/8" w x 7 3/8" d	FX30-SS-	829.00	39 / 34
30 3/8" w x 7 3/8" d	FX36-SS-	1,036.00	43 / 36
36 3/8" w x 7 3/8" d	FX42-SS-	1,225.00	48 / 41
42 3/8" w x 7 3/8" d	FX48-SS-	1,338.00	53 / 46

F Burner Only - Black Painted Steel

Pan Dims	Item #	MSRP	Wt. NG/LP
9 3/8" w x 5 1/2" d	F15-	180.00	20 / 19
12 3/8" w x 5 1/2" d	F18-	185.00	25 / 24
14 3/8" w x 5 1/2" d	F20-	194.00	30 / 29
18 3/8" w x 5 1/2" d	F24-	200.00	34 / 31
24 3/8" w x 5 1/2" d	F30-	236.00	39 / 31

F Burner Only - Stainless Steel

Pan Dims	Item #	MSRP	Wt. NG/LP
9 3/8" w x 5 1/2" d	F15-SS-	405.00	20 / 19
12 3/8" w x 5 1/2" d	F18-SS-	419.00	25 / 24
14 3/8" w x 5 1/2" d	F20-SS-	434.00	30 / 29
18 3/8" w x 5 1/2" d	F24-SS-	448.00	34 / 31
24 3/8" w x 5 1/2" d	F30-SS-	534.00	39 / 31

("DF") Double Face Custom Embers Burners

for See-Thru Vented Installations Includes: Integrated DF Burner; Sand (Natural Gas pan filler) or Volcanic Ash (Propane pan filler); Ember Magic; Connector Kit; Damper Clamp; Instructions.

Grate required but not included. Suffix item # with "N" for Natural Gas, "P" for Propane

DF-CF Burner Only - Black Painted

Pan Dims	Item #	MSRP	Wt. NG/LP
9 3/8" w x 16" d	DF-CF15-	561.00	28 / 26
12 3/8" w x 16" d	DF-CF18-	575.00	32 / 30
14 3/8" w x 16" d	DF-CF20-	590.00	38 / 36
18 3/8" w x 16" d	DF-CF24-	618.00	49 / 47
24 3/8" w x 16" d	DF-CF30-	738.00	65 / 63
30 3/8" w x 18" d	DF-CF36-	899.00	72 / 70
36 3/8" w x 18" d	DF-CF42-	1,084.00	80 / 78
42 3/8" w x 18" d	DF-CF48-	1,170.00	92 / 90

DF-CF Burner Only - Stainless Steel

Pan Dims	Item #	MSRP	Wt. NG/LP
9 3/8" w x 16" d	DF-CF15-SS-	1,259.00	28 / 26
12 3/8" w x 16" d	DF-CF18-SS-	1,297.00	32 / 30
14 3/8" w x 16" d	DF-CF20-SS-	1,326.00	38 / 36
18 3/8" w x 16" d	DF-CF24-SS-	1,386.00	49 / 47
24 3/8" w x 16" d	DF-CF30-SS-	1,655.00	65 / 63
30 3/8" w x 18" d	DF-CF36-SS-	2,025.00	72 / 70
36 3/8" w x 18" d	DF-CF42-SS-	2,441.00	80 / 78
42 3/8" w x 18" d	DF-CF48-SS-	2,632.00	92 / 90

GRATES - BLACK PAINTED STEEL

All Grates are 5/8" square on the diamond, except SFG12, which is 1/2" square.

Single Face Gas Log Grate

Designed for use with F and FX burners

Set Size	Item #	MSRP	Wt Ea
12, 15	SFG12	69.00	10
18	HFG18	96.00	16
20, 21	HFG20	99.00	17
24	HFG24	110.00	19
27, 30	HFG30	132.00	22
33, 36	HFG36	185.00	33
42	HFG42	200.00	36
48	HFG48	237.00	39
54	HFG54	278.00	51
60	HFG60	307.00	58

Double Face Gas Log Grate

Designed for use with DF-F, DF-FX & DF-CF

Set Size	Item #	MSRP	Wt Ea
12, 15	DF-HFG12	86.00	14
18	DF-HFG18	112.00	20
20, 21	DF-HFG20	119.00	21
24	DF-HFG24	137.00	22
27, 30	DF-HFG30	157.00	24
33, 36	DF-HFG36	229.00	38
42	DF-HFG42	250.00	49
48	DF-HFG48	271.00	53
54	DF-HFG54	322.00	56
60	DF-HFG60	350.00	59

GRATES - STAINLESS STEEL

All Grates are 1/2" square on the diamond, except SFG12-SS, which is 1/2" square.

Single Face Gas Log Grate

Designed for use with F and FX burners

Set Size	Item #	MSRP	Wt Ea
12, 15	SFG12-SS	263.00	10
18	HFG18-SS	369.00	11
20, 21	HFG20-SS	384.00	14
24	HFG24-SS	419.00	15
27, 30	HFG30-SS	518.00	16
33, 36	HFG36-SS	724.00	24
42	HFG42-SS	786.00	32
48	HFG48-SS	942.00	37
54	HFG54-SS	1,091.00	45
60	HFG60-SS	1,205.00	50

Double Face Gas Log Grate

Designed for use with DF-F, DF-FX & DF-CF

Set Size	Item #	MSRP	Wt Ea
12, 15	DF-HFG12-SS	333.00	14
18	DF-HFG18-SS	439.00	20
20, 21	DF-HFG20-SS	477.00	21
24	DF-HFG24-SS	535.00	22
27, 30	DF-HFG30-SS	624.00	24
33, 36	DF-HFG36-SS	886.00	38
42	DF-HFG42-SS	969.00	49
48	DF-HFG48-SS	1,063.00	53
54	DF-HFG54-SS	1,269.00	56
60	DF-HFG60-SS	1,382.00	59

Ember Booster Burners

Increases size of ember bed on "F" Flaming Ember Burners. Not compatible with "FX" burners.

Size	Item #	MSRP	Wt
12, 15	EB15	79.00	2
18	EB18	87.00	2
20, 21	EB20	91.00	2
24	EB24	95.00	3
27, 30	EB30	104.00	3
33, 36	EB36	116.00	4
42	EB42	132.00	4
48, 54, 60	EB48	145.00	5

Log Lighter Burners

Use to conveniently light a wood fire. Replaces need for kindling.

Size	Item #	MSRP	Wt
15	15PL	30.00	2
18	18PL	31.00	2
24	24PL	32.00	3
30	30PL	39.00	4
18	18PLL	40.00	2
24	24PLL	44.00	3
30	30PLL	47.00	4
18	18TPL	51.00	3
24	24TPL	53.00	4
30	30TPL	60.00	5

"PL" - Yellow Flame. For Natural Gas.
 "PLL" - Has air mixer for bluer flame. Propane or Nat. Gas
 "TPL" - "T" burner. Yellow Flame. For Natural Gas.

Parts for CHILLBUSTER™ and Control Systems (see page 66 for "EASY" controls)

Item No.	Description	MSRP	Wt
C1V-	Manual Valve/Reg Assembly for C1(A,B,C,D)-M, DFC1(C,D)-M (specify N or P)	236.00	3
C2V-	Manual Valve/Reg Assembly for C2(A,B)-M, C8-M, CR(A,B)-M (specify N or P)	236.00	3
C4V-R-	Millivolt Valve Dexen/Reg Assy for Chillbuster C2; C3; C5: (specify N or P)	474.00	3
C5V	Manual Valve for Chillbuster C3(A,B)-M, C5(A,B)-M, C7-M	133.00	1
YFV-	YF and TR Manual Valve/Reg Assembly (specify N or P)	296.00	3
V6	Manual Valve with 1/4" compression fitting for CRA-M, CRA-T, CRB-M, CRB-T	49.00	1
V11	Millivolt Control Valve for RPK1 (non-regulated) - White-Rodgers	477.00	3
V11Z-	Auto Safety Remote for RPK3 & "Z" kits (ANSI Yellow Flame) - specify N or P	477.00	3
V14S	Auto Safety Manual for SPK1 & CB "M" - 3/8 FIP x 3/8 FIP side inlet, short stem (use K4 to extend stem) (Copreci)	197.00	2
V15S	Auto Safety Manual for SPK1 - 3/8 FIP x 3/8 FIP back inlet, short stem (use K4 to extend stem) (Copreci)	197.00	2
V16	Manual Valve, 3/8 MIP x 3/8 MIP for C5 and LD	51.00	1
SW-1	Replacement Switch for CB "S" millivolt models	39.00	1
R1-3.5	Appliance Pressure Regulator, Set 3.5" W.C., for C1 and Alterna VF Natural Gas	58.00	1
R1-5.0	Appliance Pressure Regulator, Set 5.0" W.C., for C2, CR, C3, YF Natural Gas	58.00	1
R1-10.5	Appliance Pressure Regulator, Set 10.5" W.C., for C2, CR, C3, YF & Alterna VF Propane models	58.00	1
ODS-CN-	Copreci Oxygen Depletion Sensor Assembly for M, R, ME, SE, RE (specify N or P)	111.00	1
ODS-RCN-	Copreci Millivolt Oxygen Depletion Sensor Assembly for 2012 and later "S" units (specify N or P)	229.00	1
ODS-CTF2	Pilot Tube and Fittings to adapt Copreci ODS to units with OP ODS (specify burner model number so we can provide proper length of tube)	28.00	1
ODS-CTF1	Pilot Tube and Fittings to adapt OP ODS to units with Copreci ODS (specify burner model number so we can provide proper length of tube)	28.00	1
J95R-	Pilot/Thermocouple Assembly YF & TR "M" models, SPK, RMC; YF ME, SE, RE; SPK3E, RPK3E and RMC1E (specify N or P)	49.00	1
J95RADN	Pilot/Thermocouple Assembly for Nat. Gas ANSI Yellow Flame ME/SE/RE	110.00	1
JPG9-	Pilot/Thermocouple Assembly for Nat. Gas ANSI Yellow Flame ME/SE/RE	121.00	1
JPG9C	Thermo-generator for JPG9 ("S" & "R" YF and TR, and RPK)	82.00	1
18T	Thermocouple only for J95R	37.00	1
JPBT-15	1/8" Pilot Burner Tube for J95R	17.00	1
JPBT-33	1/8" Pilot Burner Tube for JPG9	21.00	1
A204-	Pilot Burner Orifice for J95R and JPG9 (specify N or P)	17.00	1
PIEZO	Piezo Ignitor/Pal Nut/Wire Assembly for CB, YF and TR	40.00	1
JK	Knob for C1A-M, C1B-M, DFC1-M, C3-M	18.00	1
JK2	Knob for C2A-M, C2B-M, CRA-M, CRB-M, YF, TR	18.00	1
DK2	Knob for C2A-S, C2A-R, C2B-S, C2B-R, Remote, Yellow Flame AGA	18.00	1
CH5-RB	Rear Burner for C2A, CRA and 20" Alterna VF models	132.00	2
RAT-1	Front Burner for C2A, M2A, C8 Front models	132.00	2
CE-A18F	Front Burner for C3A models	241.00	3
CE-B24F	Front Burner for C3B models	241.00	3
CE-A18R	Rear Burner for C3A models; Front burners for C5A, C5B, C9A	162.00	3
CE-B24R	Rear Burner for C3B models; Rear burner for C5A, C5B, C8; C7, DFC7; C9B	162.00	3
022AR	Burner for C1A, C1B, DFC1 and 24" Alterna VF models	143.00	2
023	Burner for 30" Alterna VF models	143.00	2
RBT-1	Front Burner for C2B, M2B models	143.00	2
038R	Rear Burner for C2B, CRB, M2B models	143.00	2

Replacement Parts for "EASY" Controls: SPK3E, RPK3E, RMC1E, ME, SE & RE

Item	Description	MSRP
STV-10	Control Valve for all "EASY" control systems	165.00
STV-LS	Latching Solenoid for Remote Ready (for RPK3E & SE)	66.00
STR-RMD	ON/OFF Variable Flame Height Remote Control Transmitter for RMC1E & RE	201.00
BPR3	Battery Pack/Receiver for RPK3E and RMC1E	139.00
EW-2	2-foot long Wire Lead Extender for BPR3 Battery Pack/Receiver	32.00
EW-4	4-foot long Wire Lead Extender for BPR3 Battery Pack/Receiver	38.00
EW-6	6-foot long Wire Lead Extender for BPR3 Battery Pack/Receiver	41.00
EW-8	8-foot long Wire Lead Extender for BPR3 Battery Pack/Receiver	47.00
EW-10	10-foot long Wire Lead Extender for BPR3 Battery Pack/Receiver	52.00
STV-VMD	Variable Motor Drive for RMC1E & RE	188.00
STV-KE2	2-inch pilot knob extender	17.00
J95R-	Pilot/thermocouple assembly (specify N or P) - 18" long leads	49.00
J36R-	Pilot/thermocouple assembly (specify N or P) - 36" long leads	103.00
J48R-	Pilot/thermocouple assembly (specify N or P) - 48" long leads	114.00
J60R-	Pilot/thermocouple assembly (specify N or P) - 60" long leads	126.00
J72R-	Pilot/thermocouple assembly (specify N or P) - 72" long leads	137.00
18T	Thermocouple only for J95R - 18" long	37.00
JPBT-15	1/8" Pilot Burner Tube for J95R	17.00
A204-	Pilot Burner Orifice for J95R and JPG9 (specify N or P)	17.00

Replacement Parts for Millivolt Control Valves (S, RPK1, RPK3)

V11EHC	Millivolt Valve for RPK1EHC	1,407.00
V11HC	Millivolt Valve for RPK1HC	738.00
V11	Millivolt Valve for RPK1	477.00
V11Z	Millivolt Valve for RPK3 (specify N or P)	477.00
JPG9-	Pilot/Multicouple Assembly for RPK1 and RPK3 (specify N or P)	128.00
JPG9C	Multicouple for JPG9	87.00

Replacement Parts for EIS-RL150 and EIS-RS150

1751-729	Igniter Sensor with 24" lead (requires 2)	122.00
1751-749	Igniter Sensor with 72" lead (requires 2)	146.00
1830-010	Pilot assembly (NO IGNITER SENSORS)	65.00
1830-ORIFICE-LP	Propane Orifice for 1830-010 Pilot assembly	14.00
1830-ORIFICE-NG	Natural Gas Orifice for 1830-010 Pilot assembly	14.00
STEV-PLRL-	Pilot/Sensors Assembly for EIS-RL150 (specify N or P) - 72" igniter leads	365.00
STEV-PLRS-	Pilot/Sensors Assembly for EIS-RS150 (specify N or P) - 24" igniter leads	304.00
AT1424	1/4" x 24" Aluminum tube for EIS-RS Pilot	18.00
AT1472	1/4" x 72" Aluminum tube for EIS-RL Pilot	27.00
STEV-40SM	Electronic Ignition Valve, includes variable step motor drive	392.00
STEV-MOD2SM	Control Module for Step Motor	167.00
STEV-SM	Step Motor	146.00
STEV-WH24SM	24" Wire Harness, for use with Step Motor	27.00
STEV-WH24-2	24" Wire Harness, 8-Wire, for use with Step Motor	32.00
STEV-BPSME	Battery Holder for 4-AA batteries	24.00
STEV-REM	ON/OFF Variable Flame Height Remote Control Transmitter	215.00
STEV-AC	Plug-in adaptor for A/C Power Supply	40.00

Replacement Parts for 24-Volt EIS Systems: EIS-N135, EIS-N200, EIS-N350, EIS-N720, EIS-P200, EIS-P350

Item	Description	MSRP
1751-749	Igniter Sensor with 72" lead	146.00
1830-010	Pilot Assembly (NO IGNITER SENSOR)	65.00
1830-ORIFICE-	Specify N or P - Orifice used with 1830-010 Pilot Assembly	14.00
EIS-PLT1-	Pilot/Sensors Assembly for 24V EIS systems (specify N or P) - 72" lead	218.00
620-405	Transformer 120/24 VAC	68.00
722-079	DISCONTINUED Valve used in EIS-N135	
722-070-	Specify N or P - Valve used in EIS-N200 and EIS-P200	711.00
700-056-	Specify N or P - Valve used in EIS-N350 and EIS-P350	1,048.00
700-059	Valve used in EIS-N720	1,084.00
780-715	Ignition Control Module used in EIS-N135, N200, N350, N720 - non-lockout	532.00
780-845	Ignition Control Module used in EIS-P200, P350 - lockout	622.00
AT1472	1/4" x 72" Aluminum tube for Pilot	27.00

Replacement Parts for "VEI" & "EI" EIS controls

GV60-AC	Plug-in Adapter for AC Power Supply. 6-foot long cord.	91.00
GV60-BCA	Battery Box and Cable, 4 ft.	33.00
GV60-C8	8 Wire Cable, 800 mm	28.00
GV60-ICA	Ignition Cable, 1.3mm 900mm	16.00
GV60-RCA	Interruptor Receiver Cable, 800mm	28.00
GV60-RXA	Receiver / Igniter Module	318.00
GV60-SWA	On/Off Switch with Cable, 800mm	30.00
GV60-TIA	Thermocouple Interrupter	30.00
GV60-TXA	Remote Transmitter, (Vent-Free - EI), Thermostatic & Timer Features	164.00
GV60-TXB	Remote Transmitter, (Vented - VEI), ON/OFF with Temperature and Time display	164.00
GV60-VLP	EIS Gas Control Valve, Propane	375.00
GV60-VNG	EIS Gas Control Valve, Natural Gas	375.00
GV60-WMB	Wall Mounting Bracket for VEI and EI Handheld Transmitters	37.00
GV60-WS1	Wired Wall Switch with Variable Flame Height Control for VEI and EI. Includes 26-feet of wires.	200.00

ODS-VEI-CS-	Pilot Assembly and Bracket for VEI with CS Bumer. Specify N or P	136.00
ODS-VEI-CXF-	Pilot Assembly and Bracket for VEI with CXF Bumer. Specify N or P	136.00
ODS-VEI-F-	Pilot Assembly and Bracket for VEI with F or FX Bumer. Specify N or P	136.00
ODS-VEI-LC-	Pilot Assembly and Bracket for VEI with LC Bumer. Specify N or P	136.00
ODS-VEI-TNA-	Pilot Assembly and Bracket for VEI with TNA Bumer. Specify N or P	136.00

Please Note: The #1 Service Call for Vent-Free and VEI sets (for all manufacturers) is the result of clogged ODS pilot air intakes. This is not a warranty issue, but is easily corrected.

Symptom: Either the pilot is hard to light or, after a period of burning, the unit shuts down.

Cause: ODS pilot air intake holes are located at the rear of the pilot assembly near where the pilot gas line attaches to the pilot. They draw in air to mix with the gas for a proper pilot flame. Over time lint and dust can be drawn into the holes with the air, resulting in an improper gas/air mix and a poor pilot flame that results in nuisance pilot outage.

Fix: Clean out the ODS pilot air intake holes with a pipe cleaner or compressed air. In most cases, no parts replacement is needed. This procedure should be accomplished seasonally, or as needed.

Detailed instructions may be found at www.rasbox.com

Item No.	Description	MSRP	Wt
SILICA SAND			
SS8	8 lb. Bag	32.00	8
SS25	25 lb. Bag	61.00	25
SS100	100 lb. Bag	162.00	100

VOLCANIC ASH			
VACB	Ash for CB	20.00	3
VA5	5 lb. bag	28.00	6
VA15	.3 cu.ft. box	47.00	18
VA45	.75 cu.ft. box	116.00	46

FLAMING EMBERS			
EK	Vermiculite, Embers, Glue	38.00	1.3
REK	Vermiculite, Embers	32.00	1
EMCB	CB Ember Box	17.00	0.2
EM1	1 lb. bulk Ember Fiber	49.00	1
EMX1	6 oz. bag Ember Magic	31.00	0.4
EMX5	3 lb. bulk Ember Magic	73.00	3
GB-1	Glue, brush	17.00	0.5

EXTRA COARSE VERMICULITE GRANULES			
MGX1	1 lb. Bag	34.00	1
MGX5	1280 cu in box	86.00	5
MGX20	4 cu. ft. Bag	172.00	18

PINE CONES - Individual (height x width)			
PCT-S	Tiny-Small. 2" h x 1.25" w	17.00	0.25
PCT-T	Tiny-Tall. 2" h x 1.75" w	17.00	0.25
PCS-P	Small-Small. 3" h x 2.5" w	18.00	0.5
PCS-H	Small-Tall. 3" h x 2.5" w	18.00	0.5
PCM	Medium. 4" h x 3" w	26.00	0.75
PCL-T	Large-Tall. 6" h x 3.5" w	27.00	1
PCL-F	Large-Fat. 5.5" h x 4.5" w	28.00	1

OAK TWIGS - Individual			
T34	14" -Y Shape	33.00	1.5
T35	14" - Straight	33.00	1.5
T37	12" - Straight	32.00	1
T38	8" - Straight	31.00	0.5
T39	6" - Y Shape	30.00	0.5
TW5	5 Twigs (one each of above)	119.00	7

Chips, Chunks, Tiny Pine Cone Assortments			
CPCP	6 Chips	75.00	3
CPPT	3 Chips, 3 PCT	75.00	2.5
CKPT	3 Chunks, 3 PCT	88.00	3.5
BOC	6 Chunkers	118.00	5
LL	Log Lifters - pair	20.00	1

Item No.	Description	MSRP	Wt
AUX. VALVES / KEYS			
V1	1/2" Straight Log Lighter, chrome	112.00	1
V2	1/2" Angle Log Lighter, chrome	112.00	1
V1-B	1/2" Straight Log Lighter, brass	132.00	1
V2-B	1/2" Angle Log Lighter, brass	132.00	1
V3	3/4" Straight Log Lighter,	119.00	1
V4	3/4" Angle Log Lighter, chrome	119.00	1
V16	3/8" Manual (for C5 and certain LD)	51.00	1
V17	3/8" MIP x 3/8" MIP Manual	70.00	1
V17B	Kit with V17, K5, SL4, A9	99.00	1.5
K1	3" Short Key for V1-V4, chrome	24.00	-
K2	9" Long Key for V1-V4, chrome	27.00	-
K1-B	3" Short Key for V1-V4, brass	38.00	-
K2-B	9" Long Key for V1-V4, brass	40.00	-
K4	3" Extension for V14S, V15S	17.00	-
K5	6" Removable Handle for V17	28.00	-

ALUMINUM CONNECTOR			
ACCB	for CB - 18" x 3/8"	24.00	0.35
AC12	12" x 3/8"	18.00	0.25
AC18	15" x 3/8"	19.00	0.3
AC24	24" x 3/8"	26.00	0.4

STAINLESS STEEL NON-WHISTLING FLEX CONNECTOR - BLACK			
SSCB-6	6" x 3/8"	34.00	0.5
SSCB-10	10" x 3/8"	41.00	0.5
SSCB-14	14" x 3/8" (30" and smaller sets)	51.00	0.6
SSCB-18	18" x 3/8"	53.00	0.8
SSCB-12-12	12" x 1/2"	58.00	1
SSCB-18-12	18" x 1/2"	74.00	1
SSCB-24	24" x 3/8"	57.00	1
SSCB-24-58	24" x 5/8"	89.00	1

MISC. FITTINGS			
DC1	Damper Stop Clamp	17.00	-
LN	Pal Nut	11.00	-
MA-LP	Mixer Assy (CA)	38.00	1
MA2-LP	Mixer Assy (FA)	38.00	1

BRASS FITTINGS			
A1	3/8T x 1/2 FIP EL (for gas supply pipe)	14.00	-
A2	3/8T x 3/8 MIP EL	14.00	-
A2T	3/8T x 3/8 MIP EL (orifice holder)	15.00	-
A3	3/8T x 1/2 FIP	15.00	-
A5	3/8T x 1/2 MIP-3/8FIP	12.00	-
A6	3/8 MIP x 1/2 MIP	16.00	-
A7	3/8 MIPx3/8 MIP (orifice holder)	18.00	-
A8	3/8T x 3/8T Union (connect 2 SSCB)	20.00	-
A81	1/2T x 1/2T Union (connect 2 SSCB)	24.00	-
A9	3/8T x 3/8 FIP	16.00	-
A10	3/8T x 3/8 MIP	14.00	-
O1-	7/16-27 Orifice (specify drill size or Blank)	11.00	-

Warranty

The following is a summary of our Warranty. Please see Instruction Manual or www.RasBox.com for full warranty.

VENTED GAS LOGS and VENTED ALTERNA

For Residential Single-Family Indoors (Non-Commercial, Non-Multi-Tenant or Non-Hospitality):

Rasmussen warrants against defects in manufacturing and materials:

- Logs (loss of both cementitious and ceramic bonds, evidenced by crumbling) for the **lifetime of the original purchaser in the original installation.**
- Burners and grates for **two years** against defects in materials or workmanship.
- Safety Lighting Controls for **one year** against defects in materials or workmanship.

For all Outdoors, and Indoors Commercial, Multi-Tenant and Hospitality:

- Logs, FireBalls and FireStones (loss of both cementitious and ceramic bonds, evidenced by crumbling) for **one year.**
- Burners and grates for **one year** against defects in materials or workmanship.
- Safety Lighting Controls **one year**, except no warranty for Outdoors, as they are not intended for outdoor installations.

VENT-FREE SETS (ALL)

For Residential Single-Family Indoors (Non-Commercial, Non-Multi-Tenant or Non-Hospitality):

Rasmussen warrants against defects in manufacturing and materials:

- **Two years** for logs, FireBalls and FireStones; burners; grates; and safety lighting controls.

For all Outdoors:

- **No warranty.** Not designed nor intended for use outdoors.

For Indoor Commercial, Multi-Tenant and Hospitality:

- **Six months** for logs, burners, grates and safety lighting controls

For All Vented and Vent-free Sets:

Rasmussen agrees to repair or replace, at our election, any part or component we deem to be covered under warranty. Buyer must notify Rasmussen within thirty days of defect discovery. Unauthorized returns will be refused. Labor costs are not included in warranty. **Shipping and handling costs are the responsibility of the Buyer.**

Exclusions from warranty for both Vented and Vent-free sets:


- Maximum liability by Rasmussen is the price paid for the product.
- Misuse, neglect, accident, improper installation or use in violation of instructions are not covered by warranty.
- Repair or alterations not made or authorized by Rasmussen voids all warranties.
- Rasmussen is not responsible for components that did not originate from Rasmussen, regardless of retailer representations.
- Freight damage, cracking from thermal shock, color changes and corrosion from outdoor installations are beyond Rasmussen's control and are not covered by any warranty.

Cracks in Logs

Mere cracking is not grounds for warranty replacement of a log, as all logs will experience cracking at some time. The logs are subjected to uneven heating, which relieves itself through cracking. Such cracks are most evident in smooth faced logs like split face, manzanita and birch. We reinforce the logs with steel rods to hold together the log (which is much more rigid and effective than other means used

Notes

Personalized Sizing Form



Personalized Sizing Assistance

Submit this information at <https://rasmussengaslogs.com/personalized-log-set-sizing/#> so our experts can recommend the right set for your home.

(A) Front Width of Firebox (inches) _____

(B) Rear Width of Firebox (inches) _____

(C) Depth of Firebox (inches) _____

(D) Opening Height (inches) _____

Flue Size (inches) _____

Size of Gas Supply:
 Inside diameter = _____

Outside diameter = _____

Gas Supply Location: Right Wall
 Left Wall Floor Other
 - For wall, how far does it extend into the fireplace? _____

- For Floor or Other, please provide exact location dimensions of its location so that we can determine any potential collisions with components:

Location: Indoors Outdoors

Type of Opening: Single See-Through
 3-Sided (specify if long side is in front or on two sides) 4-sided/360°

Gas Type: Natural Gas Propane

Type of System Desired: Vented Vent-Free

I desire:
 Logs. Style = _____

FireBalls.
 Uniform Diameter (specify size _____)
 Mixed Diameters (vented only)

FireStones
 FireGlitter (glass). Specify color

Lighting Control Type Desired:
 Match Lit (vented natural gas only)
 Standing Pilot – Basic Manual Control
 Standing Pilot – Wall Switch
 Standing Pilot – Remote Control Electronic Ignition (Non-standing pilot w/remote control)
 I need a control. I'm not yet sure which one.
 I'm not sure.
 I desire _____

Installation Type: Existing Fireplace
 Existing Fireplace – Room Remodel
 New Construction

Rasmussen Resources:

Email (general): Info@Rasmussen.biz

Placing Orders: Orders@Rasmussen.biz or fax: 562-698-3510

Websites: www.Rasmussen.biz (main website)

www.RasmussenGasLogs.com

www.SolaireGasGrills.com

www.RadiantPatioHeater.com

Personalized Log Set Sizing Form: <http://rasmussengaslogs.com/personalized-log-set-sizing>

Knowledge Base: www.RasBox.com

Photo and Video Repository: www.rasmussen.smugmug.com

Log Videos: www.YouTube.com/rasmussengaslogs

Alternafire Videos: www.YouTube.com/alternafire

Solaire Videos: www.YouTube.com/solairegrills

Newsletter Archive: www.gaslogsandgrills.com

INDEX

Accessories		Burners/Controls, Vented		TimberFire	4
Embers	68	Rumford & Tapered	28-35	Log Lighters	64
Fittings	68	Valve Vanisher - VEI	18-19	Remote Transmitters	
Flex Connectors - SS	68	Valve Vanisher - VRP	19-20	for EASY Controls	15,46,61
Keys for LL Valves	68	Valve Vanisher - VMV	21-22	For EIS & Millivolt	20,46,62
Log Lighter Valves	68	Valve Vanisher - VSP	22-23	Replacement Parts	
Sand	68	Variable Remote (RE)	16-17	For Alternafire Vent-Free	66
Twigs	68	Ceramic Stain Colors	41	For Chillbuster Sets	65
Vermiculite	68	Ember Boosters	64	For EIS kits	66-67
Volcanic Ash	68	FireGlitter (glass)	37	For EASY Controls	66
Alternafire, Vented:		Glass Calculator	37	For Millivolt Controls	66
FireBall Sets	41-43	Grates	64	For VEI EIS Controls	67
FireGlitter Sets	37-40	Logs, Vented		Safety Lighting Controls	
FireStones Packs	44	Birch	3	EASY	61
FireStones Sets	43	Bonfire	5	EIS - 24 volt	62
Individual Balls	41	CrossFire	5	EIS - Battery Powered	62
Alternafire, Vent-Free		Charred Chunk Kits	3	Manual	61
FireBalls Sets (AFB)	55-57	Evening Campfire	3	Millivolt	62
FireGlitter Sets (AFM)	52-54	Evening CrossFire	3	Vent-Free Log Sets	
FireLine Sets (AFM)	52-54	Evening Desire	2	C1 Single Burner	46
FireStones Sets (AFS)	58-60	Evening Lone Star	3	C5 Triple Burner	47
Burners/Controls, Vented		Evening Prestige	2	C7 Single Burner	47
Burner Only	63	Fire Pit Logs	36	C8 Double Burner	48
FireLine	38-40	Frosted Oak	6	C9 CoalFire	49-50
Fire Pit Ring	36	Highland Oak	6	DFC7 See-Thru	48
Manual Controls (M)	12-13	Lone Star	5	EP	48
Match Lighted	8-11	Manzanita	4	Volcanic Ash Calculator	36
Millivolt - RPK (S)	24-26	Pine Cone Sets	4		
Remote Ready (SE)	14-15	Prestige Oak	6		
		Rumford - Tipi	27		
		Rumford -Andiron Classic	30		

All items are subject to availability. Prices subject to change without notice. All rights reserved.
Possession of price list confers no right to purchase at these prices. © 2023 - 2024 Rasmussen Iron Works, Inc.